Test Report : unit-junit.xml

backend/tests/unit/attempt-history-route.test.ts

- CSMQ-43: Attempt history API > uses the authenticated user ID
- CSMQ-43: Attempt history API > rejects invalid pagination
- CSMQ-43: Attempt history API > does not trust a userId query parameter

backend/tests/unit/attempt-validation.test.ts

- CSMQ-40: Quiz attempt submission validation > accepts a valid quiz submission
- CSMQ-40: Quiz attempt submission validation > rejects an invalid quiz ID
- CSMQ-40: Quiz attempt submission validation > rejects duplicate question responses
- CSMQ-40: Quiz attempt submission validation > rejects a missing selected option
- CSMQ-40: Quiz attempt submission validation > rejects student-supplied scores
- CSMQ-40: Quiz attempt submission validation > rejects student-supplied user IDs
- CSMQ-40: Quiz attempt submission validation > rejects submissions exceeding the response limit

backend/tests/unit/config.test.ts

- environment configuration > loads development defaults and validates a production HTTPS origin
- environment configuration > fails closed on invalid configuration {}
- environment configuration > fails closed on invalid configuration {"PORT":"0"}
- environment configuration > fails closed on invalid configuration {"PORT":"invalid"}
- environment configuration > fails closed on invalid configuration {"BCRYPT_ROUNDS":"4"}
- environment configuration > fails closed on invalid configuration {"SESSION_TTL_MINUTES":"0"}
- environment configuration > fails closed on invalid configuration {"CLIENT_ORIGIN":"https://study.example/path"}
- environment configuration > fails closed on invalid configuration {"CLIENT_ORIGIN":"ftp://study.example"}
- environment configuration > fails closed on invalid configuration {"TRUST_PROXY":"true"}
- environment configuration > fails closed on invalid configuration {"TRUST_PROXY":"1"}
- environment configuration > fails closed on invalid configuration {"NODE_ENV":"production"}
- environment configuration > fails closed on invalid configuration {"MONGODB_URI":"invalid-secret-credential"}

backend/tests/unit/csmq-24-question-validation.test.ts

- CSMQ-24 Question Validation Suite > Required fields validation > accepts a fully compliant question payload
- CSMQ-24 Question Validation Suite > Required fields validation > rejects missing or empty questionText with clear error
- CSMQ-24 Question Validation Suite > Required fields validation > rejects questionText exceeding maximum length

- CSMQ-24 Question Validation Suite > Required fields validation > rejects missing or empty subject with clear error
- CSMQ-24 Question Validation Suite > Required fields validation > rejects missing or empty topic with clear error
- CSMQ-24 Question Validation Suite > Required fields validation > rejects invalid difficulty values with clear error
- CSMQ-24 Question Validation Suite > Required fields validation > rejects non-positive marks
- CSMQ-24 Question Validation Suite > Options and correctAnswer validation > rejects when correctAnswer does not match any option ID
- CSMQ-24 Question Validation Suite > Options and correctAnswer validation > rejects when fewer than 2 options are provided
- CSMQ-24 Question Validation Suite > Options and correctAnswer validation > rejects when more than 6 options are provided
- CSMQ-24 Question Validation Suite > Options and correctAnswer validation > rejects duplicate option IDs
- CSMQ-24 Question Validation Suite > Options and correctAnswer validation > rejects option with missing or blank text
- CSMQ-24 Question Validation Suite > Unexpected fields and middleware behavior > rejects unrecognized extra fields in request body
- CSMQ-24 Question Validation Suite > Unexpected fields and middleware behavior > middleware throws AppError with 400 status and message on failure
- CSMQ-24 Question Validation Suite > Unexpected fields and middleware behavior > middleware attaches parsed data and proceeds when valid

backend/tests/unit/csmq-28-consolidated-suite.test.ts

- CSMQ-28: Consolidated Member 2 Test Suite Verification > UT-M2-01: verifies Question model schema and required properties
- CSMQ-28: Consolidated Member 2 Test Suite Verification > UT-M2-02: verifies 2 to 6 options requirement in API validation schema
- CSMQ-28: Consolidated Member 2 Test Suite Verification > UT-M2-03: verifies correctAnswer must match one of the options
- CSMQ-28: Consolidated Member 2 Test Suite Verification > UT-M2-04: verifies filter builder query parsing
- CSMQ-28: Consolidated Member 2 Test Suite Verification > UT-M2-05: verifies student-safe question serializer completely omits answers

backend/tests/unit/evaluate-quiz.test.ts

- evaluateQuiz > returns full score when all answers are correct
- evaluateQuiz > returns zero score when all answers are incorrect
- evaluateQuiz > calculates the exact score for mixed answers
- evaluateQuiz > handles unanswered questions without crashing
- evaluateQuiz > treats an empty selected option as unanswered
- evaluateQuiz > rounds percentage to two decimal places

- evaluateQuiz > handles an empty quiz safely

backend/tests/unit/material-upload-validation.test.ts

- study_material upload metadata validation > accepts complete metadata and trims surrounding whitespace
- study_material upload metadata validation > rejects missing title
- study_material upload metadata validation > rejects missing subject
- study_material upload metadata validation > rejects missing description
- study_material upload metadata validation > rejects invalid or unexpected metadata
- study_material upload metadata validation > rejects invalid or unexpected metadata
- study_material upload metadata validation > rejects invalid or unexpected metadata
- study_material upload metadata validation > rejects invalid or unexpected metadata

backend/tests/unit/middleware.test.ts

- UT-M4-02 through UT-M4-06 shared middleware > attaches only the authenticated user context
- UT-M4-02 through UT-M4-06 shared middleware > rejects malformed credentials
- UT-M4-02 through UT-M4-06 shared middleware > rejects malformed credentials Basic abc
- UT-M4-02 through UT-M4-06 shared middleware > rejects malformed credentials Bearer invalid
- UT-M4-02 through UT-M4-06 shared middleware > rejects malformed credentials Bearer aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa, Bearer aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa
- UT-M4-02 through UT-M4-06 shared middleware > rejects a missing user even when the role guard is mounted alone
- UT-M4-02 through UT-M4-06 shared middleware > allows administrators and forbids students
- UT-M4-02 through UT-M4-06 shared middleware > does not turn a database outage into successful authentication
- UT-M4-02 through UT-M4-06 shared middleware > validates values and keeps request data out of errors and logs
- UT-M4-02 through UT-M4-06 shared middleware > maps parsing, oversized JSON, and duplicate key errors to safe messages
- UT-M4-02 through UT-M4-06 shared middleware > preserves safe application errors and delegates when headers have been sent
- application transport and health > reports liveness/readiness independently and returns safe 404s
- application transport and health > uses the configured CORS origin
- application transport and health > requires HTTPS in production and refuses spoofed proxy headers by default
- application transport and health > refuses to mount unprotected feature routers

backend/tests/unit/password.test.ts

- UT-M4-01 / TC-Sec-01 password hashing > uses independently salted hashes and verifies only the correct password
- UT-M4-01 / TC-Sec-01 password hashing > rejects invalid input ""
- UT-M4-01 / TC-Sec-01 password hashing > rejects invalid input "short"

- UT-M4-01 / TC-Sec-01 password hashing > rejects invalid input "xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx"
- UT-M4-01 / TC-Sec-01 password hashing > rejects invalid input "🔒🔒🔒🔒🔒🔒🔒🔒🔒🔒🔒🔒🔒🔒🔒🔒🔒🔒🔒🔒🔒🔒"
- UT-M4-01 / TC-Sec-01 password hashing > rejects invalid input "valid-length\u0000password"
- UT-M4-01 / TC-Sec-01 password hashing > accepts exactly 72 bytes and never silently truncates multibyte passwords
- UT-M4-01 / TC-Sec-01 password hashing > rejects unsafe cost 0
- UT-M4-01 / TC-Sec-01 password hashing > rejects unsafe cost 4
- UT-M4-01 / TC-Sec-01 password hashing > rejects unsafe cost 9
- UT-M4-01 / TC-Sec-01 password hashing > rejects unsafe cost 15
- UT-M4-01 / TC-Sec-01 password hashing > rejects unsafe cost 10.5
- UT-M4-01 / TC-Sec-01 password hashing > handles invalid stored hashes safely
- UT-M4-01 / TC-Sec-01 password hashing > handles invalid stored hashes safely
- UT-M4-01 / TC-Sec-01 password hashing > handles invalid stored hashes safely
- UT-M4-01 / TC-Sec-01 password hashing > handles invalid stored hashes safely
- UT-M4-01 / TC-Sec-01 password hashing > does not coerce non-string input

backend/tests/unit/question-filters.test.ts

- Question filter logic (CSMQ-25 / UT-M2-04) > UT-M2-04: returns empty filter object when no parameters are passed
- Question filter logic (CSMQ-25 / UT-M2-04) > UT-M2-04: ignores empty, whitespace-only, or non-string parameters
- Question filter logic (CSMQ-25 / UT-M2-04) > UT-M2-04: builds filter by subject correctly
- Question filter logic (CSMQ-25 / UT-M2-04) > UT-M2-04: builds filter by topic correctly
- Question filter logic (CSMQ-25 / UT-M2-04) > matches partial text without treating user input as a regular expression
- Question filter logic (CSMQ-25 / UT-M2-04) > UT-M2-04: builds filter by difficulty correctly
- Question filter logic (CSMQ-25 / UT-M2-04) > UT-M2-04: ignores invalid difficulty values
- Question filter logic (CSMQ-25 / UT-M2-04) > UT-M2-04: builds combined filter with subject and topic
- Question filter logic (CSMQ-25 / UT-M2-04) > UT-M2-04: builds combined filter with subject, topic, and difficulty

backend/tests/unit/question-model.test.ts

- Question model (CSMQ-22) > UT-M2-01: creates and persists a valid Question with MCQ fields, timestamps, and creator
- Question model (CSMQ-22) > UT-M2-02: rejects missing question text
- Question model (CSMQ-22) > UT-M2-02: rejects missing subject
- Question model (CSMQ-22) > UT-M2-02: rejects missing topic
- Question model (CSMQ-22) > UT-M2-02: rejects missing or invalid difficulty
- Question model (CSMQ-22) > UT-M2-02: rejects fewer than two options

- Question model (CSMQ-22) > UT-M2-02: rejects more than six options in the database model
- Question model (CSMQ-22) > UT-M2-02: rejects fractional marks in the database model
- Question model (CSMQ-22) > UT-M2-02: rejects option text longer than 500 characters in the database model
- Question model (CSMQ-22) > UT-M2-02: rejects duplicate option IDs
- Question model (CSMQ-22) > UT-M2-03: rejects when correctAnswer does not match any allowed option ID
- Question model (CSMQ-22) > allows question creation without optional creator field
- Question model (CSMQ-22) > reuses the model registered on the same connection

backend/tests/unit/question-validation.test.ts

- Question validation (CSMQ-24 / UT-M2-01..03) > UT-M2-01: valid MCQ passes validation
- Question validation (CSMQ-24 / UT-M2-01..03) > UT-M2-02: missing questionText is rejected with clear message
- Question validation (CSMQ-24 / UT-M2-01..03) > UT-M2-02: missing subject is rejected with clear message
- Question validation (CSMQ-24 / UT-M2-01..03) > UT-M2-02: missing topic is rejected with clear message
- Question validation (CSMQ-24 / UT-M2-01..03) > UT-M2-02: invalid difficulty is rejected
- Question validation (CSMQ-24 / UT-M2-01..03) > UT-M2-02: fewer than 2 options is rejected
- Question validation (CSMQ-24 / UT-M2-01..03) > UT-M2-02: duplicate option IDs are rejected
- Question validation (CSMQ-24 / UT-M2-01..03) > UT-M2-03: correctAnswer not matching any option is rejected with clear message
- Question validation (CSMQ-24 / UT-M2-01..03) > rejects option with empty text

backend/tests/unit/quiz-attempt-model.test.ts

- QuizAttempt model > creates a valid quiz attempt
- QuizAttempt model > rejects missing required fields
- QuizAttempt model > rejects percentage below 0
- QuizAttempt model > rejects percentage above 100
- QuizAttempt model > rejects fractional scores
- QuizAttempt model > rejects infinite scores
- QuizAttempt model > stores and reads an attempt from MongoDB
- QuizAttempt model > reuses the model registered on the same connection

backend/tests/unit/quiz-filters.test.ts

- Quiz Filter Unit Tests (CSMQ-50) > returns default active filter when empty params provided
- Quiz Filter Unit Tests (CSMQ-50) > filters by search keyword matching title case-insensitively
- Quiz Filter Unit Tests (CSMQ-50) > accepts keyword parameter as alias for search
- Quiz Filter Unit Tests (CSMQ-50) > filters by subject case-insensitively
- Quiz Filter Unit Tests (CSMQ-50) > combines keyword search and subject filter
- Quiz Filter Unit Tests (CSMQ-50) > escapes regex metacharacters properly to prevent injection / regex errors

- Quiz Filter Unit Tests (CSMQ-50) > ignores empty strings and whitespace-only parameters
- Quiz Filter Unit Tests (CSMQ-50) > ignores invalid types for search and subject

backend/tests/unit/quiz-model.test.ts

- Quiz model & API (CSMQ-47) > UT-M2-QUIZ-01: creates and persists a valid Quiz document with title, subject, question references, creator, and timestamps
- Quiz model & API (CSMQ-47) > UT-M2-QUIZ-02: rejects missing or empty title
- Quiz model & API (CSMQ-47) > UT-M2-QUIZ-03: rejects title exceeding 150 characters
- Quiz model & API (CSMQ-47) > UT-M2-QUIZ-04: rejects missing or empty subject
- Quiz model & API (CSMQ-47) > UT-M2-QUIZ-05: rejects subject exceeding 100 characters
- Quiz model & API (CSMQ-47) > UT-M2-QUIZ-06: rejects missing or empty questions array
- Quiz model & API (CSMQ-47) > UT-M2-QUIZ-07: rejects duplicate question references in a quiz
- Quiz model & API (CSMQ-47) > UT-M2-QUIZ-08: rejects missing creator
- Quiz model & API (CSMQ-47) > UT-M2-QUIZ-09: rejects unknown fields in strict mode
- Quiz model & API (CSMQ-47) > UT-M2-QUIZ-10: findQuizById retrieves existing quiz and returns null for non-existent or invalid ID
- Quiz model & API (CSMQ-47) > UT-M2-QUIZ-11: deleteQuizById deletes existing quiz and returns null for non-existent or invalid ID
- Quiz model & API (CSMQ-47) > UT-M2-QUIZ-12: softDeleteQuizById marks quiz with removedAt and administrator ID
- Quiz model & API (CSMQ-47) > UT-M2-QUIZ-13: reuses the model registered on the same connection
- Quiz model & API (CSMQ-47) > UT-M2-QUIZ-14: rejects falsy or missing question ID elements in questions array

backend/tests/unit/quiz-validation.test.ts

- Quiz Validation Unit (CSMQ-48) > accepts valid quiz creation payload
- Quiz Validation Unit (CSMQ-48) > rejects missing or empty title
- Quiz Validation Unit (CSMQ-48) > rejects title longer than 150 characters
- Quiz Validation Unit (CSMQ-48) > rejects missing or empty subject
- Quiz Validation Unit (CSMQ-48) > rejects empty questions array
- Quiz Validation Unit (CSMQ-48) > rejects invalid question ID formatting
- Quiz Validation Unit (CSMQ-48) > rejects duplicate question IDs in selection
- Quiz Validation Unit (CSMQ-48) > rejects extra unrecognized fields (strict schema)

backend/tests/unit/release-guards.test.ts

- refuses release smoke writes without explicit disposable-environment confirmation
- refuses non-loopback release smoke targets without transmitting or printing embedded credentials
- disables the old public-Student promotion shortcut before any database operation

backend/tests/unit/student-safe-serializer.test.ts

- Student-safe question payload serializer (CSMQ-26 / UT-M2-05) > UT-M2-05: correctly strips correctAnswer from student-facing question object
- Student-safe question payload serializer (CSMQ-26 / UT-M2-05) > UT-M2-05: serializes an array of questions without exposing answers

- Student-safe question payload serializer (CSMQ-26 / UT-M2-05) > UT-M2-05 / IT-M2-05: creates quiz payload structure matching Member 3 attempt-api-contract
- Student-safe question payload serializer (CSMQ-26 / UT-M2-05) > handles question objects without options gracefully
- Student-safe question payload serializer (CSMQ-26 / UT-M2-05) > handles missing id, missing questionText, and default payload options

backend/tests/unit/submission-service.test.ts

- CSMQ-40: Quiz submission service > evaluates and saves a valid quiz attempt
- CSMQ-40: Quiz submission service > handles partially answered quizzes
- CSMQ-40: Quiz submission service > rejects a quiz that does not exist
- CSMQ-40: Quiz submission service > rejects a removed quiz
- CSMQ-40: Quiz submission service > rejects an empty quiz
- CSMQ-40: Quiz submission service > rejects missing database questions
- CSMQ-40: Quiz submission service > rejects an invalid selected option
- CSMQ-40: Quiz submission service > rejects questions outside the quiz
- CSMQ-40: Quiz submission service > rejects duplicate quiz question references
- CSMQ-40: Quiz submission service > normalizes case-insensitive question IDs

backend/tests/unit/trusted-evaluation.test.ts

- CSMQ-40: Trusted server-side evaluation > calculates scores using the server answer key
- CSMQ-40: Trusted server-side evaluation > rejects questions outside the quiz
- CSMQ-40: Trusted server-side evaluation > rejects options not belonging to the question
- CSMQ-40: Trusted server-side evaluation > rejects duplicate responses
- CSMQ-40: Trusted server-side evaluation > rejects empty quizzes
- CSMQ-40: Trusted server-side evaluation > rejects invalid trusted answer keys
- CSMQ-40: Trusted server-side evaluation > accepts MongoDB IDs regardless of letter case

backend/tests/unit/user-repository.test.ts

- Production User model and Mongo account repository > User model > applies defaults and normalizes email
- Production User model and Mongo account repository > User model > rejects a user with missing required fields
- Production User model and Mongo account repository > User model > rejects invalid persisted user data: { name: ' ', …(1) }
- Production User model and Mongo account repository > User model > rejects invalid persisted user data: { name: '<script>', …(1) }
- Production User model and Mongo account repository > User model > rejects invalid persisted user data: { name: 'Test Student', …(1) }
- Production User model and Mongo account repository > User model > rejects plaintext password data
- Production User model and Mongo account repository > User model > enforces unique normalized email addresses in MongoDB

- Production User model and Mongo account repository > User model > rejects a role outside the allowed values
- Production User model and Mongo account repository > User model > hides passwordHash in ordinary queries
- Production User model and Mongo account repository > User model > reuses the model registered on the same connection
- Production User model and Mongo account repository > Mongo account repository > initializes the User model and indexes
- Production User model and Mongo account repository > Mongo account repository > finds an account by ID, including its password hash
- Production User model and Mongo account repository > Mongo account repository > returns null for an unknown ID
- Production User model and Mongo account repository > Mongo account repository > finds accounts using a trimmed, case-insensitive email
- Production User model and Mongo account repository > Mongo account repository > returns null for an unknown email
- Production User model and Mongo account repository > Mongo account repository > creates a student with a trimmed name and normalized email

Test Suite: backend/tests/unit/attempt-history-route.test.ts

Results

Duration	0.062 sec
Tests	3
Failures	0

Tests

backend/tests/unit/attempt-history-route.test.ts

Test case:	**CSMQ-43: Attempt history API > uses the authenticated user ID**
Outcome:	Passed

Duration:	0.046 sec

Test case:	CSMQ-43: Attempt history API > rejects invalid pagination
Outcome:	Passed
Duration:	0.011 sec

Test case:	CSMQ-43: Attempt history API > does not trust a userId query parameter
Outcome:	Passed
Duration:	0.005 sec

Test Suite: backend/tests/unit/attempt-validation.test.ts

Results

Duration	0.005 sec
Tests	7
Failures	0

Tests

backend/tests/unit/attempt-validation.test.ts

Test case:	CSMQ-40: Quiz attempt submission validation > accepts a valid quiz submission
Outcome:	Passed

Duration:	0.003 sec

Test case:	**CSMQ-40: Quiz attempt submission validation > rejects an invalid quiz ID**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-40: Quiz attempt submission validation > rejects duplicate question responses**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-40: Quiz attempt submission validation > rejects a missing selected option**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-40: Quiz attempt submission validation > rejects student-supplied scores**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-40: Quiz attempt submission validation > rejects student-supplied user IDs**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-40: Quiz attempt submission validation > rejects submissions exceeding the response limit**
Outcome:	Passed

Duration:	0.0 sec

Test Suite: backend/tests/unit/config.test.ts

Results

Duration	0.008 sec
Tests	12
Failures	0

Tests

backend/tests/unit/config.test.ts

Test case:	**environment configuration > loads development defaults and validates a production HTTPS origin**
Outcome:	Passed
Duration:	0.003 sec

Test case:	**environment configuration > fails closed on invalid configuration {}**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**environment configuration > fails closed on invalid configuration {"PORT":"0"}**
Outcome:	Passed

Duration:	0.001 sec

Test case:	**environment configuration > fails closed on invalid configuration {"PORT":"invalid"}**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**environment configuration > fails closed on invalid configuration {"BCRYPT_ROUNDS":"4"}**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**environment configuration > fails closed on invalid configuration {"SESSION_TTL_MINUTES":"0"}**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**environment configuration > fails closed on invalid configuration {"CLIENT_ORIGIN":"https://study.example/path"}**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**environment configuration > fails closed on invalid configuration {"CLIENT_ORIGIN":"ftp://study.example"}**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**environment configuration > fails closed on invalid configuration {"TRUST_PROXY":"true"}**
Outcome:	Passed

Duration:	0.0 sec

Test case:	**environment configuration > fails closed on invalid configuration {"TRUST_PROXY":"1"}**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**environment configuration > fails closed on invalid configuration {"NODE_ENV":"production"}**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**environment configuration > fails closed on invalid configuration {"MONGODB_URI":"invalid-secret-credential"}**
Outcome:	Passed
Duration:	0.0 sec

Test Suite: backend/tests/unit/csmq-24-question-validation.test.ts

Results

Duration	0.008 sec
Tests	15
Failures	0

Tests

backend/tests/unit/csmq-24-question-validation.test.ts

Test case:	**CSMQ-24 Question Validation Suite > Required fields validation > accepts a fully compliant question payload**
Outcome:	Passed
Duration:	0.003 sec

Test case:	**CSMQ-24 Question Validation Suite > Required fields validation > rejects missing or empty questionText with clear error**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**CSMQ-24 Question Validation Suite > Required fields validation > rejects questionText exceeding maximum length**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-24 Question Validation Suite > Required fields validation > rejects missing or empty subject with clear error**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-24 Question Validation Suite > Required fields validation > rejects missing or empty topic with clear error**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-24 Question Validation Suite > Required fields validation > rejects invalid difficulty values with clear error**
Outcome:	Passed

Duration:	0.0 sec

Test case:	**CSMQ-24 Question Validation Suite > Required fields validation > rejects non-positive marks**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-24 Question Validation Suite > Options and correctAnswer validation > rejects when correctAnswer does not match any option ID**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-24 Question Validation Suite > Options and correctAnswer validation > rejects when fewer than 2 options are provided**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-24 Question Validation Suite > Options and correctAnswer validation > rejects when more than 6 options are provided**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-24 Question Validation Suite > Options and correctAnswer validation > rejects duplicate option IDs**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-24 Question Validation Suite > Options and correctAnswer validation > rejects option with missing or blank text**

Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-24 Question Validation Suite > Unexpected fields and middleware behavior > rejects unrecognized extra fields in request body**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-24 Question Validation Suite > Unexpected fields and middleware behavior > middleware throws AppError with 400 status and message on failure**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**CSMQ-24 Question Validation Suite > Unexpected fields and middleware behavior > middleware attaches parsed data and proceeds when valid**
Outcome:	Passed
Duration:	0.001 sec

Test Suite: backend/tests/unit/csmq-28-consolidated-suite.test.ts

Results

Duration	0.009 sec
Tests	5
Failures	0

Tests

backend/tests/unit/csmq-28-consolidated-suite.test.ts

Test case:	**CSMQ-28: Consolidated Member 2 Test Suite Verification > UT-M2-01: verifies Question model schema and required properties**
Outcome:	Passed
Duration:	0.002 sec

Test case:	**CSMQ-28: Consolidated Member 2 Test Suite Verification > UT-M2-02: verifies 2 to 6 options requirement in API validation schema**
Outcome:	Passed
Duration:	0.003 sec

Test case:	**CSMQ-28: Consolidated Member 2 Test Suite Verification > UT-M2-03: verifies correctAnswer must match one of the options**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**CSMQ-28: Consolidated Member 2 Test Suite Verification > UT-M2-04: verifies filter builder query parsing**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**CSMQ-28: Consolidated Member 2 Test Suite Verification > UT-M2-05: verifies student-safe question serializer completely omits answers**
Outcome:	Passed

Duration:	0.001 sec

Test Suite: backend/tests/unit/evaluate-quiz.test.ts

Results

Duration	0.003 sec
Tests	7
Failures	0

Tests

backend/tests/unit/evaluate-quiz.test.ts

Test case:	**evaluateQuiz > returns full score when all answers are correct**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**evaluateQuiz > returns zero score when all answers are incorrect**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**evaluateQuiz > calculates the exact score for mixed answers**
Outcome:	Passed

Duration:	0.0 sec

Test case:	**evaluateQuiz > handles unanswered questions without crashing**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**evaluateQuiz > treats an empty selected option as unanswered**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**evaluateQuiz > rounds percentage to two decimal places**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**evaluateQuiz > handles an empty quiz safely**
Outcome:	Passed
Duration:	0.0 sec

Test Suite: backend/tests/unit/material-upload-validation.test.ts

Results

Duration	0.005 sec

Tests	8
Failures	0

Tests

backend/tests/unit/material-upload-validation.test.ts

Test case:	study material upload metadata validation > accepts complete metadata and trims surrounding whitespace
Outcome:	Passed
Duration:	0.003 sec

Test case:	study material upload metadata validation > rejects missing title
Outcome:	Passed
Duration:	0.0 sec

Test case:	study material upload metadata validation > rejects missing subject
Outcome:	Passed
Duration:	0.0 sec

Test case:	study material upload metadata validation > rejects missing description
Outcome:	Passed
Duration:	0.0 sec

Test case:	study material upload metadata validation > rejects invalid or unexpected metadata
Outcome:	Passed

Duration:	0.0 sec

Test case:	**study material upload metadata validation > rejects invalid or unexpected metadata**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**study material upload metadata validation > rejects invalid or unexpected metadata**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**study material upload metadata validation > rejects invalid or unexpected metadata**
Outcome:	Passed
Duration:	0.0 sec

Test Suite: backend/tests/unit/middleware.test.ts

Results

Duration	0.099 sec
Tests	15
Failures	0

Tests

backend/tests/unit/middleware.test.ts

Test case:	**UT-M4-02 through UT-M4-06 shared middleware > attaches only the authenticated user context**
Outcome:	Passed
Duration:	0.029 sec

Test case:	**UT-M4-02 through UT-M4-06 shared middleware > rejects malformed credentials**
Outcome:	Passed
Duration:	0.005 sec

Test case:	**UT-M4-02 through UT-M4-06 shared middleware > rejects malformed credentials Basic abc**
Outcome:	Passed
Duration:	0.003 sec

Test case:	**UT-M4-02 through UT-M4-06 shared middleware > rejects malformed credentials Bearer invalid**
Outcome:	Passed
Duration:	0.003 sec

Test case:	**UT-M4-02 through UT-M4-06 shared middleware > rejects malformed credentials Bearer aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa, Bearer aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa**
Outcome:	Passed
Duration:	0.003 sec

Test case:	**UT-M4-02 through UT-M4-06 shared middleware > rejects a missing user even when the role guard is mounted alone**
Outcome:	Passed

Duration:	0.003 sec

Test case:	**UT-M4-02 through UT-M4-06 shared middleware > allows administrators and forbids students**
Outcome:	Passed
Duration:	0.006 sec

Test case:	**UT-M4-02 through UT-M4-06 shared middleware > does not turn a database outage into successful authentication**
Outcome:	Passed
Duration:	0.004 sec

Test case:	**UT-M4-02 through UT-M4-06 shared middleware > validates values and keeps request data out of errors and logs**
Outcome:	Passed
Duration:	0.013 sec

Test case:	**UT-M4-02 through UT-M4-06 shared middleware > maps parsing, oversized JSON, and duplicate key errors to safe messages**
Outcome:	Passed
Duration:	0.011 sec

Test case:	**UT-M4-02 through UT-M4-06 shared middleware > preserves safe application errors and delegates when headers have been sent**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**application transport and health > reports liveness/readiness independently and returns safe 404s**
Outcome:	Passed

Duration:	0.01 sec

Test case:	**application transport and health > uses the configured CORS origin**
Outcome:	Passed
Duration:	0.002 sec

Test case:	**application transport and health > requires HTTPS in production and refuses spoofed proxy headers by default**
Outcome:	Passed
Duration:	0.006 sec

Test case:	**application transport and health > refuses to mount unprotected feature routers**
Outcome:	Passed
Duration:	0.0 sec

Test Suite: backend/tests/unit/password.test.ts

Results

Duration	0.338 sec
Tests	17
Failures	0

Tests

backend/tests/unit/password.test.ts

Test case:	**UT-M4-01 / TC-Sec-01 password hashing > uses independently salted hashes and verifies only the correct password**
Outcome:	Passed
Duration:	0.227 sec

Test case:	**UT-M4-01 / TC-Sec-01 password hashing > rejects invalid input ""**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**UT-M4-01 / TC-Sec-01 password hashing > rejects invalid input "short"**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**UT-M4-01 / TC-Sec-01 password hashing > rejects invalid input "xxxx

Duration:	0.0 sec

Test case:	**UT-M4-01 / TC-Sec-01 password hashing > accepts exactly 72 bytes and never silently truncates multibyte passwords**
Outcome:	Passed
Duration:	0.107 sec

Test case:	**UT-M4-01 / TC-Sec-01 password hashing > rejects unsafe cost 0**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**UT-M4-01 / TC-Sec-01 password hashing > rejects unsafe cost 4**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**UT-M4-01 / TC-Sec-01 password hashing > rejects unsafe cost 9**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**UT-M4-01 / TC-Sec-01 password hashing > rejects unsafe cost 15**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**UT-M4-01 / TC-Sec-01 password hashing > rejects unsafe cost 10.5**
Outcome:	Passed

Duration:	0.0 sec

Test case:	**UT-M4-01 / TC-Sec-01 password hashing > handles invalid stored hashes safely**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**UT-M4-01 / TC-Sec-01 password hashing > handles invalid stored hashes safely**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**UT-M4-01 / TC-Sec-01 password hashing > handles invalid stored hashes safely**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**UT-M4-01 / TC-Sec-01 password hashing > handles invalid stored hashes safely**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**UT-M4-01 / TC-Sec-01 password hashing > does not coerce non-string input**
Outcome:	Passed
Duration:	0.0 sec

Test Suite: backend/tests/unit/question-filters.test.ts

Results

Duration	0.004 sec
Tests	9
Failures	0

Tests

backend/tests/unit/question-filters.test.ts

Test case:	**Question filter logic (CSMQ-25 / UT-M2-04) > UT-M2-04: returns empty filter object when no parameters are passed**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**Question filter logic (CSMQ-25 / UT-M2-04) > UT-M2-04: ignores empty, whitespace-only, or non-string parameters**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**Question filter logic (CSMQ-25 / UT-M2-04) > UT-M2-04: builds filter by subject correctly**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**Question filter logic (CSMQ-25 / UT-M2-04) > UT-M2-04: builds filter by topic correctly**
Outcome:	Passed

Duration:	0.0 sec

Test case:	**Question filter logic (CSMQ-25 / UT-M2-04) > matches partial text without treating user input as a regular expression**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**Question filter logic (CSMQ-25 / UT-M2-04) > UT-M2-04: builds filter by difficulty correctly**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**Question filter logic (CSMQ-25 / UT-M2-04) > UT-M2-04: ignores invalid difficulty values**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**Question filter logic (CSMQ-25 / UT-M2-04) > UT-M2-04: builds combined filter with subject and topic**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**Question filter logic (CSMQ-25 / UT-M2-04) > UT-M2-04: builds combined filter with subject, topic, and difficulty**
Outcome:	Passed
Duration:	0.0 sec

Test Suite: backend/tests/unit/question-model.test.ts

Results

Duration	0.503 sec
Tests	13
Failures	0

Tests

backend/tests/unit/question-model.test.ts

Test case:	**Question model (CSMQ-22) > UT-M2-01: creates and persists a valid Question with MCQ fields, timestamps, and creator**
Outcome:	Passed
Duration:	0.021 sec

Test case:	**Question model (CSMQ-22) > UT-M2-02: rejects missing question text**
Outcome:	Passed
Duration:	0.003 sec

Test case:	**Question model (CSMQ-22) > UT-M2-02: rejects missing subject**
Outcome:	Passed
Duration:	0.002 sec

Test case:	**Question model (CSMQ-22) > UT-M2-02: rejects missing topic**
Outcome:	Passed

Duration:	0.002 sec

Test case:	**Question model (CSMQ-22) > UT-M2-02: rejects missing or invalid difficulty**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**Question model (CSMQ-22) > UT-M2-02: rejects fewer than two options**
Outcome:	Passed
Duration:	0.003 sec

Test case:	**Question model (CSMQ-22) > UT-M2-02: rejects more than six options in the database model**
Outcome:	Passed
Duration:	0.002 sec

Test case:	**Question model (CSMQ-22) > UT-M2-02: rejects fractional marks in the database model**
Outcome:	Passed
Duration:	0.002 sec

Test case:	**Question model (CSMQ-22) > UT-M2-02: rejects option text longer than 500 characters in the database model**
Outcome:	Passed
Duration:	0.003 sec

Test case:	**Question model (CSMQ-22) > UT-M2-02: rejects duplicate option IDs**
Outcome:	Passed

Duration:	0.001 sec

Test case:	**Question model (CSMQ-22) > UT-M2-03: rejects when correctAnswer does not match any allowed option ID**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**Question model (CSMQ-22) > allows question creation without optional creator field**
Outcome:	Passed
Duration:	0.002 sec

Test case:	**Question model (CSMQ-22) > reuses the model registered on the same connection**
Outcome:	Passed
Duration:	0.001 sec

Test Suite: backend/tests/unit/question-validation.test.ts

Results

Duration	0.007 sec
Tests	9
Failures	0

Tests

backend/tests/unit/question-validation.test.ts

Test case:	**Question validation (CSMQ-24 / UT-M2-01..03) > UT-M2-01: valid MCQ passes validation**
Outcome:	Passed
Duration:	0.003 sec

Test case:	**Question validation (CSMQ-24 / UT-M2-01..03) > UT-M2-02: missing questionText is rejected with clear message**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**Question validation (CSMQ-24 / UT-M2-01..03) > UT-M2-02: missing subject is rejected with clear message**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**Question validation (CSMQ-24 / UT-M2-01..03) > UT-M2-02: missing topic is rejected with clear message**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**Question validation (CSMQ-24 / UT-M2-01..03) > UT-M2-02: invalid difficulty is rejected**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**Question validation (CSMQ-24 / UT-M2-01..03) > UT-M2-02: fewer than 2 options is rejected**
Outcome:	Passed

Duration:	0.0 sec

Test case:	**Question validation (CSMQ-24 / UT-M2-01..03) > UT-M2-02: duplicate option IDs are rejected**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**Question validation (CSMQ-24 / UT-M2-01..03) > UT-M2-03: correctAnswer not matching any option is rejected with clear message**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**Question validation (CSMQ-24 / UT-M2-01..03) > rejects option with empty text**
Outcome:	Passed
Duration:	0.0 sec

Test Suite: backend/tests/unit/quiz-attempt-model.test.ts

Results

Duration	0.519 sec
Tests	8
Failures	0

Tests

backend/tests/unit/quiz-attempt-model.test.ts

Test case:	**QuizAttempt model > creates a valid quiz attempt**
Outcome:	Passed
Duration:	0.016 sec

Test case:	**QuizAttempt model > rejects missing required fields**
Outcome:	Passed
Duration:	0.008 sec

Test case:	**QuizAttempt model > rejects percentage below 0**
Outcome:	Passed
Duration:	0.002 sec

Test case:	**QuizAttempt model > rejects percentage above 100**
Outcome:	Passed
Duration:	0.002 sec

Test case:	**QuizAttempt model > rejects fractional scores**
Outcome:	Passed
Duration:	0.008 sec

Test case:	**QuizAttempt model > rejects infinite scores**
Outcome:	Passed

Duration:	0.008 sec

Test case:	QuizAttempt model > stores and reads an attempt from MongoDB
Outcome:	Passed
Duration:	0.009 sec

Test case:	QuizAttempt model > reuses the model registered on the same connection
Outcome:	Passed
Duration:	0.002 sec

Test Suite: backend/tests/unit/quiz-filters.test.ts

Results

Duration	0.004 sec
Tests	8
Failures	0

Tests

backend/tests/unit/quiz-filters.test.ts

Test case:	Quiz Filter Unit Tests (CSMQ-50) > returns default active filter when empty params provided
Outcome:	Passed

Duration:	0.001 sec

Test case:	**Quiz Filter Unit Tests (CSMQ-50) > filters by search keyword matching title case-insensitively**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**Quiz Filter Unit Tests (CSMQ-50) > accepts keyword parameter as alias for search**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**Quiz Filter Unit Tests (CSMQ-50) > filters by subject case-insensitively**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**Quiz Filter Unit Tests (CSMQ-50) > combines keyword search and subject filter**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**Quiz Filter Unit Tests (CSMQ-50) > escapes regex metacharacters properly to prevent injection / regex errors**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**Quiz Filter Unit Tests (CSMQ-50) > ignores empty strings and whitespace-only parameters**
Outcome:	Passed

Duration:	0.0 sec

Test case:	**Quiz Filter Unit Tests (CSMQ-50) > ignores invalid types for search and subject**
Outcome:	Passed
Duration:	0.0 sec

Test Suite: backend/tests/unit/quiz-model.test.ts

Results

Duration	0.555 sec
Tests	14
Failures	0

Tests

backend/tests/unit/quiz-model.test.ts

Test case:	**Quiz model & API (CSMQ-47) > UT-M2-QUIZ-01: creates and persists a valid Quiz document with title, subject, question references, creator, and timestamps**
Outcome:	Passed
Duration:	0.012 sec

Test case:	**Quiz model & API (CSMQ-47) > UT-M2-QUIZ-02: rejects missing or empty title**
Outcome:	Passed

Duration:	0.003 sec

Test case:	**Quiz model & API (CSMQ-47) > UT-M2-QUIZ-03: rejects title exceeding 150 characters**
Outcome:	Passed
Duration:	0.002 sec

Test case:	**Quiz model & API (CSMQ-47) > UT-M2-QUIZ-04: rejects missing or empty subject**
Outcome:	Passed
Duration:	0.002 sec

Test case:	**Quiz model & API (CSMQ-47) > UT-M2-QUIZ-05: rejects subject exceeding 100 characters**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**Quiz model & API (CSMQ-47) > UT-M2-QUIZ-06: rejects missing or empty questions array**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**Quiz model & API (CSMQ-47) > UT-M2-QUIZ-07: rejects duplicate question references in a quiz**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**Quiz model & API (CSMQ-47) > UT-M2-QUIZ-08: rejects missing creator**
Outcome:	Passed

Duration:	0.002 sec

Test case:	**Quiz model & API (CSMQ-47) > UT-M2-QUIZ-09: rejects unknown fields in strict mode**
Outcome:	Passed
Duration:	0.002 sec

Test case:	**Quiz model & API (CSMQ-47) > UT-M2-QUIZ-10: findQuizById retrieves existing quiz and returns null for non-existent or invalid ID**
Outcome:	Passed
Duration:	0.011 sec

Test case:	**Quiz model & API (CSMQ-47) > UT-M2-QUIZ-11: deleteQuizById deletes existing quiz and returns null for non-existent or invalid ID**
Outcome:	Passed
Duration:	0.005 sec

Test case:	**Quiz model & API (CSMQ-47) > UT-M2-QUIZ-12: softDeleteQuizById marks quiz with removedAt and administrator ID**
Outcome:	Passed
Duration:	0.006 sec

Test case:	**Quiz model & API (CSMQ-47) > UT-M2-QUIZ-13: reuses the model registered on the same connection**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**Quiz model & API (CSMQ-47) > UT-M2-QUIZ-14: rejects falsy or missing question ID elements in questions array**

Outcome:	Passed
Duration:	0.001 sec

Test Suite: backend/tests/unit/quiz-validation.test.ts

Results

Duration	0.005 sec
Tests	8
Failures	0

Tests

backend/tests/unit/quiz-validation.test.ts

Test case:	**Quiz Validation Unit (CSMQ-48) > accepts valid quiz creation payload**
Outcome:	Passed
Duration:	0.003 sec

Test case:	**Quiz Validation Unit (CSMQ-48) > rejects missing or empty title**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**Quiz Validation Unit (CSMQ-48) > rejects title longer than 150 characters**
Outcome:	Passed

Duration:	0.0 sec

Test case:	**Quiz Validation Unit (CSMQ-48) > rejects missing or empty subject**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**Quiz Validation Unit (CSMQ-48) > rejects empty questions array**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**Quiz Validation Unit (CSMQ-48) > rejects invalid question ID formatting**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**Quiz Validation Unit (CSMQ-48) > rejects duplicate question IDs in selection**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**Quiz Validation Unit (CSMQ-48) > rejects extra unrecognized fields (strict schema)**
Outcome:	Passed
Duration:	0.0 sec

Test Suite: backend/tests/unit/release-guards.test.ts

Results

Duration	0.144 sec
Tests	3
Failures	0

Tests

backend/tests/unit/release-guards.test.ts

Test case:	**refuses release smoke writes without explicit disposable-environment confirmation**
Outcome:	Passed
Duration:	0.052 sec

Test case:	**refuses non-loopback release smoke targets without transmitting or printing embedded credentials**
Outcome:	Passed
Duration:	0.046 sec

Test case:	**disables the old public-Student promotion shortcut before any database operation**
Outcome:	Passed
Duration:	0.045 sec

Test Suite: backend/tests/unit/student-safe-serializer.test.ts

Results

Duration	0.004 sec
Tests	5
Failures	0

Tests

backend/tests/unit/student-safe-serializer.test.ts

Test case:	**Student-safe question payload serializer (CSMQ-26 / UT-M2-05) > UT-M2-05: correctly strips correctAnswer from student-facing question object**
Outcome:	Passed
Duration:	0.002 sec

Test case:	**Student-safe question payload serializer (CSMQ-26 / UT-M2-05) > UT-M2-05: serializes an array of questions without exposing answers**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**Student-safe question payload serializer (CSMQ-26 / UT-M2-05) > UT-M2-05 / IT-M2-05: creates quiz payload structure matching Member 3 attempt-api-contract**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**Student-safe question payload serializer (CSMQ-26 / UT-M2-05) > handles question objects without options gracefully**
Outcome:	Passed

Duration:	0.0 sec

Test case:	**Student-safe question payload serializer (CSMQ-26 / UT-M2-05) > handles missing id, missing questionText, and default payload options**
Outcome:	Passed
Duration:	0.0 sec

Test Suite: backend/tests/unit/submission-service.test.ts

Results

Duration	0.007 sec
Tests	10
Failures	0

Tests

backend/tests/unit/submission-service.test.ts

Test case:	**CSMQ-40: Quiz submission service > evaluates and saves a valid quiz attempt**
Outcome:	Passed
Duration:	0.003 sec

Test case:	**CSMQ-40: Quiz submission service > handles partially answered quizzes**
Outcome:	Passed

Duration:	0.0 sec

Test case:	**CSMQ-40: Quiz submission service > rejects a quiz that does not exist**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**CSMQ-40: Quiz submission service > rejects a removed quiz**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-40: Quiz submission service > rejects an empty quiz**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-40: Quiz submission service > rejects missing database questions**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-40: Quiz submission service > rejects an invalid selected option**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-40: Quiz submission service > rejects questions outside the quiz**
Outcome:	Passed

Duration:	0.0 sec

Test case:	**CSMQ-40: Quiz submission service > rejects duplicate quiz question references**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-40: Quiz submission service > normalizes case-insensitive question IDs**
Outcome:	Passed
Duration:	0.0 sec

Test Suite: backend/tests/unit/trusted-evaluation.test.ts

Results

Duration	0.004 sec
Tests	7
Failures	0

Tests

backend/tests/unit/trusted-evaluation.test.ts

Test case:	**CSMQ-40: Trusted server-side evaluation > calculates scores using the server answer key**
Outcome:	Passed

Duration:	0.002 sec

Test case:	**CSMQ-40: Trusted server-side evaluation > rejects questions outside the quiz**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**CSMQ-40: Trusted server-side evaluation > rejects options not belonging to the question**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-40: Trusted server-side evaluation > rejects duplicate responses**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-40: Trusted server-side evaluation > rejects empty quizzes**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-40: Trusted server-side evaluation > rejects invalid trusted answer keys**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-40: Trusted server-side evaluation > accepts MongoDB IDs regardless of letter case**
Outcome:	Passed

Duration:	0.0 sec

Test Suite: backend/tests/unit/user-repository.test.ts

Results

Duration	0.611 sec
Tests	16
Failures	0

Tests

backend/tests/unit/user-repository.test.ts

Test case:	**Production User model and Mongo account repository > User model > applies defaults and normalizes email**
Outcome:	Passed
Duration:	0.021 sec

Test case:	**Production User model and Mongo account repository > User model > rejects a user with missing required fields**
Outcome:	Passed
Duration:	0.002 sec

Test case:	**Production User model and Mongo account repository > User model > rejects invalid persisted user data: { name: ' ', …(1) }**
Outcome:	Passed

Duration:	0.002 sec

Test case:	**Production User model and Mongo account repository > User model > rejects invalid persisted user data: { name: '<script>', …(1) }**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**Production User model and Mongo account repository > User model > rejects invalid persisted user data: { name: 'Test Student', …(1) }**
Outcome:	Passed
Duration:	0.002 sec

Test case:	**Production User model and Mongo account repository > User model > rejects plaintext password data**
Outcome:	Passed
Duration:	0.002 sec

Test case:	**Production User model and Mongo account repository > User model > enforces unique normalized email addresses in MongoDB**
Outcome:	Passed
Duration:	0.008 sec

Test case:	**Production User model and Mongo account repository > User model > rejects a role outside the allowed values**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**Production User model and Mongo account repository > User model > hides passwordHash in ordinary queries**

Outcome:	Passed
Duration:	0.008 sec

Test case:	**Production User model and Mongo account repository > User model > reuses the model registered on the same connection**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**Production User model and Mongo account repository > Mongo account repository > initializes the User model and indexes**
Outcome:	Passed
Duration:	0.003 sec

Test case:	**Production User model and Mongo account repository > Mongo account repository > finds an account by ID, including its password hash**
Outcome:	Passed
Duration:	0.003 sec

Test case:	**Production User model and Mongo account repository > Mongo account repository > returns null for an unknown ID**
Outcome:	Passed
Duration:	0.002 sec

Test case:	**Production User model and Mongo account repository > Mongo account repository > finds accounts using a trimmed, case-insensitive email**
Outcome:	Passed
Duration:	0.004 sec

Test case:	**Production User model and Mongo account repository > Mongo account repository > returns null for an unknown email**
Outcome:	Passed
Duration:	0.002 sec

Test case:	**Production User model and Mongo account repository > Mongo account repository > creates a student with a trimmed name and normalized email**
Outcome:	Passed
Duration:	0.003 sec

Generated by junit2html

Test Report : junit.xml

src/App.test.tsx
- Study Commons routes and forms > redirects anonymous quiz access to login
- Study Commons routes and forms > redirects the retired prototype URL to real quiz discovery without starting an attempt
- Study Commons routes and forms > keeps independent answers in the isolated Sprint 1 component
- Study Commons routes and forms > shows landing navigation and opens registration
- Study Commons routes and forms > switches theme and remembers the choice
- Study Commons routes and forms > validates registration fields before calling the API
- Study Commons routes and forms > shows a success message after successful registration
- Study Commons routes and forms > shows a duplicate-email error during registration
- Study Commons routes and forms > shows a useful error when registration cannot reach the server
- Study Commons routes and forms > shows login validation and API errors
- Study Commons routes and forms > does not accept invalid email or short password on login
- Study Commons routes and forms > redirects logged-out visitors from materials to login
- Study Commons routes and forms > redirects anonymous dashboard access to login
- Study Commons routes and forms > shows student navigation destinations including quiz history and performance
- Study Commons routes and forms > navigates to the student dashboard after successful login
- Study Commons routes and forms > logs out and returns to login with logged-out navigation

src/pages/AdminDashboardPage.test.tsx
- shows available moderation actions and identifies missing Quiz integration
- refuses a server-identified Student without querying administrator resources
- shows controlled loading/error states and retries a failed resource request
- offers Quiz moderation when a real owner adapter has been registered

src/pages/AdminPage.test.tsx
- confirms that Delete all includes filtered-out items and cancellation sends no request
- opens the moderation category selected from the dashboard
- blocks student moderation before loading resources
- offers per-item deletion with a separate confirmation and cancellation
- retains the resource and confirmation when removal fails

src/pages/CreateQuizPage.test.tsx
- CreateQuizPage (CSMQ-49) > prevents selecting stale questions while filters load and distinguishes errors from no matches
- CreateQuizPage (CSMQ-49) > renders page header, title, subject, and question picker
- CreateQuizPage (CSMQ-49) > shows error if question bank fetch fails

- CreateQuizPage (CSMQ-49) > validates empty title on submission
- CreateQuizPage (CSMQ-49) > validates empty subject on submission
- CreateQuizPage (CSMQ-49) > validates zero questions selected on submission
- CreateQuizPage (CSMQ-49) > toggles question selection and updates counter
- CreateQuizPage (CSMQ-49) > supports select all and deselect all buttons
- CreateQuizPage (CSMQ-49) > submits valid quiz and displays success message
- CreateQuizPage (CSMQ-49) > displays API error message when creation fails

src/pages/MaterialsPage.test.tsx

- shows the empty library state and opens a separate upload form
- submits PDF metadata through the shared authenticated service
- loads the 26th material and resets pagination when a new search is submitted
- retries a failed next page with the same search and cursor, keeping existing results
- preserves the submitted search after upload and resets the native PDF picker
- ignores an older initial response after an upload refresh and finishes loading
- does not append an older page after a different search completes
- retries a failed first-page search with the same query
- combines keyword and subject filters and explains unmatched results
- searches existing subjects in the filter menu and applies a selected subject
- loads and displays metadata for a selected material
- opens the recent material PDF directly from the dashboard link
- shows an unavailable message when selected material details cannot be loaded
- opens the selected PDF inline and releases its object URL when closed
- downloads the selected PDF with a title based PDF filename

src/pages/QuestionBankPage.test.tsx

- QuestionBankPage (CSMQ-23 / CSMQ-24) > renders Question Bank header and empty state initially
- QuestionBankPage (CSMQ-23 / CSMQ-24) > opens Add MCQ form when clicking + Add New MCQ
- QuestionBankPage (CSMQ-23 / CSMQ-24) > submits valid MCQ form and displays success message
- QuestionBankPage (CSMQ-23 / CSMQ-24) > renders questions list when questions exist
- QuestionBankPage (CSMQ-23 / CSMQ-24) > triggers listQuestions with subject filter
- QuestionBankPage (CSMQ-23 / CSMQ-24) > triggers listQuestions with difficulty filter
- QuestionBankPage (CSMQ-23 / CSMQ-24) > clears listing error banner when subsequent filter request succeeds
- QuestionBankPage (CSMQ-23 / CSMQ-24) > ensures only results for current filters update the list when filter changes during save
- QuestionBankPage (CSMQ-23 / CSMQ-24) > clears loading state and displays results when an MCQ is saved while initial list is still loading

src/pages/QuizAttemptLoader.test.tsx

- CSMQ-41: Real quiz attempt loader > accepts the canonical lowercase ID returned for an uppercase MongoDB URL
- CSMQ-41: Real quiz attempt loader > loads and renders real quiz questions

- CSMQ-41: Real quiz attempt loader > shows errors when quiz loading fails
- CSMQ-41: Real quiz attempt loader > retries after a failed request
- CSMQ-41: Real quiz attempt loader > loads new questions when quiz ID changes

src/pages/QuizAttemptPage.csmq45-acceptance.test.tsx

- CSMQ-45 / real frontend submission service to result callback > POSTs authenticated answers to the server and uses its result
- CSMQ-45 / real frontend submission service to result callback > does not advance to a result when the server rejects a submission

src/pages/QuizAttemptPage.result-navigation.test.tsx

- CSMQ-42: result navigation triggered only by saved attempts > calls the success handler with the server result
- CSMQ-42: result navigation triggered only by saved attempts > does not navigate after a failed submission

src/pages/QuizAttemptPage.session-expiry.test.tsx

- keeps the quiz and original user draft available when submission expires the session
- does not submit or reassign a draft after a different account logs in

src/pages/QuizAttemptPage.submit.test.tsx

- CSMQ-41: Quiz Attempt frontend integration > describes SRS scoring as one point per correct response regardless of marks metadata
- CSMQ-41: Quiz Attempt frontend integration > does not invent a time limit or expire an unsubmitted real quiz
- CSMQ-41: Quiz Attempt frontend integration > sends selected answers to the real API
- CSMQ-41: Quiz Attempt frontend integration > preserves answers when submission fails
- CSMQ-41: Quiz Attempt frontend integration > prevents duplicate clicks while submitting
- CSMQ-41: Quiz Attempt frontend integration > keeps the sample quiz in local demo mode

src/pages/QuizHistoryPage.insights-navigation.test.tsx

- performance insights navigation > provides a link from history to performance insights

src/pages/QuizHistoryPage.test.tsx

- CSMQ-43: Quiz History page > renders saved quiz attempts
- CSMQ-43: Quiz History page > shows an empty state
- CSMQ-43: Quiz History page > supports retrying failed requests
- CSMQ-43: Quiz History page > loads the next history page

src/pages/QuizInsightsPage.test.tsx

- QuizInsightsPage > loads the complete history and shows saved metrics
- QuizInsightsPage > does not pretend a limited sample represents the full history
- QuizInsightsPage > handles an empty history
- QuizInsightsPage > retries a failed history request

src/pages/QuizListPage.test.tsx

- QuizListPage (CSMQ-51) > hides previous results while a new filter loads and does not call a failed search empty
- QuizListPage (CSMQ-51) > renders header, search inputs, and loads available quizzes

- QuizListPage (CSMQ-51) > displays empty state when no quizzes exist
- QuizListPage (CSMQ-51) > filters quizzes by search keyword and subject inputs
- QuizListPage (CSMQ-51) > clears filters when Clear Filters button is clicked
- QuizListPage (CSMQ-51) > shows error banner and retries successfully
- QuizListPage (CSMQ-51) > links to quiz view details page

src/pages/QuizResultPage.test.tsx

- CSMQ-42: Quiz Result screen > shows submitted-SAD answer feedback only in a matching successful result
- CSMQ-42: Quiz Result screen > renders trusted submission metrics and navigation
- CSMQ-42: Quiz Result screen > never exposes question answer keys
- CSMQ-42: Quiz Result screen > shows a safe empty state when navigated to directly
- CSMQ-42: Quiz Result screen > rejects a result that does not match the URL
- CSMQ-42: Quiz Result screen > does not display malformed or inflated scores

src/pages/QuizViewPage.navigation.test.tsx

- CSMQ-41: Quiz start navigation > opens the real quiz attempt route
- CSMQ-41: Quiz start navigation > does not allow starting an empty quiz

src/pages/QuizViewPage.test.tsx

- QuizViewPage (CSMQ-51) > renders quiz header, subject badge, question count, and questions list
- QuizViewPage (CSMQ-51) > CRITICAL SECURITY: never displays or contains correctAnswer or answer keys
- QuizViewPage (CSMQ-51) > renders error state and back link when quiz is not found

src/pages/StudentDashboardPage.test.tsx

- shows recently opened active materials and links back to their details
- keeps each student recent list separate and shows a first-open empty state

src/services/attemptHistoryCsv.test.ts

- createAttemptHistoryCsv > includes column headers and the actual saved scores
- createAttemptHistoryCsv > escapes comma and double quotes
- createAttemptHistoryCsv > prevents spreadsheet formulas from executing on import
- createAttemptHistoryCsv > includes headers even with no attempts

src/services/attemptHistoryService.csmq45-boundaries.test.ts

- CSMQ-45 / history API frontend authorization boundaries > fetches only the current session history, never requesting a user ID
- CSMQ-45 / history API frontend authorization boundaries > rejects expired sessions and forbidden history access
- CSMQ-45 / history API frontend authorization boundaries > rejects malformed history payloads rather than displaying untrusted data

src/services/attemptHistoryService.test.ts

- CSMQ-43: Attempt history service > fetches authenticated student history
- CSMQ-43: Attempt history service > requires authentication
- CSMQ-43: Attempt history service > handles expired sessions

- CSMQ-43: Attempt history service > rejects malformed history responses
- CSMQ-43: Attempt history service > rejects invalid pagination

src/services/attemptInsights.csmq45-acceptance.test.ts

- CSMQ-45 / performance acceptance and export safety > groups only provided student attempts by subject with correct averages
- CSMQ-45 / performance acceptance and export safety > does not mix attempts from different accounts when analyzing their separate API responses
- CSMQ-45 / performance acceptance and export safety > handles empty performance and unknown subjects without fabricated scores
- CSMQ-45 / performance acceptance and export safety > protects exported CSV fields against spreadsheet formula execution

src/services/attemptInsights.test.ts

- calculateAttemptInsights > returns a useful empty state
- calculateAttemptInsights > computes average, best, latest and subject summaries
- calculateAttemptInsights > shows the trend in chronological order
- calculateAttemptInsights > limits the displayed chart to 12 most recent dated attempts
- calculateAttemptInsights > groups missing subject under General

src/services/attemptService.test.ts

- CSMQ-41: Quiz Attempt API Service > submits responses with authentication
- CSMQ-41: Quiz Attempt API Service > rejects submission without login
- CSMQ-41: Quiz Attempt API Service > handles expired sessions
- CSMQ-41: Quiz Attempt API Service > displays backend validation errors
- CSMQ-41: Quiz Attempt API Service > handles network failures
- CSMQ-41: Quiz Attempt API Service > rejects incomplete results
- CSMQ-41: Quiz Attempt API Service > rejects invalid numeric results
- CSMQ-41: Quiz Attempt API Service > handles server errors

src/services/authService.test.ts

- registers without creating a client session
- sends the session in a header and multipart data without setting a false content type
- invalidates locally after server logout and refuses further upload
- clears expired authentication on protected-route rejection
- keeps the session when the logout request fails so revocation can be retried
- preserves a newer login when an older upload request finishes
- preserves a newer login when an older list request finishes
- preserves a newer login when an older logout request finishes
- rejects an incomplete login response and shows controlled login errors
- restores only a token after refresh and obtains the current role from the server
- fails closed on rejected restoration and clears stored credentials (401)
- fails closed on rejected restoration and clears stored credentials (503)
- fails closed on offline restoration

- deduplicates restoration and does not resurrect a session after logout during restoration
- retains in-memory login if browser session storage is unavailable
- preserves pagination metadata and sends the search, cursor and abort signal
- rejects malformed pagination responses instead of silently losing the cursor
- loads validated available material subjects using the authenticated endpoint
- requests inline and attachment PDFs through the authenticated material endpoint

src/services/final-integration.test.ts

- includes the 51st attempt in subject averages rather than truncating performance to the newest page
- rejects an incomplete or shifting history instead of presenting an incorrect subject average
- clears expired shared authentication for history
- clears expired shared authentication for submission

src/services/quiz-security.test.ts

- clears the expired session consistently when Quiz discovery returns 401
- does not clear a newer login when an older Quiz request is rejected

src/services/quizAttemptDataService.test.ts

- CSMQ-41: Real quiz loading service > loads student-safe quiz questions
- CSMQ-41: Real quiz loading service > rejects an invalid quiz ID
- CSMQ-41: Real quiz loading service > requires authentication
- CSMQ-41: Real quiz loading service > handles unavailable quizzes
- CSMQ-41: Real quiz loading service > handles network failures
- CSMQ-41: Real quiz loading service > rejects empty quizzes
- CSMQ-41: Real quiz loading service > rejects malformed question data
- CSMQ-41: Real quiz loading service > rejects mismatched quiz IDs
- CSMQ-41: Real quiz loading service > does not expose correct answers
- CSMQ-41: Real quiz loading service > rejects duplicate question IDs

src/services/quizDraft.test.ts

- ignores malformed draft null
- ignores malformed draft []
- ignores malformed draft 42
- ignores malformed draft "text"
- ignores malformed draft {broken
- retains only valid options for known questions
- survives disabled browser storage

src/services/recentMaterials.test.ts

- ignores corrupted/out-of-range recent dates rather than crashing the dashboard
- keeps recent materials scoped to the current user and deduplicates repeated opens

tests/admin-routing.test.tsx

- redirects unauthenticated dashboard access to common login
- keeps Students away from /admin and opens the student dashboard

- keeps Students away from /admin/moderation and opens the student dashboard
- routes successful Admin login to the dashboard with Question Bank and moderation links

tests/admin-session.integration.test.tsx

- waits for server validation before restoring Admin navigation and Question Bank after refresh
- ignores a forged browser role and redirects a server-identified Student to their dashboard
- redirects an expired stored session to the common login page after refresh

tests/auth.integration.test.ts

- connects the actual frontend client to registration, login, PDF storage and revoking logout
- rejects an anonymous real multipart upload before storing bytes
- retrieves all 26 matching materials through the real paginated client and backend

tests/quiz-prototype.integration.test.tsx

- IT-M3-02/03: renders Member 2 payload and evaluates mixed correct, incorrect and unanswered… from the actual UI
- IT-M3-02/03: renders Member 2 payload and evaluates all correct selections from the actual UI

Test Suite: src/App.test.tsx

Results

Duration	4.437 sec
Tests	16
Failures	0

Tests

src/App.test.tsx

Test case:	**Study Commons routes and forms > redirects anonymous quiz access to login**
Outcome:	Passed
Duration:	0.1 sec

Test case:	**Study Commons routes and forms > redirects the retired prototype URL to real quiz discovery without starting an attempt**
Outcome:	Passed
Duration:	0.057 sec

Test case:	**Study Commons routes and forms > keeps independent answers in the isolated Sprint 1 component**
Outcome:	Passed
Duration:	0.337 sec

Test case:	**Study Commons routes and forms > shows landing navigation and opens registration**
Outcome:	Passed
Duration:	0.075 sec

Test case:	**Study Commons routes and forms > switches theme and remembers the choice**
Outcome:	Passed
Duration:	0.045 sec

Test case:	**Study Commons routes and forms > validates registration fields before calling the API**
Outcome:	Passed
Duration:	0.086 sec

Test case:	**Study Commons routes and forms > shows a success message after successful registration**
Outcome:	Passed
Duration:	0.796 sec

Test case:	**Study Commons routes and forms > shows a duplicate-email error during registration**
Outcome:	Passed
Duration:	0.769 sec

Test case:	**Study Commons routes and forms > shows a useful error when registration cannot reach the server**
Outcome:	Passed
Duration:	0.815 sec

Test case:	**Study Commons routes and forms > shows login validation and API errors**
Outcome:	Passed
Duration:	0.545 sec

Test case:	**Study Commons routes and forms > does not accept invalid email or short password on login**
Outcome:	Passed
Duration:	0.047 sec

Test case:	**Study Commons routes and forms > redirects logged-out visitors from materials to login**
Outcome:	Passed
Duration:	0.025 sec

Test case:	**Study Commons routes and forms > redirects anonymous dashboard access to login**
Outcome:	Passed
Duration:	0.024 sec

Test case:	**Study Commons routes and forms > shows student navigation destinations including quiz history and performance**
Outcome:	Passed
Duration:	0.052 sec

Test case:	**Study Commons routes and forms > navigates to the student dashboard after successful login**
Outcome:	Passed
Duration:	0.539 sec

Test case:	**Study Commons routes and forms > logs out and returns to login with logged-out navigation**
Outcome:	Passed
Duration:	0.124 sec

Test Suite: src/pages/AdminDashboardPage.test.tsx

Results

Duration	0.197 sec
Tests	4
Failures	0

Tests

src/pages/AdminDashboardPage.test.tsx

Test case:	**shows available moderation actions and identifies missing Quiz integration**
Outcome:	Passed
Duration:	0.1 sec

Test case:	**refuses a server-identified Student without querying administrator resources**
Outcome:	Passed
Duration:	0.015 sec

Test case:	**shows controlled loading/error states and retries a failed resource request**
Outcome:	Passed
Duration:	0.066 sec

Test case:	**offers Quiz moderation when a real owner adapter has been registered**
Outcome:	Passed
Duration:	0.016 sec

Test Suite: src/pages/AdminPage.test.tsx

Results

Duration	0.785 sec
Tests	5
Failures	0

Tests

src/pages/AdminPage.test.tsx

Test case:	**confirms that Delete all includes filtered-out items and cancellation sends no request**
Outcome:	Passed
Duration:	0.337 sec

Test case:	**opens the moderation category selected from the dashboard**
Outcome:	Passed
Duration:	0.021 sec

Test case:	**blocks student moderation before loading resources**
Outcome:	Passed
Duration:	0.008 sec

Test case:	**offers per-item deletion with a separate confirmation and cancellation**
Outcome:	Passed
Duration:	0.257 sec

Test case:	**retains the resource and confirmation when removal fails**
Outcome:	Passed
Duration:	0.16 sec

Test Suite: src/pages/CreateQuizPage.test.tsx

Results

Duration	2.474 sec
Tests	10
Failures	0

Tests

src/pages/CreateQuizPage.test.tsx

Test case:	**CreateQuizPage (CSMQ-49) > prevents selecting stale questions while filters load and distinguishes errors from no matches**
Outcome:	Passed
Duration:	0.146 sec

Test case:	**CreateQuizPage (CSMQ-49) > renders page header, title, subject, and question picker**
Outcome:	Passed
Duration:	0.024 sec

Test case:	**CreateQuizPage (CSMQ-49) > shows error if question bank fetch fails**
Outcome:	Passed
Duration:	0.018 sec

Test case:	**CreateQuizPage (CSMQ-49) > validates empty title on submission**
Outcome:	Passed

Duration:	0.085 sec

Test case:	**CreateQuizPage (CSMQ-49) > validates empty subject on submission**
Outcome:	Passed
Duration:	0.333 sec

Test case:	**CreateQuizPage (CSMQ-49) > validates zero questions selected on submission**
Outcome:	Passed
Duration:	0.497 sec

Test case:	**CreateQuizPage (CSMQ-49) > toggles question selection and updates counter**
Outcome:	Passed
Duration:	0.154 sec

Test case:	**CreateQuizPage (CSMQ-49) > supports select all and deselect all buttons**
Outcome:	Passed
Duration:	0.101 sec

Test case:	**CreateQuizPage (CSMQ-49) > submits valid quiz and displays success message**
Outcome:	Passed
Duration:	0.549 sec

Test case:	**CreateQuizPage (CSMQ-49) > displays API error message when creation fails**
Outcome:	Passed

Duration:	0.567 sec

Test Suite: src/pages/MaterialsPage.test.tsx

Results

Duration	2.719 sec
Tests	15
Failures	0

Tests

src/pages/MaterialsPage.test.tsx

Test case:	**shows the empty library state and opens a separate upload form**
Outcome:	Passed
Duration:	0.177 sec

Test case:	**submits PDF metadata through the shared authenticated service**
Outcome:	Passed
Duration:	0.644 sec

Test case:	**loads the 26th material and resets pagination when a new search is submitted**
Outcome:	Passed

Duration:	0.507 sec

Test case:	**retries a failed next page with the same search and cursor, keeping existing results**
Outcome:	Passed
Duration:	0.118 sec

Test case:	**preserves the submitted search after upload and resets the native PDF picker**
Outcome:	Passed
Duration:	0.242 sec

Test case:	**ignores an older initial response after an upload refresh and finishes loading**
Outcome:	Passed
Duration:	0.076 sec

Test case:	**does not append an older page after a different search completes**
Outcome:	Passed
Duration:	0.063 sec

Test case:	**retries a failed first-page search with the same query**
Outcome:	Passed
Duration:	0.067 sec

Test case:	**combines keyword and subject filters and explains unmatched results**
Outcome:	Passed

Duration:	0.225 sec

Test case:	**searches existing subjects in the filter menu and applies a selected subject**
Outcome:	Passed
Duration:	0.325 sec

Test case:	**loads and displays metadata for a selected material**
Outcome:	Passed
Duration:	0.054 sec

Test case:	**opens the recent material PDF directly from the dashboard link**
Outcome:	Passed
Duration:	0.03 sec

Test case:	**shows an unavailable message when selected material details cannot be loaded**
Outcome:	Passed
Duration:	0.032 sec

Test case:	**opens the selected PDF inline and releases its object URL when closed**
Outcome:	Passed
Duration:	0.116 sec

Test case:	**downloads the selected PDF with a title based PDF filename**
Outcome:	Passed

Duration:	0.041 sec

Test Suite: src/pages/QuestionBankPage.test.tsx

Results

Duration	5.407 sec
Tests	9
Failures	0

Tests

src/pages/QuestionBankPage.test.tsx

Test case:	**QuestionBankPage (CSMQ-23 / CSMQ-24) > renders Question Bank header and empty state initially**
Outcome:	Passed
Duration:	0.083 sec

Test case:	**QuestionBankPage (CSMQ-23 / CSMQ-24) > opens Add MCQ form when clicking + Add New MCQ**
Outcome:	Passed
Duration:	0.072 sec

Test case:	**QuestionBankPage (CSMQ-23 / CSMQ-24) > submits valid MCQ form and displays success message**
Outcome:	Passed

Duration:	1.952 sec

Test case:	**QuestionBankPage (CSMQ-23 / CSMQ-24) > renders questions list when questions exist**
Outcome:	Passed
Duration:	0.032 sec

Test case:	**QuestionBankPage (CSMQ-23 / CSMQ-24) > triggers listQuestions with subject filter**
Outcome:	Passed
Duration:	0.081 sec

Test case:	**QuestionBankPage (CSMQ-23 / CSMQ-24) > triggers listQuestions with difficulty filter**
Outcome:	Passed
Duration:	0.051 sec

Test case:	**QuestionBankPage (CSMQ-23 / CSMQ-24) > clears listing error banner when subsequent filter request succeeds**
Outcome:	Passed
Duration:	0.068 sec

Test case:	**QuestionBankPage (CSMQ-23 / CSMQ-24) > ensures only results for current filters update the list when filter changes during save**
Outcome:	Passed
Duration:	1.882 sec

Test case:	**QuestionBankPage (CSMQ-23 / CSMQ-24) > clears loading state and displays results when an MCQ is saved while initial list is still loading**

Outcome:	Passed
Duration:	1.183 sec

Test Suite: src/pages/QuizAttemptLoader.test.tsx

Results

Duration	0.145 sec
Tests	5
Failures	0

Tests

src/pages/QuizAttemptLoader.test.tsx

Test case:	**CSMQ-41: Real quiz attempt loader > accepts the canonical lowercase ID returned for an uppercase MongoDB URL**
Outcome:	Passed
Duration:	0.029 sec

Test case:	**CSMQ-41: Real quiz attempt loader > loads and renders real quiz questions**
Outcome:	Passed
Duration:	0.049 sec

Test case:	**CSMQ-41: Real quiz attempt loader > shows errors when quiz loading fails**
Outcome:	Passed

Duration:	0.017 sec

Test case:	**CSMQ-41: Real quiz attempt loader > retries after a failed request**
Outcome:	Passed
Duration:	0.033 sec

Test case:	**CSMQ-41: Real quiz attempt loader > loads new questions when quiz ID changes**
Outcome:	Passed
Duration:	0.016 sec

Test Suite: src/pages/QuizAttemptPage.csmq45-acceptance.test.tsx

Results

Duration	0.187 sec
Tests	2
Failures	0

Tests

src/pages/QuizAttemptPage.csmq45-acceptance.test.tsx

Test case:	**CSMQ-45 / real frontend submission service to result callback > POSTs authenticated answers to the server and uses its result**
Outcome:	Passed

Duration:	0.127 sec

Test case:	CSMQ-45 / real frontend submission service to result callback > does not advance to a result when the server rejects a submission
Outcome:	Passed
Duration:	0.059 sec

Test Suite: src/pages/QuizAttemptPage.result-navigation.test.tsx

Results

Duration	0.195 sec
Tests	2
Failures	0

Tests

src/pages/QuizAttemptPage.result-navigation.test.tsx

Test case:	CSMQ-42: result navigation triggered only by saved attempts > calls the success handler with the server result
Outcome:	Passed
Duration:	0.127 sec

Test case:	CSMQ-42: result navigation triggered only by saved attempts > does not navigate after a failed submission
Outcome:	Passed

Duration:	0.066 sec

Test Suite: src/pages/QuizAttemptPage.session-expiry.test.tsx

Results

Duration	0.242 sec
Tests	2
Failures	0

Tests

src/pages/QuizAttemptPage.session-expiry.test.tsx

Test case:	**keeps the quiz and original user draft available when submission expires the session**
Outcome:	Passed
Duration:	0.184 sec

Test case:	**does not submit or reassign a draft after a different account logs in**
Outcome:	Passed
Duration:	0.057 sec

Test Suite: src/pages/QuizAttemptPage.submit.test.tsx

Results

Duration	0.391 sec
Tests	6
Failures	0

Tests

src/pages/QuizAttemptPage.submit.test.tsx

Test case:	**CSMQ-41: Quiz Attempt frontend integration > describes SRS scoring as one point per correct response regardless of marks metadata**
Outcome:	Passed
Duration:	0.03 sec

Test case:	**CSMQ-41: Quiz Attempt frontend integration > does not invent a time limit or expire an unsubmitted real quiz**
Outcome:	Passed
Duration:	0.085 sec

Test case:	**CSMQ-41: Quiz Attempt frontend integration > sends selected answers to the real API**
Outcome:	Passed
Duration:	0.073 sec

Test case:	**CSMQ-41: Quiz Attempt frontend integration > preserves answers when submission fails**
Outcome:	Passed
Duration:	0.09 sec

Test case:	**CSMQ-41: Quiz Attempt frontend integration > prevents duplicate clicks while submitting**
Outcome:	Passed
Duration:	0.044 sec

Test case:	**CSMQ-41: Quiz Attempt frontend integration > keeps the sample quiz in local demo mode**
Outcome:	Passed
Duration:	0.067 sec

Test Suite: src/pages/QuizHistoryPage.insights-navigation.test.tsx

Results

Duration	0.086 sec
Tests	1
Failures	0

Tests

src/pages/QuizHistoryPage.insights-navigation.test.tsx

Test case:	**performance insights navigation > provides a link from history to performance insights**
Outcome:	Passed

Duration:	0.084 sec

Test Suite: src/pages/QuizHistoryPage.test.tsx

Results

Duration	0.231 sec
Tests	4
Failures	0

Tests

src/pages/QuizHistoryPage.test.tsx

Test case:	**CSMQ-43: Quiz History page > renders saved quiz attempts**
Outcome:	Passed
Duration:	0.11 sec

Test case:	**CSMQ-43: Quiz History page > shows an empty state**
Outcome:	Passed
Duration:	0.041 sec

Test case:	**CSMQ-43: Quiz History page > supports retrying failed requests**
Outcome:	Passed

Duration:	0.048 sec

Test case:	**CSMQ-43: Quiz History page > loads the next history page**
Outcome:	Passed
Duration:	0.031 sec

Test Suite: src/pages/QuizInsightsPage.test.tsx

Results

Duration	0.208 sec
Tests	4
Failures	0

Tests

src/pages/QuizInsightsPage.test.tsx

Test case:	**QuizInsightsPage > loads the complete history and shows saved metrics**
Outcome:	Passed
Duration:	0.112 sec

Test case:	**QuizInsightsPage > does not pretend a limited sample represents the full history**
Outcome:	Passed

Duration:	0.018 sec

Test case:	**QuizInsightsPage > handles an empty history**
Outcome:	Passed
Duration:	0.019 sec

Test case:	**QuizInsightsPage > retries a failed history request**
Outcome:	Passed
Duration:	0.058 sec

Test Suite: src/pages/QuizListPage.test.tsx

Results

Duration	0.659 sec
Tests	7
Failures	0

Tests

src/pages/QuizListPage.test.tsx

Test case:	**QuizListPage (CSMQ-51) > hides previous results while a new filter loads and does not call a failed search empty**
Outcome:	Passed

Duration:	0.127 sec

Test case:	**QuizListPage (CSMQ-51) > renders header, search inputs, and loads available quizzes**
Outcome:	Passed
Duration:	0.037 sec

Test case:	**QuizListPage (CSMQ-51) > displays empty state when no quizzes exist**
Outcome:	Passed
Duration:	0.029 sec

Test case:	**QuizListPage (CSMQ-51) > filters quizzes by search keyword and subject inputs**
Outcome:	Passed
Duration:	0.217 sec

Test case:	**QuizListPage (CSMQ-51) > clears filters when Clear Filters button is clicked**
Outcome:	Passed
Duration:	0.136 sec

Test case:	**QuizListPage (CSMQ-51) > shows error banner and retries successfully**
Outcome:	Passed
Duration:	0.082 sec

Test case:	**QuizListPage (CSMQ-51) > links to quiz view details page**
Outcome:	Passed

Duration:	0.03 sec

Test Suite: src/pages/QuizResultPage.test.tsx

Results

Duration	0.182 sec
Tests	6
Failures	0

Tests

src/pages/QuizResultPage.test.tsx

Test case:	**CSMQ-42: Quiz Result screen > shows submitted-SAD answer feedback only in a matching successful result**
Outcome:	Passed
Duration:	0.103 sec

Test case:	**CSMQ-42: Quiz Result screen > renders trusted submission metrics and navigation**
Outcome:	Passed
Duration:	0.042 sec

Test case:	**CSMQ-42: Quiz Result screen > never exposes question answer keys**
Outcome:	Passed

Duration:	0.007 sec

Test case:	**CSMQ-42: Quiz Result screen > shows a safe empty state when navigated to directly**
Outcome:	Passed
Duration:	0.012 sec

Test case:	**CSMQ-42: Quiz Result screen > rejects a result that does not match the URL**
Outcome:	Passed
Duration:	0.008 sec

Test case:	**CSMQ-42: Quiz Result screen > does not display malformed or inflated scores**
Outcome:	Passed
Duration:	0.008 sec

Test Suite: src/pages/QuizViewPage.navigation.test.tsx

Results

Duration	0.116 sec
Tests	2
Failures	0

Tests

src/pages/QuizViewPage.navigation.test.tsx

Test case:	**CSMQ-41: Quiz start navigation > opens the real quiz attempt route**
Outcome:	Passed
Duration:	0.102 sec

Test case:	**CSMQ-41: Quiz start navigation > does not allow starting an empty quiz**
Outcome:	Passed
Duration:	0.012 sec

Test Suite: src/pages/QuizViewPage.test.tsx

Results

Duration	0.162 sec
Tests	3
Failures	0

Tests

src/pages/QuizViewPage.test.tsx

Test case:	**QuizViewPage (CSMQ-51) > renders quiz header, subject badge, question count, and questions list**
Outcome:	Passed

Duration:	0.111 sec

Test case:	**QuizViewPage (CSMQ-51) > CRITICAL SECURITY: never displays or contains correctAnswer or answer keys**
Outcome:	Passed
Duration:	0.018 sec

Test case:	**QuizViewPage (CSMQ-51) > renders error state and back link when quiz is not found**
Outcome:	Passed
Duration:	0.032 sec

Test Suite: src/pages/StudentDashboardPage.test.tsx

Results

Duration	0.16 sec
Tests	2
Failures	0

Tests

src/pages/StudentDashboardPage.test.tsx

Test case:	**shows recently opened active materials and links back to their details**
Outcome:	Passed

Duration:	0.142 sec

Test case:	**keeps each student recent list separate and shows a first-open empty state**
Outcome:	Passed
Duration:	0.017 sec

Test Suite: src/services/attemptHistoryCsv.test.ts

Results

Duration	0.005 sec
Tests	4
Failures	0

Tests

src/services/attemptHistoryCsv.test.ts

Test case:	**createAttemptHistoryCsv > includes column headers and the actual saved scores**
Outcome:	Passed
Duration:	0.002 sec

Test case:	**createAttemptHistoryCsv > escapes comma and double quotes**
Outcome:	Passed

Duration:	0.0 sec

Test case:	createAttemptHistoryCsv > prevents spreadsheet formulas from executing on import
Outcome:	Passed
Duration:	0.0 sec

Test case:	createAttemptHistoryCsv > includes headers even with no attempts
Outcome:	Passed
Duration:	0.001 sec

Test Suite: src/services/attemptHistoryService.csmq45-boundaries.test.ts

Results

Duration	0.006 sec
Tests	3
Failures	0

Tests

src/services/attemptHistoryService.csmq45-boundaries.test.ts

Test case:	CSMQ-45 / history API frontend authorization boundaries > fetches only the current session history, never requesting a user ID
Outcome:	Passed

Duration:	0.003 sec

Test case:	**CSMQ-45 / history API frontend authorization boundaries > rejects expired sessions and forbidden history access**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**CSMQ-45 / history API frontend authorization boundaries > rejects malformed history payloads rather than displaying untrusted data**
Outcome:	Passed
Duration:	0.0 sec

Test Suite: src/services/attemptHistoryService.test.ts

Results

Duration	0.007 sec
Tests	5
Failures	0

Tests

src/services/attemptHistoryService.test.ts

Test case:	**CSMQ-43: Attempt history service > fetches authenticated student history**
Outcome:	Passed

Duration:	0.003 sec

Test case:	**CSMQ-43: Attempt history service > requires authentication**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**CSMQ-43: Attempt history service > handles expired sessions**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-43: Attempt history service > rejects malformed history responses**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-43: Attempt history service > rejects invalid pagination**
Outcome:	Passed
Duration:	0.0 sec

Test Suite: src/services/attemptInsights.csmq45-acceptance.test.ts

Results

Duration	0.005 sec

Tests	4
Failures	0

Tests

src/services/attemptInsights.csmq45-acceptance.test.ts

Test case:	**CSMQ-45 / performance acceptance and export safety > groups only provided student attempts by subject with correct averages**
Outcome:	Passed
Duration:	0.002 sec

Test case:	**CSMQ-45 / performance acceptance and export safety > does not mix attempts from different accounts when analyzing their separate API responses**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-45 / performance acceptance and export safety > handles empty performance and unknown subjects without fabricated scores**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**CSMQ-45 / performance acceptance and export safety > protects exported CSV fields against spreadsheet formula execution**
Outcome:	Passed
Duration:	0.0 sec

Test Suite: src/services/attemptInsights.test.ts

Results

Duration	0.005 sec
Tests	5
Failures	0

Tests

src/services/attemptInsights.test.ts

Test case:	**calculateAttemptInsights > returns a useful empty state**
Outcome:	Passed
Duration:	0.002 sec

Test case:	**calculateAttemptInsights > computes average, best, latest and subject summaries**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**calculateAttemptInsights > shows the trend in chronological order**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**calculateAttemptInsights > limits the displayed chart to 12 most recent dated attempts**
Outcome:	Passed

Duration:	0.001 sec

Test case:	calculateAttemptInsights > groups missing subject under General
Outcome:	Passed
Duration:	0.0 sec

Test Suite: src/services/attemptService.test.ts

Results

Duration	0.008 sec
Tests	8
Failures	0

Tests

src/services/attemptService.test.ts

Test case:	CSMQ-41: Quiz Attempt API Service > submits responses with authentication
Outcome:	Passed
Duration:	0.003 sec

Test case:	CSMQ-41: Quiz Attempt API Service > rejects submission without login
Outcome:	Passed

Duration:	0.001 sec

Test case:	**CSMQ-41: Quiz Attempt API Service > handles expired sessions**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-41: Quiz Attempt API Service > displays backend validation errors**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-41: Quiz Attempt API Service > handles network failures**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-41: Quiz Attempt API Service > rejects incomplete results**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-41: Quiz Attempt API Service > rejects invalid numeric results**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-41: Quiz Attempt API Service > handles server errors**
Outcome:	Passed

Duration:	0.0 sec

Test Suite: src/services/authService.test.ts

Results

Duration	0.021 sec
Tests	19
Failures	0

Tests

src/services/authService.test.ts

Test case:	**registers without creating a client session**
Outcome:	Passed
Duration:	0.004 sec

Test case:	**sends the session in a header and multipart data without setting a false content type**
Outcome:	Passed
Duration:	0.002 sec

Test case:	**invalidates locally after server logout and refuses further upload**
Outcome:	Passed

Duration:	0.001 sec

Test case:	**clears expired authentication on protected-route rejection**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**keeps the session when the logout request fails so revocation can be retried**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**preserves a newer login when an older upload request finishes**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**preserves a newer login when an older list request finishes**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**preserves a newer login when an older logout request finishes**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**rejects an incomplete login response and shows controlled login errors**
Outcome:	Passed

Duration:	0.001 sec

Test case:	**restores only a token after refresh and obtains the current role from the server**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**fails closed on rejected restoration and clears stored credentials (401)**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**fails closed on rejected restoration and clears stored credentials (503)**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**fails closed on offline restoration**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**deduplicates restoration and does not resurrect a session after logout during restoration**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**retains in-memory login if browser session storage is unavailable**
Outcome:	Passed

Duration:	0.001 sec

Test case:	**preserves pagination metadata and sends the search, cursor and abort signal**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**rejects malformed pagination responses instead of silently losing the cursor**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**loads validated available material subjects using the authenticated endpoint**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**requests inline and attachment PDFs through the authenticated material endpoint**
Outcome:	Passed
Duration:	0.001 sec

Test Suite: src/services/final-integration.test.ts

Results

Duration	0.013 sec

Tests	4
Failures	0

Tests

src/services/final-integration.test.ts

Test case:	**includes the 51st attempt in subject averages rather than truncating performance to the newest page**
Outcome:	Passed
Duration:	0.009 sec

Test case:	**rejects an incomplete or shifting history instead of presenting an incorrect subject average**
Outcome:	Passed
Duration:	0.002 sec

Test case:	**clears expired shared authentication for history**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**clears expired shared authentication for submission**
Outcome:	Passed
Duration:	0.001 sec

Test Suite: src/services/quiz-security.test.ts

Results

Duration	0.008 sec
Tests	2
Failures	0

Tests

src/services/quiz-security.test.ts

Test case:	**clears the expired session consistently when Quiz discovery returns 401**
Outcome:	Passed
Duration:	0.006 sec

Test case:	**does not clear a newer login when an older Quiz request is rejected**
Outcome:	Passed
Duration:	0.001 sec

Test Suite: src/services/quizAttemptDataService.test.ts

Results

Duration	0.009 sec
Tests	10

Failures	0

Tests

src/services/quizAttemptDataService.test.ts

Test case:	CSMQ-41: Real quiz loading service > loads student-safe quiz questions
Outcome:	Passed
Duration:	0.004 sec

Test case:	CSMQ-41: Real quiz loading service > rejects an invalid quiz ID
Outcome:	Passed
Duration:	0.001 sec

Test case:	CSMQ-41: Real quiz loading service > requires authentication
Outcome:	Passed
Duration:	0.0 sec

Test case:	CSMQ-41: Real quiz loading service > handles unavailable quizzes
Outcome:	Passed
Duration:	0.0 sec

Test case:	CSMQ-41: Real quiz loading service > handles network failures
Outcome:	Passed

Duration:	0.0 sec

Test case:	**CSMQ-41: Real quiz loading service > rejects empty quizzes**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-41: Real quiz loading service > rejects malformed question data**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-41: Real quiz loading service > rejects mismatched quiz IDs**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**CSMQ-41: Real quiz loading service > does not expose correct answers**
Outcome:	Passed
Duration:	0.001 sec

Test case:	**CSMQ-41: Real quiz loading service > rejects duplicate question IDs**
Outcome:	Passed
Duration:	0.0 sec

Test Suite: src/services/quizDraft.test.ts

Results

Duration	0.004 sec
Tests	7
Failures	0

Tests

src/services/quizDraft.test.ts

Test case:	**ignores malformed draft null**
Outcome:	Passed
Duration:	0.002 sec

Test case:	**ignores malformed draft []**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**ignores malformed draft 42**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**ignores malformed draft "text"**
Outcome:	Passed

Duration:	0.0 sec

Test case:	**ignores malformed draft {broken**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**retains only valid options for known questions**
Outcome:	Passed
Duration:	0.0 sec

Test case:	**survives disabled browser storage**
Outcome:	Passed
Duration:	0.0 sec

Test Suite: src/services/recentMaterials.test.ts

Results

Duration	0.004 sec
Tests	2
Failures	0

Tests

src/services/recentMaterials.test.ts

Test case:	**ignores corrupted/out-of-range recent dates rather than crashing the dashboard**
Outcome:	Passed
Duration:	0.003 sec

Test case:	**keeps recent materials scoped to the current user and deduplicates repeated opens**
Outcome:	Passed
Duration:	0.0 sec

Test Suite: tests/admin-routing.test.tsx

Results

Duration	0.992 sec
Tests	4
Failures	0

Tests

tests/admin-routing.test.tsx

Test case:	**redirects unauthenticated dashboard access to common login**
Outcome:	Passed

Duration:	0.107 sec

Test case:	**keeps Students away from /admin and opens the student dashboard**
Outcome:	Passed
Duration:	0.069 sec

Test case:	**keeps Students away from /admin/moderation and opens the student dashboard**
Outcome:	Passed
Duration:	0.046 sec

Test case:	**routes successful Admin login to the dashboard with Question Bank and moderation links**
Outcome:	Passed
Duration:	0.77 sec

Test Suite: tests/admin-session.integration.test.tsx

Results

Duration	0.23 sec
Tests	3
Failures	0

Tests

tests/admin-session.integration.test.tsx

Test case:	**waits for server validation before restoring Admin navigation and Question Bank after refresh**
Outcome:	Passed
Duration:	0.136 sec

Test case:	**ignores a forged browser role and redirects a server-identified Student to their dashboard**
Outcome:	Passed
Duration:	0.061 sec

Test case:	**redirects an expired stored session to the common login page after refresh**
Outcome:	Passed
Duration:	0.032 sec

Test Suite: tests/auth.integration.test.ts

Results

Duration	1.228 sec
Tests	3
Failures	0

Tests

tests/auth.integration.test.ts

Test case:	**connects the actual frontend client to registration, login, PDF storage and revoking logout**
Outcome:	Passed
Duration:	0.359 sec

Test case:	**rejects an anonymous real multipart upload before storing bytes**
Outcome:	Passed
Duration:	0.006 sec

Test case:	**retrieves all 26 matching materials through the real paginated client and backend**
Outcome:	Passed
Duration:	0.101 sec

Test Suite: tests/quiz-prototype.integration.test.tsx

Results

Duration	0.837 sec
Tests	2
Failures	0

Tests

tests/quiz-prototype.integration.test.tsx

Test case:	**IT-M3-02/03: renders Member 2 payload and evaluates mixed correct, incorrect and unanswered… from the actual UI**
Outcome:	Passed
Duration:	0.398 sec

Test case:	**IT-M3-02/03: renders Member 2 payload and evaluates all correct selections from the actual UI**
Outcome:	Passed
Duration:	0.438 sec

Generated by junit2html