Who connects to whom

Every .h file and every QML file, drawn from the real #include lines and the names each QML file uses. Each wrapper folder has its own colour. Zoom in: this page is vector.



——— uses, or the .h includes it - - - - - - only the .cpp includes it; for QML, reached through session. or an image:// address ┄┄┄ a backend header no other header includes: the wrapper or a test uses it, or nothing

Lines inside a column: on the left, a QML file placing another one. On the right, a header including another one. Theme and Icons are left out of the lines because 52 and 30 files use them. main.cpp, not drawn, includes TabsController, UpdateController and the two image providers. FolderModel reaches QML as session.model, and SystemTheme only through SettingsController, so neither has a QML line. tests/update/testdriver.h is left out: it only exists in test builds.

Backend headers, a to m

Names are headers without .h. A * means only the .cpp includes it; the rest are in the .h itself. The backend never reaches QML, so that column is left out.

File	Includes	Included by
archiver.h	fileops, pathbar*, process*	operationscontroller*
backgroundjob.h	-	appscontroller, diskusagecontroller, foldersession, operationscontroller, placescontroller, previewcontroller, propertiescontroller, updatecontroller
btrfsinfo.h	xattrs*	properties*
contentinfo.h	desktopapps*, format*, magicfile*, process*, propertyreport	propertiescontroller*
desktopapps.h	localdefaults*, mimetypes*, pathbar*, process*, sorting*	appiconprovider*, appscontroller*, contentinfo*, foldersession*, settingscontroller*
directorylister.h	diskspace, entry, filetype*, pathbar*, recentfiles*, sorting, trash*	foldersession
diskspace.h	-	directorylister, properties*
diskusage.h	folderscan*	diskusagecontroller
drives.h	fileops, format*, process*	placescontroller*
entry.h	foldericons*	directorylister, fileicons*, filesearch, filetype, folderview, properties*, sorting
fileflags.h	-	properties*
fileops.h	pathbar*	archiver, drives, foldericons, networkshares, operationscontroller*, transfer*, trash
filesearch.h	entry, filetype*	appscontroller*, foldersession*, folderview*
filetype.h	entry, mimetypes*	directorylister*, filesearch*, foldermodel*, foldersession*, properties*
filetypegroups.h	mimetypes*	appscontroller*
foldericons.h	fileops	entry*, foldermodel*, foldersession*, operationscontroller*, placescontroller*
folderscan.h	-	diskusage*, properties, propertiescontroller*
folderview.h	entry, filesearch*, sorting	foldermodel*, tabmanager
folderwatcher.h	-	foldersession
format.h	-	contentinfo*, diskusagecontroller*, drives*, foldermodel*, foldersession*, operationscontroller*, properties*, propertiescontroller*
hashing.h	-	propertiescontroller*, thumbnails*, updatecontroller*
localdefaults.h	pathbar*	desktopapps*, settingscontroller*

Backend headers, m to z

Same table, continued.

File	Includes	Included by
magicfile.h	-	appscontroller*, contentinfo*, previewcontroller*
mimetypes.h	pathbar*	desktopapps*, fileicons*, filetype*, filetypegroups*
mounts.h	-	properties*, trash*
navigationhistory.h	-	tabmanager
networkshares.h	fileops, process*	placescontroller*
pathbar.h	sorting*	archiver*, desktopapps*, directorylister*, diskusagecontroller*, fileops*, foldersession*, localdefaults*, mimetypes*, operationscontroller*, pathbarcontroller*, places*, placescontroller*, properties*, propertiescontroller*, recentfiles*, tabscontroller*, thumbnailprovider*, thumbnails*, transfer*, trash*
permissions.h	-	properties*
places.h	pathbar*	placescontroller*
process.h	-	archiver*, contentinfo*, desktopapps*, drives*, networkshares*, thumbnails*, updatecontroller*
properties.h	btrfsinfo*, diskspace*, entry*, fileflags*, filetype*, folderscan, format*, mounts*, pathbar*, permissions*, propertyreport, xattrs*	propertiescontroller*
propertyreport.h	-	contentinfo, properties, propertiescontroller
recentfiles.h	pathbar*	directorylister*, foldersession*
shortcutmap.h	-	shortcutscontroller
sorting.h	entry	desktopapps*, directorylister, folderview, pathbar*
tabmanager.h	folderview, navigationhistory	foldersession, tabscontroller
thumbnails.h	hashing*, pathbar*, process*	thumbnailprovider*
transfer.h	fileops*, pathbar*	operationscontroller
trash.h	fileops, mounts*, pathbar*	directorylister*, foldersession*, operationscontroller*, placescontroller*
undostack.h	-	operationscontroller
update.h	-	updatecontroller
xattrs.h	-	btrfsinfo*, properties*

Wrapper headers

A * means only the .cpp includes it. In the last column, a † means the file reaches it through session. or an image:// address, not by name.

File	Includes	Included by	Used by QML
appiconprovider.h	desktopapps*	-	AppIcon†, TypeIcon†
appscontroller.h	backgroundjob, desktopapps*, filesearch*, filetypegroups*, magicfile*	-	AppList, DefaultAppPicker, DefaultAppsDialog, FileActions, Main, OpenWithDialog
clipboardcontroller.h	operationscontroller*, tabscontroller*	-	FileActions, Main
diskusagecontroller.h	backgroundjob, diskusage, format*, pathbar*	-	DiskUsageDialog, Main
fileicons.h	entry*, mimetypes*	foldermodel*	-
foldermodel.h	fileicons*, filetype*, foldericons*, folderview*, format*	foldersession	-
foldersession.h	backgroundjob, desktopapps*, directorylister, filesearch*, filetype*, foldericons*, foldermodel, folderwatcher, format*, pathbar*, recentfiles*, settingscontroller*, tabmanager, trash*	tabscontroller*	AddressBar†, BrowserTabBar†, FileActions†, FileView†, Main†, NavigationBar†, PreviewPanel†, SearchBar†, SettingsDialog†, Sidebar†, StartFolderRow†, StatusBar†, ViewBackground†
operationscontroller.h	archiver*, backgroundjob, fileops*, foldericons*, format*, pathbar*, transfer, trash*, undostack	clipboardcontroller*, updatecontroller*	BrowserTabBar, ConflictDialog, FileActions, FileView, FolderIconDialog, Main, NameDialog, OperationsPanel, Sidebar, ViewBackground
pathbarcontroller.h	pathbar*, settingscontroller*	-	AddressBar
placescontroller.h	backgroundjob, drives*, foldericons*, networkshares*, pathbar*, places*, trash*	-	ConnectDialog, FileActions, FileView, Main, Sidebar
previewcontroller.h	backgroundjob, magicfile*	-	PreviewPanel
propertiescontroller.h	backgroundjob, contentinfo*, folderscan*, format*, hashing*, pathbar*, properties*, propertyreport	-	FileActions, PropertiesDialog
settingscontroller.h	desktopapps*, localdefaults*, systemtheme	foldersession*, pathbarcontroller*, tabscontroller*	BrowserTabBar, FileCell, FileView, Main, NavigationBar, SettingsDialog, StartFolderRow, Theme
shortcutscontroller.h	shortcutmap	-	ActionShortcut, Main, ShortcutRow, ShortcutsDialog
systemtheme.h	-	settingscontroller	-
tabscontroller.h	foldersession*, pathbar*, settingscontroller*, tabmanager	clipboardcontroller*, updatecontroller*	BrowserTabBar, FileView, Main, SettingsDialog, Sidebar, StartFolderRow
thumbnailprovider.h	pathbar*, thumbnails*	-	FileCell†, PreviewPanel†
updatecontroller.h	backgroundjob, hashing*, operationscontroller*, process*, tabscontroller*, update	-	AboutSection, StatusBar, UpdatePrompts

QML files, a to m

What each one uses and places. Theme and Icons are left out: 52 and 30 files use them. A † means through session. or an image:// address.

File	Wrapper headers it uses	QML files it places
AboutSection.qml	updatecontroller	DialogButton, SettingsSection
ActionShortcut.qml	shortcutscontroller	-
AddressBar.qml	foldersession†, pathbarcontroller	FolderPopup, PathSegment
AppIcon.qml	appiconprovider†	-
AppList.qml	appscontroller	AppIcon, ThinScrollBar
BrowserTab.qml	-	-
BrowserTabBar.qml	foldersession†, operationscontroller, settingscontroller, tabscontroller	BrowserTab, WindowButtons
CheckRow.qml	-	-
ColumnHeader.qml	-	-
ConfirmDialog.qml	-	DialogButton, DialogFrame
ConflictDialog.qml	operationscontroller	CheckRow, DialogButton, DialogFrame
ConnectDialog.qml	placescontroller	DialogButton, DialogFrame
DefaultAppPicker.qml	appscontroller	AppList, DialogButton, DialogFrame
DefaultAppRow.qml	-	AppIcon
DefaultAppsDialog.qml	appscontroller	DefaultAppPicker, DefaultAppRow, DialogButton, DialogFrame, ThinScrollBar, ToolbarButton
DialogButton.qml	-	-
DialogFrame.qml	-	-
DiskUsageDialog.qml	diskusagecontroller	DialogButton, DialogFrame, ThinScrollBar, ToolbarButton
DragPreview.qml	-	-
DragState.qml	-	-
FileActions.qml	appscontroller, clipboardcontroller, foldersession†, operationscontroller, placescontroller, propertiescontroller	ConfirmDialog, ConflictDialog, ConnectDialog, FolderIconDialog, NameDialog, OpenWithDialog
FileCell.qml	settingscontroller, thumbnailprovider†	FileItemArea, TypeIcon
FileItemArea.qml	-	DragState
FileRow.qml	-	FileItemArea, TypeIcon
FileView.qml	foldersession†, operationscontroller, placescontroller, settingscontroller, tabscontroller	ColumnHeader, DialogButton, DragPreview, DragState, FileCell, FileRow, ThinScrollBar, ViewBackground
FolderIconDialog.qml	operationscontroller	DialogButton, DialogFrame
FolderPopup.qml	-	-
Icons.qml	-	-
Main.qml	appscontroller, clipboardcontroller, diskusagecontroller, foldersession†, operationscontroller, placescontroller, settingscontroller, shortcutscontroller, tabscontroller	ActionShortcut, BrowserTabBar, DiskUsageDialog, FileActions, FileView, NavigationBar, OperationsPanel, PopupMenu, PreviewPanel, PropertiesDialog, ResizeHandles, SearchBar, SettingsDialog, Sidebar, StatusBar, UpdatePrompts

QML files, m to z

Same table, continued.

File	Wrapper headers it uses	QML files it places
NameDialog.qml	operationscontroller	DialogButton, DialogFrame
NavigationBar.qml	foldersession†, settingscontroller	AddressBar, ToolbarButton
OpenWithDialog.qml	appscontroller	AppList, CheckRow, DialogButton, DialogFrame
OperationsPanel.qml	operationscontroller	ToolbarButton
PathSegment.qml	-	-
PopupMenu.qml	-	PopupMenuItem
PopupMenuItem.qml	-	-
PreviewPanel.qml	foldersession†, previewcontroller, thumbnailprovider†	ThinScrollBar
PropertiesDialog.qml	propertiescontroller	DialogButton, DialogFrame, PropertyRow, ThinScrollBar, ToolbarButton
PropertyRow.qml	-	ToolbarButton
ResizeHandles.qml	-	-
SearchBar.qml	foldersession†	DialogButton, ToolbarButton
SettingsDialog.qml	foldersession†, settingscontroller, tabscontroller	AboutSection, DefaultAppsDialog, DialogFrame, SettingsLink, SettingsSection, ShortcutsDialog, StartFolderRow, ThinScrollBar, ToolbarButton
SettingsLink.qml	-	DialogButton
SettingsSection.qml	-	DialogButton
ShortcutRow.qml	shortcutscontroller	-
ShortcutsDialog.qml	shortcutscontroller	DialogButton, DialogFrame, ShortcutRow, ThinScrollBar, ToolbarButton
Sidebar.qml	foldersession†, operationscontroller, placescontroller, tabscontroller	SidebarItem, SidebarPinZone
SidebarItem.qml	-	-
SidebarPinZone.qml	-	DragState
StartFolderRow.qml	foldersession†, settingscontroller, tabscontroller	DialogButton
StatusBar.qml	foldersession†, updatecontroller	-
Theme.qml	settingscontroller	-
ThinScrollBar.qml	-	-
ToolbarButton.qml	-	-
TypeIcon.qml	appiconprovider†	-
UpdatePrompts.qml	updatecontroller	ConfirmDialog
ViewBackground.qml	foldersession†, operationscontroller	-
WindowButtons.qml	-	-