

Cucumber Report

Sep 3, 2025, 12:46:51 PM

Start : Sep 03, 12:46:39.925 PM

End : Sep 03, 12:46:50.059 PM

Duration : 10.134 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 6




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Successfully purchase item</u>	10.134 s	1	0	1	0	7	0	1	6

#	Feature Name	Scenario Name
1	<u>Successfully purchase item</u>	<u>Add to cart and purchase item</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Successfully purchase item</u>	1	0	1	0	10.134 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Successfully purchase item</u>	<u>Add to cart and purchase item</u>	7	0	1	6	10.131 s

Successfully purchase item


FAILED	DURATION - 10.134 s	Scenarios		Steps	
/ 12:46:39.925 PM // 12:46:50.059 PM /		Total - 1	1	Total - 7	7
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

Add to cart and purchase item

FAILED	DURATION - 10.131 s		Steps	
/ 12:46:39.928 PM // 12:46:50.059 PM /			Total - 7	
Successfully purchase item			Pass - 0	
			Fail - 1	
			Skip - 6	

#	Step / Hook Details	Status	Duration
1	<p>Given user is login</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinition.PurchaseSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</p>	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	<p>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p> <p>at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)</p> <p>at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p> <p>at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)</p> <p>at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)</p> <p>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:530)</p> <p>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:758)</p> <p>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:453)</p> <p>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)</p> <p>Caused by: java.lang.reflect.InvocationTargetException</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:74)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)</p> <p>at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)</p> <p>... 45 more Caused by: java.lang.IllegalArgumentException: Input must be set</p> <p>at org.openqa.selenium.internal.Require.nonNull(Require.java:60)</p> <p>at org.openqa.selenium.support.ui.FluentWait.<init>(FluentWait.java:93)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:74)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:43)</p> <p>at StepDefinition.PurchaseSteps.<init>(PurchaseSteps.java:25)</p>		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	AFTER_STEP - hook.Hook.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.442 s
	Add to cart and purchase item		
			
2	And click add to cart	SKIPPED	0.002 s
3	Then validate message	SKIPPED	0.000 s
4	And click to cart	SKIPPED	0.002 s
5	And click check out	SKIPPED	0.000 s
6	And fill payment option	SKIPPED	0.000 s
7	And click place order	SKIPPED	0.001 s