

Cucumber Report

Sep 3, 2025, 1:06:23 PM

Start : Sep 03, 1:06:07.081 PM

End : Sep 03, 1:06:22.253 PM

Duration : 15.172 s

Features







PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 1
SKIPPED - 0


Steps

PASSED - 5
FAILED - 1
SKIPPED - 1




Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<u>Successfully purchase item</u>		15.172 s		1	0	1	0	7	5	1	1

#	Feature Name	Scenario Name
1	<u>Successfully purchase item</u>	<u>Add to cart and purchase item</u>



#	Feature Name	T	P	F	S	Duration
1	<u>Successfully purchase item</u>	1	0	1	0	15.172 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Successfully purchase item</u>	<u>Add to cart and purchase item</u>	7	5	1	1	15.170 s

Successfully purchase item




Add to cart and purchase item



#	Step / Hook Details	Status	Duration
1	Given user is login AFTER_STEP - hook.Hook.addScreenshot(io.cucumber.java.Scenario) Add to cart and purchase item 	PASSED	0.295 s
		PASSED	0.399 s
2	And click add to cart AFTER_STEP - hook.Hook.addScreenshot(io.cucumber.java.Scenario) Add to cart and purchase item	PASSED	0.701 s
		PASSED	0.212 s

#	Step / Hook Details	Status	Duration
3	Then validate message AFTER_STEP - hook.Hook.addScreenshot(io.cucumber.java.Scenario) Add to cart and purchase item	PASSED	1.066 s
4	AFTER_STEP - hook.Hook.addScreenshot(io.cucumber.java.Scenario) Add to cart and purchase item	PASSED	0.214 s
4	And click to cart AFTER_STEP - hook.Hook.addScreenshot(io.cucumber.java.Scenario) Add to cart and purchase item	PASSED	0.353 s
5	AFTER_STEP - hook.Hook.addScreenshot(io.cucumber.java.Scenario) Add to cart and purchase item	PASSED	0.148 s
5	And click check out AFTER_STEP - hook.Hook.addScreenshot(io.cucumber.java.Scenario) Add to cart and purchase item	PASSED	0.203 s
6	And fill payment option org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[text()=' India'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision:	FAILED	0.239 s

#	Step / Hook Details	Status	Duration
	<pre>'1d14b5521b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '15.6.1', java.version: '23.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [385a4342-fafa-4b4c-b2bc-92f325b6ed29, findElement {using>xpath, value=/span[text()=' India']] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 142.0.1, moz:accessibilityChecks: false, moz:buildID: 20250827004350, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 24.6.0, moz:processID: 77505, moz:profile: /var/folders/13/t53d0qcs67x..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Macintosh; Int...) Session ID: 385a4342-fafa-4b4c-b2bc-92f325b6ed29 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at StepDefinition.PurchaseSteps.fill_payment_option(PurchaseSteps.java:69) at ?.fill payment option(file:///Users/chandankumar/Downloads/CucumberFramework/RahulshettiEcomerse/src/test/resources/features/purchase.feature:9) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - hook.Hook.addScreenshot(io.cucumber.java.Scenario)</p> <p>Add to cart and purchase item</p> 	PASSED	0.213 s
7	And click place order	SKIPPED	0.018 s