

Cucumber Report

Sep 3, 2025, 12:38:18 PM

Start : Sep 03, 12:38:06.566 PM

End : Sep 03, 12:38:17.772 PM

Duration : 11.206 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Successfully purchase item</u>	11.206 s	1	0	1	0	7	1	1	5

#	Feature Name	Scenario Name
1	<u>Successfully purchase item</u>	<u>Add to cart and purchase item</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Successfully purchase item</u>	1	0	1	0	11.206 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Successfully purchase item</u>	<u>Add to cart and purchase item</u>	7	1	1	5	11.203 s


Successfully purchase item

<div>FAILED</div> <div>DURATION - 11.206 s</div>		<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div>		<div></div>		<div>Steps</div> <div>Total - 7</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 5</div>		<div></div>	
/ 12:38:06.566 PM // 12:38:17.772 PM /									

Add to cart and purchase item

<div><div>FAILED</div><div>DURATION - 11.203 s</div></div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 12:38:06.569 PM // 12:38:17.772 PM /				
Successfully purchase item				

#	Step / Hook Details	Status	Duration
1	Given user is login	PASSED	0.334 s
	AFTER_STEP - hook.Hook.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.478 s
	Add to cart and purchase item		
			
2	And click add to cart	FAILED	0.050 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: //b[text()='iphone 13 pro']/../button[text()=' Add To Cart'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '15.6.1', java.version: '23.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [4aa4f951-4e6a-4f6f-aa59-4c34c980fe4c, findElement {using=xpath, value=//b[text()='iphone 13 pro']/../button[text()=' Add To Cart']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 142.0.1, moz:accessibilityChecks: false, moz:buildID: 20250827004350, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 24.6.0, moz:processID: 63212, moz:profile: /var/folders/13/t53d0qcs67x..., moz:shutdownTimeout: 60000,		

#	Step / Hook Details	Status	Duration
	<p>moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Macintosh; Int...) Session ID: 4aa4f951-4e6a-4f6f-aa59-4c34c980fe4c</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at StepDefinition.PurchaseSteps.click_add_to_cart(PurchaseSteps.java:33) at ?.click add to cart(file:///Users/chandankumar/Downloads/CucumberFramework/RahulshettiEcomerse/src/test/resources/features/purchase.feature:5)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - hook.Hook.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	Add to cart and purchase item		
			
3	Then validate message	SKIPPED	0.001 s
4	And click to cart	SKIPPED	0.000 s
5	And click check out	SKIPPED	0.000 s
6	And fill payment option	SKIPPED	0.000 s
7	And click place order	SKIPPED	0.000 s