

# Cucumber Report

Sep 3, 2025, 1:08:31 PM

**Start : Sep 03, 1:08:15.252 PM**

**End : Sep 03, 1:08:30.664 PM**

**Duration : 15.412 s**

Features






PASSED - 0  
FAILED - 1  
SKIPPED - 0

Scenarios

PASSED - 0  
FAILED - 1  
SKIPPED - 0


Steps

PASSED - 7  
FAILED - 0  
SKIPPED - 0




<b>Feature</b>				<b>Scenario</b>				<b>Step</b>			
<b>Name</b>		<b>Duration</b>		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Successfully purchase item</u>		15.412 s		1	0	1	0	7	7	0	0

#	<b>Feature Name</b>	<b>Scenario Name</b>
1	<u>Successfully purchase item</u>	<u>Add to cart and purchase item</u>



#	Feature Name	T	P	F	S	Duration
1	<u>Successfully purchase item</u>	1	0	1	0	15.412 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Successfully purchase item</u>	<u>Add to cart and purchase item</u>	7	7	0	0	15.409 s





## Successfully purchase item


FAILED	DURATION - 15.412 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 1:08:15.252 PM // 1:08:30.664 PM /					

## Add to cart and purchase item

FAILED	DURATION - 15.409 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 1:08:15.255 PM // 1:08:30.664 PM /					
Successfully purchase item					

#	Step / Hook Details	Status	Duration
1	Given user is login AFTER_STEP - hook.Hook.addScreenshot(io.cucumber.java.Scenario) Add to cart and purchase item 	PASSED	0.294 s
		PASSED	0.417 s
2	And click add to cart AFTER_STEP - hook.Hook.addScreenshot(io.cucumber.java.Scenario) Add to cart and purchase item	PASSED	0.705 s
		PASSED	0.195 s

#	Step / Hook Details	Status	Duration
			
3	Then validate message AFTER_STEP - hook.Hook.addScreenshot(io.cucumber.java.Scenario) Add to cart and purchase item	PASSED	1.073 s
4	AFTER_STEP - hook.Hook.addScreenshot(io.cucumber.java.Scenario) Add to cart and purchase item	PASSED	0.169 s
4	And click to cart	PASSED	0.587 s
			
5	AFTER_STEP - hook.Hook.addScreenshot(io.cucumber.java.Scenario) Add to cart and purchase item	PASSED	0.151 s
5	And click check out	PASSED	0.178 s
			
6	AFTER_STEP - hook.Hook.addScreenshot(io.cucumber.java.Scenario) Add to cart and purchase item	PASSED	0.205 s
6	And fill payment option	PASSED	0.788 s
			
	AFTER_STEP - hook.Hook.addScreenshot(io.cucumber.java.Scenario) Add to cart and purchase item	PASSED	0.209 s

#	Step / Hook Details	Status	Duration
			
7	And click place order	PASSED	0.895 s
	<p>AFTER_STEP - hook.Hook.addScreenshot(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '15.6.1', java.version: '23.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 142.0.1, moz:accessibilityChecks: false, moz:buildID: 20250827004350, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 24.6.0, moz:processID: 78586, moz:profile: /var/folders/13/t53d0qcs67x..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Macintosh; Int. ..} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at hook.Hook.addScreenshot(Hook.java:49)</pre>	FAILED	0.029 s