



HOSTING THE STATIC WEBSITE USING S3 BUCKET

Step1:-create a one static website



hlo iam chandan



Step2:-now g to aws and create s3 bucket

The screenshot displays the AWS console interface for creating a new S3 bucket. The browser address bar shows the URL: `eu-north-1.console.aws.amazon.com/s3/bucket/create?region=eu-north-1&bucketType=general`. The page title is "Create bucket" with an "Info" link. Below the title, it states "Buckets are containers for data stored in S3."

General configuration

AWS Region
Europe (Stockholm) eu-north-1

Bucket type [Info](#)

- ☒ **General purpose**
Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.
- ☐ **Directory**
Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.

Bucket name [Info](#)

demo-buckettt

Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). [Learn More](#)

Copy settings from existing bucket - optional

Object Ownership [Info](#)

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

Object Ownership

- ☐ **ACLs disabled (recommended)**
All objects in this bucket are owned by this account. Access to this bucket and its objects is specified using only policies.
- ☒ **ACLs enabled**
Objects in this bucket can be owned by other AWS accounts. Access to this bucket and its objects can be specified using ACLs.

Object Ownership

- ☒ **Bucket owner preferred**
If new objects written to this bucket specify the bucket-owner-full-control canned ACL, they are owned by the bucket owner. Otherwise, they are owned by the object writer.
- ☐ **Object writer**
The object writer remains the object owner.

If you want to enforce object ownership for new objects only, your bucket policy must specify that the bucket-owner-full-control canned ACL is required for object uploads.

aws [Search] [Alt+S] Europe (Stockholm) Account ID: 7145-0365-3655 CHANDAN YADAV KS

Amazon S3 > Buckets > Create bucket

Block Public Access settings for this bucket

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to this bucket and its objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to this bucket or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

☒ **Block all public access**
Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.

- ☐ **Block public access to buckets and objects granted through new access control lists (ACLs)**
S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.
- ☐ **Block public access to buckets and objects granted through any access control lists (ACLs)**
S3 will ignore all ACLs that grant public access to buckets and objects.
- ☐ **Block public access to buckets and objects granted through new public bucket or access point policies**
S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to S3 resources.
- ☐ **Block public and cross-account access to buckets and objects through any public bucket or access point policies**
S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.

Turning off block all public access might result in this bucket and the objects within becoming public
AWS recommends that you turn on block all public access, unless public access is required for specific and verified use cases such as static website hosting.

https://eu-north-1.console.aws.amazon.com/console/home?region=eu-nort... © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

12:05 10-10-2025

eu-north-1.console.aws.amazon.com/s3/bucket/create?region=eu-north-1&bucketType=general

aws [Search] [Alt+S] Europe (Stockholm) Account ID: 7145-0365-3655 CHANDAN YADAV KS

Amazon S3 > Buckets > Create bucket

Secure your objects with two separate layers of encryption. For details on pricing, see [DSSE-KMS pricing](#) on the Storage tab or the [Amazon S3 pricing page](#).

☒ Server-side encryption with Amazon S3 managed keys (SSE-S3)
☐ Server-side encryption with AWS Key Management Service keys (SSE-KMS)
☐ Dual-layer server-side encryption with AWS Key Management Service keys (DSSE-KMS)

Bucket Key
Using an S3 Bucket Key for SSE-KMS reduces encryption costs by lowering calls to AWS KMS. S3 Bucket Keys aren't supported for DSSE-KMS. [Learn more](#)

☐ Disable
☒ Enable

► **Advanced settings**

After creating the bucket, you can upload files and folders to the bucket, and configure additional bucket settings.

Cancel **Create bucket**

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

12:06 10-10-2025

Step3:-go inside the bucket and uplod the files

General purpose buckets (1) [Info](#)

[Copy ARN](#) [Empty](#) [Delete](#) [Create bucket](#)

Buckets are containers for data stored in S3.

Find buckets by name

Name	AWS Region	Creation date
demo-bucketttt-chandan	Europe (Stockholm) eu-north-1	October 10, 2025, 12:07:33 (UTC+05:30)

Account snapshot [Info](#)

Updated daily

[View dashboard](#)

Storage Lens provides visibility into storage usage and activity trends.

External access summary - new [Info](#)

Updated daily

External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.

demo-bucketttt-chandan [Info](#)

[Objects](#) [Properties](#) [Permissions](#) [Metrics](#) [Management](#) [Access Points](#)

Objects (0) [Copy S3 URI](#) [Copy URL](#) [Download](#) [Open](#) [Delete](#) [Actions](#) [Create folder](#) [Upload](#)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

Name	Type	Last modified	Size	Storage class
------	------	---------------	------	---------------

No objects

You don't have any objects in this bucket.

[Upload](#)

aws [Search] [Alt+S] Europe (Stockholm) Account ID: 7145-0365-3655 CHANDAN YADAV KS

Amazon S3 > Buckets > demo-bucketttt-chandan > Upload

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. [Learn more](#)

Drag and drop files and folders you want to upload here, or choose **Add files** or **Add folder**.

Files and folders (1 total, 249.0 B)

All files and folders in this table will be uploaded.

Find by name

☐	Name	Folder	Type	Size
☐	index.html	-	text/html	249.0 B

Destination [Info](#)

Destination

<s3://demo-bucketttt-chandan>

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

eu-north-1.console.aws.amazon.com/s3/buckets/demo-bucketttt-chandan?region=eu-north-1&bucketType=general&tab=objects

aws [Search] [Alt+S] Account ID: 7145-0365-3655 CHANDAN YADAV KS

Amazon S3 > Buckets > demo-bucketttt-chandan

Upload succeeded
For more information, see the **Files and folders** table.

demo-bucketttt-chandan [Info](#)

Objects Properties Permissions Metrics Management Access Points

Objects (1/1) [Copy S3 URI](#) [Copy URL](#) [Download](#) [Open](#) [Delete](#) [Actions](#) [Create folder](#) [Upload](#)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

☒	Name	Type	Last modified	Size	Storage class
☒	index.html	html	October 10, 2025, 12:09:50 (UTC+05:30)	249.0 B	Standard

Move
Initiate restore
Query with S3 Select
Edit actions
Rename object
Edit storage class
Edit server-side encryption
Edit tags
Make public using ACL

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Step4:-now go to properties and scroll down enable host static website

The image displays two screenshots of the AWS S3 console interface, showing the properties of a bucket named 'demo-bucketttt-chandan'.

Top Screenshot:

- The 'Properties' tab is selected and highlighted with a red circle.
- The 'Bucket overview' section shows:
 - Bucket overview**
 - AWS Region:** Europe (Stockholm) eu-north-1
 - Amazon Resource Name (ARN):** arn:aws:s3::demo-bucketttt-chandan
 - Creation date:** October 10, 2025, 12:07:33 (UTC+05:30)
- The 'Bucket Versioning' section shows:
 - Bucket Versioning:** Disabled
 - Multi-factor authentication (MFA) delete:** Disabled

Bottom Screenshot:

- The 'Static website hosting' section is visible, showing:
 - Static website hosting:** Disabled
 - S3 static website hosting:** Disabled
- The 'Edit' button for the 'Static website hosting' section is highlighted with a red circle.

eu-north-1.console.aws.amazon.com/s3/bucket/demo-bucketttt-chandan/property/website/edit?region=eu-north-1&bucketType=general

aws Search [Alt+S] Europe (Stockholm) Account ID: 7145-0365-3655 CHANDAN YADAV KS

Amazon S3 > Buckets > demo-bucketttt-chandan > Edit static website hosting

Edit static website hosting info

Static website hosting
Use this bucket to host a website or redirect requests. [Learn more](#)

Static website hosting

☐ Disable

☒ Enable

Hosting type

☒ Host a static website
Use the bucket endpoint as the web address. [Learn more](#)

☐ Redirect requests for an object
Redirect requests to another bucket or domain. [Learn more](#)

Index document

For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see [Using Amazon S3 Block Public Access](#)

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

eu-north-1.console.aws.amazon.com/s3/bucket/demo-bucketttt-chandan/property/website/edit?region=eu-north-1&bucketType=general

aws Search [Alt+S] Europe (Stockholm) Account ID: 7145-0365-3655 CHANDAN YADAV KS

Amazon S3 > Buckets > demo-bucketttt-chandan > Edit static website hosting

Redirect requests to another bucket or domain. [Learn more](#)

For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see [Using Amazon S3 Block Public Access](#)

Index document
Specify the home or default page of the website.

index.html

Error document - optional
This is returned when an error occurs.

error.html

Redirection rules - optional
Redirection rules, written in JSON, automatically redirect webpage requests for specific content. [Learn more](#)

1

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Step5:now go inside the index.html and copy the url and paste in browser

The image shows two screenshots from a Windows desktop. The top screenshot is the AWS Management Console for the 'demo-bucketttt-chandan' bucket in the 'eu-north-1' region. It displays the 'Object overview' for 'index.html'. The 'Object URL' is circled in red and is: <https://demo-bucketttt-chandan.s3.eu-north-1.amazonaws.com/index.html>. The bottom screenshot is a web browser showing the same URL, displaying a blank white page with the text 'hlo iam chandan' in the top left corner. A small green circular icon with a white 'M' is visible in the top right corner of the browser window.

Object overview

Owner 74e0f29ada74659e2bdca68b55575d4190c8081811b388ead36a60f80244fe15	S3 URI s3://demo-bucketttt-chandan/index.html
AWS Region Europe (Stockholm) eu-north-1	Amazon Resource Name (ARN) arn:aws:s3:::demo-bucketttt-chandan/index.html
Last modified October 10, 2025, 12:09:50 (UTC+05:30)	Entity tag (Etag) cc226f22fc3fa161a942185bbc82258d
Size 249.0 B	Object URL https://demo-bucketttt-chandan.s3.eu-north-1.amazonaws.com/index.html
Type html	
Key index.html	

hlo iam chandan