onecompiler mysql - Search | MySQL Online Editor | google classroom - Search | DBMS - CS2201 A - Classroom

https://onecompiler.com/mysql

OneCompiler | Upgrade | AI | MySQL | Run | Save

queries.sql

```
CREATE TABLE Student (
    student_id INT PRIMARY KEY,
    student_name VARCHAR(50),
    course_id INT,
    marks INT
);

CREATE TABLE Course (
    course_id INT PRIMARY KEY,
    course_name VARCHAR(50),
    fees INT
);
INSERT INTO Student VALUES
(1, 'Chandana', 101, 85),
(2, 'Anu', 102, 78),
(3, 'Rahul', 101, 92),
(4, 'Priya', 103, 70),
(5, 'Arjun', NULL, 65);

INSERT INTO Course VALUES
(101, 'BCA', 60000),
(102, 'BBA', 55000),
(103, 'BCom', 50000),
(104, 'MBA', 80000);
```

I/O | AI Agent

STDIN

Input for the program ( Optional )

Output:


| student_id | student_name | course_id | marks |
|---|---|---|---|
| 1 | Chandana | 101 | 85 |
| 2 | Anu | 102 | 78 |
| 3 | Rahul | 101 | 92 |
| 4 | Priya | 103 | 70 |
| 5 | Arjun | NULL | 65 |

Ready

24°C Mostly cloudy

Search

ENG IN


onecompiler mysql - Search
MySQL Online Editor
google classroom - Search
DBMS - CS2201 A - Classroom
https://onecompiler.com/mysql
Chat
OneCompiler
Upgrade
AI
MySQL
Run
Save
Login
queries.sql
I/O
AI Agent
57 ms
STDIN
Input for the program ( Optional )
Output:
CREATE TABLE Course (
);
INSERT INTO Student VALUES
(1, 'Chandana', 101, 85),
(2, 'Anu', 102, 78),
(3, 'Rahul', 101, 92),
(4, 'Priya', 103, 70),
(5, 'Arjun', NULL, 65);
INSERT INTO Course VALUES
(101, 'BCA', 60000),
(102, 'BBA', 55000),
(103, 'BCom', 50000),
(104, 'MBA', 80000);
CREATE TABLE Student_Log (
log_id INT AUTO_INCREMENT PRIMARY KEY,
student_id INT,
action_type VARCHAR(20),
action_time TIMESTAMP DEFAULT CURRENT_TIMESTAMP
);
SELECT * FROM Student;
| student_id | student_name | course_id | marks |
| 1 | Chandana | 101 | 85 |
| 2 | Anu | 102 | 78 |
| 3 | Rahul | 101 | 92 |
| 4 | Priya | 103 | 70 |
| 5 | Arjun | NULL | 65 |
Ready
Light
24°C
Mostly cloudy
Search
ENG
IN

onecompiler mysql - Search | MySQL Online Editor | google classroom - Search | DBMS - CS2201 A - Classroom

https://onecompiler.com/mysql

OneCompiler | Upgrade | AI | MySQL | Run | Save | Login

queries.sql

```
(4, 'Priya', 103, 70),
(5, 'Arjun', NULL, 65);

INSERT INTO Course VALUES
(101, 'BCA', 60000),
(102, 'BBA', 55000),
(103, 'BCom', 50000),
(104, 'MBA', 80000);

DELIMITER //

CREATE TRIGGER before_student_insert
BEFORE INSERT ON Student
FOR EACH ROW
BEGIN
    IF NEW.marks < 0 OR NEW.marks > 100 THEN
        SIGNAL SQLSTATE '45000'
        SET MESSAGE_TEXT = 'Marks must be between 0 and 100';
    END IF;
END //

DELIMITER ;
INSERT INTO Student
VALUES (7, 'Kiran', 101, 105);
SELECT * FROM Student;
```

I/O | AI Agent | Error

STDIN

Input for the program ( Optional )

Output:

```
ERROR 1644 (45000) at line 39: Marks must be between 0 and 100
```

Debug this error

Ready | Light | Wiki

24°C Mostly cloudy | Search | ENG IN | 22:30 09-10-2026

https://onecompiler.com/mysql

OneCompiler | Upgrade | AI | MySQL | Run | Save | Login

queries.sql

```
17  (4, 'Priya', 103, 70),
18  (5, 'Arjun', NULL, 65);
19
20  INSERT INTO Course VALUES
21  (101, 'BCA', 60000),
22  (102, 'BBA', 55000),
23  (103, 'BCom', 50000),
24  (104, 'MBA', 80000);
25
26  DELIMITER //
27
28  CREATE TRIGGER before_student_insert
29  BEFORE INSERT ON Student
30  FOR EACH ROW
31  BEGIN
32      IF NEW.marks < 0 OR NEW.marks > 100 THEN
33          SIGNAL SQLSTATE '45000'
34          SET MESSAGE_TEXT = 'Marks must be between 0 and 100';
35      END IF;
36  END //
37
38  DELIMITER ;
39  INSERT INTO Student
40  VALUES (7, 'Kiran', 101, 100);
41  SELECT * FROM Student;
42
```

I/O | AI Agent | 61 ms

STDIN


Input for the program ( Optional )

Output:

| student_id | student_name | course_id | marks |
|---|---|---|---|
| 1 | Chandana | 101 | 85 |
| 2 | Anu | 102 | 78 |
| 3 | Rahul | 101 | 92 |
| 4 | Priya | 103 | 70 |
| 5 | Arjun | NULL | 65 |
| 7 | Kiran | 101 | 100 |

Ready | Light | Wiki

24°C Mostly cloudy | Search | ENG IN | 09-10-2


MySQL Online Editor
google classroom - Search
DBMS - CS2201 A - Classroom
https://onecompiler.com/mysql
OneCompiler
Upgrade
AI
MySQL
Run
Save
queries.sql
I/O
AI Agent
STDIN
Input for the program ( Optional )
Output:
(103, 'BCom', 50000),
(104, 'MBA', 80000);
CREATE TABLE Student_Log (
log_id INT AUTO_INCREMENT PRIMARY KEY,
student_id INT,
action_type VARCHAR(20)
);
DELIMITER //
CREATE TRIGGER after_student_insert
AFTER INSERT ON Student
FOR EACH ROW
BEGIN
INSERT INTO Student_Log(student_id, action_type)
VALUES (NEW.student_id, 'INSERT');
END //
DELIMITER ;
INSERT INTO Student VALUES (7, 'Kiran', 101, 90);
SELECT * FROM Student;
| student_id | student_name | course_id | marks |
| 1 | Chandana | 101 | 85 |
| 2 | Anu | 102 | 78 |
| 3 | Rahul | 101 | 92 |
| 4 | Priya | 103 | 70 |
| 5 | Arjun | NULL | 65 |
| 7 | Kiran | 101 | 90 |
Search
ENG
IN

onecompiler mysql - Search | MySQL Online Editor | google classroom - Search | DBMS - CS2201 A - Classroom

https://onecompiler.com/mysql

OneCompiler | Upgrade | AI | MySQL | Run | Save | Login | Chat

queries.sql

```
26  CREATE TABLE Student_Log (
27      log_id INT AUTO_INCREMENT PRIMARY KEY,
28      student_id INT,
29      action_type VARCHAR(20)
30  );
31
32  DELIMITER //
33
34  CREATE TRIGGER before_student_update
35  BEFORE UPDATE ON Student
36  FOR EACH ROW
37  BEGIN
38      IF NEW.marks < 0 OR NEW.marks > 100 THEN
39        SIGNAL SQLSTATE '45000'
40          SET MESSAGE_TEXT = 'Invalid marks';
41      END IF;
42  END //
43
44  DELIMITER ;
45
46  UPDATE Student
47  SET marks = 110
48  WHERE student_id = 3;
49
50  SELECT * FROM Student_Log;
51
```

I/O | AI Agent | Error

STDIN

Input for the program ( Optional )

Output:

```
ERROR 1644 (45000) at line 46: Invalid marks
```

Debug this error

Ready


Light | Wiki

24°C Mostly cloudy

Search

ENG

22:47


onecompiler mysql - Search
MySQL Online Editor
google classroom - Search
DBMS - CS2201 A - Classroom
https://onecompiler.com/mysql
Chat
OneCompiler
Upgrade
AI
MySQL
Run
Save
Login
queries.sql
I/O
AI Agent
69 ms
STDIN
Input for the program ( Optional )
Output:
25
26 CREATE TABLE Student_Log (
27 log_id INT AUTO_INCREMENT PRIMARY KEY,
28 student_id INT,
29 action_type VARCHAR(20)
30 );
31
32 DELIMITER //
33
34 CREATE TRIGGER after_student_update
35 AFTER UPDATE ON Student
36 FOR EACH ROW
37 BEGIN
38 INSERT INTO Student_Log(student_id, action_type)
39 VALUES (NEW.student_id, 'UPDATE');
40 END //
41
42 DELIMITER ;
43
44 UPDATE Student
45 SET marks = 89
46 WHERE student_id = 3;
47
48 SELECT * FROM Student_Log;
49
50
+--------+------------+-------------+
| log_id | student_id | action_type |
+--------+------------+-------------+
| 1 | 3 | UPDATE |
+--------+------------+-------------+
Ready
Light
24°C
Mostly cloudy
Search
ENG
IN

https://onecompiler.com/mysql

OneCompiler | Upgrade | AI | MySQL | Run | Save | Login

queries.sql

```
25
26  CREATE TABLE Student_Log (
27      log_id INT AUTO_INCREMENT PRIMARY KEY,
28      student_id INT,
29      action_type VARCHAR(20)
30  );
31
32  DELIMITER //
33
34  CREATE TRIGGER before_student_delete
35  BEFORE DELETE ON Student
36  FOR EACH ROW
37  BEGIN
38      IF OLD.marks > 90 THEN
39          SIGNAL SQLSTATE '45000'
40          SET MESSAGE_TEXT = 'Cannot delete student with marks above 90';
41      END IF;
42  END //
43
44  DELIMITER ;
45
46  DELETE FROM Student
47  WHERE student_id = 3;
48
49  SELECT * FROM Student_Log;
50
```

I/O | AI Agent | Error

STDIN

Input for the program ( Optional )

Output:

ERROR 1644 (45000) at line 46: Cannot delete student with marks above 90

Debug this error

Ready

Light | Wiki

24°C Mostly cloudy

Search

ENG IN

22:54 09-10-2026

onecompiler mysql - Search | MySQL Online Editor | google classroom - Search | DBMS - CS2201 A - Classroom

https://onecompiler.com/mysql

OneCompiler | Upgrade | AI | MySQL | Run | Save

queries.sql

```
(102, 'BBA', 55000),
(103, 'BCom', 50000),
(104, 'MBA', 80000);

CREATE TABLE Student_Log (
    log_id INT AUTO_INCREMENT PRIMARY KEY,
    student_id INT,
    action_type VARCHAR(20)
);

DELIMITER //

CREATE TRIGGER after_student_delete
AFTER DELETE ON Student
FOR EACH ROW
BEGIN
    INSERT INTO Student_Log(student_id, action_type)
    VALUES (OLD.student_id, 'DELETE');
END //

DELIMITER ;

DELETE FROM Student
WHERE student_id = 3;

SELECT * FROM Student_Log;
```

Ready

I/O | AI Agent

STDIN

Input for the program ( Optional )

Output:

```
+--------+------------+-------------+
| log_id | student_id | action_type |
+--------+------------+-------------+
|      1 |          3 | DELETE      |
+--------+------------+-------------+
```

24°C Mostly cloudy

Search

ENG IN