gmail - Search | Inbox (5,036) - cdev | (no subject) - chand | SQL Functions Outp | SQL Functions Outp | MySQL Online Editc | OneCompiler - Writ

https://onecompiler.com/mysql#draft-3ecd

Chat

OneCompiler | Upgrade | AI | MySQL | Run | Save | Login

queries.sql

```
1  CREATE TABLE STUDENT (
2      Student_ID INT,
3      Student_Name VARCHAR(50),
4      Class VARCHAR(10),
5      Marks INT,
6      Fee_Paid DECIMAL(10,2),
7      Date_of_Birth DATE,
8      Admission_Date DATE
9  );
10
11 INSERT INTO STUDENT VALUES
12 (101, 'Mrudula', '10A', 85, 50000, '2008-05-15', '2023-06-10'),
13 (102, 'Priya', '10A', 92, 50000, '2008-11-20', '2023-06-12'),
14 (103, 'Amith', '10B', 76, 45000, '2009-02-10', '2023-06-11'),
15 (104, 'Sneha', '10B', 88, 48000, '2008-08-25', '2023-06-15'),
16 (105, 'Chandana', '10A', 65, 40000, '2009-01-30', '2023-06-13');
17
18 SELECT * FROM STUDENT;
19
```

I/O | AI Agent | 64 ms

STDIN

Input for the program (Optional)

Output:

```
---+-------+-------+----------+---------------+----------------+
me | Class | Marks | Fee_Paid | Date_of_Birth | Admission_Date |
---+-------+-------+----------+---------------+----------------+
   | 10A   |    85 | 50000.00 | 2008-05-15    | 2023-06-10     |
   | 10A   |    92 | 50000.00 | 2008-11-20    | 2023-06-12     |
   | 10B   |    76 | 45000.00 | 2009-02-10    | 2023-06-11     |
   | 10B   |    88 | 48000.00 | 2008-08-25    | 2023-06-15     |
   | 10A   |    65 | 40000.00 | 2009-01-30    | 2023-06-13     |
---+-------+-------+----------+---------------+----------------+
```


Ready


24°C Mostly cloudy

Search

ENG IN

23:18 04-09-2026


https://onecompiler.com/mysql#draft-3ecd
OneCompiler
Upgrade
AI
MySQL
Run
Save
Login
queries.sql
I/O
AI Agent
76 ms
STDIN
Input for the program (Optional)
Output:
-- 1. UPPER()
SELECT Student_Name,
UPPER(Student_Name) AS Uppercase_Name
FROM STUDENT;
-- 2. LOWER()
SELECT Student_Name,
LOWER(Student_Name) AS Lowercase_Name
FROM STUDENT;
-- 3. LENGTH()
SELECT Student_Name,
LENGTH(Student_Name) AS Name_Length
FROM STUDENT;
-- 4. CONCAT()
SELECT CONCAT(Student_Name, ' - Class ', Class) AS Student_Details
FROM STUDENT;
-- 5. SUBSTRING()
SELECT Student_Name,
SUBSTRING(Student_Name, 1, 5) AS First_Five_Characters
FROM STUDENT;
SELECT * FROM STUDENT;
Student_Name	Uppercase_Name
Mrudula	MRUDULA
Priya	PRIYA
Amith	AMITH
Sneha	SNEHA
Chandana	CHANDANA
Student_Name	Lowercase_Name
Mrudula	mrudula
Priya	priya
Amith	amith
Sneha	sneha
Chandana	chandana
Ready
24°C
Partly cloudy
Search
ENG
IN
04-09-2026


gmail - Search
Inbox (5,036) - cde
(no subject) - chand
SQL Functions Outp
SQL Functions Outp
MySQL Online Edito
OneCompiler - Wr
https://onecompiler.com/mysql#draft-3ecd
OneCompiler
Upgrade
AI
MySQL
Run
Save
Login
Chat
queries.sql
17
18 -- 1. UPPER()
19 SELECT Student_Name,
20 UPPER(Student_Name) AS Uppercase_Name
21 FROM STUDENT;
22
23 -- 2. LOWER()
24 SELECT Student_Name,
25 LOWER(Student_Name) AS Lowercase_Name
26 FROM STUDENT;
27
28 -- 3. LENGTH()
29 SELECT Student_Name,
30 LENGTH(Student_Name) AS Name_Length
31 FROM STUDENT;
32
33 -- 4. CONCAT()
34 SELECT CONCAT(Student_Name, ' - Class ', Class) AS Student_Details
35 FROM STUDENT;
36
37 -- 5. SUBSTRING()
38 SELECT Student_Name,
39 SUBSTRING(Student_Name, 1, 5) AS First_Five_Characters
40 FROM STUDENT;
41 SELECT * FROM STUDENT;
42
I/O
AI Agent
76 ms
STDIN
Input for the program (Optional)
Output:
+--------------+-------------+
| Student_Name | Name_Length |
+--------------+-------------+
Mrudula	7
Priya	5
Amith	5
Sneha	5
Chandana	8
+--------------+-------------+
+----------------------+
| Student_Details |
+----------------------+
| Mrudula - Class 10A |
| Priya - Class 10A |
| Amith - Class 10B |
| Sneha - Class 10B |
| Chandana - Class 10A |
+----------------------+
24°C
ENG
IN
23:30
04-09-2026

gmail - Search | Inbox (5,036) - cde | (no subject) - chand | SQL Functions Outp | SQL Functions Outp | MySQL Online Edito | OneCompiler - Wr

https://onecompiler.com/mysql#draft-3ecd

OneCompiler | Upgrade | AI | MySQL | Run | Save | Login

queries.sql

```
17
18  -- 1. UPPER()
19  SELECT Student_Name,
20         UPPER(Student_Name) AS Uppercase_Name
21  FROM STUDENT;
22
23  -- 2. LOWER()
24  SELECT Student_Name,
25         LOWER(Student_Name) AS Lowercase_Name
26  FROM STUDENT;
27
28  -- 3. LENGTH()
29  SELECT Student_Name,
30         LENGTH(Student_Name) AS Name_Length
31  FROM STUDENT;
32
33  -- 4. CONCAT()
34  SELECT CONCAT(Student_Name, ' - Class ', Class) AS Student_Details
35  FROM STUDENT;
36
37  -- 5. SUBSTRING()
38  SELECT Student_Name,
39         SUBSTRING(Student_Name, 1, 5) AS First_Five_Characters
40  FROM STUDENT;
41  SELECT * FROM STUDENT;
42
```

I/O | AI Agent | 76 ms

STDIN

Input for the program (Optional)

Output:

```
+----------------------+
| Student_Name | First_Five_Characters |
+--------------+----------------------+
| Mrudula      | Mrudu                |
| Priya        | Priya                |
| Amith        | Amith                |
| Sneha        | Sneha                |
| Chandana     | Chand                |
+--------------+----------------------+

+------------+--------------+-------+-------+----------+-----
| Student_ID | Student_Name | Class | Marks | Fee_Paid | Date
+------------+--------------+-------+-------+----------+-----
|        101 | Mrudula      | 10A   |    85 | 50000.00 | 2008
|        102 | Priya        | 10A   |    92 | 50000.00 | 2008
|        103 | Amith        | 10B   |    76 | 45000.00 | 2009
|        104 | Sneha        | 10B   |    88 | 48000.00 | 2008
|        105 | Chandana     | 10A   |    65 | 40000.00 | 2009
+------------+--------------+-------+-------+----------+-----
```

24°C | ENG IN | 23:30 04-09-2026

https://onecompiler.com/mysql#draft-3ecd

OneCompiler | Upgrade | AI | MySQL | Run | Save | Login

queries.sql

```
18  -- 1. UPPER()
19  SELECT Student_Name,
20         UPPER(Student_Name) AS Uppercase_Name
21  FROM STUDENT;
22
23  -- 2. LOWER()
24  SELECT Student_Name,
25         LOWER(Student_Name) AS Lowercase_Name
26  FROM STUDENT;
27
28  -- 3. LENGTH()
29  SELECT Student_Name,
30         LENGTH(Student_Name) AS Name_Length
31  FROM STUDENT;
32
33  -- 4. CONCAT()
34  SELECT CONCAT(Student_Name, ' - Class ', Class) AS Student_Details
35  FROM STUDENT;
36
37  -- 5. SUBSTRING()
38  SELECT Student_Name,
39         SUBSTRING(Student_Name, 1, 5) AS First_Five_Characters
40  FROM STUDENT;
41  SELECT * FROM STUDENT;
42
43
```

I/O | AI Agent | 76 ms

STDIN

Input for the program (Optional)

Output:

```
-----------------+
---------+----------------------+
ent_Name | First_Five_Characters |
---------+----------------------+
ula      | Mrudu                |
a        | Priya                |
h        | Amith                |
a        | Sneha                |
dana     | Chand                |
---------+----------------------+


-------+-------------+-------+-------+----------+---------------+------------
ent_ID | Student_Name | Class | Marks | Fee_Paid | Date_of_Birth | Admission_Da
-------+-------------+-------+-------+----------+---------------+------------
   101 | Mrudula      | 10A   |    85 | 50000.00 | 2008-05-15    | 2023-06-10
   102 | Priya        | 10A   |    92 | 50000.00 | 2008-11-20    | 2023-06-12
   103 | Amith        | 10B   |    76 | 45000.00 | 2009-02-10    | 2023-06-11
   104 | Sneha        | 10B   |    88 | 48000.00 | 2008-08-25    | 2023-06-15
   105 | Chandana     | 10A   |    65 | 40000.00 | 2009-01-30    | 2023-06-13
-------+-------------+-------+-------+----------+---------------+------------
```

Ready

24°C Partly cloudy

Search

ENG IN 23:30 04-09-2026



```sql
-- NUMERIC FUNCTIONS
-- 6. ROUND()
SELECT Student_Name,
       Marks,
       ROUND(Marks * 1.05) AS Bonus_Marks
FROM STUDENT;

-- 7. CEIL()
SELECT Student_Name,
       Marks / 10.0 AS Marks_Value,
       CEIL(Marks / 10.0) AS Rounded_Up
FROM STUDENT;

-- 8.FLOOR()
SELECT Student_Name,
       Marks / 10.0 AS Marks_Value,
       FLOOR(Marks / 10.0) AS Rounded_Down
FROM STUDENT;


-- 9. MOD()
SELECT Student_Name,
       Marks,
       MOD(Marks, 10) AS Remainder
FROM STUDENT;
```

```
STDIN
Input for the program ( Optional )

Output:

+--------------+-------+-------------+
| Student_Name | Marks | Bonus_Marks |
+--------------+-------+-------------+
| Mrudula      |    85 |          89 |
| Priya        |    92 |          97 |
| Amith        |    76 |          80 |
| Sneha        |    88 |          92 |
| Chandana     |    65 |          68 |
+--------------+-------+-------------+

+--------------+-------------+------------+
| Student_Name | Marks_Value | Rounded_Up |
+--------------+-------------+------------+
| Mrudula      |      8.5000 |          9 |
| Priya        |      9.2000 |         10 |
| Amith        |      7.6000 |          8 |
| Sneha        |      8.8000 |          9 |
| Chandana     |      6.5000 |          7 |
+--------------+-------------+------------+
```


gmail - Search
Inbox (5,036) - cdev
(no subject) - chand
SQL Functions Outp
SQL Functions Outp
MySQL Online Edito
OneCompiler - Wri
Chat
https://onecompiler.com/mysql#draft-3ecd
OneCompiler
Upgrade
AI
MySQL
Run
Save
Login
queries.sql
I/O
AI Agent
81 ms
STDIN
Input for the program (Optional)
Output:
41
42 -- NUMERIC FUNCTIONS
43 -- 6. ROUND()
44 SELECT Student_Name,
45 Marks,
46 ROUND(Marks * 1.05) AS Bonus_Marks
47 FROM STUDENT;
48
49 -- 7. CEIL()
50 SELECT Student_Name,
51 Marks / 10.0 AS Marks_Value,
52 CEIL(Marks / 10.0) AS Rounded_Up
53 FROM STUDENT;
54
55 -- 8.FLOOR()
56 SELECT Student_Name,
57 Marks / 10.0 AS Marks_Value,
58 FLOOR(Marks / 10.0) AS Rounded_Down
59 FROM STUDENT;
60
61 -- 9. MOD()
62 SELECT Student_Name,
63 Marks,
64 MOD(Marks, 10) AS Remainder
65 FROM STUDENT;
66
+--------------+-------------+--------------+
| Student_Name | Marks_Value | Rounded_Down |
+--------------+-------------+--------------+
Mrudula	8.5000	8
Priya	9.2000	9
Amith	7.6000	7
Sneha	8.8000	8
Chandana	6.5000	6
+--------------+-------------+--------------+
+--------------+-------+-----------+
| Student_Name | Marks | Remainder |
+--------------+-------+-----------+
Mrudula	85	5
Priya	92	2
Amith	76	6
Sneha	88	8
Chandana	65	5
+--------------+-------+-----------+
Ready
Light
Wiki
MySQL
24°C
Partly cloudy
Search
ENG
IN
23:45
04-09-2026

https://onecompiler.com/mysql#draft-3ecd

OneCompiler | Upgrade | AI | MySQL | Run | Save

queries.sql

```
65  FROM STUDENT;
66
67  -- 10. ABS()
68  SELECT Student_Name,
69         Marks,
70         ABS(Marks - 80) AS Difference_From_80
71  FROM STUDENT;
72
73  -- DATE FUNCTIONS
74  -- 11. YEAR()
75  SELECT Student_Name,
76         Date_of_Birth,
77         YEAR(Date_of_Birth) AS Birth_Year
78  FROM STUDENT;
79
80  -- 12. MONTH()
81  SELECT Student_Name,
82         Date_of_Birth,
83         MONTH(Date_of_Birth) AS Birth_Month
84  FROM STUDENT;
85
86  -- 13. DAY()
87  SELECT Student_Name,
88         Date_of_Birth,
89         DAY(Date_of_Birth) AS Birth_Day
90  FROM STUDENT;
```

I/O | AI Agent


STDIN

Input for the program (Optional)

Output:

```
+--------------+-------+--------------------+
| Student_Name | Marks | Difference_From_80 |
+--------------+-------+--------------------+
| Mrudula      |    85 |                  5 |
| Priya        |    92 |                 12 |
| Amith        |    76 |                  4 |
| Sneha        |    88 |                  8 |
| Chandana     |    65 |                 15 |
+--------------+-------+--------------------+
+--------------+---------------+------------+
| Student_Name | Date_of_Birth | Birth_Year |
+--------------+---------------+------------+
| Mrudula      | 2008-05-15    |       2008 |
| Priya        | 2008-11-20    |       2008 |
| Amith        | 2009-02-10    |       2009 |
| Sneha        | 2008-08-25    |       2008 |
| Chandana     | 2009-01-30    |       2009 |
+--------------+---------------+------------+
```

24°C Partly cloudy | Search | ENG IN | 04-09


gmail - Search
Inbox (5,036) - cdev
(no subject) - chand
SQL Functions Outp
SQL Functions Outp
MySQL Online Edito
OneCompiler - Writ
https://onecompiler.com/mysql#draft-3ecd
OneCompiler
Upgrade
AI
MySQL
Run
Save
queries.sql
FROM STUDENT;
-- 10. ABS()
SELECT Student_Name,
Marks,
ABS(Marks - 80) AS Difference_From_80
FROM STUDENT;
-- DATE FUNCTIONS
-- 11. YEAR()
SELECT Student_Name,
Date_of_Birth,
YEAR(Date_of_Birth) AS Birth_Year
FROM STUDENT;
-- 12. MONTH()
SELECT Student_Name,
Date_of_Birth,
MONTH(Date_of_Birth) AS Birth_Month
FROM STUDENT;
-- 13. DAY()
SELECT Student_Name,
Date_of_Birth,
DAY(Date_of_Birth) AS Birth_Day
FROM STUDENT;
I/O
AI Agent
STDIN
Input for the program (Optional)
Output:
+--------------+---------------+-------------+
| Student_Name | Date_of_Birth | Birth_Month |
+--------------+---------------+-------------+
Mrudula	2008-05-15	5
Priya	2008-11-20	11
Amith	2009-02-10	2
Sneha	2008-08-25	8
Chandana	2009-01-30	1
+--------------+---------------+-------------+
+--------------+---------------+-----------+
| Student_Name | Date_of_Birth | Birth_Day |
+--------------+---------------+-----------+
Mrudula	2008-05-15	15
Priya	2008-11-20	20
Amith	2009-02-10	10
Sneha	2008-08-25	25
Chandana	2009-01-30	30
+--------------+---------------+-----------+
Ready
24°C
Partly cloudy
Search
ENG

gmail - Search | Inbox (5,036) - cdev | (no subject) - chand | SQL Functions Outp | SQL Functions Outp | MySQL Online Edito | OneCompiler - Writ

https://onecompiler.com/mysql#draft-3ecd

OneCompiler | Upgrade | AI | MySQL | Run | Save

queries.sql

```
91
92  -- 14. TIMESTAMPDIFF()
93  SELECT Student_Name,
94         Date_of_Birth,
95         TIMESTAMPDIFF(YEAR, Date_of_Birth, CURDATE()) AS Age
96  FROM STUDENT;
97
98  -- 15. CURDATE()
99  SELECT CURDATE() AS Today;
100
101 -- AGGREGATE FUNCTIONS
102 -- 16. COUNT()
103 SELECT COUNT(*) AS Total_Students
104 FROM STUDENT;
105
106 -- 17. SUM()
107 SELECT SUM(Marks) AS Total_Marks
108 FROM STUDENT;
109
110 -- 18. AVG()
111 SELECT AVG(Marks) AS Average_Marks
112 FROM STUDENT;
113
114 -- 19. MAX()
115 SELECT MAX(Marks) AS Highest_Marks
116 FROM STUDENT;
```

I/O | AI Agent

STDIN

Input for the program (Optional)

Output:

```
+--------------+---------------+------+
| Student_Name | Date_of_Birth | Age  |
+--------------+---------------+------+
| Mrudula      | 2008-05-15    |   18 |
| Priya        | 2008-11-20    |   17 |
| Amith        | 2009-02-10    |   17 |
| Sneha        | 2008-08-25    |   18 |
| Chandana     | 2009-01-30    |   17 |
+--------------+---------------+------+
+------------+
| Today      |
+------------+
| 2026-09-04 |
+------------+
+-----------------+
| Total_Students |
+-----------------+
|               5 |
+-----------------+
```

Ready

24°C Partly cloudy

ENG IN

https://onecompiler.com/mysql#draft-3ecd

OneCompiler | Upgrade | AI | MySQL | Run | Save | Login

queries.sql

```
91
92  -- 14. TIMESTAMPDIFF()
93  SELECT Student_Name,
94         Date_of_Birth,
95         TIMESTAMPDIFF(YEAR, Date_of_Birth, CURDATE()) AS Age
96  FROM STUDENT;
97
98  -- 15. CURDATE()
99  SELECT CURDATE() AS Today;
100
101 -- AGGREGATE FUNCTIONS
102 -- 16. COUNT()
103 SELECT COUNT(*) AS Total_Students
104 FROM STUDENT;
105
106 -- 17. SUM()
107 SELECT SUM(Marks) AS Total_Marks
108 FROM STUDENT;
109
110 -- 18. AVG()
111 SELECT AVG(Marks) AS Average_Marks
112 FROM STUDENT;
113
114 -- 19. MAX()
115 SELECT MAX(Marks) AS Highest_Marks
116 FROM STUDENT;
```

Ready

I/O | AI Agent | 81 ms

STDIN


Input for the program (Optional)

Output:

```
+-------------+
| Total_Marks |
+-------------+
|         406 |
+-------------+
+---------------+
| Average_Marks |
+---------------+
|       81.2000 |
+---------------+
+---------------+
| Highest_Marks |
+---------------+
|            92 |
+---------------+
+--------------+
| Lowest_Marks |
+--------------+
|           65 |
```

Light | Wiki | MySQL

24°C Partly cloudy | Search | ENG IN | 23:46 04-09-2026


gmail - Search
Inbox (5,036) - cdev
(no subject) - chand
SQL Functions Outp
SQL Functions Outp
MySQL Online Edito
OneCompiler - Wri
https://onecompiler.com/mysql#draft-3ecd
OneCompiler
Upgrade
AI
MySQL
Run
Save
Login
queries.sql
I/O
AI Agent
81 ms
STDIN
Input for the program (Optional)
Output:
SELECT Student_Name,
Date_of_Birth,
TIMESTAMPDIFF(YEAR, Date_of_Birth, CURDATE()) AS Age
FROM STUDENT;
-- 15. CURDATE()
SELECT CURDATE() AS Today;
-- AGGREGATE FUNCTIONS
-- 16. COUNT()
SELECT COUNT(*) AS Total_Students
FROM STUDENT;
-- 17. SUM()
SELECT SUM(Marks) AS Total_Marks
FROM STUDENT;
-- 18. AVG()
SELECT AVG(Marks) AS Average_Marks
FROM STUDENT;
-- 19. MAX()
SELECT MAX(Marks) AS Highest_Marks
FROM STUDENT;
-- 20. MIN()
Class	Total_Students	Average_Marks
10A	3	80.6667
10B	2	82.0000
Student_Name	Class	Marks	Difference_From_Target	Birth_Year
MRUDULA	10A	85	5	2008
PRIYA	10A	92	12	2008
AMITH	10B	76	4	2009
SNEHA	10B	88	8	2008
CHANDANA	10A	65	15	2009
Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Adm
Ready
24°C
Partly cloudy
ENG
IN

https://onecompiler.com/mysql#draft-3ecd

OneCompiler | Upgrade | AI | MySQL | Run | Save

queries.sql

```
-- 19. MAX()
SELECT MAX(Marks) AS Highest_Marks
FROM STUDENT;

-- 20. MIN()
SELECT MIN(Marks) AS Lowest_Marks
FROM STUDENT;

-- GROUP BY with Aggregate Functions
SELECT Class,
       COUNT(*) AS Total_Students,
       AVG(Marks) AS Average_Marks
FROM STUDENT
GROUP BY Class;

-- Combined SQL Functions
SELECT
    UPPER(Student_Name) AS Student_Name,
    Class,
    Marks,
    ABS(Marks - 80) AS Difference_From_Target,
    YEAR(Date_of_Birth) AS Birth_Year
FROM STUDENT;
SELECT * FROM STUDENT;
```

I/O | AI Agent

STDIN

Input for the program (Optional)

Output:

```
+-------+---------------+--------------+
+--------------+-------+-------+------------------------+------------+
| Student_Name | Class | Marks | Difference_From_Target | Birth_Year |
+--------------+-------+-------+------------------------+------------+
| MRUDULA      | 10A   |    85 |                      5 |       2008 |
| PRIYA        | 10A   |    92 |                     12 |       2008 |
| AMITH        | 10B   |    76 |                      4 |       2009 |
| SNEHA        | 10B   |    88 |                      8 |       2008 |
| CHANDANA     | 10A   |    65 |                     15 |       2009 |
+--------------+-------+-------+------------------------+------------+

+------------+--------------+-------+-------+----------+--------------+-
| Student_ID | Student_Name | Class | Marks | Fee_Paid | Date_of_Birth |
+------------+--------------+-------+-------+----------+--------------+-
|        101 | Mrudula      | 10A   |    85 | 50000.00 | 2008-05-15   |
|        102 | Priya        | 10A   |    92 | 50000.00 | 2008-11-20   |
|        103 | Amith        | 10B   |    76 | 45000.00 | 2009-02-10   |
|        104 | Sneha        | 10B   |    88 | 48000.00 | 2008-08-25   |
|        105 | Chandana     | 10A   |    65 | 40000.00 | 2009-01-30   |
+------------+--------------+-------+-------+----------+--------------+-
```

Ready

24°C Partly cloudy

ENG IN

04-09

https://onecompiler.com/mysql#draft-3ecd

OneCompiler | Upgrade | AI | MySQL | Run | Save | Login

queries.sql

```
-- 19. MAX()
SELECT MAX(Marks) AS Highest_Marks
FROM STUDENT;

-- 20. MIN()
SELECT MIN(Marks) AS Lowest_Marks
FROM STUDENT;

-- GROUP BY with Aggregate Functions
SELECT Class,
       COUNT(*) AS Total_Students,
       AVG(Marks) AS Average_Marks
FROM STUDENT
GROUP BY Class;

-- Combined SQL Functions
SELECT
    UPPER(Student_Name) AS Student_Name,
    Class,
    Marks,
    ABS(Marks - 80) AS Difference_From_Target,
    YEAR(Date_of_Birth) AS Birth_Year
FROM STUDENT;
SELECT * FROM STUDENT;
```

I/O | AI Agent | 81 ms

STDIN

Input for the program (Optional)

Output:

```
--------------+--------------+
-----+-------+-------+-----------------------+-----------+
Name | Class | Marks | Difference_From_Target | Birth_Year |
-----+-------+-------+-----------------------+-----------+
     | 10A   |    85 |                     5 |       2008 |
     | 10A   |    92 |                    12 |       2008 |
     | 10B   |    76 |                     4 |       2009 |
     | 10B   |    88 |                     8 |       2008 |
     | 10A   |    65 |                    15 |       2009 |
-----+-------+-------+-----------------------+-----------+
---+-------------+-------+-------+----------+--------------+---------------+
ID | Student_Name | Class | Marks | Fee_Paid | Date_of_Birth | Admission_Date |
---+-------------+-------+-------+----------+--------------+---------------+
01 | Mrudula      | 10A   |    85 | 50000.00 | 2008-05-15   | 2023-06-10    |
02 | Priya        | 10A   |    92 | 50000.00 | 2008-11-20   | 2023-06-12    |
03 | Amith        | 10B   |    76 | 45000.00 | 2009-02-10   | 2023-06-11    |
04 | Sneha        | 10B   |    88 | 48000.00 | 2008-08-25   | 2023-06-15    |
05 | Chandana     | 10A   |    65 | 40000.00 | 2009-01-30   | 2023-06-13    |
---+-------------+-------+-------+----------+--------------+---------------+
```

Ready | Light | Wiki | MySQL

24°C Partly cloudy | Search | ENG IN | 23:47 04-09-2026