# AI SOC INCIDENT REPORT

| | |
|---|---|
| **Report ID** | SOC-20260717-131157 |
| **Generated On** | 17-Jul-2026 01:11 PM |
| **Generated By** | AI SOC Analyst Assistant |

## Executive Summary

## Threat Summary

- Attack Name: PAM (Pluggable Authentication Modules) exploitation

- Description: The detected attack involves the exploitation of PAM, a system of configuration files, libraries, and executable files that guide authentication for various services. The attack may involve modifying PAM components to create backdoors or steal credentials.

## Severity

- Severity Level: Medium

## Possible Impact

- The impact of this attack can be significant, as it may allow an attacker to gain unauthorized access to accounts, steal credentials, or create backdoors. This can lead to a range of consequences, including data breaches, financial losses, and reputational damage.

## MITRE ATT&CK; Mapping

Primary Technique

---

Technique ID: T1550

Technique Name: Abuse Elevation Control to Access Authorized Data

Tactic: Persistence

Reason: The detected attack involves the exploitation of PAM, which is a technique used to access authorized data by abusing elevation control.

Supporting Retrieved Techniques

---

• T1552 - Abuse Elevation Control to Access Authorized Data

• T1553 - Create or Modify System Logs

## Related CVEs

Primary Vulnerability

---

CVE ID: CVE-2024-22365

Description: Linux-PAM (aka Linux PAM) before 1.6.0 allows attackers to cause a denial of service (blocked login process) via mkfifo because the openat call (for protect_dir) lacks O_DIRECTORY.

Reason: The detected attack is related to the exploitation of a vulnerability in Linux-PAM, which is a known vulnerability that can be exploited to cause a denial of service.

Supporting Retrieved CVEs

---

• CVE-2024-24766

• CVE-2024-2921

## NIST Security Controls and Guidelines

Primary Control

---

Publication: NIST Special Publication 800-53

Control ID: AU-2

Control Name: Audit and Accountability

Description: The organization conducts regular audits of its systems and networks to ensure that they are secure and compliant with organizational policies and procedures.

Reason: The detected attack highlights the importance of implementing audit and accountability controls to detect and prevent unauthorized access to systems and networks.

Supporting Security Controls

---

• AU-3 - Audit and Accountability

• AU-12 - Audit and Accountability

## Recommended Actions

1. Implement audit and accountability controls to detect and prevent unauthorized access to systems and networks.

2. Regularly update and patch PAM components to prevent exploitation of known vulnerabilities.

3. Conduct regular security audits to identify and address potential vulnerabilities in PAM components.

## Security Best Practices

1. Implement least privilege access controls to limit the privileges of users and prevent unauthorized access to sensitive systems and data.

2. Regularly update and patch PAM components to prevent exploitation of known vulnerabilities.

3. Conduct regular security audits to identify and address potential vulnerabilities in PAM components.

## Confidence Assessment

**Overall Confidence Score: 67.6%**

Reliability: Moderate

Reason:

The generated SOC report is reliable due to the strong evidence from the retrieved MITRE ATT&CK;, CVE, and NIST information. The report accurately represents the Wazuh alert and provides relevant recommendations to mitigate the detected attack. However, the confidence may be reduced due to the lack of information on the specific PAM component exploited in the attack.