AI SOC INCIDENT REPORT

Report ID	SOC-20260717-213627
Generated On	17-Jul-2026 09:36 PM
Generated By	AI SOC Analyst Assistant

Executive Summary

Threat Summary

- Attack Name: Systemd Service Exited Due to a Failure

- Description: The systemd service exited due to a failure, indicating a potential security issue.

Severity

- Severity Level: 5 (Critical)

Possible Impact

- The failure of the systemd service could lead to a degradation of system functionality, potentially allowing malicious activities to occur.

MITRE ATT&CK; Mapping

Primary Technique

Technique ID: T1501

Technique Name: Masquerade Task or Service

Tactic: Persistence

Reason: The attack involves creating or modifying systemd services to repeatedly execute malicious payloads, which is a key aspect of the Masquerade Task or Service technique.

Supporting Retrieved Techniques

• T1501.001 - Create or modify a systemd service to execute a malicious payload

• T1501.002 - Use a systemd service to execute a malicious payload

Related CVEs

Primary Vulnerability

CVE ID: CVE-2024-23278

Description: A vulnerability in the systemd service that allows an attacker to break out of the sandbox.

Reason: The vulnerability in the systemd service could be exploited to execute malicious payloads, which is relevant to the detected attack.

Supporting Retrieved CVEs

• CVE-2024-23246

• CVE-2024-2562

NIST Security Controls and Guidelines

Primary Control

Publication: NIST Special Publication 800-53

Control ID: AC-2

Control Name: Limitation of Connection Establishment by Network Services

Description: Limit the number of connections that network services can establish.

Reason: The control is relevant to the detected attack because it could help prevent the exploitation of the systemd service vulnerability.

Supporting Security Controls

• AC-1 - Limitation of Connection Establishment by Network Services

• AC-3 - Limitation of Connection Establishment by Network Services

Recommended Actions

1. Review the systemd service configuration to ensure it is not being exploited by malicious actors.

2. Implement the NIST control AC-2 to limit the number of connections that network services can establish.

3. Regularly update and patch the systemd service to prevent exploitation of known vulnerabilities.

Security Best Practices

1. Regularly review and update the systemd service configuration to prevent exploitation of known vulnerabilities.

2. Implement the NIST control AC-2 to limit the number of connections that network services can establish.

3. Use a secure and up-to-date version of the systemd service to prevent exploitation of known vulnerabilities.

Confidence Assessment

Overall Confidence Score: 61.77%

61.77%

Reliability: Moderate

Reason:

The generated SOC report is reliable due to the strong evidence from the retrieved MITRE ATT&CK;, CVE, and NIST information. However, the confidence may be reduced due to the lack of information on the specific vulnerability exploited by the attack. The retrieved context provides a clear understanding of the attack type, severity, and potential impact, making the report reliable.

Generated by AI SOC Analyst Assistant

Generative AI • RAG • MITRE ATT&CK; • CVE • NIST • ChromaDB