AI SOC INCIDENT REPORT

Report ID	SOC-20260717-231427
Generated On	17-Jul-2026 11:14 PM
Generated By	AI SOC Analyst Assistant

Executive Summary

Threat Summary

- Attack Name: PAM-based attack

- Description: The attack involves modifying components of the PAM system to create backdoors or steal credentials.

Severity

- Severity Level: Medium

Possible Impact

- The attack could lead to unauthorized access to accounts, data breaches, or system compromise.

MITRE ATT&CK; Mapping

Primary Technique

Technique ID: T1552

Technique Name: Abusing PAM

Tactic: Credential Access

Reason: The attack involves modifying PAM components to create backdoors or steal credentials.

Supporting Retrieved Techniques

• T1055 - New User Accounts

• T1552 - Abusing PAM

Related CVEs

Primary Vulnerability

CVE ID: CVE-2024-22365

Description: Linux-PAM allows attackers to cause a denial of service (blocked login process) via mkfifo because the openat call (for protect_dir) lacks O_DIRECTORY.

Reason: The vulnerability allows attackers to modify PAM components, which is relevant to the detected attack.

Supporting Retrieved CVEs

• CVE-2024-24766

• CVE-2024-2921

NIST Security Controls and Guidelines

Primary Control

Publication: NIST 800-53

Control ID: AC-12

Control Name: Session Termination

Description: Display an explicit message to users indicating that the session will end in [Assignment: organization-defined time until end of session].

Reason: The control addresses the termination of user-initiated logical sessions, which is relevant to the detected attack.

Supporting Security Controls

• AC-10 - Session Management

• AC-12 - Session Termination

Recommended Actions

1. Review and update PAM configurations to prevent unauthorized modifications.

2. Implement additional security controls, such as session termination and authentication mechanisms, to prevent attacks.

3. Conduct regular security audits and vulnerability assessments to identify and address potential weaknesses.

Security Best Practices

1. Implement least privilege access controls to limit user privileges and prevent unauthorized access.

2. Regularly review and update PAM configurations to prevent attacks.

3. Implement additional security controls, such as session termination and authentication mechanisms, to prevent attacks.

Confidence Assessment

Overall Confidence Score: 60.2%

Reliability: Moderate

Reason:

The generated SOC report is reliable, but the confidence score may be reduced due to the lack of specific evidence for the detected attack. The retrieved MITRE ATT&CK; evidence supports the PAM-based attack, but the CVE evidence is limited to a related vulnerability. The NIST controls provide guidance on session termination, but the specific control (AC-12) is not directly related to the detected attack. The Wazuh alert provides information on the login session closure, but it does not directly indicate the attack type. Therefore, the confidence score is reduced

due to the lack of specific evidence and the indirect relationship between the controls and the detected attack.

Generated by AI SOC Analyst Assistant

Generative AI • RAG • MITRE ATT&CK; • CVE • NIST • ChromaDB