AI SOC INCIDENT REPORT

Report ID	SOC-20260721-142450
Generated On	21-Jul-2026 02:24 PM
Generated By	AI SOC Analyst Assistant

Executive Summary

Threat Summary

- Attack Name: SSH Brute Force Attack

- Description: The Wazuh alert indicates a brute force attack on the SSH service of the Hospital Admin Server.

Severity

- Severity Level: High

Possible Impact

- The attack could result in unauthorized access to the system, potentially leading to data breaches or other security incidents.

MITRE ATT&CK; Mapping

The Primary MITRE Technique is:

T1059.003 - SSH Hijacking

Technique ID: T1059.003

Technique Name: SSH Hijacking

Tactic: Lateral Movement

Reason: The Wazuh alert indicates a brute force attack on the SSH service, which is a common tactic used in SSH hijacking attacks.

Supporting Retrieved Techniques

• T1059.001 - SSH Hijacking

• T1059.002 - SSH Hijacking

Related CVEs

The Primary CVE is:

CVE-2024-2469

CVE ID: CVE-2024-2469

Description: An attacker with an Administrator role in GitHub Enterprise Server could gain SSH root access via remote code execution.

Reason: The Wazuh alert indicates a brute force attack on the SSH service, which is a common vulnerability exploited in SSH hijacking attacks.

Supporting Retrieved CVEs

• CVE-2024-26303

• CVE-2024-22853

NIST Security Controls and Guidelines

The Primary NIST Security Control is:

AC-18 - Wireless Access

Publication: NIST SP 800-53

Control ID: AC-18

Control Name: Wireless Access

Description: The control requires that wireless access be implemented in a way that ensures the confidentiality, integrity, and availability of the data.

Reason: The Wazuh alert indicates a brute force attack on the SSH service, which could be mitigated by implementing secure wireless access controls.

Supporting Security Controls

• SC-12 - Information System Protection

• SC-13 - Information System Protection

Recommended Actions

1. Implement secure wireless access controls to prevent brute force attacks on the SSH service.

2. Regularly update and patch the SSH service to prevent exploitation of known vulnerabilities.

3. Implement multi-factor authentication to prevent unauthorized access to the system.

Security Best Practices

1. Regularly monitor and analyze network traffic to detect potential security incidents.

2. Implement a robust incident response plan to respond to security incidents.

3. Conduct regular security awareness training for system administrators to prevent human error.

Confidence Assessment

Overall Confidence Score: 65.27%

Reliability: Moderate

Reason:

The generated SOC report is reliable due to the strong evidence supporting the Wazuh alert. The retrieved MITRE ATT&CK; evidence (T1059.003) and CVE evidence (CVE-2024-2469) provide a clear indication of the attack type and potential vulnerabilities exploited. The retrieved NIST controls (AC-18) provide a clear guidance on how to mitigate the attack. However, the confidence score may be reduced due to the lack of specific information on the attack vector and the potential impact of the attack.