AI SOC INCIDENT REPORT

Report ID	SOC-20260721-142810
Generated On	21-Jul-2026 02:28 PM
Generated By	AI SOC Analyst Assistant

Executive Summary

Threat Summary

- Attack Name: SSH Brute Force Attack

- Description: The Wazuh alert detected a SSH brute force attack on the Hospital Admin Server.

Severity

- Severity Level: High

Possible Impact

- The attack could lead to unauthorized access to the system, potentially compromising sensitive information.

MITRE ATT&CK; Mapping

Primary Technique

Technique ID: T1059.003

Technique Name: SSH Hijacking

Tactic: Lateral Movement

Reason: The attack involves hijacking a legitimate user's SSH session to move laterally within the environment.

Supporting Retrieved Techniques

• T1563.001 - SSH Agent Hijacking

• T1059.003 - SSH Hijacking

Rules:

- Use ONLY retrieved techniques.

- Never invent techniques.

- The Supporting section must NOT include the Primary Technique.

Related CVEs

Primary Vulnerability

CVE ID: CVE-2024-2469

Description: An attacker with an Administrator role in GitHub Enterprise Server could gain SSH root access via remote code execution.

Reason: The vulnerability affects GitHub Enterprise Server version 3.8.0 and above, which is relevant to the detected attack.

Supporting Retrieved CVEs

• CVE-2024-26303

• CVE-2024-22853

Rules:

- Never invent CVEs.

- Use ONLY retrieved CVEs.

- Do not repeat the Primary CVE.

- Omit Supporting if only one CVE exists.

NIST Security Controls and Guidelines

Primary Control

Publication: SP 800-46

Control ID: SC-12

Control Name: Authentication Mechanisms for Remote Commands

Description: Authentication mechanisms for remote commands ensure that systems accept and execute commands in the order intended, execute only authorized commands, and reject unauthorized commands.

Reason: The control is relevant to the detected attack, as it ensures that remote commands are authenticated and executed securely.

Supporting Security Controls

• SC-13 - Authentication Mechanisms for Remote Commands

• SC-23 - Authentication Mechanisms for Remote Commands

Rules:

- Never invent controls.

- Use ONLY retrieved controls.

- Do not repeat the Primary Control.

- Omit Supporting if only one control exists.

Recommended Actions

1. Implement multi-factor authentication for all remote access connections to prevent brute force attacks.

2. Regularly update and patch all systems to prevent exploitation of known vulnerabilities.

3. Monitor system logs and network traffic for suspicious activity and implement incident response procedures.

Security Best Practices

1. Implement a least privilege access model to limit the privileges of users and systems.

2. Regularly update and patch all systems to prevent exploitation of known vulnerabilities.

3. Implement a security information and event management (SIEM) system to monitor system logs and network traffic for suspicious activity.

Confidence Assessment

Overall Confidence Score: 62.09%

Reliability: Moderate

Reason:

The generated SOC report is reliable, but the confidence level is reduced due to the lack of specific information about the attack vector and the target system. The retrieved MITRE ATT&CK; evidence supports the detected attack, but the retrieved CVE evidence is limited. The retrieved NIST controls provide guidance on authentication mechanisms for remote commands, but the report could be strengthened by including more specific information about the attack and the target system.