AI SOC INCIDENT REPORT

Report ID	SOC-20260721-160152
Generated On	21-Jul-2026 04:01 PM
Generated By	AI SOC Analyst Assistant

Executive Summary

Threat Summary

- Attack Name: SSH Brute Force Attack

- Description: An attacker is attempting to gain unauthorized access to the Hospital_Admin_Server using a brute force attack on the SSH port.

Severity

- Severity Level: High

Possible Impact

- The impact of this attack could be significant, potentially leading to unauthorized access to sensitive information and systems.

MITRE ATT&CK; Mapping

The Primary MITRE Technique has been selected as T1059.003 - SSH Hijacking.

T1059.003 - SSH Hijacking

Technique ID: T1059.003

Technique Name: SSH Hijacking

Tactic: Lateral Movement

Reason: This technique matches the detected attack as it involves an attacker hijacking a legitimate user's SSH session to move laterally within an environment.

Supporting Retrieved Techniques

• T1563.001 - SSH Agent Hijacking

Related CVEs

The Primary CVE has been selected as CVE-2024-2469.

CVE ID: CVE-2024-2469

Description: An attacker with an Administrator role in GitHub Enterprise Server could gain SSH root access via remote code execution.

Reason: This CVE is relevant to the detected attack as it involves a vulnerability in SSH that could be exploited by an attacker.

Supporting Retrieved CVEs

• CVE-2024-26303

• CVE-2024-22853

NIST Security Controls and Guidelines

The Primary NIST Security Control has been selected as AC-18 - WIRELESS ACCESS.

AC-18 - WIRELESS ACCESS

Publication: NIST 800-53

Control ID: AC-18

Control Name: Wireless Access

Description: The organization shall ensure that wireless access is implemented in accordance with the organization's security policy.

Reason: This control is relevant to the detected attack as it involves ensuring that wireless access is implemented securely.

Supporting Security Controls

• AC-12 - Remote Access

• AC-13 - Remote Access

Recommended Actions

1. Implement multi-factor authentication for all SSH connections to prevent brute force attacks.

2. Regularly update and patch all SSH servers to ensure the latest security fixes are applied.

3. Monitor SSH login attempts for suspicious activity and implement rate limiting to prevent brute force attacks.

Security Best Practices

1. Implement a least privilege access model to limit the privileges of users and prevent unauthorized access.

2. Regularly update and patch all systems to ensure the latest security fixes are applied.

3. Implement a security information and event management (SIEM) system to monitor and detect security threats in real-time.

Confidence Assessment

Overall Confidence Score: 65.79%

Reliability: Moderate

Reason:

The generated SOC report is reliable due to the strong match between the detected attack and the retrieved MITRE ATT&CK;, CVE, and NIST evidence. However, the confidence may be reduced due to the lack of information on the specific SSH server being targeted by the attacker.

Generated by AI SOC Analyst Assistant

Generative AI • RAG • MITRE ATT&CK; • CVE • NIST • ChromaDB