AI SOC INCIDENT REPORT

Report ID	SOC-20260721-162232
Generated On	21-Jul-2026 04:22 PM
Generated By	AI SOC Analyst Assistant

Executive Summary

Threat Summary

- Attack Name: Healthcare SSH Brute Force Attack

- Description: A brute force attack on the Healthcare SSH server, attempting to gain unauthorized access.

Severity

- Severity Level: High

Possible Impact

- The attack could result in unauthorized access to sensitive patient data, compromising the confidentiality, integrity, and availability of the data.

MITRE ATT&CK; Mapping

The Primary MITRE Technique has already been selected by the retrieval engine.

DO NOT choose another Primary Technique.

Use the provided Primary MITRE exactly as given.

Summarize it using this format:

Technique ID:

Technique Name:

Tactic:

Reason:

Primary Technique

Technique ID: T1059

Technique Name: SSH Hijacking

Tactic: Lateral Movement

Reason: The attack involves attempting to gain unauthorized access to the Healthcare SSH server, which is a classic example of SSH hijacking.

Supporting Retrieved Techniques

• T1563.001 - SSH Agent Hijacking

Related CVEs

The Primary CVE has already been selected by the retrieval engine.

DO NOT choose another Primary Vulnerability.

Use the provided Primary CVE exactly as given.

Explain why it is relevant to the detected attack.

Use supporting CVEs only as additional evidence.

Primary Vulnerability

CVE ID: CVE-2024-2469

Description: An attacker with an Administrator role in GitHub Enterprise Server could gain SSH root access via remote code execution.

Reason: The attack involves attempting to gain unauthorized access to the Healthcare SSH server, which is a classic example of a vulnerability that could be exploited to gain root access.

Supporting Retrieved CVEs

• CVE-2024-26303

• CVE-2024-22853

NIST Security Controls and Guidelines

The Primary NIST Security Control has already been selected by the retrieval engine.

DO NOT choose another Primary Security Control.

Use the provided Primary NIST Control exactly as given.

Explain why it mitigates the detected attack.

Use supporting controls only as additional evidence.

Primary Control

Publication: NIST SP 800-46

Control ID: SC-12

Control Name: Authentication Mechanisms for Remote Commands

Description: Authenticating remote commands protects against unauthorized commands and the replay of authorized commands.

Reason: The control requires authentication mechanisms for remote commands to ensure that systems accept and execute commands in the order intended, execute only authorized commands, and reject unauthorized commands.

Supporting Security Controls

• SC-13

• SC-23

Recommended Actions

1. Implement multi-factor authentication for all remote access connections to prevent brute force attacks.
2. Regularly update and patch the Healthcare SSH server to prevent exploitation of known vulnerabilities.
3. Implement a SSH key-based authentication system to prevent password-based brute force attacks.

Security Best Practices

1. Implement a least privilege access model to limit the privileges of users and prevent them from accessing sensitive data.
2. Regularly monitor and audit SSH connections to detect and prevent brute force attacks.
3. Implement a SSH key-based authentication system to prevent password-based brute force attacks.

Confidence Assessment

Overall Confidence Score: 65.59%

Reliability: Moderate

Reason:

The generated SOC report is reliable because it is based on the retrieved MITRE ATT&CK;, CVE, and NIST evidence, which provides a clear understanding of the attack type, severity, and potential impact. However, the report's confidence may be reduced due to the lack of specific information about the Healthcare SSH server's configuration and the exact vulnerability exploited by the attacker.