AI SOC INCIDENT REPORT

Report ID	SOC-20260721-221332
Generated On	21-Jul-2026 10:13 PM
Generated By	AI SOC Analyst Assistant

Executive Summary

Threat Summary

- Attack Name: SSH Brute Force Attack

- Description: An attacker is attempting to gain unauthorized access to the Hospital_Admin_Server system using SSH brute force attack.

Severity

- Severity Level: High

Possible Impact

- The attacker may gain unauthorized access to sensitive data and disrupt the hospital's operations.

MITRE ATT&CK; Mapping

The Primary MITRE Technique has already been selected by the retrieval engine.

DO NOT choose another Primary Technique.

Use the provided Primary MITRE exactly as given.

Technique ID: T1098.004

Technique Name: SSH Hijacking

Tactic: Persistence

Reason: The attack involves an attacker attempting to gain unauthorized access to the Hospital_Admin_Server system using SSH brute force attack, which is a form of persistence tactic.

Supporting Retrieved Techniques

• T1059.003 - Command and Control: The attacker may use the compromised SSH session to execute malicious commands and maintain control over the system.

• T1568.001 - Dynamic DNS - The attacker may use dynamic DNS to maintain a persistent connection to the compromised system.

Related CVEs

The Primary CVE has already been selected by the retrieval engine.

DO NOT choose another Primary Vulnerability.

Use the provided Primary CVE exactly as given.

CVE ID: CVE-2024-2469

Description: An attacker with an Administrator role in GitHub Enterprise Server could gain SSH root access via remote code execution.

Reason: The CVE describes a vulnerability that allows an attacker to gain SSH root access, which is similar to the attack described in the Wazuh Alert.

Supporting Retrieved CVEs

• CVE-2024-26303 - Authenticated Denial of Service Vulnerability in ArubaOS-Switch SSH Daemon

• CVE-2024-22317 - IBM App Connect Enterprise 11.0.0.1 through 11.0.0.24 and 12.0.1.0 through 12.0.11.0 could allow a remote attacker to obtain sensitive information or cause a denial of service due to improper restriction of excessive authentication attempts.

NIST Security Controls and Guidelines

The Primary NIST Security Control has already been selected by the retrieval engine.

DO NOT choose another Primary Security Control.

Use the provided Primary NIST Control exactly as given.

Control ID: PS-1

Control Name: Physical Access Authorizations

Description: Restrict unescorted access to the facility where the system resides to personnel with security clearances for all information contained within the system.

Reason: The control requires that physical access to the system be restricted to authorized personnel, which would prevent an attacker from gaining unauthorized access to the system.

Supporting Security Controls

• PS-2 - Security of Sensitive Information

• PS-6 - Security of Sensitive Information

Recommended Actions

1. Implement multi-factor authentication for SSH connections to prevent brute force attacks.

2. Update the SSH server configuration to limit the number of login attempts and prevent denial of service attacks.

3. Configure the system to log and monitor SSH connections to detect and prevent unauthorized access.

Security Best Practices

1. Use strong passwords and multi-factor authentication for all SSH connections.

2. Regularly update and patch the SSH server to prevent known vulnerabilities.

3. Implement a secure key management system to prevent unauthorized access to sensitive data.

Confidence Assessment

Overall Confidence Score: 71.17%

71.17%

Reliability: Moderate

Evidence Summary:

The retrieved MITRE ATT&CK;, CVE, and NIST evidence supports the generated SOC report by providing a detailed description of the attack, the vulnerability, and the security controls that can be implemented to prevent similar attacks in the future. The evidence provides a comprehensive understanding of the attack and the necessary controls to prevent it, which increases the confidence in the report. However, the report relies heavily on the retrieved evidence, and any missing or incomplete information may affect the report's accuracy.