AI SOC INCIDENT REPORT

Report ID	SOC-20260721-230535
Generated On	21-Jul-2026 11:05 PM
Generated By	AI SOC Analyst Assistant

Executive Summary

Threat Summary

- Attack Name: SSH Brute Force Attack

- Description: An attacker is attempting to gain unauthorized access to the Hospital_Admin_Server system using SSH brute force.

Severity

- Severity Level: High

Possible Impact

- The attacker may gain unauthorized access to sensitive data and systems, potentially leading to data breaches, system compromise, or other security incidents.

MITRE ATT&CK; Mapping

Primary Technique

T1098.004: SSH Hijacking

Technique ID: T1098.004

Technique Name: SSH Hijacking

Tactic: Lateral Movement

Reason: The attack involves an SSH brute force attempt, which is a common tactic used in SSH hijacking attacks.

Supporting Retrieved Techniques

• T1059.003: Command and Control: Standard Command and Control (C2) Tools

• T1059.003: Command and Control: Standard Command and Control (C2) Tools

Related CVEs

Primary Vulnerability

CVE-2024-2469: An attacker with an Administrator role in GitHub Enterprise Server could gain SSH root access via remote code execution.

CVE ID: CVE-2024-2469

Description: A vulnerability in GitHub Enterprise Server allows an attacker to gain SSH root access via remote code execution.

Reason: The vulnerability allows an attacker to gain SSH root access, which is relevant to the detected SSH brute force attack.

Supporting Retrieved CVEs

• CVE-2024-26303

• CVE-2024-22317

NIST Security Controls and Guidelines

Primary Control

SP 800-137A: Security and Privacy Controls for Information Systems and Organizations

Publication: SP 800-137A

Control ID: SC-18b

Control Name: Security of System and Information Integrity

Description: This control ensures that security measures are in place to protect the integrity of systems and information.

Reason: The control is relevant to the detected SSH brute force attack, as it ensures that security measures are in place to protect system integrity.

Supporting Security Controls

• PS-1a.1: Physical Access Authorizations

• PT-1a.1: Physical Access Authorizations

Recommended Actions

1. Implement multi-factor authentication for SSH connections to prevent brute force attacks.
2. Update SSH server configurations to limit login attempts and enforce strong password policies.
3. Configure SSH clients to use secure protocols and disable weak ciphers.

Security Best Practices

1. Regularly update and patch SSH servers and clients to ensure the latest security patches are applied.
2. Use secure protocols and ciphers for SSH connections, such as SSHv2 and AES-256.
3. Implement rate limiting and IP blocking to prevent brute force attacks.

Confidence Assessment

Overall Confidence Score: 70.97%

Reliability: Moderate

Evidence Summary:

The retrieved MITRE ATT&CK;, CVE, and NIST evidence supports the generated SOC report by indicating that the detected SSH brute force attack is a common tactic used in SSH hijacking attacks. The CVE-2024-2469 vulnerability

is relevant to the detected attack, as it allows an attacker to gain SSH root access via remote code execution. The NIST security controls, such as SP 800-137A, are relevant to the detected attack, as they ensure that security measures are in place to protect system integrity. However, the retrieved evidence is limited, and further investigation is required to determine the full scope of the attack.

Generated by AI SOC Analyst Assistant

Generative AI • RAG • MITRE ATT&CK; • CVE • NIST • ChromaDB