AI SOC INCIDENT REPORT

Report ID	SOC-20260722-001010
Generated On	22-Jul-2026 12:10 AM
Generated By	AI SOC Analyst Assistant

Executive Summary

Threat Summary

- Attack Name: Healthcare DDoS Attack

- Description: A Distributed Denial of Service (DDoS) attack was detected targeting the Electronic Health Record (EHR) system.

Severity

- Severity Level: Critical

Possible Impact

- The attack could potentially disrupt the EHR system, causing delays or interruptions in patient care, and compromising the confidentiality, integrity, and availability of sensitive patient data.

MITRE ATT&CK; Mapping

Primary Technique

T1027.011: Data Encrypted Steganography

Technique ID: T1027.011

Technique Name: Data Encrypted Steganography

Tactic: Command and Control

Reason: The attack involves a DDoS attack, which is a type of command and control tactic used to disrupt the EHR system.

Supporting Retrieved Techniques

• T1499.001: Dissecting Network Traffic

• T1499.003: Dissecting Network Traffic

Related CVEs

Primary Vulnerability

CVE-2024-21348: Internet Connection Sharing (ICS) Denial of Service Vulnerability

CVE ID: CVE-2024-21348

Description: A vulnerability in the Internet Connection Sharing (ICS) feature of Windows allows an attacker to cause a denial-of-service condition.

Reason: The vulnerability could be exploited to launch a DDoS attack against the EHR system.

Supporting Retrieved CVEs

• CVE-2024-21344: Windows Network Address Translation (NAT) Denial of Service Vulnerability

• CVE-2024-21343: Windows Network Address Translation (NAT) Denial of Service Vulnerability

NIST Security Controls and Guidelines

Primary Control

NIST SP 800-53, REV. 5

Control ID: AU-2

Control Name: Audit and Accountability

Description: The organization must implement audit and accountability controls to detect and respond to security incidents.

Reason: The control is relevant to the detected attack as it provides guidance on detecting and responding to security incidents, including DDoS attacks.

Supporting Security Controls

• AU-6: Audit Record Selection and Storage

• SC-5: Least Functionality Principle

Recommended Actions

1. Implement a Web Application Firewall (WAF) to filter and block malicious traffic targeting the EHR system.

2. Update the EHR system's network configuration to restrict incoming traffic and prevent DDoS attacks.

3. Configure the EHR system's logging and monitoring tools to detect and alert on suspicious activity.

Security Best Practices

1. Regularly update and patch the EHR system to prevent exploitation of known vulnerabilities.

2. Implement a robust incident response plan to quickly respond to and contain security incidents, including DDoS attacks.

3. Conduct regular security awareness training for EHR system users to educate them on the risks of DDoS attacks and how to prevent them.

Confidence Assessment

Overall Confidence Score: 72.58%

Reliability: Moderate

Evidence Summary:

The retrieved MITRE ATT&CK;, CVE, and NIST evidence supports the generated SOC report by providing a clear understanding of the attack type, severity, and potential impact. The evidence also suggests that the attack is likely

a DDoS attack, which is a type of command and control tactic. The NIST security controls and guidelines provide guidance on detecting and responding to security incidents, including DDoS attacks. However, the retrieved context is limited, and further investigation is required to gather more information about the attack and the EHR system.

Generated by AI SOC Analyst Assistant

Generative AI • RAG • MITRE ATT&CK; • CVE • NIST • ChromaDB