AI SOC INCIDENT REPORT

Report ID	SOC-20261006-204824
Generated On	06-Oct-2026 08:48 PM
Generated By	AI SOC Analyst Assistant

Executive Summary

Threat Summary

- Attack Name: DDoS Attack

- Description: A DDoS attack was detected targeting the EHR System, with the attack type being a DDoS and the severity being Critical.

Severity

- Severity Level: Critical

Possible Impact

- The attack could potentially disrupt the EHR System's functionality, leading to a denial of service and impacting the healthcare organization's ability to provide critical services.

MITRE ATT&CK; Mapping

The Primary MITRE Technique has already been selected by the retrieval engine.

DO NOT choose another Primary Technique.

Use the provided Primary MITRE exactly as given.

Explain why it matches the detected attack.

Technique ID: T1499

Technique Name: Executing Code or Commands

Tactic: Impact

Reason: The detected DDoS attack matches the technique of executing code or commands, as it involves a malicious actor attempting to disrupt the EHR System's functionality.

Supporting Retrieved Techniques

• T1027.011 - Nitzan Yaakov. (2024, June 4). Muhstik Malware Targets Message Queuing Services Applications. Retrieved September 24, 2024.

• T1499.001 - Cisco DoSdetectNetflow. (n.d.). Detecting and Analyzing Network Threats With NetFlow. Retrieved April 25, 2019.

• T1499.003 - Cisco DoSdetectNetflow. (n.d.). Detecting and Analyzing Network Threats With NetFlow. Retrieved April 25, 2019.

Related CVEs

The Primary CVE has already been selected by the retrieval engine.

DO NOT choose another Primary Vulnerability.

Use the provided Primary CVE exactly as given.

Explain why it is relevant to the detected attack.

CVE ID: CVE-2024-21348

Description: Internet Connection Sharing (ICS) Denial of Service Vulnerability

Reason: The detected DDoS attack could potentially exploit the ICS Denial of Service Vulnerability, making it relevant to the attack.

Supporting Retrieved CVEs

• CVE-2024-21344

• CVE-2024-21343

NIST Security Controls and Guidelines

The Primary NIST Security Control has already been selected by the retrieval engine.

DO NOT choose another Primary Security Control.

Use the provided Primary Security Control exactly as given.

Explain why it mitigates the detected attack.

Publication: NIST SP 800-53, REV. 5

Control ID: AU-2

Control Name: System Monitoring

Description: The control requires organizations to monitor system-generated indications of compromise or potential compromise.

Reason: The control would help in detecting and mitigating the DDoS attack by monitoring system-generated indications of compromise.

Supporting Security Controls

- AU-6
- SC-5
- SI-3

Recommended Actions

1. Implement a network traffic monitoring system to detect and mitigate DDoS attacks.
2. Update the EHR System's security controls to include system-generated alerts for indications of compromise.
3. Configure the EHR System's firewall to restrict incoming traffic from unknown sources.

Security Best Practices

1. Regularly monitor network traffic for signs of DDoS attacks.

2. Implement a security information and event management (SIEM) system to detect and respond to security incidents.

3. Conduct regular security audits to identify and address vulnerabilities in the EHR System.

Confidence Assessment

Overall Confidence Score: 74.03%

Reliability: Moderate

Evidence Summary:

The retrieved MITRE ATT&CK;, CVE, and NIST evidence supports the generated SOC report by providing a clear understanding of the DDoS attack, its potential impact, and the necessary security controls to mitigate it. The evidence suggests that the attack could exploit the ICS Denial of Service Vulnerability and that implementing a network traffic monitoring system, updating security controls, and configuring firewalls could help detect and mitigate the attack.