(Lec=1)

(Tec-1)	
Assignment No:-1 Date:	
Q1) what is emmet?	9
Ans: i) Emmet is a free -add on on	
your text Editor.	An
ii) type shortcut for full piece of code	
111) developer has to type less.	
iv) quto complétion tool. (! In html)	
Q.2) why we use CDN links.	
Ansi-i)CDN server Manage the	
communication between the client- serve	2
ii) Decrease the web-traffic	
111) Reduce bandwidth consumption	
iv) Improve user experience in our	r 6
application.	
	F
9.3) what is cross origin in script tag	
Ans:- i) In our application we need	
resources for other server	
ii) Resources like (fonts, image, code, scri	PES)
iii) Therefor we use cross-origin reque	
for request the resources.	

Date: PH) Difference between React and React DOM. Ans:- React:- Resposible for creating view React DOM:- Responsible for actually render UI in browser [UL): [React 15 child] [React 15] [React 15] [Aul): [React 15] [Aul]: [UL]: [Aul]: [UL]: [UL]: [Aul]: [UL]: [UL
React DOM: Ans:- Read:- Resposible for creating view React DOM:- Res-ponsible for actually render UI in browser Acact 15 child 2112 React 15 React 15 Acact 15
Ans:- Read:- Respossible for creating view React Don:- Responsible for actually render UI in browser [1415] React JS child element [React JS]
React DOM: - Responsible for actually render UI in browser /// //// //// React 15 child element React 15 //// //// //// //// //// //// ////
render UI in browser. 1413 React 15 child element [React 15]
1417 React 15 child element [React 15]
21i) element [React js]
21i) element [React js]
React 5
(U)17
/41/7
LULI7 1115 React DOM
11 13 REACT DOM
Q5) Difference betwenn Reactis Development 45
React 15 prodyction:
Ans i) Rjs Dev: - 19rge in size, contain 911
comments, From message, debbyging info.
for that debyg process very easy, we
for that debyg process out of
can find the issue and soln

Date:
React is production: production version -
and applimize for performance;
remove unne cessary code, small size
file.
Q.6) what is async and differ.
Am async: - If we have file which
contain HTML and JS file then
If we use async = "true"; then
Then in browser first show HTML
content then is content.
and
In differ i) jo of content - ii) HTML
In allter I) do so conficin