

Task – Travel Blog

index.html

```
File Edit Selection View Go Run ... DAY 13
index.html Furniture Site index.html Travel Blog X style.css shell.jpg
Travel Blog > index.html > html > body > section.bg-secondary.m-o-p-0 > p.m-4.p-3.text-center
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Travel Blog</title>
7   <link rel="icon" href="../favicon.jpg">
8   <link rel="stylesheet" href="../style.css">
9
10  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-QMTKZyjpPEjISv5WaRU90
11  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js" integrity="sha384-YvpcrYf0tY3lHB60NNkmXc559fDVZLES
12
13  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/@fortawesome/fontawesome-free@6.5.2/css/all.min.css" integrity="sha512-SnH5Wk+bZxgPHs44uMI
14
15  <link rel="preconnect" href="https://fonts.googleapis.com">
16  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
17  <link href="https://fonts.googleapis.com/css2?family=Playwrite+PE:wght@100..400&display=swap" rel="stylesheet">
18
19  <link rel="preconnect" href="https://fonts.googleapis.com">
20  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
21  <link href="https://fonts.googleapis.com/css2?family=Oswald:wght@200..700&family=Playwrite+PE:wght@100..400&display=swap" rel="stylesheet">
22
23  <link rel="preconnect" href="https://fonts.googleapis.com">
24  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
25  <link href="https://fonts.googleapis.com/css2?family=Oswald:wght@200..700&family=Playfair+Display:ital,wght@0,400..900;1,400..900&family=Playwrit
26
27 </head>
28 <body>
29
30
31 <!--Navbar-->
32 <nav class="navbar navbar-expand-lg bg-primary">
```

```
File Edit Selection View Go Run ... DAY 13
index.html Furniture Site index.html Travel Blog X style.css shell.jpg
Travel Blog > index.html > html > body > section.bg-secondary.m-o-p-0 > p.m-4.p-3.text-center
2 <html lang="en">
3 </head>
29 <body>
30
31 <!--Navbar-->
32 <nav class="navbar navbar-expand-lg bg-primary">
33   <div class="container-fluid">
34     <a class="nav-link dropdown-toggle text-light p-3 fs-4" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">
35       About
36     </a>
37     <ul class="dropdown-menu">
38       <li><a class="dropdown-item" href="#">About</a></li>
39       <li><a class="dropdown-item" href="#">Contact Me</a></li>
40       <li><a class="dropdown-item" href="#">Work with me</a></li>
41     </ul>
42     <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSu
43     <span class="navbar-toggler-icon"></span>
44   </button>
45   <div class="collapse navbar-collapse" id="navbarSupportedContent">
46     <ul class="navbar-nav me-auto mb-2 mb-lg-0">
47       <li class="nav-item">
48         <a class="nav-link dropdown-toggle text-light p-3 fs-4" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">
49           Blog
50         </a>
51         <ul class="dropdown-menu">
52           <li><a class="dropdown-item" href="#">Archives</a></li>
53           <li><a class="dropdown-item" href="#">The Best</a></li>
54         </ul>
55       </li>
56       <li class="nav-item">
57         <a class="nav-link text-light p-3 fs-4" href="#" aria-expanded="false">
58           Youtube
59         </a>
60     </ul>
```

```
File Edit Selection View Go Run ... DAY 13
index.html Furniture Site index.html Travel Blog X style.css shelf.jpg
Travel Blog > index.html > html > body > section.bg-secondary.m-o.p-0 > p.m-4.p-3.text-center
2 <html lang="en">
29 <body>
32 <nav class="navbar navbar-expand-lg bg-primary">
33 <div class="container-fluid">
45 <div class="collapse navbar-collapse" id="navbarSupportedContent">
54
55
56 </ul>
57 </li>
58 <li class="nav-item">
59 <a class="nav-link text-light p-3 fs-4" href="#" aria-expanded="false">
60 Youtube
61 </a>
62 </li>
63 <li class="nav-item dropdown">
64 <a class="nav-link dropdown-toggle text-light p-3 fs-4" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">
65 Solo Female Travel
66 </a>
67 <ul class="dropdown-menu">
68 <li><a class="dropdown-item" href="#">Action</a></li>
69 <li><a class="dropdown-item" href="#">Another action</a></li>
70 <li><hr class="dropdown-divider"></li>
71 <li><a class="dropdown-item" href="#">Something else here</a></li>
72 </ul>
73 </li>
74 <li class="nav-item">
75 <a class="nav-link text-primary bg-light fs-3 rounded-5">SCENIC ROUTES</a>
76 </li>
77
78 <li class="nav-item">
79 <a class="nav-link text-light p-3 fs-4" href="#" aria-expanded="false">
80 Tours
81 </a>
82 </li>
83 </ul>
84 </div>
85 </div>
86 </div>
87 </body>
88 </html>
```

```
File Edit Selection View Go Run ... DAY 13
index.html Furniture Site index.html Travel Blog X style.css shelf.jpg
Travel Blog > index.html > html > body > section.bg-secondary.m-o.p-0 > p.m-4.p-3.text-center
2 <html lang="en">
29 <body>
32 <nav class="navbar navbar-expand-lg bg-primary">
33 <div class="container-fluid">
45 <div class="collapse navbar-collapse" id="navbarSupportedContent">
77
78 <li class="nav-item">
79 <a class="nav-link text-light p-3 fs-4" href="#" aria-expanded="false">
80 A space-separated list of the classes of the element. Classes allows CSS and JavaScript to select and access specific elements via the class
81 selectors or functions like the method Document.getElementsByClassName().
82 </a>
83 </li>
84 <li class="nav-item dropdown">
85 <a class="nav-link dropdown-toggle text-light p-3 fs-4" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">
86 Destinations
87 </a>
88 <ul class="dropdown-menu">
89 <div class="row w-25">
90 <div class="col-3 p-3">
91 <h5>USA</h5>
92 <p>Hawaii</p>
93 <p>Utah</p>
94 </div>
95 <div class="col-3 p-3">
96 <h5>Asia</h5>
97 <p>Thailand</p>
98 <p>Japan</p>
99 <p>Indonesia</p>
100 </div>
101 <div class="col-3"></div>
102 <div class="col-3"></div>
103 </div>
104 </ul>
105 </li>
106 </ul>
107 </div>
108 </div>
109 </body>
110 </html>
```


```
File Edit Selection View Go Run ... DAY 13
index.html Furniture Site index.html Travel Blog X style.css shelf.jpg
Travel Blog > index.html > html > body > section.bg-secondary.m-o.p-0 > p.m-4.p-3.text-center
2 <html lang="en">
29 <body>
32 <nav class="navbar navbar-expand-lg bg-primary">
33 <div class="container-fluid">
45 <div class="collapse navbar-collapse" id="navbarSupportedContent">
104 </div>
105 <li class="nav-item dropdown">
106 <a class="nav-link dropdown-toggle text-light p-3 fs-4" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">
107 Travel Resources
108 </a>
109 <ul class="dropdown-menu">
110 <li><a class="dropdown-item" href="#">Outdoors 101</a></li>
111 <li><a class="dropdown-item" href="#">Itineraries</a></li>
112 <li><a class="dropdown-item" href="#">Spiritual Travel</a></li>
113 </ul>
114 </li>
115 <div>
116 The form element represents a collection of form-associated elements, some of which can represent editable values that can be submitted
117 to a server for processing.
118 MDN Reference
119 </div>
120 </div>
121 </nav>
122
123 
124 <p id="text">Travel Solo, Travel Adventurously</p>
125 <p id="text1">Welcome to your one-stop resource for a life-changing journey.</p>
126
127 <div id="row1" class="row p-3">
128 <div class="col-2 ms-5">
129 
130 </div>
131 </div>
```

```
File Edit Selection View Go Run ... DAY 13
index.html Furniture Site index.html Travel Blog X style.css shelf.jpg
Travel Blog > index.html > html > body > section.bg-secondary.m-o.p-0 > p.m-4.p-3.text-center
120 </div>
121 </nav>
122
123 
124 <p id="text">Travel Solo, Travel Adventurously</p>
125 <p id="text1">Welcome to your one-stop resource for a life-changing journey.</p>
126
127 <div id="row1" class="row p-3">
128 <div class="col-2 ms-5">
129 
130 </div>
131 <div class="col-4">
132 <p class="fs-4 text-light">Hey there, I'm Kristin. Welcome to one of the most-read women's travel blogs in the world.
133 Join us each week when I share my insider knowledge
134 of the best travel deals and miles and points building tips in my newsletter. Join here!</p>
135 </div>
136 <div class="col-4 ms-5 ps-5">
137 <form>
138 <input type="email" class="form-control m-2" placeholder="First Name" aria-describedby="emailHelp">
139 <input type="email" class="form-control m-2" placeholder="Email" aria-describedby="emailHelp">
140 <button type="button" class="btn btn-primary btn-lg m-2 w-100">Subscribe</button>
141 </form>
142 <p class="text-center text-light">No spam, just the good stuff! Read our
143 <a class="text-light text-decoration-none" href="#">Privacy Policy here</a> </p>
144 </div>
145 </div>
146 </div>
147 <div class="row">
148 <div class="col-12">
```

```
File Edit Selection View Go Run ... DAY 13
index.html Furniture Site index.html Travel Blog X style.css shelf.jpg
Travel Blog > index.html > html > body > section.bg-secondary.m-o.p-0 > p.m-4.p-3.text-center
2 <html lang="en">
29 <body>
127 <div id="row1" class="row p-3">
146 </div>
147 <div class="row">
148 <div class="col-12">
149 
150 </div>
151 </div>
152 <div class="row2">
153 <p id="p1" class="text-center mt-5 pt-5 fs-1">Read The Blog</p>
154 <center>
155 <a class="btn btn-outline-primary text-dark m-2 mb-4 btn-lg w-15 border border-dark" href="#sec1">Popular</a>
156
157 <a class="btn btn-outline-primary text-dark m-2 mb-4 btn-lg w-15 border border-dark" href="#sec2">Latest Post</a>
158 </center>
159 </div>
160 <section id="sec1">
161 <span>
162 
163 <a id="imgtext1" href="https://www.bemytravelmuse.com/where-to-travel-in-the-usa-in-july">21 Places to visit in July</a>
164 
165 <a id="imgtext3" href="https://www.creativetravelguide.com/usa-bucketlist/">Amazing things to do</a>
166 
167 
168 </span>
169 </section>
170
171 <section id="sec2">
172 <span>
173 
174 <a id="imgtext" href="https://www.wanderwomaniya.com/post/safest-solo-tours-in-india-for-women-travelers">Best Places For Female Solo Trip</a>
175 </span>
176 </section>
177
178 <h2 class="bg-primary text-center text-light m-3 p-4">Latest Videos</h2>
179 <iframe class="m-3 p-3" width="500" height="315" src="https://www.youtube.com/embed/xs2uV5H5q5c?si=mPL3ldwt4Wcb69kN" title="YouTube video"
180 <iframe class="m-3 p-3" width="500" height="315" src="https://www.youtube.com/embed/sQ6ttdXKoOk?si=N8G7yotH39D_ECCa" title="YouTube video play
181 <iframe class="m-3 p-3" width="500" height="315" src="https://www.youtube.com/embed/1kfNB1W4H5g?si=eQ_1rncUM2M4V1b" title="YouTube video play
182 </div>
183 <h2 class="bg-primary text-center text-light m-3 p-4">Where Would You Like To Go?</h2>
184 <iframe width="100%" height="400px" src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d52918450.40025156!2d-161.85240697!2d8845!3d35.949
185 </div>
186 <h2 class="text-dark text-center m-3 p-4">Stay Connected</h2>
187 <center>
188 <div>
189 <a class="a1" href="https://www.facebook.com/login/"><i class="fa-brands fa-facebook-f"></i></a>
190 <a class="a1" href="https://x.com/twitt_login?lang=en"><i class="fa-brands fa-twitter"></i></a>
191 <a class="a1" href="https://www.instagram.com/accounts/login/?hl=en"><i class="fa-brands fa-instagram"></i></a>
192 <a class="a1" href="https://in.pinterest.com/login/"><i class="fa-brands fa-pinterest-p"></i></a>
193 <a class="a1" href="https://www.youtube.com/"><i class="fa-brands fa-youtube"></i></a>
194 </div>
195 </center>
196 </div>
197
198 </div>
199 </body>
200 </html>
```


```
File Edit Selection View Go Run ... DAY 13
index.html Furniture Site index.html Travel Blog X style.css shelf.jpg
Travel Blog > index.html > html > body > section.bg-secondary.m-o.p-0 > p.m-4.p-3.text-center
2 <html lang="en">
29 <body>
160 <section id="sec1">
170 </section>
171 <section id="sec2">
172 <span>
173 
174 <a id="imgtext" href="https://www.wanderwomaniya.com/post/safest-solo-tours-in-india-for-women-travelers">Best Places For Female Solo Trip</a>
175 
176 
177 
178 </span>
179 </section>
180
181 <h2 class="bg-primary text-center text-light m-3 p-4">Latest Videos</h2>
182 <iframe class="m-3 p-3" width="500" height="315" src="https://www.youtube.com/embed/xs2uV5H5q5c?si=mPL3ldwt4Wcb69kN" title="YouTube video"
183 <iframe class="m-3 p-3" width="500" height="315" src="https://www.youtube.com/embed/sQ6ttdXKoOk?si=N8G7yotH39D_ECCa" title="YouTube video play
184 <iframe class="m-3 p-3" width="500" height="315" src="https://www.youtube.com/embed/1kfNB1W4H5g?si=eQ_1rncUM2M4V1b" title="YouTube video play
185 </div>
186 <h2 class="bg-primary text-center text-light m-3 p-4">Where Would You Like To Go?</h2>
187 <iframe width="100%" height="400px" src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d52918450.40025156!2d-161.85240697!2d8845!3d35.949
188 </div>
189 <h2 class="text-dark text-center m-3 p-4">Stay Connected</h2>
190 <center>
191 <div>
192 <a class="a1" href="https://www.facebook.com/login/"><i class="fa-brands fa-facebook-f"></i></a>
193 <a class="a1" href="https://x.com/twitt_login?lang=en"><i class="fa-brands fa-twitter"></i></a>
194 <a class="a1" href="https://www.instagram.com/accounts/login/?hl=en"><i class="fa-brands fa-instagram"></i></a>
195 <a class="a1" href="https://in.pinterest.com/login/"><i class="fa-brands fa-pinterest-p"></i></a>
196 <a class="a1" href="https://www.youtube.com/"><i class="fa-brands fa-youtube"></i></a>
197 </div>
198 </center>
199 </div>
200 </body>
201 </html>
```

style.css



This screenshot shows the first 32 lines of the style.css file in a VS Code editor. The code defines a root selector, a heading selector, a text selector, a text1 selector, and a row selector.

```
1  *{
2    padding: 0px;
3    margin: 0px;
4    font-family: "Playfair Display", serif;
5  }
6  h1{
7    font-family: "Oswald", sans-serif;
8  }
9  #text{
10   position: absolute;
11   top: 15%;
12   left: 10%;
13   padding: 60px;
14   font-weight: 500;
15   font-size: 60px;
16   color: black;
17   font-family: "Playwrite PE", cursive;
18 }
19
20 #text1{
21   position: absolute;
22   top: 30%;
23   left: 25%;
24   padding: 60px;
25   font-weight: 500;
26   font-size: 20px;
27   color: black;
28   font-family: "Playwrite PE", cursive;
29 }
30
31 #row{
32   background-color: rgb(219, 102, 102);
```



This screenshot shows the continuation of the style.css file, lines 28 through 59. It includes selectors for text1, row, row2, p1, btn, and a pseudo-element for the button.

```
28   font-family: "Playwrite PE", cursive;
29 }
30
31 #row{
32   background-color: rgb(219, 102, 102);
33 }
34 .row2{
35   background-color: rgb(194, 190, 190);
36 }
37 #p1{
38   font-family: "Playwrite BE VLG", cursive;
39 }
40 .btn {
41   display: inline-block;
42   padding: 0.9rem 1.8rem;
43   font-size: 16px;
44   font-weight: 700;
45   color: white;
46   border: 3px solid rgb(252, 70, 100);
47   cursor: pointer;
48   position: relative;
49   background-color: transparent;
50   text-decoration: none;
51   overflow: hidden;
52   z-index: 1;
53   font-family: inherit;
54 }
55
56 .btn::before {
57   content: "";
58   position: absolute;
59   left: 0;
```

This screenshot shows the VS Code editor with the 'style.css' file open. The code defines styles for a button and a text element. The button styles include a pseudo-element for a background and a hover state. The text element is styled with absolute positioning and specific font properties.

```
54 }
55
56 .btn::before {
57   content: "";
58   position: absolute;
59   left: 0;
60   top: 0;
61   width: 100%;
62   height: 100%;
63   background-color: rgb(74, 74, 155);
64   transform: translateX(-100%);
65   transition: all .3s;
66   z-index: -1;
67 }
68
69 .btn:hover::before {
70   transform: translateX(0);
71 }
72 #imgtext{
73   position: absolute;
74   top: 170%;
75   left: 2%;
76   padding: 60px;
77   font-weight: 500;
78   font-size: 30px;
79   color: black;
80   text-decoration: none;
81
82
83 }
84 #imgtext1{
85   position: absolute;
```

The status bar at the bottom indicates the cursor is at line 112, column 5. The taskbar shows the system clock as 12:01 AM on 7/15/2024.

This screenshot shows the VS Code editor with the 'style.css' file open, displaying more CSS rules. It includes styles for two text elements and a heading, all using absolute positioning and a specific font family.

```
84 #imgtext1{
85   top: 210%;
86   left: 35%;
87   padding: 60px;
88   font-weight: 500;
89   font-size: 30px;
90   color: black;
91   text-decoration: none;
92
93
94 }
95
96 #imgtext3{
97   position: absolute;
98   top: 170%;
99   left: 75%;
100   padding: 60px;
101   font-weight: 500;
102   font-size: 30px;
103   color: black;
104   text-decoration: none;
105
106
107 }
108 h2{
109   font-family: "Playwrite PE", cursive;
110 }
111
112 .a1{
113   font-size: 50px;
114   margin: 30px;
115   padding: 5px;
116 }
```

The status bar at the bottom indicates the cursor is at line 112, column 5. The taskbar shows the system clock as 12:01 AM on 7/15/2024.