#### TASK-2

Name: Shaik Chandini

Email id: <a href="mailto:shaik.chandini5566@gmail.com">shaik.chandini5566@gmail.com</a>

Task Title: Landing Page

**Task Description:** Creating a compelling landing page. I created my college library landing page. The home page of the library contains – Login, Logout, Login details, update details, search details and select your book options.

- First the student should login to enter into the library and Should logout when he/she comes out of the library.
- Logout when the student comes out of the library.
- Login details page displays the student details who utilizes the library on that particular day. The login details page contains the following information
  - o Student Name
  - o Roll Number
  - o Branch
  - o Year
  - Book Name
- Search details page help to display details of the students specified with the branch in the search page.
- Select your book option provides to display the books available in the branch specified and enable the student to select the book required.

## **Steps Taken:**

- ➤ I just simply implemented the code in the notepad.
- For that I selected the new file in the notepad and wrote the code and saved as home.html.
- ➤ I selected the another new file and wrote the code login page and saved as login.html.
- Followed the same procedure for the remaining codes.
- ➤ Make sure that all the files are in the same directory.
- ➤ Run the home.html page in the chrome/Browser.

## **Solutions Implemented:**

### home.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
 <title>Library home page</title>
</head>
<style>
body {
margin: 0;
 height:5000px;
 background-color:green;
}
section{
p{
 font-family:Arial;
 font-size:20px;
 marin-bottom:10px;
 color:rgb(255, 255, 255);
  margin: 0;
  padding: 0;
 font-family: Arial;
.container{
```

```
width: 100%;
  height: 600px;
  background: linear-gradient( rgba(197, 55, 109, 0.688),rgba(0,0,0,0.5)),url(background.jpg);
  background-size: cover;
  background-position: center;
  position:fixed;
  margin-left:0px;
  margin-top:-15px;
.navbar{
  width: 85%;
  margin:auto;
  padding: 15px 0;
  display: flex;
  align-items: center;
  justify-content: space-between;
  position: relative;
  box-shadow:0 0 14px rgba(54, 65, 66, 0.3);
.logo{
  color:rgb(255, 255, 255);
  font-size: 30px;
  font-family: Arial;
  font-weight : bolder;
  padding-left: 20px;
  float: left;
  padding-top: 10px;
```

```
margin-top:10px;
  margin-right:10px;
.navbar ul li{
  list-style: none;
  display: inline-block;
  margin: 0 20px;
  position: relative;
  margin-left:0px;
  margin-right:10px;
.navbar ul li a{
  text-decoration: none;
  color:rgb(255, 255, 255);
.navbar ul li::after{
  content: ";
  height: 3px;
  width: 0;
  position: absolute;
  left: 0;
  background:#cbc6c6;
  bottom:-10px;
  transition: 0.6s;
.navbar ul li:hover::after{
  position:fixed;
```

```
width: 100%;
}
.content{
  width: 100%;
  color:rgb(255, 255, 255);
  position: absolute;
  top: 26%;
  transform: translateY(-50%);
  text-align: center;
  position:fixed;
  margin-top:-15px;
  margin-left:20px;
.container h1{
  font-size: 40px;
  margin-top:10px;
  padding-top:5px;
  margin-bottom:10px;
  text-align:center;
  margin-left:185px;
  color:rgb(255, 255, 255);
  margin-left: 185px;
.content p{
  margin-top:-15px auto;
  line-height: 25px;
```

```
.button {
   display: inline-block;
   padding-top:15px;
   background-color: #dc668f;
   color: white;
   text-decoration: none;
   border-radius:28px;
   width:200px;
   height:31px;
   cursor: pointer;
   justify-content:center;
   position:relative;
   vertical-align:top;
   padding-bottom:10px;
   margin-right:20px;
     }
.mabutton
   display: inline-block;
   padding: 10px 20px;
   background-color: #dc668f;
   color: white;
   text-decoration: none;
   border-radius:28px;
   width:200px;
   height:31px;
  padding-top:15px;
```

```
padding-bottom:10px;
   cursor: pointer;
   vertical-align:top;
}
.frm{
  margin-top:200px;
 height:82%;
 width:1528px;
  border:none;
  background-color:#dc668f;
 margin-right:-15px;
section a{
  padding:12px 30px;
  border-radius: 4px;
  outline: none;
 text-transform: uppercase;
 font-size: 13px;
 font-weight: 500;
 text-decoration: none;
 letter-spacing: 1px;
section .btnone{
  background: #fff;
 color: #000;
```

```
section .btntwo{
  background: #4d0e32;
  color: white;
}
</style>
<body>
  <div class="container">
    <div class="navbar">
            <h1><h1 style="text-align:center;","background color=pink;">WELCOME TO LBRCE
LIBRARY</h1><br>
       <a href="about.html">About Library</a>
        <a href="timings.html">Library Timings</a>
        </div>
    <div class="content">
      There is no friend as loyal as a book !!!... <br>> Login to Enter
      <br>
      <section>
      <div>
  <a href="login.html" target="_self" class="btntwo">Log In</a>
  <a href="logout.html" target="_self" class="btntwo">Log Out</a>
  <a href="logindetails.html" target="_self" class="btntwo">Login Details</a>
 <a href="update.html" target=" self" class="btntwo">Update Details</a>
<a href="search.html" target="_self" class="btntwo">Search Details</a>
<a href="books.html" target="_self" class="btntwo">Select your book</a>
</div>
```

```
</section>
    </div>
   <div class="frm">
      <marquee behavior="scroll" direction="left" scrollamount="20">
    <img
                           src="https://upload.wikimedia.org/wikipedia/commons/7/72/NYC_-
_New_York_City_Library_-_1723.jpg" alt="Your Image" width="2000" height="900">
               src="https://www.eui.eu/Content-Types-Assets/Web-Unit/Student-in-law-library-
    <img
section.x7622d211.jpg?w=1920&h=1080" alt="Your Image" width="2000" height="900">
    </div>
</body>
</html>
Login.html
<!DOCTYPE html>
<html>
<head>
<title>Login Page</title>
<style>
  .hero-section {
   width: 100%;
    height: 101%;
    background-image: url('https://images.unsplash.com/photo-1616531770192-
6eaea74c2456?ixlib=rb-
4.0.3&ixid=M3wxMjA3fDB8MHxzZWFyY2h8MTJ8fHdvcmtpbmclMjBmcm9tJTIwaG9tZXxlbnwwfH
wwfHx8MA%3D%3D&w=1000&q=80');
    background-size: cover;
    display: inline-flex;
   justify-content: right;
    align-items: top;
  }
```

```
.hero-section .sub-heading {
    margin-top: 10px;
    text-align: center;
    color: #3c023a;
    text-transform: capitalize;
    font-size: 40px;
    font-weight: 500;
 }
th, td {
    padding: 10px;
 }
  table {
    background-color: #b2d2ea;
    margin: 200px;
 }
</style>
</head>
<body>
<header class="hero-section">
  <center>
    <div class="content">
      <h1 class="sub-heading">Kindly enter your details</h1>
    </div>
  </center>
  <br>
 <form action="/login" method="post">
```

```
<label>Name:</label>
   <input type="text" name="name">
  <label>Roll number:</label>
   <input type="number" name="rollnumber">
  <label>Branch:</label>
   <input type="text" name="branch">
  <label>Year:</label>
   <input type="number" name="year">
  <input type="submit" value="Submit">
   </form>
</header>
</body>
</html>
```

## Logout.html

```
<!DOCTYPE html>
<html>
<head>
         <title>Logout Page</title>
         <style>
                   .hero-section {
                            width: 100%;
                            height: 150%;
                            background-image: url('https://images.unsplash.com/photo-1616531770192-
6eaea74c2456?ixlib=rb-
4.0.3 \& ixid = M3wxMjA3fDB8MHxzZWFyY2h8MTJ8fHdvcmtpbmclMjBmcm9tJTlwaG9tZXxlbnwwfHarror and the state of the control of the c
wwfHx8MA%3D%3D&w=1000&q=80');
background-size: cover;
                            display: inline-flex;
                            justify-content: right;
                            align-items: top;
                   .hero-section .sub-heading {
                            margin-top: 10px;
                            text-align: center;
                            color: #3c023a;
                            text-transform: capitalize;
                            font-size: 40px;
                            font-weight: 500;
                  }
                   th, td {
                            padding: 10px;
```

```
}
   table {
     background-color: #b2d2ea;
     margin: 200px;
   }
 </style>
</head>
<body>
<header class="hero-section">
 <center>
   <div class="content">
    <h1 class="sub-heading">Kindly enter your details</h1>
   </div>
 </center>
 <br>
 <form action="/logout" method="post"> <!-- Added action attribute for form submission-->
     <big>LOG OUT</big>
     <label>Roll number:</label>
      <input type="number" name="roll_number">
     <input type="submit" value="Submit">
```

```
</form>
 </header>
</body>
</html>
Logindetails.html
<!DOCTYPE html>
<html>
<head>
 <title>Login Details</title>
  <style>
    body {
     background-image: url('https://wallpaper-mania.com/wp-
content/uploads/2018/09/High_resolution_wallpaper_background_ID_77700405181.jpg');
     background-size: cover;
     background-repeat: no-repeat;
   }
   table {
     width: 80%;
     margin: 0 auto;
     border-collapse: collapse;
```

}

th, td {

padding: 10px;

```
text-align: center;
   }
   th {
     background-color: green;
     color: white;
   }
   tr:nth-child(even) {
     background-color: #f2f2f2;
   }
 </style>
</head>
<body>
 <center>
   <h1 style="color: red;">Login Details</h1>
 </center>
 Student Name
     Roll Number
     Branch
     Year
     Book Name
   <script src="logindetails.js"></script> <!-- Include your JavaScript file here-->
</body>
</html>
```

## **Update.html**

```
<!DOCTYPE html>
<html>
<head>
         <title>Update Details</title>
         <style>
                   .hero-section {
                            width: 100%;
                            height: 101%;
                            background-image: url('https://images.unsplash.com/photo-1616531770192-
6eaea74c2456?ixlib=rb-
4.0.3 \& ixid = M3wxMjA3fDB8MHxzZWFyY2h8MTJ8fHdvcmtpbmclMjBmcm9tJTlwaG9tZXxlbnwwfHarror and the state of the control of the c
wwfHx8MA%3D%3D&w=1000&q=80');
                            background-size: cover;
                             display: inline-flex;
                            justify-content: right;
                            align-items: top;
                  }
  .hero-section .sub-heading {
                            margin-top: 10px;
                            text-align: center;
                            color: #3c023a;
                            text-transform: capitalize;
                            font-size: 40px;
                            font-weight: 500;
                  }
                  th, td {
                            padding: 10px;
```

```
}
    table {
      background-color: #b2d2ea;
      margin: 200px;
    }
    .radio-group {
      display: flex;
      align-items: center;
    .radio-group label {
      margin-right: 10px;
    }
    .radio-group input {
      margin-right: 5px;
    }
    .hidden {
      display: none;
    }
  </style>
</head>
<body>
<header class="hero-section">
  <center>
    <div class="content">
      <h1 class="sub-heading">Kindly enter your roll number and select an option to
update!!!</h1>
    </div>
```

```
</center>
 <br>
 <form id="rollNumberForm" action="/update" method="post">
   <label>Roll number:</label>
      <input type="number" id="rollNumber" name="roll_number">
      <big>Select an option to update:</big>
    <div class="radio-group">
         <input type="radio" id="nameOption" name="select option" value="name"> Name
         <input type="radio" id="branchOption" name="select option" value="branch">
Branch
         <input type="radio" id="yearOption" name="select option" value="year"> Year
       </div>
      <label>Name of the student:</label>
```

```
<input type="text" name="name"> <!-- Use name attribute for name-->
     <label>Branch:</label>
     <input type="text" name="branch">
     <label>Year:</label>
     <input type="number" name="year">
     <input type="submit" value="Submit">
     </form>
</header>
<script>
 const rollNumberForm = document.getElementById("rollNumberForm");
 const radioInputs = document.querySelectorAll('input[name="select_option"]');
 const textInputRows = document.querySelectorAll('tr[id$="Input"]');
```

```
// Function to toggle visibility of input rows based on radio button selection
  function toggleInputFields() {
    textInputRows.forEach(row => {
      row.classList.add("hidden");
    });
    const selectedInputRow = document.getElementById(this.value + "Input");
    selectedInputRow.classList.remove("hidden");
  }
  radioInputs.forEach(input => {
    input.addEventListener('change', toggleInputFields);
  });
  // Prevent form submission until a roll number is provided
  rollNumberForm.addEventListener("submit", function (e) {
    if (!document.getElementById("rollNumber").value) {
      alert("Please enter a roll number.");
      e.preventDefault();
    }
  });
</script>
</body>
</html>
```

### Search.html

```
<!DOCTYPE html>
<html>
<head>
         <title>search Page</title>
         <style>
                   .hero-section {
                            width: 100%;
                            height: 150%;
                            background-image: url('https://images.unsplash.com/photo-1616531770192-
6eaea74c2456?ixlib=rb-
4.0.3 \& ixid = M3wxMjA3fDB8MHxzZWFyY2h8MTJ8fHdvcmtpbmclMjBmcm9tJTlwaG9tZXxlbnwwfHarror and the state of the control of the c
wwfHx8MA%3D%3D&w=1000&q=80');
                            background-size: cover;
                             display: inline-flex;
                            justify-content: right;
                            align-items: top;
                  }
  .hero-section .sub-heading {
                            margin-top: 10px;
                            text-align: center;
                            color: #3c023a;
                            text-transform: capitalize;
                            font-size: 40px;
                            font-weight: 500;
                  }
                   th, td {
                            padding: 10px;
```

```
}
   table {
     background-color: #b2d2ea;
     margin: 200px;
   }
 </style>
</head>
<body>
<header class="hero-section">
 <center>
   <div class="content">
    <h1 class="sub-heading">Kindly enter your details</h1>
   </div>
 </center>
 <br>
 <form action="/search" method="post"> <!-- Added action attribute for form submission-->
     <big>SEARCH HERE</big>
     <label>Branch:</label>
      <input type="text" name="branch">
     <input type="submit" value="Submit">
```

```
</form>
  </header>
</body>
</html>
Books.html
<!DOCTYPE html>
<html>
<head>
  <title>Update Details</title>
  <style>
    body {
      background-image: url('https://images.unsplash.com/photo-1616531770192-
6eaea74c2456?ixlib=rb4.0.3&ixid=M3wxMjA3fDB8MHxzZWFyY2h8MTJ8fHdvcmtpbmclMj9tJTlw
aG9tZXxlbfHwnwwwfHx8MA%3D%3D&w=1000&q=80');
     background-size: cover;
      background-repeat: no-repeat;
      background-attachment: fixed;
     font-family: Arial, sans-serif;
   }
 form {
     background-color: rgba(178, 210, 234, 0.8);
      margin: 200px;
      padding: 20px;
      border-radius: 10px;
```

```
label, select {
  display: block;
  margin: 10px 0;
  font-size: 18px;
}
select {
  width: 100%;
  padding: 10px;
  border-radius: 5px;
  border: 1px solid #ccc;
}
.hidden {
  display: none;
}
h1 {
  text-align: center;
  font-size: 28px;
  color: #3c023a;
  font-weight: 500;
.form-container {
  text-align: center;
input[type="text"] {
  width: 100%;
  padding: 10px;
```

```
border-radius: 5px;
      border: 1px solid #ccc;
    }
    button {
      background-color: #3c023a;
      color: #fff;
      padding: 10px 20px;
      border: none;
      border-radius: 5px;
      cursor: pointer;
    }
    button:hover {
      background-color: #5e0462;
    }
    p.book-description {
      text-align: center;
      font-size: 18px;
    }
  </style>
</head>
<body>
  <form>
    <div class="form-container">
      <h1>Kindly enter your details to select your book</h1>
      <label for="roll_number">Roll Number:</label>
      <input type="text" id="roll_number" name="roll_number" placeholder="Enter your roll</pre>
number">
```

```
<label for="select_option">Select your branch:</label>
    <select id="select option" onchange="updateBookOptions()">
     <option value="Select Branch">Select Branch
     <option value="AI&DS">AI&DS</option>
     <option value="CSE">CSE</option>
     <option value="ECE">ECE</option>
     <option value="EEE">EEE</option>
     <option value="CSM">CSM</option>
     <option value="IT">IT</option>
     <option value="CIVIL">CIVIL</option>
     <option value="MECH">MECH</option>
     <option value="MBA">MBA</option>
    </select>
    <div id="book-options" class="hidden">
     <label for="book_option">Select a book:</label>
     <select id="book_option"></select>
     <button type="button" onclick="saveBookSelection()">Submit</button>
    </div>
  </div>
</form>
<script>
  const bookDescriptions = {
    "AI&DS": {
     "C Programming": "",
     "Python Programming": "",
```

```
"Java Programming": ""
},
"CSE": {
  "Operating System": "",
  "Digital Logic and Designs": "",
  "OOPS": ""
},
"ECE": {
  "Electronics": "",
  "Digital Designs": "",
  "Logical Circuits": ""
},
"EEE": {
  "Electronics Designs": "",
  "Digital Designs": "",
  "Logical Circuits": ""
},
"CSM": {
  "Introduction to ML": "",
  "ML using Python": "",
  "Machine Learning Algorithms": ""
},
"IT": {
  "C Basics": "",
  "Cybersecurity": "",
  "DBMS": ""
},
```

```
"CIVIL": {
       "DMS": "",
       "Introduction to Civil Engineering": "",
       "DLD": ""
     },
     "MECH": {
       "Introduction to Mechanics": "",
       "Machine Designs": "",
       "Motors Designs": ""
     },
     "MBA": {
       "Introduction to Business": "",
       "Stock Market": "",
       "Business Analytics": ""
     },
   };
   function updateBookOptions() {
     const selectedBranch = document.getElementById("select_option").value;
     const bookOption = document.getElementById("book option");
     bookOption.innerHTML = '<option>Select Book</option>';
if (selectedBranch in bookDescriptions) {
       const books = bookDescriptions[selectedBranch];
       for (const book in books) {
          const option = document.createElement("option");
          option.value = book;
          option.text = book;
          bookOption.appendChild(option);
```

```
}
        document.getElementById("book-options").classList.remove("hidden");
      } else {
        document.getElementById("book-options").classList.add("hidden");
        document.getElementById("book_description").textContent = "";
      }
    function saveBookSelection() {
      const rollNumber = document.getElementById("roll number").value;
      const selectedBranch = document.getElementById("select_option").value;
      const selectedBook = document.getElementById("book_option").value;
      if (!rollNumber || selectedBranch === "Select Branch" || selectedBook === "Select Book")
{
        alert("Please fill in all the fields.");
        return;
      const data = {
        roll_number: rollNumber,
        selected book: selectedBook,
      };
      fetch('/save-book-selection', {
        method: 'POST',
        headers: {
           'Content-Type': 'application/json',
        },
        body: JSON.stringify(data),
      })
```

```
.then(response => response.json())
      .then(result => {
        alert(result.message);
      })
      .catch(error => {
        console.error('Error:', error);
        alert('Error saving book selection. Please try again later.');
      });
    function displaySelectedBookDescription() {
      const selectedBranch = document.getElementById("select_option").value;
      const selectedBook = document.getElementById("book_option").value;
      const bookDescription = document.getElementById("book_description");
      if (selectedBranch in bookDescriptions && selectedBook in
bookDescriptions[selectedBranch]) {
        bookDescription.textContent = bookDescriptions[selectedBranch][selectedBook];
      } else {
        bookDescription.textContent = "Description not available for this book.";
    }
  </script>
</body>
</html>
```

## Timings.html

```
<!DOCTYPE html>
<html>
<head>
  <title>Library Hours</title>
  <style>
    body {
      background-image: url('https://img.freepik.com/free-vector/happy-new-year-background-
with-clock_1048-3405.jpg?size=338&ext=jpg&ga=GA1.1.1413502914.1697241600&semt=ais');
      background-size: cover;
 .center-table {
      text-align: center;
      margin: 0 auto;
    }
    h1 {
      text-align: center;
      color: green;
    table {
      border-collapse: collapse;
      width: 60%;
      margin: 0 auto;
    }
    th, td {
      border: 1px solid #333;
      padding: 10px;
```

```
}
   th {
     background-color: #333;
     color: #fff;
   }
   tr:nth-child(even) {
     background-color: #444; /* Dark background for even rows */
   }
   td {
     background-color: #555; /* Dark background for table data cells */
     color: #fff; /* White text color for table data cells */
   }
 </style>
</head>
<body>
 <h1>Library Working Hours</h1>
 <div class="center-table">
   Day
       Hours
     Monday to Friday
       08:00 AM- 08:00 PM
```

```
Circulation Hours
   09:00 AM- 06:00 PM
  Book Return Hours
   09:00 AM- 06:00 PM
  Book Issue Hours
   09:00 AM- 06:00 PM
  Reference Hours
   08:00 AM- 08:00 PM
  2nd Saturdays
   09:00 AM- 05:00 PM
  Sundays
   09:00 AM- 01:00 PM
  </div>
<center>
```

```
<em>Note: The above timings are subject to change from time
to time. The library remains closed on all Holidays as notified in the gazette.
</center>
</body>
</html>
```

#### About.html

```
<!DOCTYPE html>
<html>
<head>
  <title>About Central Library</title>
<img src="https://sjcpl.org/wp-content/webpc-passthru.php?src=https://sjcpl.org/wp-</pre>
content/uploads/Centre-Branch-133-1535x1024.jpg&nocache=1" alt="Girl in a jacket"
width="1400" height="500" >
<style>
    /* CSS for adding a border */
    body {
      border: 5px solid #333; /* You can change the color and width as needed */
      padding: 20px; /* Add padding for spacing between the border and content */
    }
    h1, h2 {
      border-bottom: 5px solid #333; /* Add a border to headings */
    }
    p {
      margin: 20px 0; /* Add margin for spacing between paragraphs */
    }
    ul {
      list-style-type: square; /* Change the list style to squares */
```

```
margin: 20px 0; /* Add margin for spacing between list items */
   }
  </style>
</head>
<body>
<h1 style="color: red;">About Central Library</h1>
  The library has 63,155 volumes with 12,305 titles of books and about 3,525 back volumes
of scientific and technical periodicals. The library also subscribes to nearly 115 National print
journals and 41 magazines and more than 6,800 e-journals & 31,35,000 e-books. A separate
reference section is maintained with Handbooks and General knowledge books. Interlibrary loan
facility is available through DELNET. Central Library supports departmental libraries in all
departments. The library follows an open access system encouraging the user to browse freely in
the stock area.
<h1 style="color: red;">Library @ A Glance</h1>
  <
    Huge Library complex with an area of 21,792 square feet (Ground, I, & II floors)
    The ground floor accommodates Book Circulation Section, Newspapers, Magazines and
Reprography / Photocopy
    The first floor hosts Back volumes, Project reports, P.G. books, Digital Library and books
for competitive examinations, etc.
    The second floor accommodates current Journals and Reference books
    Equipped with modern infrastructure, with a reading capacity for 500 users.
    Collection above 63,155 volumes.
    More than 7,800+ Online E-Journals & 31,35,000 E-books
    More than 156 Print Journals & Magazines
    Automated Library powered by ERP Software
    A Team of 07 professionally qualified and trained staff, aided by 6 support staff.
  </body>
</html>
```

## Learnings:

- ➤ I have learnt how to navigate from one webpage to another webpage.
- ➤ Also learnt how to connect two or more webpage in a website.
- ➤ Got some knowledge how to create tables and how to create fields to enter data and submit buttons.


## **Project Update:**


• Successfully completed the compellind landing page using html.


### **Output:**

### **Screenshots:**



















#### **About Central Library**

The library has 63,155 volumes with 12,305 trites of books and about 3,525 back volumes of scientific and technical periodicals. The library also subscribes to nearly 115 National print journals and 41 magazines and more than 6,800 e-journals & 31,35,000 e-books. A separate reference section is maintained with Handbooks and General knowledge books. Interlibrary loan facility is available through DELNET. Central Library supports departmental libraries in all departments. The library follows an open access system encouraging the user to browse freely in the stock area.

#### Library @ A Glance

- Huge Library complex with an area of 21,792 square feet (Ground, I, & II floors)
  The ground floor accommodates Book Circulations Section, Newspapers, Magazines and Reprography / Photocopy
  The first floor hosts Back volumes, Project reports, PG books, Digital Library and books for competitive examinations, etc.
  The second floor accommodates current Journals and Reference books
  Equipped with modern infrastructure, with a reading capacity for 500 users.
  Collection above 63,155 volumes.
  More than 1500 of online E-Journals & Magazines
  More than 1500 of online E-Journals & Magazines
  Automated Library powered by ERP Softmare
  A Team of 07 professionally qualified and trained staff, aided by 6 support staff.

# **Library Working Hours** Day Monday to Friday 08:00 AM - 08:00 PM Circulation Hours 09:00 AM - 06:00 PM Book Return Hours Book Issue Hours 09:00 AM - 06:00 PM Reference Hours 08:00 AM - 08:00 PM 2nd Saturdays he library remains closed on all Holidays as notified in the gazette.