


Group 5

Stage 3

4/18/19



SCRIPT UNO: DDL

use iti330_grp5;

drop table if exists EMPLOYEE_HAS_FLIGHT;

drop table if exists FLIGHT;

drop table if exists AIRLINE;

drop table if exists TICKET;

drop table if exists PASSENGER;

drop table if exists EMPLOYEE;

```
create table EMPLOYEE_HAS_FLIGHT(  
    Employee_employeeID int,  
    Flight_flightNumber  
    shiftStart time,  
    shiftEnd time  
) engine=InnoDB;
```

```
create table FLIGHT(  
    flightNumber int,  
    destination VARCHAR(100),  
    flightT ime TIME,  
    date DATE,  
    boardingTime VARCHAR(100),  
    flightT ype VARCHAR(100),  
    gateNumber INT
```

Group 5

Stage 3

4/18/19

```
        flightNumber int primary key,
        destination varchar(100),
        flightTime time,
        Date date,
        boardingTime varchar(100),
        flightType varchar(100),
        gateNumber int
    ) engine=InnoDB;

create table AIRLINE(
    airlineName varchar(100) primary key,
    international/domestic varchar(100)
) engine=InnoDB;

create table TICKET(
    ticketID int,
    price decimal,
    tripType varchar(100),
    class varchar(100)
    seatNumber int,
    Flight_flightNumber int,
    CONSTRAINT FK_flight
        FOREIGN KEY ( Flight_flightNumber)
        REFERENCES Flight(flightNumber)
) engine=InnoDB;

create table PASSENGER(
    passengerID int primary key,
    firstname varchar(100),
    lastname varchar(100),
    ticket_ticketID int
    constraint fk_ticket
        Foreign key(Ticket_ticketID)
        References Ticket(ticketID),
) engine=InnoDB;

create table EMPLOYEE(
    employeeID int primary key,
    firstname varchar(100),
    lastname varchar(100),
```

4/18/19

=====

```
insert into EMPLOYEE (employeeID, firstname, lastname, job, gate_gateNumber,  
airline_airlineName) values (123232, 'Jane', 'Doe', 'Desk Assistant', 14, 'Delta');  
insert into EMPLOYEE (employeeID, firstname, lastname, job, gate_gateNumber,  
airline_airlineName) values (123232, 'Jane', 'Doe', 'Desk Assistant', 14, 'Delta');  
insert into EMPLOYEE (employeeID, firstname, lastname, job, gate_gateNumber,  
airline_airlineName) values (123232, 'Jane', 'Doe', 'Desk Assistant', 14, 'Delta');  
insert into EMPLOYEE (employeeID, firstname, lastname, job, gate_gateNumber,  
airline_airlineName) values (123232, 'Jane', 'Doe', 'Desk Assistant', 14, 'Delta');  
insert into EMPLOYEE (employeeID, firstname, lastname, job, gate_gateNumber,  
airline_airlineName) values (123232, 'Jane', 'Doe', 'Desk Assistant', 14, 'Delta');
```

Group 5

Stage 3

4/18/19

```
insert into EMPLOYEE (employeeID, firstname, lastname, job, gate_gateNumber,
airline_airlineName) values (123232, 'Jane', 'Doe', 'Desk Assistant', 14, 'Delta');
insert into EMPLOYEE (employeeID, firstname, lastname, job, gate_gateNumber,
airline_airlineName) values (123232, 'Jane', 'Doe', 'Desk Assistant', 14, 'Delta');
insert into EMPLOYEE (employeeID, firstname, lastname, job, gate_gateNumber,
airline_airlineName) values (123232, 'Jane', 'Doe', 'Desk Assistant', 14, 'Delta');
insert into EMPLOYEE (employeeID, firstname, lastname, job, gate_gateNumber,
airline_airlineName) values (123232, 'Jane', 'Doe', 'Desk Assistant', 14, 'Delta');
insert into PASSENGER( passengerID, fistname, lastname, ticket_ticketID) values ( 122, 'Jane',
'Doe', 11332211);
insert into PASSENGER( passengerID, fistname, lastname, ticket_ticketID) values ( 122, 'Jane',
'Doe', 11332211);
insert into PASSENGER( passengerID, fistname, lastname, ticket_ticketID) values ( 122, 'Jane',
'Doe', 11332211);
insert into PASSENGER( passengerID, fistname, lastname, ticket_ticketID) values ( 122, 'Jane',
'Doe', 11332211);
insert into PASSENGER( passengerID, fistname, lastname, ticket_ticketID) values ( 122, 'Jane',
'Doe', 11332211);
insert into PASSENGER( passengerID, fistname, lastname, ticket_ticketID) values ( 122, 'Jane',
'Doe', 11332211);
insert into PASSENGER( passengerID, fistname, lastname, ticket_ticketID) values ( 122, 'Jane',
'Doe', 11332211);
insert into PASSENGER( passengerID, fistname, lastname, ticket_ticketID) values ( 122, 'Jane',
'Doe', 11332211);
insert into PASSENGER( passengerID, fistname, lastname, ticket_ticketID) values ( 122, 'Jane',
'Doe', 11332211);
insert into PASSENGER( passengerID, fistname, lastname, ticket_ticketID) values ( 122, 'Jane',
'Doe', 11332211);
```

```
insert into TICKET (ticketID, price, tripType, class, seatNumber, Flight_flightNumber)
values (1, 230.00, 'One-way', 'Economy', 15, 56);
insert into TICKET (ticketID, price, tripType, class, seatNumber, Flight_flightNumber)
values (1, 230.00, 'One-way', 'Economy', 15, 56);
insert into TICKET (ticketID, price, tripType, class, seatNumber, Flight_flightNumber)
values (1, 230.00, 'One-way', 'Economy', 15, 56);
insert into TICKET (ticketID, price, tripType, class, seatNumber, Flight_flightNumber)
values (1, 230.00, 'One-way', 'Economy', 15, 56);
insert into TICKET (ticketID, price, tripType, class, seatNumber, Flight_flightNumber)
values (1, 230.00, 'One-way', 'Economy', 15, 56);
```

4/18/19

```
insert into TICKET (ticketID, price, tripType, class, seatNumber, Flight_flightNumber)
  values (1, 230.00, 'One-way', 'Economy', 15, 56);
insert into TICKET (ticketID, price, tripType, class, seatNumber, Flight_flightNumber)
  values (1, 230.00, 'One-way', 'Economy', 15, 56);
insert into TICKET (ticketID, price, tripType, class, seatNumber, Flight_flightNumber)
  values (1, 230.00, 'One-way', 'Economy', 15, 56);
insert into TICKET (ticketID, price, tripType, class, seatNumber, Flight_flightNumber)
  values (1, 230.00, 'One-way', 'Economy', 15, 56);
insert into TICKET (ticketID, price, tripType, class, seatNumber, Flight_flightNumber)
  values (1, 230.00, 'One-way', 'Economy', 15, 56);
```

[illegible][illegible]

4/18/19

[illegible]