
Changelogs, specs and deprecations in one feed

Know before your integration breaks.

API Change Radar watches the third-party APIs you depend on, classifies every change as breaking, deprecated or new, and tells you which of your endpoints are affected.

Start your free trial | See the dashboard

Free plan: watch 3 APIs. No card needed to start.



How it works

From scattered changelogs to one calm feed

1

Pick your APIs

Choose from a curated catalog of popular APIs and tick the endpoints your code actually calls.

2

We watch and classify

We check changelogs, release notes and OpenAPI specs on a schedule, diff them, and label each change by severity.

3

You get told what matters

Alerts arrive by email, Slack or signed webhook, filtered to the endpoints you use, with the fix explained.

Features

Built for the people who get paged

Semantic spec diffs

A removed field is breaking. A new optional field is not. We read OpenAPI specs and tell the two apart instead of showing a wall of text changes.

```
- card.last4: string
+ card.brand_last4: string
```

Only alerts that affect you

Tell us which endpoints you call. Everything else stays quiet, so every alert is worth reading.

`POST /v2/charges` `GET /v2/customers` `GET /v2/disputes` `POST /v2/payouts`

AI impact analysis

Connect a repository with read-only access. We find where you call

Alerts where your team lives

Email digests, Slack channels and HMAC-signed webhooks, with

the affected endpoint and explain the change you need to make, file by file.

Used in **3 files**. Replace `card.last4` with `card.brand_last4` before 2027-01.

retries and a delivery log so nothing is silently lost.

Email · Slack · Signed webhook

Pricing

Start free. Pay when it saves you an outage.

Free

$0

- 3 watched APIs
- Email alerts
- 7-day change history

Get started

Pro

14-day trial

[PRO PRICE] / mo

- 25 watched APIs
- Slack and webhooks
- Endpoint-level filters
- AI impact analysis

Start free trial

Team

[TEAM PRICE] / mo

- Shared workspace and roles
- Audit log
- Unlimited history
- Everything in Pro

Start free trial

API Change Radar

Welcome back

Sign in to see what changed in the APIs you depend on.

Continue with GitHub

or with email

Email

you@company.com

Password Forgot password?

At least 12 characters

Sign in

New here? **Create an account** and start a 14-day trial of Pro.

Protected by rate limiting and email verification.

One feed for every API change that could hit production.

- Breaking changes, flagged first
- Deprecations with real deadlines
- New endpoints and fields, in context

Change feed

Watching 3 APIs · last checked 4 minutes ago

Add an API

Breaking	Deprecations	New	Affect your code
2	2	2	3

All changes | Affects me | Breaking | Deprecations | New

Breaking	**Field card.last4 removed from POST /v2/charges** Example Pay API · `POST /v2/charges`	Affects you	2 min ago
Deprecation	**v1 send endpoint sunset announced** Example SMS API · `POST /v1/messages`	Affects you	1 h ago
Breaking	**Enum value pending removed from order.status** Example Commerce API · `GET /orders`		3 h ago
New	**Optional draft parameter added to releases** Example Git API · `POST /repos/{id}/releases`		Yesterday
Deprecation	**Legacy webhook signature header deprecated** Example Pay API · `Webhooks`	Affects you	Yesterday
New	**New batch geocoding endpoint available** Example Maps API · `POST /geocode/batch`		2 days ago

Upcoming deadlines

Example Pay API
card.last4 removed · in 66 days

Example SMS API
v1 send endpoint sunset · in 140 days

Watched APIs

Example Pay API — Breaking
Example SMS API — Deprecation
Example Git API — New

3 of 25 APIs used on Pro

Back to feed

Breaking · Affects you · Example Pay API · detected 2 minutes ago

Field `card.last4` removed from `POST /v2/charges`

What changed

The response object for charge creation no longer includes `card.last4`. A replacement field, `card.brand_last4`, is available now. The old field stops working in API version 2027-01.

```
components.schemas.Card:
  properties:
-   last4: { type: string }
+   brand_last4: { type: string }
    exp_month: { type: integer }
```

View original changelog entry

Impact on your code

AI-generated

Repository: acme/storefront · read-only access

Your code reads `card.last4` in **3 places**. Switching to `card.brand_last4` in each is enough. The values are formatted the same way.

`src/payments/charge.ts:42`	Reads the field when building the receipt
`src/checkout/receipt.ts:18`	Displays the last four digits
`tests/charge.test.ts:77`	Test fixture uses the old field

Suggested fix for src/payments/charge.ts

```
- const digits = charge.card.last4;
+ const digits = charge.card.brand_last4;
```

AI suggestions can be wrong. Review each change before you merge it.

Mark as resolved

Snooze for 7 days

Details

API	Example Pay API
Takes effect	Version 2027-01
Time left	66 days
Source	Changelog and OpenAPI spec

Alert delivery

Email	Delivered
Slack #eng-alerts	Delivered
Webhook	Retrying (attempt 2)

My APIs, channels and plan

Choose what to watch, where alerts go, and how you pay.

Watched APIs

3 of 25 used on Pro

Add an API from the catalog

Search APIs, e.g. payments, messaging

+ Example Maps API | + Example Email API | + Example Commerce API

API	Endpoints you use	Alerts
Example Pay API	`POST /v2/charges` `GET /v2/customers`	on
Example SMS API	`POST /v1/messages`	on
Example Git API	All endpoints (no filter)	off

Alert channels

Email
you@company.com · verified — Active

Slack
Posting to #eng-alerts · breaking and deprecations only — Active

Webhook
Each request is signed with HMAC-SHA256 and a timestamp — 1 delivery retrying

Endpoint URL

`https://example.com/hooks/api-changes`

`whsec_••••••••••••••••` Rotate secret | Send test event

Plan and billing

Pro trial · 11 days left

Free	Pro	Team
$0	[PRO PRICE]	[TEAM PRICE]
3 APIs · email only	25 APIs · Slack, webhooks, AI impact	Shared workspace · roles · audit log

Subscribe to Pro

Payments are handled by the payment provider. We never see your card number.