

[home](#)[java programming](#)[web programming](#)

# BeginwithJava

FIRST SERVER  
SOLUTIONS

PowerEdge R650xs

[Previous Section](#) | [Next Chapter](#) | [Main Index](#)

## Programming Questions and Exercises : Loops

### Question 1

Write a program to print numbers from 1 to 10.

[Show the answer.](#)

```
public class PrintNumbers
{
    public static void main(String[] args)
    {
        for(int i=1; i<=10; i++)
        {
            System.out.println(i);
        }
    }
}
```

### Question 2

Write a program to calculate the sum of first 10 natural number.

[Show the answer.](#)

```
public class SumNumbers
{
    public static void main(String[] args)
    {
        int sum = 0;
        for(int i=1; i<=10; i++)
        {
            sum += i;
        }
        System.out.println("Sum: " + sum);
    }
}
```



FIRST SERVER  
SOLUTIONS

PowerEdge R650xs

**Show the answer.**

```
import java.util.Scanner;

public class Table
{
    public static void main(String[] args)
    {
        Scanner console = new Scanner(System.in);
        int num;

        System.out.print("Enter any positive integer: ");
        num = console.nextInt();

        System.out.println("Multiplication Table of " + num);

        for(int i=1; i<=10; i++)
        {
            System.out.println(num + " x " + i + " = " + (num*i) );
        }
    }
}
```

## Question 4

Write a program to find the factorial value of any number entered through the keyboard.

**Show the answer.**

```
import java.util.Scanner;

public class FactorialDemo1
{
    public static void main(String[] args)
    {
        Scanner console = new Scanner(System.in);
        int num; // To hold number
        int fact = 1; // To hold factorial

        System.out.print("Enter any positive integer: ");
        num = console.nextInt();

        for(int i=1; i<=num; i++)
        {
            fact *= i;
        }

        System.out.println("Factorial of " + num + " is " + fact);
    }
}
```

FIRST SERVER  
SOLUTIONS

PowerEdge R650xs

```
    System.out.println("Factorial = " + fact),  
}  
}
```

## Question 5

Two numbers are entered through the keyboard. Write a program to find the value of one number raised to the power of another. (Do not use Java built-in method)

Show the answer.

```
import java.util.Scanner;  
  
public class PowerDemo  
{  
    public static void main(String[] args)  
    {  
        Scanner console = new Scanner(System.in);  
  
        int base;  
        int power;  
        int result = 1;  
  
        System.out.print("Enter the base number ");  
        base = console.nextInt();  
  
        System.out.print("Enter the power ");  
        power = console.nextInt();  
  
        for(int i = 1; i <= power; i++)  
        {  
            result *= base;  
        }  
  
        System.out.println("Result: " + result);  
    }  
}
```

## Question 6

Write a program that prompts the user to input an integer and then outputs the number with the digits reversed. For example, if the input is 12345, the output should be 54321.

Show the answer.

FIRST SERVER  
SOLUTIONS

PowerEdge R650xs

```
public static void main(String[] args)
{
    Scanner console = new Scanner(System.in);

    int number;
    int reverse = 0;

    System.out.print("Enter the number ");
    number = console.nextInt();

    int temp = number;
    int remainder = 0;

    while(temp>0)
    {
        remainder = temp % 10;
        reverse = reverse * 10 + remainder;
        temp /= 10;
    }

    System.out.println("Reverse of " + number + " is " + reverse);
}
```

## Question 7

Write a program that reads a set of integers, and then prints the sum of the even and odd integers.

Show the answer.

```
import java.util.Scanner;

public class ReadSetIntegers
{
    public static void main(String[] args)
    {
        Scanner console = new Scanner(System.in);

        int number;
        char choice;
        int evenSum = 0;
        int oddSum = 0;

        do
```



# FIRST SERVER SOLUTIONS



PowerEdge R650xs

```
        if( number % 2 == 0 )
    {
        evenSum += number;
    }
    else
    {
        oddSum += number;
    }

System.out.print("Do you want to continue y/n? ");
choice = console.next().charAt(0);

}while(choice=='y' || choice == 'Y');

System.out.println("Sum of even numbers: " + evenSum);
System.out.println("Sum of odd numbers: " + oddSum);
}
```

## Question 8

Write a program that prompts the user to input a positive integer. It should then output a message indicating whether the number is a prime number.

Show the answer.

```
import java.util.Scanner;

public class TestPrime
{
    public static void main(String[] args)
    {
        Scanner console = new Scanner(System.in);

        int number;

        System.out.print("Enter the positive integer ");
        number = console.nextInt();

        boolean flag = true;

        for(int i = 2; i < number; i++)
        {
            if(number % i == 0)
            {
                flag = false;
            }
        }

        if(flag)
        {
            System.out.println("The number is prime");
        }
        else
        {
            System.out.println("The number is not prime");
        }
    }
}
```

FIRST SERVER  
SOLUTIONS

PowerEdge R650xs

```
if(flag && number > 1)
{
    System.out.println("Number is prime");
}
else
{
    System.out.println("Number is not prime");
}

}
```

## Question 9

Write a program to calculate HCF of Two given number.

Show the answer.

```
import java.util.Scanner;

public class FindHcf
{
    public static void main(String[] args)
    {
        Scanner console = new Scanner(System.in);

        int dividend, divisor;
        int remainder, hcf = 0;

        System.out.print("Enter the first number ");
        dividend = console.nextInt();

        System.out.print("Enter the second number ");
        divisor = console.nextInt();

        do
        {
            remainder = dividend % divisor;

            if(remainder == 0)
            {
                hcf = divisor;
            }
            else
```

FIRST SERVER  
SOLUTIONS

PowerEdge R650xs

```
    }while(remainder != 0);

    System.out.println("HCF: " + hcf);
}
}
```

## Question 10

Write a do-while loop that asks the user to enter two numbers. The numbers should be added and the sum displayed. The loop should ask the user whether he or she wishes to perform the operation again. If so, the loop should repeat; otherwise it should terminate.

Show the answer.

```
import java.util.Scanner;

public class SumAgain
{
    public static void main(String[] args)
    {
        Scanner console = new Scanner(System.in);

        int number1, number2;
        char choice;

        do
        {
            System.out.print("Enter the first number ");
            number1 = console.nextInt();

            System.out.print("Enter the second number ");
            number2 = console.nextInt();

            int sum = number1 + number2;
            System.out.println("Sum of numbers: " + sum);

            System.out.print("Do you want to continue y/n? ");
            choice = console.next().charAt(0);

            System.out.println();

        }while(choice=='y' || choice == 'Y');
```

FIRST SERVER  
SOLUTIONS

PowerEdge R650xs

Write a program to enter the numbers till the user wants and at the end it should display the count of positive, negative and zeros entered.

Show the answer.

```
import java.util.Scanner;

public class CountNumbers
{
    public static void main(String[] args)
    {
        Scanner console = new Scanner(System.in);

        int number,
            countPositive = 0,
            countNegative = 0,
            countZero = 0;

        char choice;

        do
        {
            System.out.print("Enter the number ");
            number = console.nextInt();

            if(number > 0)
            {
                countPositive++;
            }
            else if(number < 0)
            {
                countNegative++;
            }
            else
            {
                countZero++;
            }

            System.out.print("Do you want to continue y/n? ");
            choice = console.next().charAt(0);

        }while(choice=='y' || choice == 'Y');
```

FIRST SERVER  
SOLUTIONS

PowerEdge R650xs

## Question 12

Write a program to enter the numbers till the user wants and at the end the program should display the largest and smallest numbers entered.

Show the answer.

```
import java.util.Scanner;

public class FindMaxMin
{
    public static void main(String[] args)
    {
        Scanner console = new Scanner(System.in);

        int number;
        int max = Integer.MIN_VALUE; // Initialize max with minimum value
        int min = Integer.MAX_VALUE; // Initialize min with maximum value

        char choice;

        do
        {
            System.out.print("Enter the number ");
            number = console.nextInt();

            if(number > max)
            {
                max = number;
            }

            if(number < min)
            {
                min = number;
            }

            System.out.print("Do you want to continue y/n? ");
            choice = console.next().charAt(0);

        }while(choice=='y' || choice == 'Y');

        System.out.println("Largest number: " + max);
        System.out.println("Smallest number: " + min);
    }
}
```



FIRST SERVER  
SOLUTIONS



PowerEdge R650xs

Write a program to print out all Armstrong numbers between 1 and 500. If sum of cubes of each digit of the number is equal to the number itself, then the number is called an Armstrong number.

For example,  $153 = (1 * 1 * 1) + (5 * 5 * 5) + (3 * 3 * 3)$

Show the answer.

```
public class ArmstrongNumber
{
    public static void main(String[] args)
    {
        int digit1, // To hold first digit (Ones) of number
            digit2, // To hold second digit (Tens) of number
            digit3; // To hold third digit (Hundreds) of number

        for(int number = 1; number <= 500; number++)
        {
            int temp = number;
            digit1 = temp % 10;

            temp = temp / 10;
            digit2 = temp % 10;

            temp = temp / 10;
            digit3 = temp % 10;

            if(digit1*digit1*digit1 + digit2*digit2*digit2 + digit3*digit3*digit3 == number)
            {
                System.out.println(number);
            }
        }
    }
}
```

## Question 14

Write a program to print Fibonacci series of n terms where n is input by user :  
 0 1 1 2 3 5 8 13 24 .....

Show the answer.

```
import java.util.Scanner;

public class FibonacciSeries
```



FIRST SERVER  
SOLUTIONS



PowerEdge R650xs

```

int number; // To hold number of terms

int firstTerm = 0,
    secondTerm = 1,
    thirdTerm;

System.out.print("Enter number of terms of series : ");
number = console.nextInt();

System.out.print(firstTerm + " " + secondTerm + " ");

for(int i = 3; i <= number; i++)
{
    thirdTerm = firstTerm + secondTerm;
    System.out.print(thirdTerm + " ");
    firstTerm = secondTerm;
    secondTerm = thirdTerm;
}
}
}

```

### Question 15

Write a program to calculate the sum of following series where n is input by user.

$$1 + \frac{1}{2} + \frac{1}{3} + \frac{1}{4} + \frac{1}{5} + \dots + \frac{1}{n}$$

Show the answer.

```

import java.util.Scanner;

public class SumOfSeries
{
    public static void main(String[] args)
    {
        Scanner console = new Scanner(System.in);

        int number; // To hold number of terms

        double sum = 0;

        System.out.print("Enter number of terms of series : ");
        number = console.nextInt();
    }
}

```



FIRST SERVER  
SOLUTIONS



PowerEdge R650xs

```

        System.out.println("sum: " + sum);
    }
}

```

## Question 16

Compute the natural logarithm of 2, by adding up to n terms in the series

$$1 - \frac{1}{2} + \frac{1}{3} - \frac{1}{4} + \frac{1}{5} - \dots \frac{1}{n}$$

where n is a positive integer and input by user.

[Show the answer.](#)

```

import java.util.Scanner;

public class Ln2
{
    public static void main(String[] args)
    {
        Scanner console = new Scanner(System.in);

        int number; // To hold number of terms

        System.out.print("Enter number of terms of series : ");
        number = console.nextInt();

        double sum = 0;
        int sign = 1;

        for(int i = 1; i <= number; i++)
        {
            sum += (1.0 * sign) / i;
            sign *= -1;
        }

        System.out.println("log2: " + sum);
    }
}

```

## Question 17

Write a program that generates a random number and asks the user to guess what the number is. If the user's guess is higher than the random number, the program should display "Too high, try again." If the user's guess is lower than the random number, the program should display "Too low, try again." The

FIRST SERVER  
SOLUTIONS

PowerEdge R650xs

```
import java.util.Scanner;

public class GuessMyNumber
{
    public static void main(String[] args)
    {
        Scanner console = new Scanner(System.in);

        int number, // To hold the random number
            guess, // To hold the number guessed by user
            tries = 0; // To hold number of tries

        number = (int) (Math.random() * 100) + 1; // get random number between 1 and 100

        System.out.println("Guess My Number Game");
        System.out.println();

        do
        {
            System.out.print("Enter a guess between 1 and 100 : ");
            guess = console.nextInt();

            tries++;

            if (guess > number)
            {
                System.out.println("Too high! Try Again");
            }
            else if (guess < number)
            {
                System.out.println("Too low! Try Again");
            }
            else
            {
                System.out.println("Correct! You got it in " + tries + " guesses!");
            }
        }while (guess != number);
    }
}
```

## Question 18


**FIRST SERVER  
SOLUTIONS**

  
 PowerEdge R650xs

---

\*\*\*\*\*
\*\*
\*\*

\*\*\*\*\*
\*\*\*
\*\*\*

\*\*\*\*\*
\*\*\*\*
\*\*\*\*

\*\*\*\*\*
\*\*\*\*\*

**iv)**      \*

    \*\*\*

    \*\*\*\*

    \*\*\*\*\*

**v)**      **1**

**222**

**33333**

**4444444**

**555555555**

**vi)**      **1**

**212**

**32123**

**4321234**

**543212345**

### Question 19

Write a program to compute  $\sin x$  for given  $x$ . The user should supply  $x$  and a positive integer  $n$ . We compute the sine of  $x$  using the series and the computation should use all terms in the series up through the term involving  $x^n$

$$\sin x = x - x^3/3! + x^5/5! - x^7/7! + x^9/9! \dots\dots$$

### Question 20

Write a program to compute the cosine of  $x$ . The user should supply  $x$  and a positive integer  $n$ . We compute the cosine of  $x$  using the series and the computation should use all terms in the series up through the term involving  $x^n$

$$\cos x = 1 - x^2/2! + x^4/4! - x^6/6! \dots\dots$$

[Previous Section](#) | [Next Chapter](#) | [Main Index](#)



**FIRST SERVER  
SOLUTIONS**



PowerEdge R650xs

---

# Make an Impact

---

## Menu

---

[Java Fundamentals](#)

[Objects and Input/Output](#)

[Decision Structures](#)

[Loops](#)

4.1 The Increment and Decrement Operators

4.2 The while Loop

4.3 The do-while Loop

4.4 The for Loop

4.5 Nested Loops

4.6 The break and continue Statements

Questions and Exercises

[Methods](#)

[Introducing Classes](#)

[Arrays and the ArrayList Class](#)





**FIRST SERVER  
SOLUTIONS**



PowerEdge R650xs

[File Input and Output](#)

[Exception Handling](#)



**NEW XPS 13 PLUS**

All things you. All at a glance,  
always a swipe away.

 Windows 11  SH

[Home](#) | [Contact us](#) | [About us](#)