Linux Commands 3

```
rootQDESKIOP-H3TSUJI:/home# Ls
complice fly.tar infobell nem5.txt scripting.sh
dusrl great infobell nem5.txt scripting.sh
dusrl.txt ground nem tax rename.txt temp.txt.save
dusrl.txt ground nem tax rename.txt temp.txt.save
rootQDESKIOP-H3TSUJI:/home# cd infobell rootQDESKIOP-H3TSUJI:/home# cd infobell rootQDESKIOP-H3TSUJI:/home# tar -cvf zipped.tar infobell
infobell/tz//
infobell/tz//
infobell/tz//
infobell/tz//
infobell/tz//
infobell/tz//
infobell/fz.txt.gr
infobell/rest.txt great
dusrl great infobell nem5.txt scripting.sh
dusrl great infobell nem5.txt scripting.sh
dusrl great infobell nem5.txt scripting.sh
dusrl great.sh laal un nembdy
dusrl.txt ground new.tar rename.txt temp.txt zipped.tar
vootQDESKIOP-H3TSUJI:/home# tar -cvf zipped.tar *
zipped.tar
vootQDESKIOP-H3TSUJI:/home# tar -cvf zipped.tar *

dusrl great.sh laal un nembdy
dusrl.txt ground new.tar rename.txt temp.txt zipped.tar
vootQDESKIOP-H3TSUJI:/home# tar -cvf zipped.tar *

zipped.tar

dusrl ground new.tar rename.txt demp.txt zipped.tar
vootQDESKIOP-H3TSUJI:/home# tar -cvf zipped.tar *

dusrl ground new.tar rename.txt demp.txt zipped.tar
vootQDESKIOP-H3TSUJI:/home# tar -cvf zipped.tar *

dusrl ground new.tar rename.txt demp.txt zipped.tar
vootQDESKIOP-H3TSUJI:/home# tar -cvf zipped.tar *

dusrl ground new.tar rename.txt demp.txt zipped.tar
vootQDESKIOP-H3TSUJI:/home# tar -cvf zipped.tar *

dusrl ground new.tar rename.txt demp.txt zipped.tar

dusrl ground new.tar rename.txt demp.txt zipped.tar

dusrl ground new.tar rename.txt demp.txt zipped.tar

dusrl ground new.tar rename.txt temp.txt zipped.tar

dusrl ground new.tar rename.txt temp
```

```
education/tenth/twelfth/engineering/civil/
education/tenth/twelfth/engineering/mechatronics/
fly.tr
great.sh
ground/
ground/soil/roots/sten/
ground/so
```

```
renamecdac/ landscape/
renamecdac/ landscape/sysinfo.log
renamecdac/ landscape/
renamecdac/ landscape/sysinfo.log
renamecdac/ landscape/sysinfo.log
renamecdac/ landscape/sysinfo.log
renamecdac/ landscape/sysinfo.log
renamecdac/ sasinfold
renamecdac/sasinfold
renamecdac/sasin
```

```
ABCDEFGHIJ
ABCDEFGHIJM
ABCDEFG
```

```
cd mani.txt
      ls -a
sudo su
    sudo su
renamecdac/mani.txt0000604000000000000000000000000000014212431256013311 0ustar rootrootrenamecdac/.motd_shown00006044000175000017500000000000014212677405015032
0ustar cdac_khcdac_khrenamecdac/.profile0000644000175000017500000000144714211634022014314 0ustar cdac_khcdac_kh# ~/.profile: executed by the command inte
rpreter for login shells.
# This file is not read by bash(1), if ~/.bash_profile or ~/.bash_login
# exists.
# see /usr/share/doc/bash/examples/startup-files for examples.
# the files are located in the bash-doc package.
     # the default umask is set in /etc/profile; for setting the umask # for ssh logins, install and configure the libpam-umask package. #umask 92:
    # if running bash
if [ -n "$BASH_VERSION" ]; then
    # include .bashrc if it exists
    if [ -f "$HOME/.bashrc" ]; then
    . "$HOME/.bashrc"
     # set PATH so it includes user's private bin if it exists
if [ -d "$HOME/bin" ]; then
    PATH="$HOME/bin:$PATH"
     # set PATH so it includes user's private bin if it exists
if [ -d "$HOME/.local/bin" ]; then
PATH="$HOME/.local/bin:$PATH"
      Film $4000-7.00ca7/211.377711
fi
renamecdac/.bash_logout0000644000175000017500000000033414211634022015154 Oustar cdac_khcdac_kh# ~/.bash_logout: executed by bash(1) when login shell exits.
tulip.sh8080644908080808080808080808080314213612717011244 Oustar rootrootecho "hello there"
root@DESKTOP-MSTSUJI:/home# tar -xvf zipped.tar
complstop/
duck.txt
dusri/dusri.content.txt
dusri/third/
dusri.txt/
education/tenth/twelfth/engineering/
education/tenth/twelfth/engineering/i/
education/tenth/twelfth/engineering/i/
education/tenth/twelfth/engineering/omputer/
education/ten
     india/maharaShtra/
india/maharashtra/pune/
india/maharashtra/jalgaon/
india/maharashtra/jalgaon/shivajinagar/
india/maharashtra/jalgaon/shivajinagar/sontudas/
india/maharashtra/jalgaon/shivajinagar/sontudas/mani/
india/maharashtra/mumbai/
infobell/
```

```
infobull/1/2/2/infobull/1/2/2/3
infobull/1/2/2/3
infobull/1/2/2/3
infobull/1/2/2/3
infobull/2.xtt gr
infobull/3.xt
infobull/6
infobull/6
infobull/6
infobull/6
infobull/6
infobull/1
infobu
```

```
root@DESKTOP-M3TSUJI:/# groupmod sports
root@DESKTOP-M3TSUJI:/# grep -c 'sports' /etc/group
1
root@DESKTOP-M3TSUJI:/# sudo apt install members
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following NEW packages will be installed:
    members
0 upgraded, 1 newly installed, 0 to remove and 21 not upgraded.
Need to get 9320 B of archives.
After this operation, 34.8 kB of additional disk space will be used.
Get:1 http://archive.ubuntu.com/ubuntu focal/universe amd64 members amd64 20080128.1+nmulbuild1 [9320 B]
Fetched 9320 B in 0s (26.0 kB/s)
Selecting previously unselected package members.
(Reading database ... 32377 files and directories currently installed.)
Preparing to unpack .../members_20080128.1+nmulbuild1) ...
Setting up members (20080128.1+nmulbuild1) ...
Setting up members (20080128.1+nmulbuild1) ...
Processing triggers for man-db (2.9.1-1) ...
root@DESKTOP-M3TSUJI:/# getent group sports
sports:x:1004:
```