Shell variable

```
root@PRATIK:/home
#!/bin/bash
var1 = Infobell
var2 = IT
echo "$var1 $var2"
~
~
~
```

```
oot@PRATIK: /home
root@PRATIK:/home# chmod +x pratik.sh
root@PRATIK:/home# ./pratik.sh
Infobell IT
root@PRATIK:/home# vi read
root@PRATIK:/home# chmod +x read
root@PRATIK:/home# ./read
Enter Your Name
Pratik
Pratik
root@PRATIK:/home# vi read
root@PRATIK:/home# ./read
Enter Your Name :
pratik
your name is pratik
root@PRATIK:/home# _
```

Shell if then else

```
root@PRATIK:/home# chmod +x if_else.sh
root@PRATIK:/home# ./if_else.sh
Enter your age :
50
You are eligible to vote
root@PRATIK:/home# _
```

Shell Scripting if then elif

```
root@PRATIK:/home# vi if_elif.sh
root@PRATIK:/home# chmod +x if_elif.sh
root@PRATIK:/home# ./if_elif.sh
choose colors from red green blue orange
red
You are cheerful
root@PRATIK:/home# vi if_elif.sh
root@PRATIK:/home# =
```

Shell Scripting for loop

```
oot@PRATIK: /home
root@PRATIK:/home# chmod +x for_loop.sh
root@PRATIK:/home# ./for loop.sh
Enter the number
10
1
1 2
1 2 3
1 2 3 4
1 2 3 4 5
1 2 3 4 5 6
1 2 3 4 5 6 7
1 2 3 4 5 6 7 8
1 2 3 4 5 6 7 8 9
1 2 3 4 5 6 7 8 9 10
root@PRATIK:/home#
```

Shell Scripting while loop

```
coot@PRATIK:/home# chmod +x while.sh
root@PRATIK:/home# ./while.sh

1
2
3
4
5
6
7
8
9
10
root@PRATIK:/home# vi while.sh
root@PRATIK:/home# —
```

Bash Functions