LINUX COMMANDS DAY2

```
root@DESKTOP-M3TSUJI:/home# cd infobell
root@DESKTOP-M3TSUJI:/home# cd infobell cd.
root@DESKTOP-M3TSUJI:/home# loot
root cd.
root@DESKTOP-M3TSUJI:/home# loot
root@D
```

```
root@DESKTOP-M3TSUJI:/home# ps
PID TTY TIME CMD 
788 pts/6 00:00:00 sudo 
781 pts/6 00:00:00 bus 
782 pts/6 00:00:00 bus 
789 pts/6 00:00:00 bus 
789 pts/6 00:00:00 bus 
root@DESKTOP-M3TSUJI:/home# ls
complStop dusri education great 
Ground infobell laalu new3.txt new5.txt rename.txt satham shell.sh temp.txt.save tulip.sh 
duck.txt dusri.txt fly.tar great.sh india infobell new.tar new4.txt newbuddy renamecdac scripting.sh temp.txt test.sh
```

```
GNU nano 4.8
LS(1)
                                                                                temp.txt
User Commands
                                                                                                                                                                         LS(1)
        ls - list directory contents
SYNOPSIS

Ls [OPTION]... [FILE]...
DESCRIPTION

List information about the FILEs (the current directory by default). Sort entries alphabetically if none of -cftuv5UX nor --sort is specified.
        Mandatory arguments to long options are mandatory for short options too.
        -A, --almost-all
do not list implied . and ..
        --author with -l, print the author of each file
        -b, --escape
print C-style escapes for nongraphic characters
        --block-size=SIZE with -l, scale sizes by SIZE when printing them; e.g., '--block-size=M'; see SIZE format below
        -B, --ignore-backups
do not list implied entries ending with ~
               with -lt: sort by, and show, ctime (time of last modification of file status information); with -l: show ctime and sort by name; otherwise: sort by ctime, newest first
               list entries by columns
                                                                             [ Read 213 lines ]

"J Justify Cur Pos

"T To Spell Go To Line
^G Get Help
^X Exit
                   ^K Cut Text
^U Paste Text
                                                                                                                                       M-A Mark Text M-] To Bracket
M-6 Copy Text ^Q Where Was
```

```
1861 | chown cdac_kh new5.txt | 1865 | cls | cls
```

```
PING google com (142, 259, 183, 142) 56(84) bytes of data.
64 bytes from bom67s1:in-f14, 1e108, net (142, 259, 183, 142); icmp_seq=1 ttl=119 time=27.4 ms
64 bytes from bom67s1:in-f14, 1e108, net (142, 259, 183, 142); icmp_seq=2 ttl=119 time=25.4 ms
64 bytes from bom67s1:in-f14, 1e108, net (142, 259, 183, 142); icmp_seq=3 ttl=119 time=25.7 ms
64 bytes from bom67s1:in-f14, 1e108, net (142, 259, 183, 142); icmp_seq=3 ttl=119 time=24.8 ms
64 bytes from bom67s1:in-f14, 1e108, net (142, 259, 183, 142); icmp_seq=4 ttl=119 time=24.8 ms
64 bytes from bom67s1:in-f14, 1e108, net (142, 259, 183, 142); icmp_seq=6 ttl=119 time=24.8 ms
64 bytes from bom67s1:in-f14, 1e108, net (142, 259, 183, 142); icmp_seq=6 ttl=119 time=24.8 ms
64 bytes from bom67s1:in-f14, 1e108, net (142, 259, 183, 142); icmp_seq=6 ttl=119 time=24.9 ms
64 bytes from bom67s1:in-f14, 1e108, net (142, 259, 183, 142); icmp_seq=6 ttl=119 time=24.9 ms
64 bytes from bom67s1:in-f14, 1e108, net (142, 259, 183, 142); icmp_seq=6 ttl=119 time=25.9 ms
64 bytes from bom67s1:in-f14, 1e108, net (142, 259, 183, 142); icmp_seq=6 ttl=119 time=25.6 ms
64 bytes from bom67s1:in-f14, 1e108, net (142, 259, 183, 142); icmp_seq=6 ttl=119 time=25.6 ms
64 bytes from bom67s1:in-f14, 1e108, net (142, 259, 183, 142); icmp_seq=1 ttl=119 time=25.9 ms
64 bytes from bom67s1:in-f14, 1e108, net (142, 259, 183, 142); icmp_seq=1 ttl=119 time=25.8 ms
64 bytes from bom67s1:in-f14, 1e108, net (142, 259, 183, 142); icmp_seq=1 ttl=119 time=25.7 ms
64 bytes from bom67s1:in-f14, 1e108, net (142, 259, 183, 142); icmp_seq=2 ttl=119 time=25.8 ms
64 bytes from bom67s1:in-f14, 1e108, net (142, 259, 183, 142); icmp_seq=2 ttl=119 time=25.8 ms
64 bytes from bom67s1:in-f14, 1e108, net (142, 259, 183, 142); icmp_seq=2 ttl=119 time=25.8 ms
64 bytes from bom67s1:in-f14, 1e108, net (142, 259, 183, 142); icmp_seq=2 ttl=119 time=25.8 ms
64 bytes from bom67s1:in-f14, 1e108, net (142, 259, 183, 142); icmp_seq=2 ttl=119 time=25.8 ms
64 bytes from bom67s1:in-f14, 1e108, net (142, 259, 183, 142); icmp_seq=2 ttl=119 time=
```

```
| FootBDESKTOP-M3TSUJI:/home# type -a kill | kill is a shell builtin | kill is shin/kill | kill is shin/kill
```