A

Genus accumulation

Accumulated genus richness

Number of samples

B

Phylum accumulation

Accumulated phylum richness

Number of samples

Focal group: Brazil − granite; Israel − others; Israel − rock/stone; United States − marble; United States − metal

C

Genus Shannon diversity

Kruskal−Wallis p = 4.36e−10

Shannon diversity

Brazil granite; Israel others; Israel rock/stone; United States marble; United States metal

D

Phylum Shannon diversity

Kruskal−Wallis p = 1.23e−06

Shannon diversity

Brazil granite; Israel others; Israel rock/stone; United States marble; United States metal

E

Genus Bray−Curtis PCoA

PERMANOVA R2 = 0.271, p = 0.001

PCoA2 (7.2%)

PCoA1 (12.9%)

F

Phylum Bray−Curtis PCoA

PERMANOVA R2 = 0.377, p = 0.001

PCoA2 (9.0%)

PCoA1 (12.5%)

G

Genus median Bray−Curtis

	Brazil granite	Israel others	Israel rock/stone	United States marble	United States metal
Brazil granite	0.81				
Israel others	1.00	0.96			
Israel rock/stone	1.00	0.98	0.99		
United States marble	0.99	1.00	1.00	0.94	
United States metal	0.93	0.92	0.99	0.99	0.49

Median distance: 1.00, 0.75, 0.50, 0.25, 0.00

H

Phylum median Bray−Curtis

	Brazil granite	Israel others	Israel rock/stone	United States marble	United States metal
Brazil granite	0.63				
Israel others	0.71	0.56			
Israel rock/stone	0.74	0.53	0.48		
United States marble	0.84	0.80	0.89	0.45	
United States metal	0.66	0.36	0.39	0.73	0.16

Median distance: 1.00, 0.75, 0.50, 0.25, 0.00