

UI/UX MASTER REQUIREMENTS

Person Management System — Premium Corporate Web Application

You are a senior UI/UX designer, frontend architect, interaction designer, and animation specialist.

Design and implement a **premium, elegant, modern, professional, highly responsive business web application** for a Person Management System.

The UI must look like a professionally designed SaaS/business product — NOT like a basic CRUD admin template.

The application will be used by real users on:

- Desktop
- Laptop
- Tablet
- Mobile

The design must automatically adapt to all screen sizes.

1. PRIMARY UI GOAL

The application should communicate:

- Professional
- Modern
- Trustworthy
- Clean
- Premium
- Fast
- Simple
- Enterprise-ready

The interface should feel similar in quality to modern products such as:

- Linear
- Vercel
- Stripe Dashboard
- Notion
- Microsoft Fluent-style enterprise applications
- Modern SaaS dashboards

Do NOT copy any specific website.

Use these only as quality references.

2. DESIGN PHILOSOPHY

Follow these principles:

Clean

Every screen should have enough whitespace.

Elegant

Use subtle borders, shadows, spacing, typography, and animations.

Functional

Every visual element must have a purpose.

Consistent

Buttons, forms, cards, tables, dialogs, spacing, and typography must follow the same design system.

Responsive

Never design only for desktop and shrink it for mobile.

Design responsive behavior intentionally.

Accessible

The UI should be usable with keyboard navigation and screen readers where practical.

3. COLOR SYSTEM

Create a professional neutral-based color system.

Use:

- Primary brand color
- Primary hover
- Primary active
- Background
- Surface
- Card
- Border
- Text primary
- Text secondary
- Text muted

- Success
- Warning
- Error
- Info

Avoid excessive colors.

The interface should primarily use:

- Neutral backgrounds
- White/surface cards
- One strong brand accent
- Carefully controlled status colors

Status colors:

Success → green

Warning → amber

Error → red

Information → blue

Do not use bright colors everywhere.

4. DARK MODE

Support:

- Light mode
- Dark mode

Dark mode must not simply invert colors.

Create a proper dark theme with:

- Dark background
- Slightly lighter surfaces
- Appropriate borders
- Muted text
- Correct contrast
- Proper shadows/glows where necessary

Remember the user's selected theme.

5. TYPOGRAPHY

Use a modern professional font such as:

- Inter
- Geist
- Manrope

Use a consistent typography hierarchy.

Example:

Page Title:

32px desktop

24px mobile

Section Title:

20–24px

Body:

14–16px

Secondary text:

13–14px

Table:

13–14px

Buttons:

14px

Do not use too many font sizes.

Use appropriate:

- Font weight
- Line height
- Letter spacing

6. SPACING SYSTEM

Use a consistent spacing system.

Prefer multiples such as:

4

8

12

16

20

24

32

40

48

64

Avoid random spacing values throughout the application.

7. BORDER RADIUS

Use a consistent radius system.

Small:

6px

Medium:

8px

Large:

12px

Cards:

12–16px

Dialogs:

16px

Buttons:

8–10px

Avoid excessive rounded/pill UI.

Use rounded styling only where appropriate.

8. SHADOW SYSTEM

Use subtle shadows.

Do NOT make every card heavily shadowed.

Preferred:

- Border + subtle shadow
- Elevated dialogs
- Elevated dropdowns
- Hover elevation

The interface should feel lightweight.

9. GLOBAL LAYOUT

Use:

Sidebar


+

Top Header

+

Main Content

Structure:



Desktop:

Sidebar approximately 240–260px.

Tablet:

Collapsible sidebar.

Mobile:

Sidebar becomes drawer.

10. SIDEBAR DESIGN

Sidebar should contain:

Logo

Application Name

Navigation

User Profile

Logout

For ADMIN:

Dashboard

Persons

Add Person

State-wise View

District-wise View

Users

Settings/Profile

Logout

For USER:

Dashboard

Persons

State-wise View

District-wise View

Profile

Logout

Use icons with labels.

Use Lucide icons or another consistent icon library.

Do not mix icon styles.

11. SIDEBAR INTERACTION

Desktop:

Sidebar remains visible.

Allow optional collapse.

Collapsed sidebar:

Show icons only.

Expanded:

Show icons + labels.

Animate collapse smoothly.

Mobile:

Sidebar should become a slide-in drawer.

Overlay the rest of the page.

Clicking outside should close the drawer.

Pressing Escape should close it.

12. TOP HEADER

Header should contain:

Page title/breadcrumb

Search where appropriate

Theme toggle

Notification icon if required

User avatar

User name

Role

Profile menu

Logout

Keep header clean.

Do not overload it.

13. BREADCRUMBS

Use breadcrumbs where navigation depth requires them.

Example:

Dashboard / Persons / Add Person

Use subtle styling.

Do not show breadcrumbs unnecessarily on simple pages.

14. LOGIN PAGE

Create a premium login page.

Desktop:

Split-screen or centered premium layout.

Example:

Left:

Branding / application introduction.

Right:

Login card.

Mobile:

Single-column login.

Login card should contain:

Logo

Welcome message

Username/Email

Password

Show/hide password

Remember me if appropriate

Login button

Forgot password if implemented

Error message

Loading state

15. LOGIN ANIMATION

On page load:

- Logo subtle fade/scale
- Login card fade + upward movement
- Form elements stagger slightly

Do NOT use dramatic animations.

Animation should feel:

Smooth

Fast

Professional

16. DASHBOARD DESIGN

Dashboard should immediately communicate useful information.

Top:

Greeting

Page title

Quick action button

Example:

Good Morning, Chandu

Welcome back to Person Management.

[+ Add Person]

17. DASHBOARD SUMMARY CARDS

Display:

Total Persons

Total States

Total Districts

Active Users

For admin:

Recently Added

Use modern cards.

Each card:

Icon

Label

Large number

Optional trend/context

Example:

Total Persons

2,540

+12 this month

Do not fabricate statistics.

Use actual API data.

18. DASHBOARD CARD ANIMATION

Cards should appear with subtle stagger animation.

Example:

Card 1 → 0ms

Card 2 → 60ms

Card 3 → 120ms

Card 4 → 180ms

Animation:

opacity 0 → 1

translateY 8px → 0

Duration:

300–450ms

Use easing.

Do not animate continuously.

19. QUICK ACTIONS

Provide visually clear actions:

Add Person

View Persons

State-wise View

District-wise View

Admin:

Manage Users

Use icons and concise labels.

20. RECENT PERSONS

Dashboard can show recent persons.

Columns:

Photo

Name

Phone

State

District

Created Date

Action

Use compact table.

On mobile:

Convert to responsive cards/list.

21. PERSON MANAGEMENT PAGE

Header:

Person Management

Description:

Manage and search registered persons.

Right side:

- Add Person

Below:

Search and filters.

22. SEARCH BAR

Create a premium search input.

Include:

Search icon

Placeholder:

"Search by name, phone, email..."

Clear button when text exists.

Focus state should be obvious but subtle.

Use debounce.

23. FILTER BAR

Filters:

Search

State

District

Reset

Export CSV

Export PDF

Desktop:

Horizontal layout.

Tablet:

Wrap intelligently.

Mobile:

Stack vertically.

Do not allow the filter area to become cluttered.

24. FILTER ANIMATION

When filters change:

Do not animate the entire page.

Only animate:

- Loading state
- Table content transition
- Filter dropdown

Use short transitions.

25. PERSON TABLE

Desktop table columns:

Photo

Name

Phone

Email

Address

State

District

Created Date

Actions

Use:

Sticky header where useful.

Hover row effect.

Clear row separation.

Compact but readable spacing.

26. TABLE DESIGN

Header:

Subtle background.

Semi-bold text.

Rows:

Clean white/surface background.

Borders:

Very subtle.

Hover:

Subtle background transition.

Actions:

Use icon buttons.

Tooltip:

View

Edit

Delete

Do not place huge buttons in every row.

27. TABLE RESPONSIVENESS

IMPORTANT:

Do NOT simply make the table unreadably small on mobile.

Mobile behavior:

Option A:

Horizontally scroll table.

OR

Option B:

Convert rows to responsive cards.

Prefer responsive cards if there are many columns.

Show:

Photo

Name

Phone

State

District

Actions

Expandable details can display:

Email

Address

Created Date

28. TABLE LOADING STATE

Use skeleton loaders.

Example:

Avatar skeleton

Text skeleton

Text skeleton

Text skeleton

Action skeleton

Do not show a giant spinner while the entire page is blank.

29. EMPTY STATE

When no persons exist:

Show:

Illustration/icon

"No persons found"

Short explanation.

Button:

- Add Person

When filters return no results:

"No matching persons"

Button:

Clear Filters

Make empty states visually polished.

30. PAGINATION

Pagination should show:

Previous

Page numbers

Next

Total records

Page size

Example:

Showing 21–40 of 245

[Previous] [1] [2] [3] ... [13] [Next]

Mobile:

Use:

Previous

Page X of Y

Next

31. ADD PERSON PAGE

Create a premium form.

Use sections.

Example:

PERSON INFORMATION

Name

Phone

Email

Address

LOCATION

State

District

PHOTO

Upload photo

PREVIEW

Actions:

Cancel

Save Person

32. FORM DESIGN

Every input should have:

Label

Input

Optional helper text

Validation message

Focus state

Error state

Success state where appropriate

Never rely only on placeholders.

33. INPUT DESIGN

Inputs should have:

Height:

42–48px

Border:

1px

Radius:

8–10px

Padding:

12–14px

Focus:

Subtle brand ring/border

Hover:

Subtle border change

Disabled:

Muted background

34. FORM LAYOUT

Desktop:

Two-column grid where appropriate.

Example:

Name | Phone

Email | State

District | Photo

Address:

Full width.

Mobile:

One column.

35. STATE / DISTRICT SELECT

Use modern searchable select components if useful.

State:

Select State

District:

Select District

When State is not selected:

District disabled.

Display:

"Select state first"

When loading:

"Loading districts..."

When no districts:

"No districts available"

When state changes:

District resets.

Animate dropdown content subtly.

36. PHOTO UPLOAD UI

Create a premium upload area.

Example:

| | | Upload Photo | | | Drag & Drop or Browse | | | JPG PNG WEBP |

After upload:

Show image preview.

Provide:

Change

Remove

Photo should appear as a circular or rounded thumbnail depending on context.

37. DRAG AND DROP

Support drag-and-drop where practical.

When dragging a file over upload area:

Change border/background subtly.

Example:

"Drop image here"

Do not use excessive animation.

38. FORM VALIDATION ANIMATION

When validation fails:

- Input border changes.
- Error message fades in.
- Do not shake the entire page.

Optional:

Very subtle horizontal shake for invalid input.

Do not overuse it.

39. SAVE BUTTON

Default:

Save Person

Loading:

Saving...

Success:

Saved

Then show toast:

"Person added successfully."

Do not navigate instantly without feedback.

40. BUTTON SYSTEM

Create variants:

Primary

Secondary

Outline

Ghost

Danger

Success

Sizes:

Small

Medium

Large

Buttons should have:

Hover

Active

Focus

Disabled

Loading

states.

41. BUTTON ANIMATION

Hover:

Subtle background/color transition.

Press:

Very small scale reduction.

Example:

scale 0.98

Duration:

100–150ms

Do NOT use exaggerated button movement.

42. TOAST NOTIFICATIONS

Use elegant toast notifications.

Success:

"Person added successfully."

Error:

"Unable to save person."

Warning:

"Please select a district."

Info:

"Export started."

Toasts should:

- Slide/fade in
- Have close button
- Automatically disappear
- Be accessible

43. DELETE CONFIRMATION

When admin clicks Delete:

Open confirmation dialog.

Example:

Delete Person?

"Are you sure you want to delete Ravi Kumar? This action will deactivate the record."

Buttons:

Cancel

Delete

Delete button should use danger styling.

44. MODAL DESIGN

Modal:

Centered

Responsive

Rounded

Subtle shadow

Backdrop blur/light overlay

Animation:

Fade backdrop

Scale/translate modal

Duration:

200–300ms

On mobile:

Use almost full-width layout.

45. PERSON DETAILS PAGE

Create a beautiful profile layout.

Top:

Photo

Name

Status

Contact information

Then:

Personal Information

Location

Audit Information

Created By

Created Date

Updated Date

Actions:

Edit

Delete

46. PROFILE CARD

Person photo should be displayed prominently.

Use:

Rounded image

Fallback avatar

Image loading state

Broken image fallback

47. STATE-WISE VIEW

Create a dedicated state-wise dashboard.

Top:

State-wise Persons

State selector.

After selecting:

Display:

Selected State

Total Persons

District count

Person listing.

Use a visually clear selected state indicator.

48. DISTRICT-WISE VIEW

Create:

State selector

District selector

Total persons

Person listing

Selected location breadcrumb:

State → District

49. VISUAL LOCATION INDICATOR

When state/district selected:

Show:

Andhra Pradesh

↓

Nellore

Use subtle breadcrumb/card styling.

50. EXPORT UI

Export buttons:

CSV

PDF

Use appropriate icons.

During export:

"Generating CSV..."

"Generating PDF..."

Disable duplicate clicks.

After completion:

"CSV exported successfully."

51. USER MANAGEMENT UI

Admin-only page.

Header:

User Management

[+ Add User]

Table:

Avatar

Name

Email

Phone

Role

Status

Created Date

Actions

52. ROLE BADGES

Use badges:

ADMIN

USER

Status:

ACTIVE

INACTIVE

Badges should be subtle.

Do not use giant colored pills.

53. USER FORM

Fields:

Full Name

Username

Email

Phone

Role

Password

Confirm Password

Status

Use clear grouping.

54. RESPONSIVE DESIGN BREAKPOINTS

Support at least:

Mobile:

320px+

Small mobile:

375px+

Large mobile:

480px+

Tablet:

768px+

Laptop:

1024px+

Desktop:

1280px+

Large desktop:

1440px+

Do not assume only 1366px desktop.

55. MOBILE-FIRST REQUIREMENT

Build components with mobile-first CSS.

Do not design desktop first and simply shrink everything.

Test:

320px

375px

390px

414px

480px

768px

1024px

1280px

1440px

1920px

56. MOBILE NAVIGATION

Mobile header:

Menu icon

Logo/title

User avatar

Sidebar opens as drawer.

Drawer:

Slide from left.

Backdrop:

Fade in.

Close:

X button

Outside click

Escape

57. TOUCH INTERACTIONS

On mobile:

Buttons should have adequate touch targets.

Avoid tiny icons.

Icon buttons should generally have at least approximately 40–44px touch area.

Dropdowns must be easy to use.

Forms should not require precise clicking.

58. RESPONSIVE TABLES

Never let content overflow the entire page.

Use:

`overflow-x: auto`

where appropriate.

Keep horizontal scrolling inside the table container rather than the whole application.

59. RESPONSIVE DASHBOARD

Desktop:

4 summary cards in row.

Tablet:

2 cards per row.

Mobile:

1 card per row.

Cards should maintain consistent spacing.

60. RESPONSIVE FORMS

Desktop:

Two columns.

Tablet:

Two columns where space permits.

Mobile:

One column.

Long text fields:

Full width.

61. RESPONSIVE MODALS

Desktop:

Maximum width around 500–700px depending on content.

Mobile:

Width:

`calc(100% - 24px)`

Maximum height:

`90vh`

Scrollable content.

62. ANIMATION PHILOSOPHY

Animations should communicate:

- State changes
- Navigation
- Loading
- Feedback
- Hierarchy

Animations must NOT slow the application.

Default animation duration:

`150–450ms`.

Use:

`opacity`

transform

scale

height

where appropriate.

Avoid animating expensive properties.

Prefer:

transform

opacity

over:

top

left

width

height

when possible.

63. PAGE TRANSITIONS

Use subtle page transitions.

Example:

opacity:

0 → 1

translateY:

6px → 0

Duration:

200–300ms

Do not use large page movement.

64. SIDEBAR ANIMATION

Expand/collapse:

200–300ms

Drawer:

250–350ms

Use smooth easing.

65. DROPDOWN ANIMATION

Dropdown:

opacity 0 → 1

scale 0.98 → 1

translateY -4px → 0

Duration:

150–200ms.

66. TOOLTIP ANIMATION

Tooltip:

Fade + tiny translate.

Delay:

300–500ms.

Use tooltips only where needed.

67. SKELETON ANIMATION

Use subtle skeleton shimmer/pulse.

Do not make it visually distracting.

Skeleton should match actual content dimensions.

68. REDUCED MOTION

Respect:

prefers-reduced-motion

When enabled:

Reduce or disable non-essential animations.

The application must remain fully usable.

69. MICRO-INTERACTIONS

Add tasteful micro-interactions:

Button hover

Icon hover

Table row hover

Dropdown opening

Modal opening

Toast appearance

Form focus

Upload interaction

Navigation selection

Success feedback

Do NOT animate everything.

70. ICON SYSTEM

Use one icon library consistently.

Recommended:

Lucide React.

Use icons such as:

Dashboard

Users

User

Plus

Search

Filter

Map

MapPin

Download

FileText

Edit

Trash

Eye

Settings

LogOut

Menu

X

ChevronDown

Check

71. ICON RULE

Icons should support understanding.

Do not replace important text with icons only.

For unfamiliar actions:

Use icon + tooltip or icon + label.

72. ACCESSIBILITY

Implement:

Semantic HTML

Proper labels

Keyboard navigation

Visible focus indicators

ARIA attributes where necessary

Accessible dialogs

Accessible dropdowns

Accessible notifications

Alt text

Color should NOT be the only indication of status.

73. CONTRAST

Ensure text has sufficient contrast.

Do not use extremely light gray text for important information.

Muted text can be subtle but must remain readable.

74. DARK MODE ACCESSIBILITY

Check:

Text

Borders

Inputs

Dropdowns

Dialogs

Tables

Toasts

Badges

Hover states

Focus states

All must remain readable in dark mode.

75. ERROR UI

Errors should be clear and calm.

Example:

Unable to load persons.

Please check your connection and try again.

[Retry]

Do not show technical stack traces.

76. NETWORK ERROR

If API fails:

Show appropriate error state.

Provide:

Retry

Do not leave an empty table without explanation.

77. AUTHENTICATION ERROR

If session expires:

Show:

"Your session has expired. Please sign in again."

Then redirect to login.

78. 404 PAGE

Create a polished 404 page.

Example:

404

Page not found.

The page you're looking for doesn't exist.

[Back to Dashboard]

79. 403 PAGE

Create:

Access Denied

You don't have permission to access this page.

[Go to Dashboard]

80. GLOBAL UX RULE

Never make the user wonder:

"What happened?"

Every important action must provide feedback.

Examples:

Click Save:

→ Loading

→ Success/Error

Click Delete:

→ Confirmation

→ Loading

→ Success/Error

Change State:

→ Loading districts

→ Districts appear

Export:

→ Generating

→ Download/Success

81. PERFORMANCE REQUIREMENTS

UI must feel fast.

Avoid:

Large unnecessary animations

Huge JavaScript bundles

Unoptimized images

Repeated API requests

Rendering thousands of DOM elements.

Use:

Lazy loading

Image optimization

Code splitting where appropriate

Debounced search

Pagination

Memoization only when useful

82. IMAGE OPTIMIZATION

Person photos should:

- Use optimized dimensions
 - Use lazy loading in lists
 - Use thumbnail versions where possible
 - Avoid loading full-resolution images for table thumbnails
-

83. DATA TABLE PERFORMANCE

For large datasets:

Use server-side:

Pagination

Search

Filtering

Sorting

Do NOT render thousands of rows simultaneously.

84. DESIGN CONSISTENCY

Create centralized design tokens for:

Colors

Typography

Spacing

Radius

Shadows

Transitions

Breakpoints

Do not hard-code different styles for every component.

85. COMPONENT DESIGN SYSTEM

Create reusable components:

AppShell

Sidebar

Header

Breadcrumb

Button

Input

Select

Textarea

FileUpload

Avatar

Badge

Card

DataTable

Pagination

Modal

ConfirmDialog

Toast

Skeleton

EmptyState

ErrorState

SearchInput

FilterBar

StatCard

DropdownMenu

Tabs

86. COMPONENT STATES

Every interactive component should consider:

Default

Hover

Focus

Active

Disabled

Loading

Error

Success

Empty

Mobile

Dark mode

87. FORM STATES

Every form should support:

Initial

Editing

Submitting

Success

Validation error

Server error

Disabled

88. DATA FETCH STATES

Every API-driven screen should support:

Loading

Loaded

Empty

Error

Retry

89. NO JUMPING LAYOUT

Loading states should preserve approximate component dimensions.

Avoid layout shifts when:

Images load

Data loads

Buttons change to loading

Errors appear

90. PROFESSIONAL DETAILS

Add subtle professional touches:

- Consistent hover states
- Smooth transitions
- Clear focus states
- Elegant empty states
- Proper icon alignment
- Consistent card heights
- Clean table spacing
- Good visual hierarchy
- Responsive spacing
- Proper loading states
- Professional error messages

These small details are important.

91. WHAT NOT TO DO

DO NOT create:

- Generic Bootstrap-looking dashboard
 - Excessive gradients
 - Excessive glassmorphism
 - Excessive animations
 - Huge rounded cards
 - Neon colors
 - Random colors
 - Random font sizes
 - Tiny mobile buttons
 - Unreadable tables
 - Overcrowded dashboard
 - Full-screen loading spinner for every request
 - Fake statistics
 - Fake charts
 - Decorative elements that don't provide value
-

92. ANIMATION QUALITY RULE

Animations should feel:

"expensive"

not:

"busy".

The user should notice that the application feels smooth, but should not constantly notice animations.

93. PAGE-SPECIFIC ANIMATION

Dashboard:

Subtle entrance animation.

Person listing:

Fade/slide table content when filters change.

Person form:

Section entrance only where useful.

Modal:

Fade + scale.

Sidebar:

Smooth slide/width transition.

Toast:

Slide/fade.

Upload:

Border transition + preview fade.

Do not animate entire page excessively.

94. USER PROFILE MENU

Click avatar:

Open dropdown:

Profile

Settings

Logout

Dropdown should have:

Avatar

Name

Email

Role

Menu items

Logout separated by divider.

95. NOTIFICATION SYSTEM

If notifications are implemented:

Use notification icon.

Dropdown:

Recent notifications.

Unread indicator.

Keep it subtle.

Do not create fake notifications.

96. SETTINGS PAGE

If implemented:

Appearance:

Light

Dark

System

Account information

Password change

Keep settings organized.

97. PRINT / EXPORT UI

Exported documents should maintain professional formatting.

The UI should clearly indicate:

CSV

PDF

Export status.

98. FINAL VISUAL QUALITY CHECK

Before considering UI complete, inspect every page at:

320px

375px

390px

414px

480px

768px

1024px

1280px

1440px

1920px

Check:

- No horizontal page overflow
 - No clipped text
 - No overlapping elements
 - No broken buttons
 - No broken dropdowns
 - No unusable tables
 - No modal overflow
 - No image distortion
 - No inconsistent spacing
 - No inaccessible controls
-

99. FINAL UI PAGES

The final application should contain polished versions of:

1. Login
 2. Dashboard
 3. Person List
 4. Add Person
 5. Edit Person
 6. Person Details
 7. State-wise View
 8. District-wise View
 9. User Management
 10. User Create/Edit
 11. Profile
 12. Settings
 13. 404
 14. 403
 15. Error states
 16. Empty states
-

100. FINAL DESIGN STANDARD

The finished application should look like a **premium modern enterprise SaaS product**, not a student project or basic CRUD application.

Every page must feel like it belongs to the same product.

Use a single cohesive design system.

Prioritize:

1. Usability
2. Responsiveness
3. Accessibility
4. Performance
5. Visual hierarchy
6. Consistency
7. Elegant animation
8. Professional appearance

The UI must work beautifully on both a large desktop monitor and a small mobile phone.

FINAL INSTRUCTION TO ANTIGRAVITY

Do not implement only static visual mockups.

Build the actual responsive UI components and connect them to the real application functionality.

Before finalizing:

- Test every page.
- Test every interactive component.
- Test mobile responsiveness.
- Test dark mode.
- Test loading states.
- Test empty states.
- Test errors.
- Test validation.
- Test animations.
- Test keyboard navigation.
- Test role-based UI.
- Test sidebar behavior.
- Test tables.
- Test forms.
- Test modals.
- Test photo upload.
- Test filters.
- Test pagination.

The final result must look polished enough to present directly to a paying freelance client.

QUALITY BAR

If a component looks like a default template, improve it.

If a page looks empty, improve the information hierarchy.

If a page looks crowded, simplify it.

If an animation feels unnecessary, remove it.

If mobile looks like a compressed desktop page, redesign the mobile layout.

Do not stop until the application feels like a cohesive, modern, premium enterprise product.