

MONAD BLITZ · HACKATHON BRIEF

Monad Blitz Berlin

FOLLOW ON X

@monad @monad_dev


- WHAT IS MONAD BLITZ

An innovation sprint. Not a marathon.

A one-day burst of creativity to rapidly prototype new ideas on Monad. A safe space to try **bold, unconventional** things. Failure and learning are celebrated.

- THE LONGEST RUNNING WEB3 VIBECODING HACKATHON

50 blitzes. 14 countries. 5 continents.



• FROM PAST BLITZES

Longest Running Web3 Vibecoding Hackathon



• WHAT IS MONAD BLITZ

Today's objective.

A clear shape to the day. What to push on, and what to deliberately ignore.

FOCUS ON —

- 💡 Novel mechanics & unique ideas.
- 🔪 Exploring the limits of Monad.
- ✨ Solving problems in new ways.

WORRY LESS ABOUT —

- 🎨 Perfect UI / UX.
- ✅ Extensive feature lists.
- 📊 Polished slide decks.

Rules of engagement.

01

Start fresh.

All project code must be written today. No existing personal projects. Standard libraries are fine.

02

Ship live deployments.

Every submission must be deployed with a working, accessible demo link. Locally-hosted projects will be disqualified.

03

Public repositories.

Code lives in a public GitHub repo for everyone to see and learn from.

04

Be ready to demo in three minutes.

Pitching order is determined by submission order. Slides are optional. The demo is the point.

Demos & judging.

Three minutes. No official judges. The room decides.

THREE-MINUTE DEMO —

Show the live build.

- Focus on the live demo and the core innovation.
- Your audience is everyone in this room. Impress your fellow builders.
- Slides not required. Just present the demo.
- Pitching order is determined by order of submissions.

PEER VOTING —

You decide the winners.

- Vote for the most innovative, technically interesting, or inspiring project.
- Results are decided by a mix of judge and participant votes, weighted 50% each.

- WHAT YOU'RE BUILDING FOR

Prizes.

Prizes are listed in the info pack.
Check it before you scope your build.



1st Place:

1500 USD



2nd Place:

1000 USD



3rd Place:

500 USD

Rest of the day.

Build time runs until code freeze.
After that it's submissions, pitches,
and prizes.

-
- | | |
|----|---------------------|
| 01 | Hackathon start |
| 02 | Code freeze |
| 03 | Submission deadline |
| 04 | Pitches |
| 05 | Winner announcement |
-

MONAD BLITZ ·

Monad Blitz Berlin

FOLLOW ON X

@monad @monad_dev

SECTION 01

The need for high-throughput blockchains.




Onchain activity is up and to the right. The infrastructure question is whether the rails are ready for it.

• THE STATE OF DEMAND

Onchain activity has exploded, and keeps growing.

Stablecoin supply, DEX spot share, prediction-market volume, machine-to-machine payments. Every chart goes up. The question is whether the chains underneath can keep up.

SOURCE · A16Z CRYPTO · STATE OF CRYPTO 2025



A modest scenario, and what it would take.

APPS

10

Modest portfolio.

USERS / APP

1,000,000

Each.

TX / USER / DAY

2

Two interactions.

REQUIRED TPS

231

8× Ethereum L1 today.

231 TPS

Ten apps. One million users each. Just two transactions per user per day. The world's most active L1 can't reach this. Ethereum tops out at roughly 28 TPS.

The bottleneck
isn't new apps.
It's **infrastructure** for the
apps we already have.

WHY MONAD IS BUILT — SCALABILITY · SECURITY · DECENTRALIZATION

SECTION 02


What is Monad?

A high-performance, fully EVM-compatible L1, without sacrificing the moat of the Ethereum developer surface.


Monad → *Benefits of EVM without sacrificing performance*

EVM Compatibility

High Performance



Monad Decentralization without sacrificing performance



Monad, by the numbers.

Same EVM. Two orders of magnitude more capacity.

PROPERTY	MONAD	ETHEREUM L1
Block time	0.3 s	12 s
Finality	0.6 s	~13 min
Sustained TPS	10,000	~28
Active validators	200+	~27,000 / block

SOURCE · [MONAD.XYZ](https://monad.xyz) · [ETHERSCAN.IO/NODETRACKER](https://etherscan.io/nodetracker) · [GMONADS.COM](https://gmonads.com)

LIVE VALIDATOR VIEW

gmonads.com

Real-time view of validators proposing and finalizing blocks on Monad mainnet. Block times, leader rotation, and the active set, all visible in the browser.

New architecture · execution.

Three primitives that unlock throughput without touching the EVM contract surface.



Asynchronous Execution.

Pipelining consensus and execution.



Optimistic Parallel Execution.

Multi-Thread Transaction Execution.



MonadDB.

State access.

No contract changes required. Deploy your existing Solidity unchanged.

New architecture · consensus & runtime.

Three more pieces that make the validator set scale and the runtime go fast.



MonadBFT.

Performant consensus.



Raptorcast.

Efficient block propagation.



JIT Compilation.

Code optimization and caching.

No contract changes required. Deploy your existing Solidity unchanged.

CONCEPT 01

Asynchronous Execution.


Background

- Most blockchains have *interleaved* execution in blocks.
- Blocks include both execution and consensus.
 - Consensus is expensive, so execution time is constrained.

Example · Ethereum


- 12s block time, but only a 100ms execution budget (< 1% of total block time).

Solution. Decouple and reorder consensus and execution — more time for execution.



CONCEPT 01


Optimized Asynchronous Execution · Ethereum.



Less time for execution. Hence low performance.

CONCEPT 01

Optimized Asynchronous Execution · Monad.



More time for execution, more performance.

CONCEPT 02


Optimistic Parallel Execution.

Ethereum

- Transactions are **linearly** ordered.
- Transactions are **serially** executed.

The Goal


- Maintain serial ordering, but...
- Get to the end state while **doing the work in parallel** behind the scenes.



Optimistic Parallel Execution

Before:

Me: 1000 USDC
Alice: 0 USDC
Bob: 300 USDC




After:

Me: 800 USDC
Alice: 100 USDC
Bob: 400 USDC

Optimistic Parallel Execution

Before:

Me: 1000 USDC
 Alice: 0 USDC
 Bob: 300 USDC



committed state

Me: 900 USDC
 Alice: 100 USDC
 Bob: 300 USDC

Optimistic Parallel Execution

Before:

Me: 1000 USDC
 Alice: 0 USDC
 Bob: 300 USDC

BLOCK					
Transactions			inputs	outputs	
tx 1	Me -> Alice: 100 USDC	✓	Me: 1000 USDC Alice: 0 USDC	Me: 900 USDC Alice: 100 USDC	
tx 2	(unrelated tx)	✓			
tx 3	Me -> Bob: 100 USDC	⊘	Me: 1000 USDC Bob: 300 USDC	Me: 900 USDC Bob: 400 USDC	
tx 4	(unrelated tx)				

committed state

Me: 900 USDC
 Alice: 100 USDC
 Bob: 300 USDC

MUST BE RE-EXECUTED!

Optimistic Parallel Execution

Before:

Me: 1000 USDC
 Alice: 0 USDC
 Bob: 300 USDC

BLOCK			
Transactions		inputs	outputs
tx 1	Me -> Alice: 100 USDC	✓	Me: 1000 USDC Alice: 0 USDC
tx 2	(unrelated tx)	✓	
tx 3	Me -> Bob: 100 USDC	✓	Me: 900 USDC Alice: 100 USDC
tx 4	(unrelated tx)	✓	

committed state

Me: 900 USDC
 Alice: 100 USDC
 Bob: 300 USDC

Me: 800 USDC
 Alice: 100 USDC
 Bob: 400 USDC


CONCEPT 03

MonadDB: Custom State Database for the EVM.

Application and Kernel pass work through lock-free ring queues in shared memory.

Results

“Parallel access” massively accelerates parallel execution.



SECTION 03

Monad for developers.

Same Solidity. Same RPC. Same tooling. Plus a handful of new primitives that change what's possible.

CONTRACTS

01

128KB contracts.

Four times the size limit of Ethereum. Build more complex apps without splitting across proxies.

RPC

02

eth_sendRawTransactionSync.

Returns the full transaction receipt synchronously. No more async confirm patterns. UIs feel instant.

STREAMS

03

Execution events.

Stream events directly from the node for the highest-throughput apps. Skip the indexer round-trip.

GAS

04

MIP-8 (upcoming).

Reduces cold-slot access cost. Gas drops for any contract that touches state lazily.

DOCS · DEVELOPER ESSENTIALS

docs.monad.xyz /developer-essentials

Almost everything you'll need to build is on the developer-essentials page. There's also [docs.monad.xyz/llms-full.txt](#) · a comprehensive single-file source for LLM integration and AI coding assistants.

Frameworks.

SDK

VIEM 2.40+

Viem.

Native Monad testnet and mainnet support. Same client patterns you use today.

TOOLING

MONAD FOUNDRY

Monad Foundry.

Foundry fork with Monad precompiles, accurate trace decoding, and gas during simulation.

Guides > Deploy a Contract

Deploy a smart contract on Monad using Monad Foundry

 Copy page

Monad Foundry is a custom fork of **Foundry** with Monad-native EVM execution, staking precompile support, and human-readable trace decoding.

1. Installing Monad Foundry

Install the Monad Foundry installer:

```
curl -L https://foundry.category.xyz | bash
```

Then install the binaries:

AGENTIC PAYMENTS

x402 on Monad.

Free x402 facilitator hosted by Monad.

— docs.monad.xyz/guides/x402-guide

Provider details

Monad x402 Facilitator

The Monad x402 Facilitator is a hosted service that simplifies **x402** payment flows on Monad. x402 brings the HTTP 402 “Payment Required” status code to life as a minimal protocol for internet-native micropayments.

How it works:

1. A client requests a resource from a server.
2. The server responds with HTTP 402 and a JSON payment requirement.
3. The client signs a payment authorization (no onchain transaction needed from the client).
4. The server verifies the signature and serves the content.
5. The facilitator settles the payment onchain, covering gas fees.

Facilitator URL: <https://x402-facilitator.molandak.org> 

AGENTIC PAYMENTS

MPP on Monad.

— @monad-crypto/mpp

Reference > Machine Payments Protocol

MPP Overview

Copy page

Send and accept payments on Monad using the Machine Payments Protocol

The [@monad-crypto/mpp](#) package implements Monad payments for the [Machine Payments Protocol](#) (MPP). It enables one-time payment processing through ERC-20 token transfers on Monad.

This guide covers the Monad-specific [@monad-crypto/mpp](#) package. For general MPP concepts, see the [MPPX documentation](#).

Installation



Install the package and its peer dependencies:

SECTION 04

Tools and infra ecosystem.

Don't rebuild what's already shipped.

Oracles, wallets, RPC.



SECTION 05

Submit, vote, win.

Where to claim tokens and where to submit your build.

TOKENS · SUBMISSION · VOTING

blitz.devnads.com

Tokens. Submission. Voting. All in one place.

SUBMISSION ORDER = PITCHING ORDER

Submission freeze · 5:45 PM



SECTION 06

Builder opportunities, post-Blitz.

FOUNDER COMMUNITY

Delta V.

A members-only community for serious founders
building on Monad.

PEER SUPPORT · ADVISOR INTROS · DISTRIBUTION

**Investor Dashboard Live**
Three featured startups that get VC eyeballs
[Check Now](#)

**Harpal**
@tactical_venom_ab2j
[View Profile](#) · [Edit Profile](#)
0 Following · 0 Believing

GET STARTED

 Create Startup >

 Create VC Profile >

 Create Angel Profile >

Ecosystem Activity

**cgdrake1**
Started Believing [K613](#)
Started Following [K613](#)

**LuxVoid/Project Monolith** - Weekly Update Posted
Weekly Update - Luxvoid / Project Monolith Week #15: T
go
1. TL;DR
Quick wins: The engineering phase is locked; the IP fort
. Filed the 4th patent and shifted focus entirely t...
[Show more](#)
👍 1 🗨 0

BONUS · VERY, VERY IMPORTANT

Tips for your final presentation.

Six things that turn a working demo into a winning one.

• TIP 01 · SLIDES

Fewer slides. More demo.


Use slides to state the problem in one breath, then get to the live demo. The room came to see your build, not your deck.

[LEARN MORE](#) · [DEVELOPER PORTAL](#)

developers .monad.xyz

One place for everything a Monad developer should know about.

[DOCS](#) · [EVENTS](#) · [DISCORD](#)



Time to build.

All the best, Berlin. We're here if you need any help.

DOCS

developers.monad.xyz

SOURCE

[github.com/
monad-developers](https://github.com/monad-developers)

FOLLOW

[@monad_dev](#)
[@kacieahmed](#)