

資料庫專題系統安裝說明

購物網站實作--八爪章魚購物城


組別:第一組

成員:40347003S 林暉恩


40347010S 林侑萱

40347011S 張哲魁


STEP 1:執行期末專題中的 appserv-win32-8.6.0.exe 進行安裝



STEP 2:注意 appserv 的安裝路徑



STEP 3:隨意輸入 sever name 及 email。Port 不用動



The screenshot shows the 'AppServ 2.6.0 Setup' window with the 'Apache HTTP Server Information' tab selected. The window title is 'AppServ 2.6.0 Setup'. The main heading is 'Apache HTTP Server Information' with the instruction 'Please enter your server's information.' Below this, there are three input fields: 'Server Name (e.g. www.appservnetwork.com)' with the value '123', 'Administrator's Email Address (e.g. webmaster@gmail.com)' with the value '123', and 'Apache HTTP Port (Default : 80)' with the value '80'. At the bottom, there are three buttons: '< Back', 'Next >', and 'Cancel'. The footer text is 'Nullsoft Install System v2.18'.

AppServ 2.6.0 Setup

Apache HTTP Server Information
Please enter your server's information.

Server Name (e.g. www.appservnetwork.com)
123


Administrator's Email Address (e.g. webmaster@gmail.com)
123

Apache HTTP Port (Default : 80)
80

Nullsoft Install System v2.18

< Back Next > Cancel

STEP 4:輸入自己想要的密碼



The screenshot shows the 'AppServ 2.6.0 Setup' window with the 'MySQL Server Configuration' tab selected. The window title is 'AppServ 2.6.0 Setup'. The main heading is 'MySQL Server Configuration' with the instruction 'Configure the MySQL Server instance.' Below this, there are two input fields for the root password: 'Enter root password' and 'Re-enter root password', both with masked characters (dots). Below these is a 'MySQL Server Setting' section with a dropdown menu for 'Character Sets and Collations' set to 'UTF-8 Unicode'. There are two checkboxes: 'Old Password Support (PHP MySQL API function.)' and 'Enable InnoDB', both of which are unchecked. At the bottom, there are three buttons: '< Back', 'Install', and 'Cancel'. The footer text is 'Nullsoft Install System v2.18'.

AppServ 2.6.0 Setup

MySQL Server Configuration
Configure the MySQL Server instance.

Please enter Root password for MySQL Server.

Enter root password
...

Re-enter root password
...

MySQL Server Setting

Character Sets and Collations
UTF-8 Unicode


☐ Old Password Support (PHP MySQL API function.)

☐ Enable InnoDB


Nullsoft Install System v2.18

< Back Install Cancel


STEP 5:找到 C 槽裡面的 APPSERVE 資料夾



STEP 6:進入 WWW 資料夾




STEP 7:將 web 資料夾拖入 www 裡



STEP 8:將 shopping.sql 匯入資料庫



匯入到資料庫 "shopping"



STEP 9:修改 web/Connections/db.php 的 host、dbuser、dbpw、dbname

```
C:/Users/阿恩/Desktop/期末專題/web/Connections/db.php (web) - Brackets
File Edit Find View Navigate Debug Help Emmet

1  <?php
2  @session_start();
3  //先設定資料庫資訊，主機通常都用本機
4  $host = 'localhost';
5  //以root管理者帳號進入資料庫
6  $dbuser = 'root';
7  //root的資料庫密碼
8  $dbpw = 'pomelo1222';
9  //登入後要使用的資料庫
10 $dbname = 'shopping';
11 //宣告一個 link 變數，並執行連結資料庫函式 mysqli_connect()，連結結果會帶入 link 當中
12 $_SESSION['link'] = mysqli_connect($host, $dbuser, $dbpw, $dbname);
13
14 if ($_SESSION['link'])
15 {
16     //若傳回正值，就代表已經連線
17     //設定連線編碼為UTF-8
```

STEP 10:在網址列輸入 <http://localhost/web/index.php> 就可以進入購物網搜

