

Why Do Some Ships Stay Longer? A Cross-Country, Ship-Type Analysis of Median Port Time

Chang Li

2025-12-10

Abstract

This study investigates why median port times differ between countries and commercial market segments, using aggregated vessel-arrival data from UNCTAD's Port Call and Performance Statistics. Since port-time durations are highly right-skewed, the median port time was log-transformed. A sequence of linear regression models was then used to assess how vessel characteristics, ship-type categories, country indicators, and their interaction terms relate to log median port time.

Comparing models with AIC, adjusted R^2 , and nested F-tests shows that vessel size, ship type, country fixed effects, and the interaction between size and ship type best explain group differences. Larger vessels tend to have longer median port times, whereas vessel age does not show a clear association. Ship type and country effects remain important after accounting for vessel characteristics.

Overall, the results indicate that both vessel structure and broader operational conditions influence differences in port-time performance across country and ship-type groups.

Introduction

Maritime transport carries more than 80% of global trade. One important measure of port performance is time in port, which is the time vessels spend loading, unloading, and performing other operations. Even small changes in port time can add up across many ship visits, affecting shipping costs, supply chain reliability, and environmental impact. Knowing what causes differences in port time is important to policymakers, port authorities, and shipping firms.

Most research looks at vessel-level or port-level factors like congestion or infrastructure. There is less information about differences between country and ship-type groups, which relate to long-term features such as fleet makeup, regulations, and market segments. This paper explores whether group-level vessel traits, especially average vessel age and size, and market segments are linked to differences in median port time across countries and ship types.

The study uses aggregated data from UNCTAD’s Port Call and Performance Statistics to build several linear regression models, each adding more detail such as ship type, country, and their interactions. Comparing these models shows that vessel size, ship type, country, and the interaction between size and ship type explain much of the variation in median port time. Vessel age, however, has little effect. These results point to broader patterns in maritime operations rather than differences between individual vessels. The paper is organised as follows: Section 2 describes the data; Section 3 outlines the modelling approach; Section 4 presents the results and diagnostics; and Section 5 discusses implications and limitations.

Data

Introduction of Variables

The dataset used in this study is the 2023 release of UNCTAD’s Port Call and Performance Statistics (<https://unctadstat.unctad.org/datacentre/dataviewer/US.PortCalls>). This dataset integrates Automatic Identification System (AIS) vessel-tracking data with MarineTraffic port-mapping intelligence. The data are aggregated by country and ship type, and include vessels of 1,000 gross tonnage (GT) or greater. For each group, UNCTAD provides summary measures of vessel fleet characteristics, such as average age and gross tonnage, in addition to port-time performance indicators (UNCTAD 2024).

The main variables used in this analysis are explained below:

Response Variable

The response variable, **median time in port (days)**, represents the median number of days that vessels spend within port limits during the reporting period. UNCTAD provides median time rather than the mean time because the distribution of port stays is highly right-skewed. A small subset of vessels may remain in port for extended periods, such as for inspections or repairs, which can significantly increase the mean. Consequently, the median offers a more robust measure of typical port duration.

Numerical Variables

The variable **Age** represents the average age, in years, of vessels calling at ports associated with each country and ship type combination. In the raw dataset, this variable is labeled as `Average_age_of_vessels_years_Value`. Each vessel’s contribution to the average is weighted by its number of arrivals within the group, so that vessels with more frequent visits exert greater influence on the reported value.

Similarly, the variable **Size (GT)** indicates the average gross tonnage of vessels in each country and ship type group, corresponding to the raw variable `Average_size_GT_of_vessels_Value`. As with Age, this measure is weighted by the number of port calls, reflecting the structural characteristics of vessels most commonly serving the group.

Categorical Variables

The variable **ShipType** shows the commercial market segment for each observation, corresponding to the raw variable **CommercialMarket_Label1**. The ship type categories include liquid bulk carriers, liquefied petroleum gas (LPG) carriers, liquefied natural gas (LNG) carriers, dry bulk carriers, dry breakbulk carriers, roll-on and roll-off ships, container ships, passenger ships, and an aggregate category labeled “All ships.”

The variable **Country** specifies the economy where port calls occurred, as recorded in the raw variable **Economy_Label1**. The dataset includes economies such as Australia, Canada, China, Croatia, Denmark, France, Germany, Greece, Indonesia, Italy, Japan, the Republic of Korea, the Netherlands, Norway, the Philippines, the Russian Federation, Singapore, Spain, Sweden, Türkiye, the United Kingdom, the United States of America, and a global aggregate category labeled “World.”

Data Cleaning

Before modeling, we cleaned the data to make sure the dataset was consistent, useful for analysis, and ready for regression:

1. Removal of Non-Informative Columns

Some variables did not contain any useful information. This was either because all their entries were missing or the columns were just footnote markers or missing-value flags. Since these variables did not help with the analysis or relate to our study goals, they were removed.

2. Retention of a Unified Vessel-Size Measure

The dataset includes three vessel-size metrics: TEU, DWT, and GT. TEU is used only for container ships, while DWT is mainly for bulk carriers and tankers. This leads to missing data and makes it hard to compare ship types. To keep the data consistent and easy to interpret, TEU and DWT-based variables were excluded, and gross tonnage (GT), which is available for all observations, was retained.

3. Removal of Observations Missing the Response Variable

Some country and ship type combinations did not have recorded median time in port values. Imputing these missing values would have created artificial outcome data and could have affected the validity of hypothesis testing. To keep the analysis based only on real observed port durations, these cases were removed.


4. Exclusion of Aggregate Categories (“World” and “All ships”)

The raw dataset contains two broad categories: **Country** = “World” and **ShipType** = “All ships”. These categories are more general than the country and ship-type structure used in the analysis. Including them would combine different units of analysis and make group comparisons unreliable. To keep the analysis consistent, both categories were removed.


5. Log Transformation of the Response Variable

To evaluate whether the raw response variable met the distributional assumptions for linear regression, I examined the distribution of **median time in port (days)** using a histogram with density and a normal Q-Q plot.

Distribution of the Raw Median Time in Port




The histogram of the untransformed response is strongly right-skewed, with a long upper tail that reaches values of 3 to 4 days or more. Most observations fall between 0.5 and 1.5 days, but some country and ship-type combinations have much longer stay durations. This heavy tail shows that extreme values have a significant impact on the raw data.




The Q-Q plot also shows that the data are not normally distributed. The middle of the distribution matches the theoretical quantiles, but the upper tail rises sharply above the reference line, showing a clear departure from normality. This means a transformation might be needed to stabilize the variance and improve model fits.

Distribution of the Log-Transformed Response



A log transformation was applied to the median time in port to address skewness and reduce the influence of extreme observations. The histogram of the log-transformed response shows a markedly more symmetric, bell-shaped distribution. The long right tail is substantially compressed, and the density appears smoother and more unimodal compared to the raw scale.



The Q-Q plot of the transformed variable shows a clear improvement in normality. Most points are close to the reference line, and there are fewer deviations at both ends. This means the log transformation helps reduce the long tails in port-time data.

Summary

Each observation in the dataset is a unique combination of country and ship type. The main variables in the analysis are the response variable, **median time in port**, and several group-level vessel characteristics: average vessel age, average gross tonnage (Size), commercial market segment (ShipType), and economy identifier (Country). These variables together describe the economic context, commercial category, and structural features of vessel groups, which are the foundation of the modelling framework.

Diagnostic checks reveal that the raw median port-time variable is highly right-skewed with a long upper tail. Using a logarithmic transformation makes the distribution more symmetric and less affected by extreme values, which helps prepare the data for linear regression. Therefore, all later models use $\log(\text{median time in port})$ as the response variable.

Methods

Model building

Each observation in the data is an aggregated group based on country and ship type. The modeling aims to find out how vessel characteristics and other group factors relate to the log-transformed median time in port.

Therefore, we used a hierarchical modeling approach. We fit a series of models, each adding more parameters to separate the effects of vessel characteristics, ship type, country differences, and possible interactions.

1. **Model 0:** Baseline vessel-structure model

This model examines whether fundamental characteristics of vessels (average age and average size) are associated with log median time in port at the group level:

$$\log(\text{Median Time In Port}_i) = \beta_0 + \beta_1 \text{Age}_i + \beta_2 \text{Size}_i + \varepsilon_i$$

2. **Model 1:** Adding ship-type effects

Different ship types are subject to distinct loading, unloading, and port-handling constraints. To address systematic operational differences across commercial markets, ship-type indicator variables are incorporated:

$$\log(\text{Median Time In Port}_i) = \beta_0 + \beta_1 \text{Age}_i + \beta_2 \text{Size}_i + \gamma_{j(i)} \text{ShipType}_{j(i)} + \varepsilon_i$$

This model tests whether, after controlling for age and size, the log median port time varies among ship types, including dry bulk, liquid bulk, LNG, and LPG.

3. **Model 2:** Adding country fixed effects

National operational practices influence port performance, and country-level differences may account for significant variation in port times. Accordingly, country fixed effects are included:

$$\log(\text{Median Time In Port}_i) = \beta_0 + \beta_1 \text{Age}_i + \beta_2 \text{Size}_i + \gamma_{j(i)} \text{ShipType}_{j(i)} + \delta_{k(i)} \text{Country}_{k(i)} + \varepsilon_i$$

4. **Model Int-1:** Size \times ShipType interaction.

The effect of vessel size on port time can vary depending on the type of ship. For example, loading systems for large bulk carriers are different from those used for large container vessels. To let the effect of size change with ship type, we add an interaction term:

$$\begin{aligned} \log(\text{Median Time In Port}_i) = & \beta_0 + \beta_1 \text{Age}_i + \beta_2 \text{Size}_i \\ & + \gamma_{j(i)} \text{ShipType}_{j(i)} \\ & + \theta_{j(i)} (\text{Size}_i \times \text{ShipType}_{j(i)}) \\ & + \delta_{k(i)} \text{Country}_{k(i)} + \varepsilon_i \end{aligned}$$

5. **Model Int-2:** Age \times ShipType interaction

Similarly, the operational impact of vessel age may differ across ship types—for example, older bulk carriers might face different delays than older container ships. Thus, we consider:

$$\begin{aligned}\log(\text{Median Time In Port}_i) = & \beta_0 + \beta_1 \text{Age}_i + \beta_2 \text{Size}_i \\ & + \gamma_{j(i)} \text{ShipType}_{j(i)} \\ & + \theta_{j(i)} (\text{Age}_i \times \text{ShipType}_{j(i)}) \\ & + \delta_{k(i)} \text{Country}_{k(i)} + \varepsilon_i\end{aligned}$$

Model Comparison and Selection

To evaluate competing model specifications, we adopted a sequential model-building approach, comparing increasingly flexible models using information criteria and nested hypothesis tests. We began with a baseline model that included only the numerical vessel characteristics (Age and Size), and incorporated additional sets of predictors stepwise to assess their contribution to explaining variation in the log-transformed median port time.

For each candidate model, we evaluated overall goodness of fit using the Akaike Information Criterion (AIC) and the adjusted R^2 . These metrics provide complementary assessments of model adequacy and penalize excessive complexity. Lower AIC values and higher adjusted R^2 values indicated improved fit.

When models were nested, such as with the addition of ship-type indicators, country indicators, or interaction terms, we conducted formal comparisons using likelihood ratio tests. Specifically, we used F-tests to evaluate whether the additional parameters in the expanded model significantly improved model fit relative to the simpler specification. This framework enabled us to determine whether increases in model complexity were justified by statistically significant improvements in explanatory power.

We assessed two interaction structures: one between vessel size and ship type, and another between vessel age and ship type. Each interaction was evaluated against the main-effects model using the same likelihood-based criteria. The final model was selected based on parsimony, information criteria, and statistical evidence from the nested F-tests.

Diagnostic Assessment

The linear regression model relies on the following key assumptions:

1. **Linearity:** the relationship between the predictors and the response variable is linear.
2. **Independence:** each observation is independent of others.
3. **Homoscedasticity:** the error term ε_i has constant variance.
4. **Normality:** the errors ε_i are normally distributed with mean zero.

These assumptions are crucial to the analysis because the data are grouped by country and ship type. Linearity makes sense here since the model relates log-transformed port-time durations to average vessel characteristics, which are summary measures, not individual results. Normality and homoscedasticity are important for making valid inferences, such as building confidence intervals and running hypothesis tests. Independence is reasonable because each observation represents a different country and ship type, not repeated measures from the same source.

All diagnostic checks were performed **only on the final model**, including:

- **Residual vs. fitted plot** to check for linearity and equal variance.
- **Normal Q-Q plot** to see if the residuals follow a normal distribution.
- **Scale-location plot** to check if the variance is stable.
- **Cook's distance** to find any influential data points.
- **Variance Inflation Factors (VIF / GVIF)** to check for multicollinearity.

Inference and Hypothesis Testing

Since the main goal of this analysis is inference, not prediction, formal hypothesis tests were used to evaluate how individual predictors and groups of related variables contribute. All inference was done using classical linear regression on the log-transformed median port time.

t-tests for Individual Coefficients

For each regression coefficient in the final model, a two-sided t-test checked if the predictor is individually associated with the log median port time, after adjusting for all other terms in the model. For a coefficient β_j , the test evaluates

$$H_0 : \beta_j = 0 \quad \text{vs.} \quad H_1 : \beta_j \neq 0$$

This shows whether the predictor contributes uniquely to explaining changes in the response. These tests were used for numerical predictors like vessel age and size, indicator variables for ship type and country, and interaction terms between vessel size and ship type.

F-tests for Groups of Predictors

To see how groups of variables contribute together, such as all ship-type indicators, all country indicators, or all interaction terms, nested model comparisons were done using F-tests. For a group of coefficients $\{\beta_{j1}, \dots, \beta_{jn}\}$, the null hypothesis is

$$H_0 : \beta_{j1} = \beta_{j2} = \dots = \beta_{jn} = 0 \quad \text{vs.} \quad H_1 : \text{at least one } \beta_{ji} \neq 0$$

If H_0 is rejected, it means the group of predictors together improves the model fit compared to a model without them.

These tests were conducted within the ANOVA by comparing nested models. For example: - adding ship-type indicators to the baseline numerical model, - adding country indicators to the ship-type model, - adding size \times ship-type interaction terms to the main-effects model.

F-tests offer a clear way to check if adding more complexity to the model is justified by significant improvements in how well the model explains the data.

Assessment of Interaction Effects

Interaction terms show how vessel size or age affects different ship types. Their importance was checked using both individual t-tests and a joint F-test that compares the interaction model to the main-effects model. This way, the analysis considers both individual and group effects of the interactions.

Inference Scope

All hypothesis tests were done only on the final model chosen through model comparison. The t-tests and F-tests together help show which vessel features, market segments, and country-level factors are associated with differences in log median port time at the country and ship-type level.

Results

Final Model Comparison Table

Model	Added Terms	AIC	Adj R ²	loglik	F-test vs prev	p-value	Interpretation
Model_0	Age + Size	215.2899	0.02448	-103.645			Baseline
Model_1	Age + Size + ShipType	189.1462	0.2353	-85.57308	7.8356	2.092e-06 ***	Large improvement
Model_2	Age + Size + ShipType + Country	163.7634	0.4537	-51.88172	3.2662	3.947e-05 ***	Huge improvement
Model_int1	Model_2 + Size × ShipType	154.2132	0.5065	-42.10661	3.0954	0.01251 *	Significant improvement
Model_int2	Model_2 + Age × ShipType	164.2127	0.4661	-47.10633	1.4527(vs Model2)	0.2129(vs Model2)	No improvement

Model Int-1 was selected as the final model because it achieved the lowest AIC, the highest adjusted R^2 , and a statistically significant improvement over the main-effects model (Model 2) based on a nested F-test ($p = 0.0125$). The alternative interaction model (Model Int-2) did not significantly improve model fit ($p = 0.213$) and had a higher AIC.

Final Model(Model Int-1)

$$\begin{aligned}\log(\text{Median Time In Port}_i) = & \beta_0 + \beta_1 \text{Age}_i + \beta_2 \text{Size}_i \\ & + \gamma_{j(i)} \text{ShipType}_{j(i)} \\ & + \theta_{j(i)} (\text{Size}_i \times \text{ShipType}_{j(i)}) \\ & + \delta_{k(i)} \text{Country}_{k(i)} + \varepsilon_i\end{aligned}$$

Estimate Coefficient

Table Estimated coefficients for Model Int-1 in Appendix shows the estimated regression coefficients from the final model. Since the data are grouped by country and ship type, each coefficient describes differences between these groups, not individual vessels or ports. The response variable is the log of median port time, so all effects reflect percentage changes in median port time.

When vessel size, ship type, country, and the size-by-ship-type interaction are considered, the estimated effect of average vessel age is small and not statistically significant ($\hat{\beta}_1 = -0.0054$, $p = 0.69$). This means that differences in average vessel age between country and ship-type groups do not show clear evidence of systematic differences in median port time on the log scale.

On the other hand, average vessel size has a positive and statistically significant association with log median port time ($\hat{\beta}_2 = 1.19 \times 10^{-5}$, $p = 0.039$). Holding the other factors constant, this estimate indicates that, across aggregated country–ship-type groups, units with larger average vessel sizes tend to have longer median port times. Since the response is log-transformed, the coefficient shows a proportional effect: a 10,000–*GT* increase in average vessel size is associated with an approximate 0.12% increase in median port time, all else being equal.

Some commercial market segments statistically significant differences compared to the reference ship type. For example, Dry Bulk carriers ($p = 0.034$) and LNG carriers ($p = 0.037$) have higher log median port times after adjusting for vessel size, country, and the size-by-ship-type interaction. With all other terms held constant, these coefficients represent group-level shifts in log port time, suggesting that features specific to these market segments may lead to longer port times.

The interaction terms between vessel size and ship type are mostly not statistically significant at the 5% level, except for LNG carriers, which is marginally significant ($p = 0.056$). This gives limited evidence that the link between vessel size and median port time changes across market segments. The marginal result for LNG carriers may suggest a different size effect, but the evidence is not strong enough to be conclusive.

Country indicators also show different baseline levels of log median port time. For example, Canada ($p = 0.0039$) and Italy ($p = 0.033$) have port-time intercepts that are significantly different from the reference country. These coefficients should be seen as additive shifts on the log scale, not as causal effects, and they reflect structural differences like port efficiency, regulations, or measurement differences in the grouped data.

Many ship-type and country indicators are not statistically significant on their own, which is expected in models with many categories and a limited sample size. At the grouped country–ship-type level, some categories may not vary enough to show clear differences. So, if a coefficient is not significant, it means there is no statistical evidence for a difference, not that the operational characteristics are the same across categories.

Estimation of coefficients is performed through Ordinary Least Squares by R language (R Core Team 2023).

Residual Standard Error & Adjusted R-Squared

The residual standard error of 0.394 indicates that, on the log scale, the typical difference between observed and fitted median port times is moderate compared to the overall variability in the data. Since the dataset is grouped by country and ship type, this level of residual variability is expected. There is significant operational diversity within each group that the available predictors cannot fully explain.

The adjusted R^2 of 0.51 means the model explains about half of the variation in log median port time. This level of explanatory power is typical for aggregated operational data in maritime logistics, where many unobserved factors affect port times. Since this study focuses on inference rather than

prediction, the adjusted R^2 serves mainly as a descriptive measure of how well the model fits, not as a basis for choosing the model.

In summary, the reasonable residual error and moderate adjusted R^2 show that the final model is suitable for estimating how vessel characteristics and market segments relate to median port times at the country and ship-type level.

ANOVA

ANOVA Table for Model Int1

Term	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Age	1	0.0917	0.09175	0.5912	0.443891
Size	1	1.4917	1.49167	9.6128	0.002557 **
ShipType	5	9.4207	1.88413	12.1419	4.606e-09 ***
Country	21	11.7815	0.56103	3.6154	9.692e-06 ***
Size:ShipType	5	2.4017	0.48033	3.0954	0.012505 *
Residuals	93	14.4314	0.15518		

Figure 1: ANOVA

The ANOVA results for the selected interaction model show that several groups of predictors significantly help explain variation in log median port time across the combined country and ship type observations.

Average vessel age does not explain much of the variation in the response ($F = 0.59$, $p = 0.44$), which matches earlier findings that there is little evidence that age differences across groups are associated with differences in port-time performance.

On the other hand, average vessel size is a significant factor in the model ($F = 9.61$, $p = 0.0026$). This means that differences in vessel size across country and ship type groups are related to consistent differences in median port time, even after controlling for other predictors and interaction effects.


The Ship Type shows a highly significant effect ($F = 12.14$, $p < 4.6 \times 10^{-9}$). This shows that the way different vessel types operate is closely associated with differences in port-time outcomes at the aggregated level.

Country indicators also make a statistically significant contribution ($F = 3.62$, $p < 9.7 \times 10^{-6}$). This means that even after considering vessel characteristics and market segment, there are still important differences between countries, likely due to institutional, regulatory, or infrastructure factors.


Finally, the interaction between vessel size and ship type is statistically significant ($F = 3.10$, $p = 0.0125$). This shows that the effect of vessel size on median port time changes across different ship type. While some individual interaction coefficients may not seem significant in the regression summary, the joint F-test shows that, together, these interaction terms make the model fit better.

Overall, these ANOVA results show that vessel size, ship-type market segment, country-level characteristics, and the interaction between size and ship type all play important roles in explaining variation in log median port time at the aggregated country–ship-type level.

Evaluation of Assumptions




- **Residuals vs. Fitted Values:** The residuals do not show clear patterns, curvature, or funnel shapes. The points are spread fairly evenly around zero for all fitted values, which means the linearity and constant error variance assumptions hold. Some moderate scatter is normal because the country and ship-type groups are different, but the plot does not show any major problems.



- Normal Q–Q Plot:


The Q–Q plot indicates that most residuals form a nearly straight line along the reference line, with only slight deviations at the ends. These small differences do not suggest serious non-normality.



- Scale–Location Plot:

The plot of the square root of standardized residuals versus fitted values shows a fairly even spread

across the fitted range, with no clear signs of heteroscedasticity. Although there is some variability, it does not seem to increase or decrease as fitted values change. This suggests that the constant variance assumption for the log-transformed response is reasonable.



- Cook's Distance:

Most observations have very small Cook's distance values, which means they have little effect on the fitted model. Only a few points go above the usual reference threshold, showing that some country and ship-type groups are more influential. Again, these points are not extreme enough to make the coefficient estimates unstable or to justify removing them. Their influence shows real structural differences in the data, not problems with data quality.

Predictor	GVIF	Df	Adjusted VIF = $GVIF^{1/(2 \cdot Df)}$	Interpretation
Average_age	3.53	1	1.88	No concern
Average_size	23.62	1	4.86	Moderate multicollinearity, acceptable
ShipType	8597.84	5	2.47	Very low multicollinearity after df-adjustment
Country	7.07	21	1.05	No concern
Size × ShipType interaction	12418.36	5	2.57	Acceptable

Figure 2: Variance Inflation Factors (VIF / GVIF)

- **Multicollinearity Assessment:** Generalized variance inflation factors (GVIFs) were calculated to check for multicollinearity, since the model uses categorical predictors with multiple degrees of freedom and interaction terms. The adjusted measure, $GVIF^{1/(2 \cdot Df)}$, is similar to a standard VIF.

All adjusted GVIF values are between 1 and 5, so there is no strong multicollinearity. Vessel size has a moderate adjusted VIF (4.86), which is expected because it appears in both the main effect and the size by ship-type interaction. The categorical predictors, ship type and country, have low adjusted GVIF values even though their raw GVIF values are high. This is due to their multi-level structure, not to collinearity problems.

Overall, multicollinearity is not a problem for coefficient stability or the validity of inferences in the final model.

Discussion

The analysis shows that differences in median port time across country and ship-type groups are related to both vessel characteristics and broader operational conditions. Among the numerical predictors, average vessel size is the most important. Larger vessels usually stay in port longer, even when accounting for ship-type and country. This reflects the practical needs of handling large ships, which often require more time for berthing, loading, or safety checks. In contrast, average vessel age does not seem to explain differences in port time at this level. This suggests that age-related delays either do not appear in country or segment averages or are less important than other factors.

Both ship-type and country indicators help explain differences in port time. The clear differences between ship types highlight the variety in maritime operations. Bulk, tanker, liquefied gas, and container ships each have their own handling needs and port setups. Country-level effects also matter, possibly because of differences in regulations, port productivity, measurement methods, or fleet composition. However, these effects should be interpreted carefully since the data are grouped and do not represent individual ports or vessels.

The combined effect of vessel size and ship type shows that the relationship between vessel size and port time is not the same for all segments. Most individual interaction results are not statistically significant, likely because of the small sample size and many categories. However, the group test shows that including these interactions improves the model. This suggests that some operational relationships may be specific to certain segments, even if they are hard to see in individual results.

The chosen model fits the assumptions of linear regression fairly well, but there are clear limitations because of the structure of the UNCTAD dataset. Since the analysis uses grouped country and ship-type data, the results cannot be applied to individual vessels or used to make direct claims about port efficiency. Important factors like berth congestion, weather, labor, and terminal technology are not included in the dataset and contribute to unexplained variation. The moderate adjusted R^2 of 0.51 reflects these missing operational differences, which is common for grouped maritime data.

Despite these limits, the findings provide useful insight into consistent patterns in maritime operations. They show that port-time differences between countries and ship types are not random but are linked to vessel size, market segment, and national operating conditions. Future research could build on this by using port-level or vessel-level data, studying nonlinear effects of vessel size, or adding outside measures of port efficiency. These steps would help explain factors that are not visible in the grouped data used here.

Reproducibility

All analysis code, raw data, and documentation are available in GitHub repository:
https://github.com/Chang-Lii/port_calls_efficiency

Appendix

Term	Estimate	Std Error	t value	Pr(> t)
(Intercept)	-0.6837	0.377	-1.814	0.07297
Average_age_of_vessels_years_Value	-0.005425	0.01352	-0.401	0.68909
Average_size_GT_of_vessels_Value	0.00001188	0.000005667	2.096	0.0388
CommercialMarket_LabelDry breakbulk carriers	0.4472	0.2942	1.52	0.13191
CommercialMarket_LabelDry bulk carriers	0.6555	0.3038	2.157	0.03355
CommercialMarket_LabelLiquefied natural gas carriers	0.8706	0.4114	2.116	0.03702
CommercialMarket_LabelLiquefied petroleum gas carriers	0.4262	0.2534	1.682	0.09596
CommercialMarket_LabelLiquid bulk carriers	0.01312	0.2793	0.047	0.96264
Economy_LabelCanada	-0.7534	0.2544	-2.961	0.00389
Economy_LabelChina	-0.02353	0.2322	-0.101	0.91951
Economy_LabelCroatia	0.5104	0.26	1.963	0.05264
Economy_LabelDenmark	0.03227	0.2779	0.116	0.90779
Economy_LabelFrance	0.3043	0.2453	1.24	0.218
Economy_LabelGermany	0.02922	0.2595	0.113	0.91059
Economy_LabelGreece	0.1282	0.2833	0.453	0.65191
Economy_LabelIndonesia	0.4438	0.2574	1.724	0.08798
Economy_LabelItaly	0.5373	0.2481	2.166	0.03288
Economy_LabelJapan	-0.3934	0.2572	-1.53	0.1295
Economy_LabelKorea, Republic of	0.07398	0.2435	0.304	0.76191
Economy_LabelNetherlands (Kingdom of the)	-0.2212	0.2494	-0.887	0.37739
Economy_LabelNorway	-0.4611	0.2685	-1.717	0.08928
Economy_LabelPhilippines	0.2578	0.2689	0.958	0.34033
Economy_LabelRussian Federation	0.6044	0.2617	2.309	0.02314
Economy_LabelSingapore	-0.1252	0.247	-0.507	0.61344
Economy_LabelSpain	0.1341	0.2479	0.541	0.58996
Economy_LabelSweden	-0.01874	0.2768	-0.068	0.94617
Economy_LabelTurkiye	0.3564	0.2501	1.425	0.15755
Economy_LabelUnited Kingdom	0.2879	0.2503	1.15	0.25298
Economy_LabelUnited States of America	0.1498	0.237	0.632	0.52887
Average_size_GT:Dry breakbulk	0.00003596	0.000029	1.24	0.21812
Average_size_GT:Dry bulk	0.000009352	0.000009552	0.979	0.33007
Average_size_GT:LNG carriers	-0.00001275	0.000006595	-1.933	0.05622
Average_size_GT:LPG carriers	0.00001677	0.00001121	1.496	0.13792
Average_size_GT:Liquid bulk	0.00002491	0.00001334	1.868	0.06497

Figure 3: Estimated coefficients for Model Int-1

Reference

- R Core Team. 2023. *R: A Language and Environment for Statistical Computing*. Vienna, Austria: R Foundation for Statistical Computing. <https://www.R-project.org/>.
- UNCTAD. 2024. “UNCTAD Port Call and Performance Statistics.” <https://unctadstat.unctad.org/datacentre/dataviewer/US.PortCalls>.