


Experiment: 1



Experiment no: 2




Experiment no: 5




Experiment 9:

```
PS C:\Users\chani\Akash-and-team> git checkout -b feature-branch-name
Switched to a new branch 'feature-branch-name'
PS C:\Users\chani\Akash-and-team> git add .
PS C:\Users\chani\Akash-and-team> git commit -m "Your descriptive commit
message"
Author identity unknown
*** Please tell me who you are.
Run
  git config --global user.email "you@example.com"
  git config --global user.name "Your Name"
to set your account's default identity.
Omit --global to set the identity only in this repository.
fatal: unable to auto-detect email address (got 'chani@Asus.(none)')
PS C:\Users\chani\Akash-and-team> git config --global user.name "Chaniky
PS C:\Users\chani\Akash-and-team> git config --global user.email "chanik
vamysur@gamil.com"
PS C:\Users\chani\Akash-and-team>
PS C:\Users\chani\Akash-and-team> git config --global user.email "chanik
vamvsur@gmail.com"
PS C:\Users\chani\Akash-and-team> git config --global --list
user.name=ChanikyaMysur
user.email=chanikyamysur@gmail.com
PS C:\Users\chani\Akash-and-team> git commit -m "Your descriptive commit
message"
On branch feature-branch-name
nothing to commit, working tree clean
PS C:\Users\chani\Akash-and-team> git status
On branch feature-branch-name
nothing to commit, working tree clean
```

Experiment 2:









Experiment 3:






Experiment 4:




Experiment 6:

Experiment: 7



Experiment 8:




Experiment 11:


```
⇔ index.html > ...
 1 <!DOCTYPE html>
 2 <html lang="en">
 3 <head>
 4
         <meta charset="UTF-8">
 5
         <meta name="viewport" content="width=device-width, initial-scale=1.0">
         <title>Static Website</title>
 6
 7
    </head>
    <body>
 9
         <h1>Welcome to My Static Website</h1>
         This website is served using Nginx in a Docker container!
10
11
    </body>
     </html>
12
13
```

```
MyDockertile.dockertile > ...
     # Use the official Nginx image as the base image
    FROM nginx:latest
2
3
4
     # Copy the static website files into the Nginx HTML directory
5
     COPY ./index.html /usr/share/nginx/html/index.html
6
7
     # Expose port 80 to allow web traffic
    EXPOSE 80
8
9
     # Start the Nginx server
10
     CMD ["nginx", "-g", "daemon off;"]
11
12
```

Experiment 14:



Experiment 17:



Welcome to My Static Website!

