1. Description

1.1. Project

Project Name	Finalproject5
Board Name	custom
Generated with:	STM32CubeMX 6.2.1
Date	12/22/2023

1.2. MCU

MCU Series	STM32F4
MCU Line	STM32F407/417
MCU name	STM32F407VGTx
MCU Package	LQFP100
MCU Pin number	100

1.3. Core(s) information

Core(s)	Arm Cortex-M4

2. Pinout Configuration

3. Pins Configuration

Pin Number LQFP100	Pin Name (function after reset)	Pin Type	Alternate Function(s)	Label
6	VBAT	Power		
7	PC13-ANTI_TAMP *	I/O	GPIO_Input	
8	PC14-OSC32_IN *	I/O	GPIO_Input	
9	PC15-OSC32_OUT *	I/O	GPIO_Input	
10	VSS	Power		
11	VDD	Power		
14	NRST	Reset		
15	PC0 *	I/O	GPIO_Input	
16	PC1 *	I/O	GPIO_Input	
17	PC2 *	I/O	GPIO_Input	
18	PC3 *	I/O	GPIO_Input	
19	VDD	Power		
20	VSSA	Power		
21	VREF+	Power		
22	VDDA	Power		
27	VSS	Power		
28	VDD	Power		
33	PC4 *	I/O	GPIO_Input	
34	PC5 *	I/O	GPIO_Input	
49	VCAP_1	Power		
50	VDD	Power		
55	PD8 *	I/O	GPIO_Output	
56	PD9 *	I/O	GPIO_Output	
57	PD10 *	I/O	GPIO_Output	
63	PC6 *	I/O	GPIO_Input	
64	PC7 *	I/O	GPIO_Input	
65	PC8 *	I/O	GPIO_Input	
66	PC9 *	I/O	GPIO_Input	
73	VCAP_2	Power		
74	VSS	Power		
75	VDD	Power		
78	PC10 *	I/O	GPIO_Input	
79	PC11 *	I/O	GPIO_Input	
80	PC12 *	I/O	GPIO_Input	
81	PD0 *	I/O	GPIO_Output	
82	PD1 *	I/O	GPIO_Output	

Pin Number LQFP100	Pin Name (function after reset)	Pin Type	Alternate Function(s)	Label
83	PD2 *	I/O	GPIO_Output	
84	PD3 *	I/O	GPIO_Output	
85	PD4 *	I/O	GPIO_Output	
86	PD5 *	I/O	GPIO_Output	
87	PD6 *	I/O	GPIO_Output	
88	PD7 *	I/O	GPIO_Output	
94	BOOT0	Boot		
99	VSS	Power		
100	VDD	Power		

* The pin is affected with an I/O function

4. Clock Tree Configuration

5. Software Project

5.1. Project Settings

Name	Value
Project Name	Finalproject5
Project Folder	C:\Users\acj00\Desktop\cortexM4\cortexM4\Finalproject5\Finalproject5
Toolchain / IDE	STM32CubeIDE
Firmware Package Name and Version	STM32Cube FW_F4 V1.26.2
Application Structure	Advanced
Generate Under Root	Yes
Do not generate the main()	No
Minimum Heap Size	0x200
Minimum Stack Size	0x400

5.2. Code Generation Settings

Name	Value
STM32Cube MCU packages and embedded software	Copy only the necessary library files
Generate peripheral initialization as a pair of '.c/.h' files	No
Backup previously generated files when re-generating	No
Keep User Code when re-generating	Yes
Delete previously generated files when not re-generated	Yes
Set all free pins as analog (to optimize the power consumption)	No
Enable Full Assert	No

5.3. Advanced Settings - Generated Function Calls

Rank	Function Name	Peripheral Instance Name
1	MX_GPIO_Init	GPIO
2	SystemClock_Config	RCC

6. Power Consumption Calculator report

6.1. Microcontroller Selection

Series	STM32F4
Line	STM32F407/417
MCU	STM32F407VGTx
Datasheet	DS8626_Rev8

6.2. Parameter Selection

Temperature	25
Vdd	3.3

6.3. Battery Selection

Battery	Li-SOCL2(A3400)
Capacity	3400.0 mAh
Self Discharge	0.08 %/month
Nominal Voltage	3.6 V
Max Cont Current	100.0 mA
Max Pulse Current	200.0 mA
Cells in series	1
Cells in parallel	1

6.4. Sequence

Step	Step1	Step2
Mode	RUN	STOP
Vdd	3.3	3.3
Voltage Source	Battery	Battery
Range	Scale1-High	No Scale
Fetch Type	FLASH	n/a
CPU Frequency	168 MHz	0 Hz
Clock Configuration	HSE PLL	Regulator_LP Flash-PwrDwn
Clock Source Frequency	4 MHz	0 Hz
Peripherals		
Additional Cons.	0 mA	0 mA
Average Current	46 mA	280 µA
Duration	0.1 ms	0.9 ms
DMIPS	210.0	0.0
Ta Max	98.47	104.96
Category	In DS Table	In DS Table

6.5. Results

Sequence Time	1 ms	Average Current	4.85 mA
Battery Life	29 days, 4 hours	Average DMIPS	210.0 DMIPS

6.6. Chart

Consumption Profile by Step

7. Peripherals and Middlewares Configuration

7.1. RCC

7.1.1. Parameter Settings:

System Parameters:

VDD voltage (V)	3.3
Instruction Cache	Enabled
Prefetch Buffer	Enabled
Data Cache	Enabled
Flash Latency(WS)	0 WS (1 CPU cycle)

RCC Parameters:

HSI Calibration Value	16
HSE Startup Timout Value (ms)	100
LSE Startup Timout Value (ms)	5000

Power Parameters:

Power Regulator Voltage Scale	Power Regulator Voltage Scale 1

7.2. SYS

Timebase Source: SysTick

* User modified value

8. System Configuration

8.1. GPIO configuration

IP	Pin	Signal	GPIO mode	GPIO pull/up pull down	Max Speed	User Label
GPIO	PC13-ANTI_TAMP	GPIO_Input	Input mode	No pull-up and no pull-down	n/a	
	PC14-OSC32_IN	GPIO_Input	Input mode	No pull-up and no pull-down	n/a	
	PC15-OSC32_OUT	GPIO_Input	Input mode	No pull-up and no pull-down	n/a	
	PC0	GPIO_Input	Input mode	No pull-up and no pull-down	n/a	
	PC1	GPIO_Input	Input mode	No pull-up and no pull-down	n/a	
	PC2	GPIO_Input	Input mode	No pull-up and no pull-down	n/a	
	PC3	GPIO_Input	Input mode	No pull-up and no pull-down	n/a	
	PC4	GPIO_Input	Input mode	No pull-up and no pull-down	n/a	
	PC5	GPIO_Input	Input mode	No pull-up and no pull-down	n/a	
	PD8	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	
	PD9	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	
	PD10	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	
	PC6	GPIO_Input	Input mode	No pull-up and no pull-down	n/a	
	PC7	GPIO_Input	Input mode	No pull-up and no pull-down	n/a	
	PC8	GPIO_Input	Input mode	No pull-up and no pull-down	n/a	
	PC9	GPIO_Input	Input mode	No pull-up and no pull-down	n/a	
	PC10	GPIO_Input	Input mode	No pull-up and no pull-down	n/a	
	PC11	GPIO_Input	Input mode	No pull-up and no pull-down	n/a	
	PC12	GPIO_Input	Input mode	No pull-up and no pull-down	n/a	
	PD0	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	
	PD1	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	
	PD2	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	
	PD3	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	
	PD4	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	
	PD5	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	
	PD6	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	
	PD7	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	

8.2. DMA configuration

nothing configured in DMA service

8.3. NVIC configuration

8.3.1. NVIC

Interrupt Table	Enable	Preenmption Priority	SubPriority
Non maskable interrupt	true	0	0
Hard fault interrupt	true	0	0
Memory management fault	true	0	0
Pre-fetch fault, memory access fault	true	0	0
Undefined instruction or illegal state	true	0	0
System service call via SWI instruction	true	0	0
Debug monitor	true	0	0
Pendable request for system service	true	0	0
System tick timer	true	0	0
PVD interrupt through EXTI line 16	unused		
Flash global interrupt	unused		
RCC global interrupt	unused		
FPU global interrupt	unused		

8.3.2. NVIC Code generation

Enabled interrupt Table	Select for init sequence ordering	Generate IRQ handler	Call HAL handler
Non maskable interrupt	false	true	false
Hard fault interrupt	false	true	false
Memory management fault	false	true	false
Pre-fetch fault, memory access fault	false	true	false
Undefined instruction or illegal state	false	true	false
System service call via SWI instruction	false	true	false
Debug monitor	false	true	false
Pendable request for system service	false	true	false
System tick timer	false	true	true

* User modified value

9. System Views

9.1. Category view

9.1.1. Current

Middleware

System Core	Analog	Timers	Connectivity	Multimedia	Security	Computing
DMA						
GPIO ✓						
NVIC ✓						
RCC ✓						
SYS ✓						

10. Docs & Resources

Type	Link
Datasheet	http://www.st.com/resource/en/datasheet/DM00037051.pdf
Reference manual	http://www.st.com/resource/en/reference_manual/DM00031020.pdf
Programming manual	http://www.st.com/resource/en/programming_manual/DM00046982.pdf
Errata sheet	http://www.st.com/resource/en/errata_sheet/DM00037591.pdf
Application note	http://www.st.com/resource/en/application_note/CD00167594.pdf
Application note	http://www.st.com/resource/en/application_note/CD00211314.pdf
Application note	http://www.st.com/resource/en/application_note/CD00249778.pdf
Application note	http://www.st.com/resource/en/application_note/CD00259245.pdf
Application note	http://www.st.com/resource/en/application_note/CD00264321.pdf
Application note	http://www.st.com/resource/en/application_note/CD00264342.pdf
Application note	http://www.st.com/resource/en/application_note/CD00264379.pdf
Application note	http://www.st.com/resource/en/application_note/DM00024853.pdf
Application note	http://www.st.com/resource/en/application_note/DM00025071.pdf
Application note	http://www.st.com/resource/en/application_note/DM00040802.pdf
Application note	http://www.st.com/resource/en/application_note/DM00040808.pdf
Application note	http://www.st.com/resource/en/application_note/DM00042534.pdf
Application note	http://www.st.com/resource/en/application_note/DM00046011.pdf
Application note	http://www.st.com/resource/en/application_note/DM00050879.pdf
Application note	http://www.st.com/resource/en/application_note/DM00072315.pdf
Application note	http://www.st.com/resource/en/application_note/DM00073742.pdf
Application note	http://www.st.com/resource/en/application_note/DM00073853.pdf
Application note	http://www.st.com/resource/en/application_note/DM00080497.pdf
Application note	http://www.st.com/resource/en/application_note/DM00081379.pdf
Application note	http://www.st.com/resource/en/application_note/DM00115714.pdf
Application note	http://www.st.com/resource/en/application_note/DM00123028.pdf

Application note http://www.st.com/resource/en/application_note/DM00129215.pdf

Application note http://www.st.com/resource/en/application_note/DM00154959.pdf

Application note http://www.st.com/resource/en/application_note/DM00160482.pdf

Application note http://www.st.com/resource/en/application_note/DM00213525.pdf

Application note http://www.st.com/resource/en/application_note/DM00220769.pdf

Application note http://www.st.com/resource/en/application_note/DM00257177.pdf

Application note http://www.st.com/resource/en/application_note/DM00272912.pdf

Application note http://www.st.com/resource/en/application_note/DM00226326.pdf

Application note http://www.st.com/resource/en/application_note/DM00236305.pdf

Application note http://www.st.com/resource/en/application_note/DM00263732.pdf

Application note http://www.st.com/resource/en/application_note/DM00281138.pdf

Application note http://www.st.com/resource/en/application_note/DM00296349.pdf

Application note http://www.st.com/resource/en/application_note/DM00327191.pdf

Application note http://www.st.com/resource/en/application_note/DM00354244.pdf

Application note http://www.st.com/resource/en/application_note/DM00373474.pdf

Application note http://www.st.com/resource/en/application_note/DM00315319.pdf

Application note http://www.st.com/resource/en/application_note/DM00380469.pdf

Application note http://www.st.com/resource/en/application_note/DM00395696.pdf

Application note http://www.st.com/resource/en/application_note/DM00431633.pdf

Application note http://www.st.com/resource/en/application_note/DM00493651.pdf

Application note http://www.st.com/resource/en/application_note/DM00536349.pdf

Application note http://www.st.com/resource/en/application_note/DM00725181.pdf