MSSubClass: Identifies the type of dwelling involved in the sale.

```
20
                1-STORY 1946 & NEWER ALL STYLES
        30
                1-STORY 1945 & OLDER
        40
                1-STORY W/FINISHED ATTIC ALL AGES
        45
                1-1/2 STORY - UNFINISHED ALL AGES
        50
                1-1/2 STORY FINISHED ALL AGES
        60
                2-STORY 1946 & NEWER
        70
                2-STORY 1945 & OLDER
        75
                2-1/2 STORY ALL AGES
        80
                SPLIT OR MULTI-LEVEL
                SPLIT FOYER
        85
        90
                DUPLEX - ALL STYLES AND AGES
               1-STORY PUD (Planned Unit Development) - 1946 & NEWER
       120
               1-1/2 STORY PUD - ALL AGES
       150
                2-STORY PUD - 1946 & NEWER
       160
       180
                PUD - MULTILEVEL - INCL SPLIT LEV/FOYER
       190
                2 FAMILY CONVERSION - ALL STYLES AND AGES
MSZoning: Identifies the general zoning classification of the sale.
                Agriculture
       С
                Commercial
       FV
                Floating Village Residential
       Ι
                Industrial
       RH
                Residential High Density
                Residential Low Density
       RT.
       RР
                Residential Low Density Park
       RM
                Residential Medium Density
LotFrontage: Linear feet of street connected to property
LotArea: Lot size in square feet
Street: Type of road access to property
                Gravel
       Grvl
       Pave
                Paved
Alley: Type of alley access to property
       Grvl
                Gravel
       Pave
                Paved
                No alley access
LotShape: General shape of property
                Regular
       Rea
       IR1
                Slightly irregular
                Moderately Irregular
       TR2
                Irregular
       IR3
LandContour: Flatness of the property
       Lvl
                Near Flat/Level
                Banked - Quick and significant rise from street grade to building
       Bnk
       HLS
                Hillside - Significant slope from side to side
```

Depression Low

Utilities: Type of utilities available

All public Utilities (E,G,W,&S) AllPub

NoSewr Electricity, Gas, and Water (Septic Tank)

NoSeWa Electricity and Gas Only

ELO Electricity only

LotConfig: Lot configuration

```
Inside
               Inside lot
       Corner Corner lot
       CulDSac Cul-de-sac
               Frontage on 2 sides of property
       FR2
       FR3
                Frontage on 3 sides of property
LandSlope: Slope of property
       Gtl
                Gentle slope
       Mod
                Moderate Slope
       Sev
                Severe Slope
Neighborhood: Physical locations within Ames city limits
```

```
Blmngtn Bloomington Heights
Blueste Bluestem
BrDale Briardale
BrkSide Brookside
ClearCr Clear Creek
CollgCr College Creek
Crawfor Crawford
Edwards Edwards
Gilbert Gilbert
```

IDOTRR Iowa DOT and Rail Road MeadowV Meadow Village

Mitchel Mitchell Names North Ames NoRidge Northridge NPkVill Northpark Villa NridgHt Northridge Heights NWAmes Northwest Ames

OldTown Old Town

SWISU South & West of Iowa State University

Sawyer Sawyer SawyerW Sawyer West Somerst Somerset StoneBr Stone Brook Timber Timberland Veenker Veenker

Condition1: Proximity to various conditions

```
Artery
        Adjacent to arterial street
Feedr
        Adjacent to feeder street
Norm
        Normal
RRNn
        Within 200' of North-South Railroad
RRAn
        Adjacent to North-South Railroad
        Near positive off-site feature--park, greenbelt, etc.
PosN
        Adjacent to postive off-site feature
PosA
        Within 200' of East-West Railroad
RRNe
        Adjacent to East-West Railroad
RRAe
```

Condition2: Proximity to various conditions (if more than one is present)

```
Artery
        Adjacent to arterial street
Feedr
        Adjacent to feeder street
Norm
        Normal
RRNn
        Within 200' of North-South Railroad
RRAn
        Adjacent to North-South Railroad
PosN
        Near positive off-site feature--park, greenbelt, etc.
        Adjacent to postive off-site feature
PosA
RRNe
        Within 200' of East-West Railroad
RRAe
        Adjacent to East-West Railroad
```

BldgType: Type of dwelling

```
Single-family Detached
       1Fam
       2FmCon
                Two-family Conversion; originally built as one-family dwelling
       Duplx
               Townhouse End Unit
       TwnhsE
       TwnhsI Townhouse Inside Unit
HouseStyle: Style of dwelling
       1Story
               One story
       1.5Fin
               One and one-half story: 2nd level finished
       1.5Unf
               One and one-half story: 2nd level unfinished
       2Story Two story
       2.5Fin Two and one-half story: 2nd level finished
       2.5Unf Two and one-half story: 2nd level unfinished
       SFoyer Split Foyer
       SLvl
                Split Level
OverallQual: Rates the overall material and finish of the house
       10
                Very Excellent
                Excellent
       9
       8
                Very Good
       7
                Good
       6
                Above Average
       5
                Average
                Below Average
       4
       3
               Fair
       2
               Poor
       1
                Very Poor
OverallCond: Rates the overall condition of the house
       10
                Very Excellent
       9
                Excellent
       8
               Very Good
       7
               Good
       6
               Above Average
       5
               Average
       4
                Below Average
       3
                Fair
       2
                Poor
                Very Poor
YearBuilt: Original construction date
YearRemodAdd: Remodel date (same as construction date if no remodeling or additions)
RoofStyle: Type of roof
       Flat
               Flat
       Gable
               Gable
       Gambrel Gabrel (Barn)
               Hip
       Hip
       Mansard Mansard
       Shed
               Shed
RoofMatl: Roof material
       ClyTile Clay or Tile
       CompShg Standard (Composite) Shingle
       Membran Membrane
       Metal Metal
               Roll
       Roll
       Tar&Grv Gravel & Tar
       WdShake Wood Shakes
       WdShngl Wood Shingles
```

Exterior1st: Exterior covering on house

AsbShnq Asbestos Shingles AsphShn Asphalt Shingles BrkComm Brick Common BrkFace Brick Face CBlock Cinder Block CemntBd Cement Board HdBoard Hard Board
ImStucc Imitation Stucco
MetalSd Metal Siding Other Other Plywood Plywood PreCast PreCast Stone Stone Stucco Stucco VinylSd Vinyl Siding Wd Sdng Wood Siding WdShing Wood Shingles

Exterior2nd: Exterior covering on house (if more than one material)

AsbShng Asbestos Shingles AsphShn Asphalt Shingles BrkComm Brick Common BrkFace Brick Face CBlock Cinder Block CemntBd Cement Board HdBoard Hard Board ImStucc Imitation Stucco MetalSd Metal Siding

Other Other Plywood Plywood PreCast PreCast Stone Stone Stucco Stucco

VinylSd Vinyl Siding Wd Sdng Wood Siding WdShing Wood Shingles

MasVnrType: Masonry veneer type

BrkCmn Brick Common BrkFace Brick Face CBlock Cinder Block

None None Stone Stone

MasVnrArea: Masonry veneer area in square feet

ExterQual: Evaluates the quality of the material on the exterior

Ex Excellent

Gd Good

TAAverage/Typical

Fa Fair Poor

ExterCond: Evaluates the present condition of the material on the exterior

Excellent Ex

Gd Good

TAAverage/Typical

Fa Fair Ро Poor

Foundation: Type of foundation

```
BrkTil
                Brick & Tile
       CBlock
                Cinder Block
                Poured Contrete
       PConc
       Slab
                Slab
                Stone
       Stone
       Wood
                Wood
BsmtQual: Evaluates the height of the basement
                Excellent (100+ inches)
       Ex
       Gd
                Good (90-99 inches)
       ΤA
                Typical (80-89 inches)
       Fa
                Fair (70-79 inches)
       Ро
                Poor (<70 inches
                No Basement
       NΑ
BsmtCond: Evaluates the general condition of the basement
       Ex
                Excellent
       Gd
                Good
       ТΔ
                Typical - slight dampness allowed
                Fair - dampness or some cracking or settling
       Fa
       Ро
                Poor - Severe cracking, settling, or wetness
       NA
                No Basement
BsmtExposure: Refers to walkout or garden level walls
       Gd
                Good Exposure
                Average Exposure (split levels or foyers typically score average or above)
       Αv
       Mn
                Mimimum Exposure
       No
                No Exposure
       NA
                No Basement
BsmtFinTypel: Rating of basement finished area
       GLO
                Good Living Quarters
       ALQ
                Average Living Quarters
       BLQ
                Below Average Living Quarters
       Rec
                Average Rec Room
       LwO
                Low Quality
                Unfinshed
       Unf
       NA
                No Basement
BsmtFinSF1: Type 1 finished square feet
BsmtFinType2: Rating of basement finished area (if multiple types)
       GLO
                Good Living Quarters
                Average Living Quarters
       ALQ
       BLO
                Below Average Living Quarters
                Average Rec Room
       Rec
                Low Quality
       LwO
                Unfinshed
       Unf
       NA
                No Basement
BsmtFinSF2: Type 2 finished square feet
BsmtUnfSF: Unfinished square feet of basement area
TotalBsmtSF: Total square feet of basement area
Heating: Type of heating
```

Floor

GasA

Gas₩

Floor Furnace

Gas forced warm air furnace

Gas hot water or steam heat

Grav Gravity furnace

OthW Hot water or steam heat other than gas

Wall furnace

HeatingQC: Heating quality and condition

Ex Excellent

Gd Good

TA Average/Typical

Fa Fair Po Poor

CentralAir: Central air conditioning

N No Y Yes

Electrical: Electrical system

SBrkr Standard Circuit Breakers & Romex

FuseA Fuse Box over 60 AMP and all Romex wiring (Average)

FuseF 60 AMP Fuse Box and mostly Romex wiring (Fair)

FuseP 60 AMP Fuse Box and mostly knob & tube wiring (poor)

Mix Mixed

1stFlrSF: First Floor square feet

2ndFlrSF: Second floor square feet

LowQualFinSF: Low quality finished square feet (all floors)

GrLivArea: Above grade (ground) living area square feet

BsmtFullBath: Basement full bathrooms

BsmtHalfBath: Basement half bathrooms

FullBath: Full bathrooms above grade

HalfBath: Half baths above grade

Bedroom: Bedrooms above grade (does NOT include basement bedrooms)

Kitchen: Kitchens above grade

KitchenQual: Kitchen quality

Ex Excellent

Gd Good

TA Typical/Average

Fa Fair Po Poor

TotRmsAbvGrd: Total rooms above grade (does not include bathrooms)

Functional: Home functionality (Assume typical unless deductions are warranted)

Тур Typical Functionality Min1 Minor Deductions 1 Min2 Minor Deductions 2 Moderate Deductions Mod Major Deductions 1 Maj1 Maj2 Major Deductions 2 Severely Damaged Sev Sal Salvage only

Fireplaces: Number of fireplaces

FireplaceQu: Fireplace quality

Ex Excellent - Exceptional Masonry Fireplace

Gd Good - Masonry Fireplace in main level

TA Average - Prefabricated Fireplace in main living area or Masonry Fireplace in

basement

Fa Fair - Prefabricated Fireplace in basement

Po Poor - Ben Franklin Stove

NA No Fireplace

GarageType: Garage location

2Types More than one type of garage

Attchd Attached to home Basment Basement Garage

BuiltIn Built-In (Garage part of house - typically has room above garage)

CarPort Car Port

Detchd Detached from home

NA No Garage

GarageYrBlt: Year garage was built

GarageFinish: Interior finish of the garage

Fin Finished
RFn Rough Finished
Unf Unfinished
NA No Garage

GarageCars: Size of garage in car capacity

GarageArea: Size of garage in square feet

GarageQual: Garage quality

Ex Excellent

Gd Good

TA Typical/Average

Fa Fair
Po Poor
NA No Garage

GarageCond: Garage condition

Ex Excellent

Gd Good

TA Typical/Average

Fa Fair Po Poor NA No Garage

PavedDrive: Paved driveway

Y Paved

P Partial Pavement N Dirt/Gravel

WoodDeckSF: Wood deck area in square feet

OpenPorchSF: Open porch area in square feet

EnclosedPorch: Enclosed porch area in square feet

3SsnPorch: Three season porch area in square feet

ScreenPorch: Screen porch area in square feet

PoolArea: Pool area in square feet

PoolQC: Pool quality

Ex Excellent Gd Good

TA Average/Typical

Fa Fair NA No Pool

Fence: Fence quality

GdPrv Good Privacy MnPrv Minimum Privacy GdWo Good Wood

MnWw Minimum Wood/Wire

NA No Fence

MiscFeature: Miscellaneous feature not covered in other categories

Elev Elevator

Gar2 2nd Garage (if not described in garage section)

Othr Other

Shed Shed (over 100 SF)

TenC Tennis Court

NA None

MiscVal: \$Value of miscellaneous feature

MoSold: Month Sold (MM)

YrSold: Year Sold (YYYY)

SaleType: Type of sale

WD Warranty Deed - Conventional

CWD Warranty Deed - Cash VWD Warranty Deed - VA Loan

New Home just constructed and sold

COD Court Officer Deed/Estate

Con Contract 15% Down payment regular terms
ConLw Contract Low Down payment and low interest

ConLI Contract Low Interest
ConLD Contract Low Down

Oth Other

SaleCondition: Condition of sale

Normal Normal Sale

Abnormal Sale - trade, foreclosure, short sale

AdjLand Adjoining Land Purchase

Alloca Allocation - two linked properties with separate deeds, typically condo with a

garage unit

Family Sale between family members

Partial Home was not completed when last assessed (associated with New Homes)