1 Task Context

`django__django-11790`

Django 3.1 · SWE-bench Verified Mini

`AuthenticationForm.username`

Missing **maxlength** HTML attribute

Same task + native target

3 Public Selection

Public files · /app/
`task.json · profiles.json`
`evidence/history.json`
History: **OTHER tasks only**

`instruction.md · excerpt`
"Choose a service before execution …"
`Create /app/output/selection.json`
as an actual JSON file.

GLM-5.3
File access
17 cases · 33 candidates

Read public files → submit all choices

2 Objectives

Full-task success
Budget B = $1.9228

D50 deadline
300.259 s

D75 deadline
503.630 s

D95 deadline
1365.967 s

4 Recorded Choices

`selection.json · decoded`

Three submitted choices from the same task package

`case: B50_D50`
`service: svc_566e68185d15`
H · Claude Haiku 4.5 High
HAL Generalist

`case: B50_D75`
`service: svc_566e68185d15`
H · Claude Haiku 4.5 High
HAL Generalist

`case: B50_D95`
`service: svc_4efb264181d6`
G · GPT-5 Medium
SWE-Agent

5 Explanation

Evidence · One task, fixed budget


Compare the same recorded runs.
Only the deadline changes.

- **H · Haiku 4.5 High / HAL**
- × **G · GPT-5 Medium / SWE-Agent**
- **V · DeepSeek V3 / HAL**
  V is the private minimum-cost reference.

○ Actual selection ▭ Within both limits
● Native pass × Native fail


Step 1 · Native pass, but too slow

Haiku passes the original task.
Its 387 s exceeds D50 (300 s).




Step 2 · The same run now qualifies

Same Haiku, same 387 s execution.
At D75 (504 s), both limits are met.



Step 3 · More time, a worse choice

GLM switches to GPT-5: native failure.
Haiku still qualifies at D95 (1366 s).



D75 → D95: the full pool retains the same five feasible candidates.

Profiles shown: 3 / 16 · Original IDs retained in the source files

Plots show 3 highlighted configurations from 33 candidates. Filled dots: native pass; crosses: native fail. Recorded runs; values rounded.