MonitorAI: Multi-Device Infrastructure Setup Guide

This PDF manual outlines the folder structures and instructions required to test and monitor standard client laptops using the MonitorAI platform.

1. Server-Side Directory Structure (Host Dashboard)

The server hosts the primary Flask dashboard database, PDF/Excel reports repository, alerts logger, and the dynamic interactive AI Diagnostics assistant.

```
Server_Project/ (Main Project Root)
■■■ run.py                 # Launches Flask server & triggers browser
■■■ initialize_database.py # Prepares and seeds the local SQLite database
■■■ config.py              # Main configurations & thresholds definition
■■■ requirements.txt       # Dependencies manifest (Flask, SQLAlchemy, PyMySQL)
■■■ it_monitor_db.db       # SQLite local database binary file
■■■ client_agent.py        # Client reporting agent executable script
■■■ app/                   # Primary MVC package folder
■   ■■■ models/            # Database schema models (User, Alert, Report)
■   ■■■ controllers/       # Dashboard, metrics, auth, and reports controllers
■   ■■■ routes/            # Blueprint routes declarations
■   ■■■ templates/         # UI layout templates (dashboard, detailed specs)
■   ■■■ static/            # Stylesheets (style.css), JS scripts, images
■   ■■■ utilities/         # AI recommendations, system specs, mail helper
■■■ tests/                 # Unittest diagnostics packages
```

2. Client-Side Directory Structure (Other Laptops)

To gather telemetry data from other client laptops, copy only the following directory structure to a folder on the other machine:

```
Client_Telemetry/
■■■ client_agent.py        # Gathers system metrics and posts them to server
■■■ requirements.txt       # Minimised client dependencies listing (psutil, requests)
```

3. Step-by-Step Connection Instructions

• Step A: Identify Server Network Address
Start the web dashboard on the host computer. Observe the console startup log to get the LAN IP address (e.g. *http://192.168.1.6:5000*).

• Step B: Copy & Setup Agent
Copy the client folder to the target laptop, open a terminal (PowerShell or Command Prompt) in that folder, and install dependencies:

```
pip install requests psutil
```

• Step C: Run Telemetry Reporting Agent
Start the client agent pointing to the server's IP address:

```
py client_agent.py http://<your-server-ip>:5000
```

• Step D: Authenticate with Dashboard Credentials
Input the standard user credentials (Default: Username: **client** / Password: **client123**, or register a new user on the dashboard). The agent will print successful authentication and begin polling.

• Step E: View Live Diagnostics
Log in to the web dashboard on the host machine as **admin** / **admin123**. Use the **"Select Remote Machine to Monitor"** dropdown menu at the top of the page to toggle display specs to the remote laptop.