IPgrab

Verbose Packet Sniffer Edition 0.9.7, for IPgrab version 0.9.7 15 November 2001

Mike Borella

Copyright © 1997-2001, Mike Borella

Permission is granted to make and distribute verbatim copies of this manual provided the copyright notice and this permission notice are preserved on all copies.

Permission is granted to copy and distribute modified versions of this manual under the conditions for verbatim copying, provided that the entire resulting derived work is distributed under the terms of a permission notice identical to this one.

Permission is granted to copy and distribute translations of this manual into another language, under the above conditions for modified versions, except that this permission notice may be stated in a translation approved by the Author.

Table of Contents

1	Introduction	
2	Guid	lelines for Use
	2.1	Main Mode
	2.2	Minimal Mode
	2.3	Command Line Options
	2.4	Examples 4
3	Stati	us of Protocol Modules 6
	3.1	Authentication Header (AH)
	3.2	Address Resolution Protocol (ARP) 6
	3.3	Callback Control Protocol (CBCP)
	3.4	Compression Control Protocol (CBCP) 6
	3.5	Challenge Handshake Authentication Protocol (CHAP) 7
	3.6	Dynamic Host Configuration Protocol (DHCP)
	3.7	Domain Name System (DNS)
	3.8	Encapsulating Security Payload (ESP)
	3.9	Ethernet
	3.10	File Transfer Protocol (FTP): Control 8
	3.11	Generic Routing Encapsulation
	3.12	Hypertext Transfer Protocol 8
	3.13	Internet Control Message Protocol
	3.14	
	3.15	Internet Group Message Protocol
	3.16	Internet Protocol9
	3.17	Internet Protocol Control Protocol
	3.18	Internet Protocol Version 6
	3.19	Internet Packet Exchange
	3.20	Internet Packet Exchange Routing Information Protocol 10
	3.21	Internet Key Exchange
	3.22	·
	0.22	
	3.23	Layer 2 Tunneling Protocol
	3.24	Link Control Protocol
	3.25	Logical Link Control
	3.26	Loopback
	3.27	Media Gateway Control Protocol
	3.28	Mobile IP
	3.29	Microsoft Point-to-Point Compression Protocol (MPPC) 11
	3.29 3.30	NETBIOS Name Service
	3.30	Network News Transfer Protocol (NNTP)
	3.31	· · · · · · · · · · · · · · · · · · ·
	∪∠	

	3.33	Point to Point Protocol
	3.34	PPP Over Ethernet
	3.35	Point to Point Tunneling Protocol
	3.36	Raw IP
	3.37	Routing Information Protocol
	3.38	Routing Information Protocol (Next Generation) 13
	3.39	Real Time Control Protocol (RTP)
	3.40	Real Time Protocol (RTP)
	3.41	Session Description Protocol
	3.42	Session Initiation Protocol
	3.43	Serial Line IP
	3.44	Service Location Protocol
	3.45	Simple Network Management Protocol
	3.46	Sequenced Packet Exchange
	3.47	Secure Shell
	3.48	Transmission Control Protocol
	3.49	Trivial File Transfer Protocol (TFTP)
	3.50	User Datagram Protocol
4	Histo	ry 16
5	Index	

1 Introduction

You don't really understand networks until you've watched traffic on the wire. I believe strongly in this statement. In fact, I believe in it so strongly that I've been devleoping a packet sniffer so that all of us can learn about networking this way.

A packet sniffer is an application layer program that interacts with one or more layer two or layer three kernel modules or device drivers to capture packets on a network. The lower-layer pieces read the packet off the wire, copy it into memory, and provide an API for an application to read it. An application, such as IPgrab, can do whatever it likes with the resulting image of a packet. Packet sniffers have been used for many years to detect network problems, troubleshoot protocols, and detect intruders.

Traditionally, packet sniffers have displayed the captured packets in brief, rather cryptic formats.

IPgrab is my humble attempt to make most, and eventually all, network protocols readable. It currently supports a wide variety of IP-related protocols, including some of the newer IP telephony protocols such as SIP and MGCP, as well as IPv6. IPgrab also decodes basic IPX and NETBIOS packets.

The center of all IPgrab development, testing, and communication is hosted on Source-Forge at http://ipgrab.sourceforge.net/. You may mail suggestions and bug reports for to me at mike@borella.net.

2 Guidelines for Use

IPgrab can be used in a number of ways, for a number of purposes. In this section we provide a brief overview of IPgrab's two modes and its command-line options.

2.1 Main Mode

Main mode is the default mode for IPgrab output. It is extremely verbose, displaying each field from all packet headers and protocols that it understands across a separate line of text. Banners separate different layers of protocol output. Single packets may require more than 100 lines in order to be displayed. Main mode is most useful if you need to know why or when a certain field or fields take on certain values. Below is an example of main mode formatting of a TCP packet.

```
Ethernet (990036574.132701)
______
Hardware source:
                00:80:3e:57:b4:cf
Hardware destination: 01:00:5e:00:01:16
Type / Length:
                0x800 (IP)
Media length:
                192
______
                IP Header
______
Version:
                4
Header length:
                5 (20 bytes)
TOS:
                0x00
Total length:
                178
Identification:
                16
Fragmentation offset:
                0
Unused bit:
                0
Don't fragment bit:
More fragments bit:
                0
                0
Time to live:
                29
Protocol:
               17 (UDP)
Header checksum:
Source address:
               33315
                149.112.164.129
Destination address: 224.0.1.22
                UDP Header
Source port:
Destination port:
                1026 (unknown)
                427 (SLP)
Length:
                158
Checksum:
                17593
                SLPv1 Header
Version:
```

Operation: 1 (service request)

Length: 150
Flags/Reserved: 0x00
Dialect: 0
Language code: en
Character encoding: 1000
XID: 6365

In general, IPgrab does not attempt to "interpret" the values of a packet. For example, the IP TOS field is displayed in its raw value of 0x00. If there is an interpretation or further explanation of a field, IPgrab puts it in parenthesis following the raw value. For example, the IP header length field is displayed in its raw form of 5 followed by an interpretation of the number of bytes that this value represents. Likewise, the TCP source port is 23, which IPgrab recognizes as the telnet port.

Note that IPgrab adds a timestamp to the banner for each link layer packet.

2.2 Minimal Mode

IPgrab also supports a minimal mode in which all information about all parts of a packet are displayed in a single line of text. This line may be longer than 80 characters and thus wrap around a standard terminal window one or more times. Below is an example of minimal mode formatting of a TCP packet.

```
1 990038240.206509 | ETH 00:b0:d0:11:a4:d0->ff:ff:ff:ff:ff:ff | IP
149.112.90.171->149.112.90.255 (len:78,id:29629,frag:0) | UDP 137->137
| NETBIOS NS query 3-COM
```

Minimal mode begins with a number (in this case, the number 1 indicates that this packet is the first one read) and a timestamp, and then parses the packet from link layer to application layer. Each layer begins with an abbreviation of the protocol being displayed (such as ETH, IP, and UDP, above). These abbreviations are followed by only the most relevant fields of the protocol. For example, IP source and destination addresses are shown, along with the total length field and the DF bit (if set) in parentheses. Likewise, UDP source and destination ports are shown.

2.3 Command Line Options

Both main mode and minimal mode output can be adjusted by specifying one or more commend line options. In this section, we provide a complete list of IPgrab's command line options and their use.

The usage of IPgrab is briefly described as follows.

```
ipgrab [-blmnPprTtwx] [-c|--count n] [-h|--help] [-i|--interface if] [BPF expr]
```

The BPF expression is a string of terms that is acceptable to the Berkeley Packet Filter. For more details on the BPF expression grammar, see the tcpdump manual page.

- -a. Don't display application layer data.
- -b. Turn off buffering of standard output (stdout) so that all displaying occurs as soon as possible. Useful when IPgrab output is being re-directed to a file.
- -c n / --count n. Terminate after reading and displaying the first n packets.

- -C proto / --CCP proto. Assume a particular CCP protocol, such as MPPC. MPPC is the only one supported today.
- -d. Dump extra padding in packets. For example, according to an IP header, the packet ends at a certain point, but the link layer may have padded it beyond that. This option displays the padding. Not valid in minimal mode.
- -h / --help. Display usage screen with a brief description of the command line options.
- -i if / --interface if. Makes IPgrab listen to packets on interface if. If this option is not used, the default interface will be assumed.
- -1. Don't display link layer headers. The following protocols are considered to be link layer: ARP, CHAP, Ethernet, IPCP, LCP, LLC, Loopback, PPP, PPPoE, Raw, Slip, .
- -m. Minimal mode output.
- -n. Don't display network layer headers. The following protocols are considered to be network layer: AH, ESP, GRE, ICMP, ICMPv6, IGMP, IP, IPv6, IPX, IPXRIP.
- -P. Initiate a dynamic port mapping. This option must be followed by a string of the form 'cool>=<port>', such as 'rtp=6569'.
- -p. Dump packet payloads beyond what IPgrab parses. In other words, if IPgrab doesn't parse a particular application, this option will dump the application data in hex and text format.
- -r. Read packets from a file, rather than an interface. The file should be created in "raw" format, such as with '-w' option.
- -T. Don't display timestamps in minimal mode.
- -t. Don't display transport layer headers. The following protocols are considered to be transport layer: SPX, TCP, UDP.
- -v. Display version number then quit.
- -w. Write the raw packets to a file, rather than the screen. The packets will not be parsed. The file can be read with the '-r' option.
- -x. Hex dump mode. After processing each layer, dump out the contents of that layer in hex and text. Only valid in main mode.

2.4 Examples

• Only ICMP packets will be displayed using main mode without link layer headers.

0

Command: ipgrab -l icmp

Unused bit:

Output:

	IP Header				
Version:	4				
Header length:	5 (20 bytes)				
TOS:	0x00				
Total length:	84				
Identification:	0				
Fragmentation offset:	0				

Don't fragment bit: 1
More fragments bit: 0 Time to live: 64

Protocol: 1 (ICMP)
Header checksum: 42625
Source address: 149.112.90.225

Destination address: 198.147.221.66

ICMP Header

Type: 8 (echo request)

Code: 0 Checksum: 43361 Identifier: 15353 Sequence number:

• Only packets arriving on interface eth1 with a source port of 21 (FTP) will be displayed in minimal mode.

Command: ipgrab -i eth1 -m src port 21

Output:

1 990038936.642292 | ETH 00:80:3e:57:b4:cf->00:50:04:32:0e:8f | IP 198.147.221.66->149.112.90.225 (len:64,id:18353,DF,frag:0) | TCP 21->1047 (SA,3123051349,2290714856,9856) <timestamp 873976824 43310056><window scale 0><SACK permitted><maximum segment size 1420>

3 Status of Protocol Modules

In this section we discuss the status of each of the protocol modules. While some protocols may be fully supported and well tested, other modules may only have partial support or may not have been tested fully.

3.1 Authentication Header (AH)

Module: ah.cSupport: Full.

• Maturity: Not tested.

• Notes: AH typically appears between IP and TCP/UDP headers in order to apply IPsec-based authentication.

3.2 Address Resolution Protocol (ARP)

• Module: arp.c

• Support: Partial (only supports IP over Ethernet).

• Maturity: Well tested.

• Notes: Originally, ARP was defined to support address resolution of network layer protocol x over link layer protocol y. Currently, IP over Ethernet is by far the most used mode of ARP, and thus is the only one supported.

3.3 Callback Control Protocol (CBCP)

Module: cbcp.cSupport: Partial.

• Maturity: Well tested.

• Notes: This protocol runs over PPP and allows a client to request that the server calls back. We only support very basic negotiation that is seen in the Windows 2000 VPN client.

3.4 Compression Control Protocol (CBCP)

Module: ccp.cSupport: Partial.

• Maturity: Well tested.

• Notes: CCP negotiates a compression algorithm for PPP and its associated parameters. Since the protocol used is stateful, we need a hint in order to decode the header portion. Such a hint can be provided the -C option (see above). However, this limits us to decoding only one CCP-negotiated protocol at a time.

3.5 Challenge Handshake Authentication Protocol (CHAP)

Module: chap.cSupport: Full.

• Maturity: Well tested.

• Notes: CHAP authenticates the ends of a PPP session to one another.

3.6 Dynamic Host Configuration Protocol (DHCP)

• Module: dhcp.c

• Support: Partial (doesn't support all options).

• Maturity: Well tested.

• Notes: DHCP is an extensibly protocol with a large number of officially sanctioned options, and a number of de facto options. Currently we support many of the most common, but not all, of these options.

3.7 Domain Name System (DNS)

• Module: dns.c

• Support: Partial (doesn't support all record types).

• Maturity: Well tested.

• Notes: Currently, we support records of type A, AAAA, CNAME, NS, SOA, and PTR. Other record types, such as A6, MX, and SRV, are not supported.

3.8 Encapsulating Security Payload (ESP)

• Module: esp.c

• Support: Partial (doesn't decrypt packets nor decode ESP trailer).

• Maturity: Not tested.

• Notes: ESP typically appears between IP and TCP/UDP headers in order to apply IPsec-based encryption and/or authentication. We do not attempt to decode encrypted packets because this would require adding state to IPgrab, which is something that we'd rather not do. This prevents us from displaying the ESP trailer as well. As soon as an ESP header is read and the plaintext portion is displayed, we halt processing of the rest of the packet.

3.9 Ethernet

• Module: ethernet.c

• Support: Full, expcept that not all Ethernet types are recognized, and 802.1p and VLANs are not supported.

• Maturity: Well tested.

• Notes: Supported Ethernet types include IP, IPv6, PPP, ARP, RARP, and IPX. LLC encapsulation is supported in the LLC module.

3.10 File Transfer Protocol (FTP): Control

• Module: ftpctrl.c

• Support: Full.

• Maturity: Well tested.

• Notes:

3.11 Generic Routing Encapsulation

• Module: gre.c

• Support: Full for versions 0 and 1.

• Maturity: Well tested.

• Notes: Version 1 is defined in the PPTP RFC.

3.12 Hypertext Transfer Protocol

• Module: http.c

• Support: Full (displays only headers).

• Maturity: Well tested.

• Notes: Parses and displays HTTP headers only. The rest of the payload is skipped.

3.13 Internet Control Message Protocol

• Module: icmp.c

• Support: Partial.

• Maturity: Well tested.

• Notes: Displays all ICMP types and codes, but does not parse specific payloads for some lesser-used ICMP types, such as source quench, and redirect. Also does not handle Mobile IP extensions (yet).

3.14 Internet Control Message Protocol Version 6

• Module: icmpv6.c

• Support: Partial.

• Maturity: Well tested.

• Notes: Not all types and codes are explicitly parsed.

3.15 Internet Group Message Protocol

Module: igmp.cSupport: Partial.

• Maturity: Well tested.

• Notes: IGMPv1 and v2 are supported. IGMPv3 is not tested and may not be cleanly supported.

3.16 Internet Protocol

Module: ip.cSupport: Full.

• Maturity: Well tested.

• Notes: Full support for the IP header and options. TOS/DS byte is not interpreted in any particular fashion.

3.17 Internet Protocol Control Protocol

Module: ipcp.cSupport: Partial.

• Maturity: Well tested.

• Notes: Full support for common messages and options. Some options may not be supported.

3.18 Internet Protocol Version 6

Module: ipv6.cSupport: Partial.

• Maturity: Well tested.

• Notes: Full support for the IPv6 header, except that IPv6 addresses are not displayed in the proper shorthand.

3.19 Internet Packet Exchange

Module: ipx.cSupport: Partial.

• Maturity: Well tested.

• Notes: Full support for the IPX header, but not all transport protocols and applications are supported, nor are the header fields interpretated as well as they could be.

3.20 Internet Packet Exchange Routing Information Protocol

Module: ipxrip.cSupport: Partial.Maturity: Well tested.

• Notes: Basic listing of the routes.

3.21 Internet Key Exchange

See Internet Security Association and Key Management Protocol.

3.22 Internet Security Association and Key Management Protocol

Module: isakmp.cSupport: Partial.

• Maturity: Well tested against Windows 2000 only.

• Notes: Only the following ISAKMP headers are supported: delete, SA, vendor ID, proposal, transform.

3.23 Layer 2 Tunneling Protocol

Module: 12tp.cSupport: Partial.Maturity: Well tested.

• Notes: Only the most common message types are supported.

3.24 Link Control Protocol

Module: lcp.cSupport: Partial.Maturity: Well tested.

• Notes: Not all NCPs are tested for.

3.25 Logical Link Control

Module: llc.c Support: Partial.

• Maturity: Partially tested.

• Notes: Some basic cases such as IP and IPX encapsulation work reasonably well, but other common cases are not supported. Basically, this module needs a re-write.

3.26 Loopback

• Module: loopback.c

• Support: Full.

• Maturity: Fully tested.

• Notes: Some loopback interfaces, Redhat Linux 6.2 for example, present themselves as Ethernet interfaces, where all Ethernet addresses are zeroed out. Strange but true.

3.27 Media Gateway Control Protocol

Module: mgcp.c Support: Partial.

• Maturity: Not tested.

• Notes: Use at your own risk.

3.28 Mobile IP

• Module: mobileip.c

• Support: Partial.

• Maturity: Well tested.

• Notes: Not all extensions are supported. Support for the CDMA2000 A11 interface is also in this module. We support registration update and registration acknowledgement, as well as some of the extensions.

3.29 Microsoft Point-to-Point Compression Protocol (MPPC)

• Module: mppc.c

• Support: Partial.

• Maturity: Well tested.

• Notes: Since we are not guaranteed to know the compression state, we are not able to decode the compressed section. We only decode the header. In order to decode MPPC packets, "-C MPPC" must be specified on the command line.

3.30 NETBIOS Name Service

• Module: netbios_ns.c

• Support: Full.

• Maturity: Well tested.

• Notes: DNS-like protocol for NETBIOS.

3.31 Network News Transfer Protocol (NNTP)

Module: nntp.cSupport: Full.

• Maturity: Well tested.

• Notes: Just dumps the raw text of the messages, as that's all there is.

3.32 Open Shortest Path First

Module: ospf.cSupport: Partial.Maturity: Well tested.

• Notes: Only hello messages are supported.

3.33 Point to Point Protocol

Module: ppp.cSupport: Partial.Maturity: Well tested.

• Notes: Most systems will not let you sniff native PPP packets, as their headers are usually stripped off before the kernel gives the packet to the sniffer. However, when you use PPTP or L2TP, PPP is avilable to a sniffer. Thus all testing was done using tunneling modes, rather than native mode. Note that some tunnel configurations may fragment a single incoming PPP frame into multiple tunneled packets. In this case, it is not clear what ipgrab will do (probably something strange). We currently do not decode HDLC-mode (control escape) PPP packets.

3.34 PPP Over Ethernet

Module: pppoe.cSupport: Full.

• Maturity: Not tested.

• Notes: This is a contributed module. I have not tested it, but the contributor has.

3.35 Point to Point Tunneling Protocol

Module: pptp.cSupport: Partial.Maturity: Well tested.

• Notes: Not all message types are supported, but the most common ones are.

3.36 Raw IP

Module: raw.cSupport: Full.

• Maturity: Well tested.

• Notes: This is a default datalink type for native IP. Since most kernel don't let us look at native PPP frames, most packets on a PPP interface will be interpreted as raw.

3.37 Routing Information Protocol

Module: rip.c Support: Partial.

• Maturity: Well tested.

• Notes: RIPv1 was tested extensively. RIPv2 was not tested.

3.38 Routing Information Protocol (Next Generation)

Module: ripng.cSupport: Full.

• Maturity: Well tested.

• Notes:

3.39 Real Time Control Protocol (RTP)

Module: rtcp.cSupport: Partial.

• Maturity: Well tested.

• Notes: In order to use this module, you'll need to notify IPgrab of proper port number on which to expect the RTP traffic. Use the -P option to do this. IPgrab will assume that the next highest port belongs to RTCP. Only sender reports, receiver reports and source description packets.

3.40 Real Time Protocol (RTP)

Module: rtp.cSupport: Partial.

• Maturity: Well tested.

• Notes: In order to use this module, you'll need to notify IPgrab of proper port number on which to expect the RTP traffic. Use the -P option to do this.

3.41 Session Description Protocol

Module: sdp.cSupport: Full.

• Maturity: Well tested.

• Notes: Displays the headers in plain format with no interpretation. Does not display anything in minimal mode.

3.42 Session Initiation Protocol

Module: sip.cSupport: Full.

• Maturity: Well tested.

• Notes: Displays the headers in plain format with no interpretation.

3.43 Serial Line IP

Module: slip.cSupport: Full.

• Maturity: Not tested.

• Notes:

3.44 Service Location Protocol

Module: slp.cSupport: Partial.Maturity: Well tested.

• Notes: Only basic forms of version 1 are supported.

3.45 Simple Network Management Protocol

Module: snmp.cSupport: Partial.

• Maturity: Well tested.

• Notes: This module only displays the most basic information about captured SNMP packets. Very little functionality is supported.

3.46 Sequenced Packet Exchange

Module: spx.cSupport: Partial.Maturity: Well tested.

• Notes: Not all applications are supported.

3.47 Secure Shell

Module: ssh.cSupport: Partial.

• Maturity: Well tested.

• Notes: Only the initial version number exchange is supported.

3.48 Transmission Control Protocol

Module: tcp.c Support: Partial.

• Maturity: Well tested.

• Notes: Not all options are well supported. Program might crash on assorted nasty-grams. In the minimal mode output, there are four parameters following the port numbers. They are, in order: a list of all flags that are set, the sequence number, the acknowledgement number, and the advertized window size.

3.49 Trivial File Transfer Protocol (TFTP)

Module: tftp.cSupport: Full.

• Maturity: Well tested.

• Notes: Displays all associated parameters. Figures out port number of transfer on the fly.

3.50 User Datagram Protocol

Module: udp.cSupport: Full.

• Maturity: Fully tested.

• Notes:

4 History

Like many other folks, I started using tcpdump after reading Rich Stevens' wonderful book, TCP/IP Illustrated Vol. 1. Each packet is summarized in a single compact, but slightly cryptic, line of output. While tcpdump remained a classic, around 1997 development had slowed quite a bit. Support for new protocols was not being added to the official distribution, and understanding and modifying the existing code could be trying. I felt the need to provide a more general packet sniffer that not only displayed all of a packet's fields, but was written in a way that could easily be read, understood, and modified.

In Fall 1997 I developed the first few versions of IPgrab. They were very tentative, just displaying Ethernet, IP, TCP, and UDP fields. For the most part, they only compiled on Linux. But I had gotten a taste of how useful such a tool could be. I used IPgrab to find out that Windows NT 4.0 incremented IP identification fields by 256 instead of 1, and to find out that a LAN router wasn't proxy ARPing correctly.

Over the next two years I added features to IPgrab. Most of the work was done in my spare time, and progress was slow. Occasionally I received a very useful patch from a user. I also worked on porting it to other systems besides Linux – in particular, FreeBSD and Solaris. By mid-1999, IPgrab was stable (version 0.8.2) and supported a number of rather complex protocol suites, such as IPsec, L2TP and some VoIP protocols. I didn't do much work until April 2000, when I decided to host it on Sourceforge.net.

It was time for a massive overhaul. Development took three major angles: (1) New APIs for safe reading from a packet and displaying to an output device, (2) a line-based minimal output mode comparable to tcpdump, and (3) more protocol support. In particular, the APIs took a while to get right, but now they're in place and work really well. This required a re-write of every module, resulted in an overall cleanup of the code. Release 0.9 was the first official release with these new features. The releases since 0.9 have added support for more protocols, cleaned up the architecture, and fixed bugs.

tcpdump development is once again underway and there are many freeware and open source packet sniffers available that do much of what IPgrab does. However, I've continued to develop IPgrab for a number of reasons. In particular, new protocols are being designed so quickly by the IETF and other organizations that it becomes very useful to be able to add these protocols quickly to a sniffer. Some of the extensions to IETF protocols that are defined by other Standards Development Organizations are typically not supported in sniffers. Also, developing IPgrab gives me a reason to stay on top of protocol developments and keep my hands dirty with coding.

Chapter 5: Index 17

5 Index

\mathbf{A}	I
Address Resolution Protocol	ICMP 8
AH 6	ICMPv6
ARP 6	IGMP 8
Authentication Header 6	IKE 10
	Internet Control Message Protocol 8
	Internet Control Message Protocol Version 6 8
\mathbf{C}	Internet Group Message Protocol 8
Callback Control Protocol 6	Internet Key Exchange
CBCP 6	Internet Packet Exchange
CCP	Internet Packet Exchange Routing Information Protocol
CHAP 6	Internet Protocol
Command line options	Internet Protocol Control Protocol
Compression Control Protocol 6	Internet Protocol Version 6
Contact info	Internet Security Association and Key
	Management Protocol 10 IP 9
D	IPv69
DHCP	
DNS	IPX
Domain Name System	-
Dynamic Host Configuration Protocol 7	ISAKMP
E	${f L}$
En annulation Consider Dealer I	L2TP
Encapsulating Security Payload	Layer 2 Tunneling Protocol
Ethernet	LCP
Ethernet	Link Control Protocol
	LLC
\mathbf{F}	Logical Link Control
	Loopback
File Transfer Protocol: Control	1
F1P	
	\mathbf{M}
G	
	Main mode
Generic Routing Encapsulation	Media Gateway Control Protocol
GRE 8	MGCP
	Microsoft Point-to-Point Compression Protocol
H	Minimal made
	Minimal mode
History	MIP
HTTP8	Mobile IP
Hypertext Transfer Protocol 8	MPPC11

Chapter 5: Index

N	Routing Information Protocol (Next Generation)
NETBIOS	RTCP 13 RTP 13
NNTP	\mathbf{S}
O	SDP
Open Shortest Path First12OSPF12	Secure Shell
P	Session Description Protocol
Point to Point Protocol 12 Point to Point Tunneling Protocol 12 PPP 12 PPP Over Ethernet 12 PPPOE 12 PPTP 12	Simple Network Management Protocol 14 SIP 14 SLIP 14 SLP 14 SNMP 14 SPX 14 SSH 14
R	${f T}$
RARP 6 Raw IP 12 Real Time Control Protocol 13 Real Time Protocol 13 Reverse Address Resolution Protocol 6 RIP 13 RIPng 13	TCP
RIPv6	UDP
Routing Information Protocol	User Datagram Protocol