

TC1 AI Job Notes Creation Testing Results

The TC1 for AI Job Notes Creation will be divided into 2 parts including (1) TC_F01, TC_P01 and TC_R01 with 10 job notes data and (2) TC_F02 and TC_S01 with 50 job notes data. Testing steps are conducted by using the Simpro Mobile application as technicians for the whole process check, creating job notes and running Simpro Sandbox website as an admin to check the notes in the Description section after running a program on Simpro Sandbox website.

Table of Contents

PART 1 (SEE APPENDIX A).....	2
<i>TC_F01 AI JOB NOTE CLEANUP</i>	<i>2</i>
<i>TC_P01 PROCESSING LATENCY $\leq 20s$</i>	<i>2</i>
<i>TC_R01 SERVICE UPTIME $\geq 99\%$</i>	<i>2</i>
<i>Summary</i>	<i>3</i>
PART 2 (SEE APPENDIX B).....	4
<i>TC_F02 COMPLETION CLASSIFICATION</i>	<i>4</i>
<i>TC_S01 MODEL TRAINING QUALITY</i>	<i>4</i>
<i>Summary</i>	<i>5</i>
AI JOB NOTES CREATION SUMMARY	5
APPENDIX A	7
APPENDIX B	14

Part 1 (see Appendix A)

TC_F01 AI Job Note Cleanup

TC_F01-1: Given admin uploads 10 job notes with errors, when processed by AI

All job notes were successfully revised into clear, professional English with grammar and spelling errors corrected.

TC_F01-2: Notes are corrected and formatted to match Simpro template

After processing, the system notified the admin with job statuses. Revised notes were categorized as **Complete** ([REWRITE]) or **Incomplete** ([REWRITE] INCOMPLETE). The output format within the **Description** section strictly followed the Simpro template (100% consistency). However, some notes were missing details:

- **JN-01, JN-02, JN-08** → **Fail** (critical technician details omitted).
- **JN-05, JN-06** → **Partial Pass** (minor non-critical details omitted but ideally should be included for admin and customer clarity).
- **Round 1 (JN-01 to JN-05):** The program displayed a final summary of job statuses at the end of execution (see Figure 1).
- **Round 2 (JN-06 to JN-10):** The system again concluded with job statuses for each note (see Figure 2).

TC_P01 Processing Latency ≤20s

TC_P01-1: Given AI processes a job notes, when submitted, then result returns within 20 seconds

- **Round 1 (JN-01 to JN-05):** A total of 25 notes processed in **1 min 50 sec** (~4.4 sec/note).
- **Round 2 (JN-06 to JN-10):** A total of 30 notes processed in **1 min 40 sec** (~3.3 sec/note).

All results were well within the ≤20s threshold.

TC_R01 Service Uptime ≥99%

TC_R01-1: Given AI cleanup system is monitored, when checked during business hours, then uptime ≥99%

- **Test at 10:00 a.m.:** All systems operational, passed.
- **Test at 11:45 a.m.:** All systems operational, passed.

System uptime met the requirement.

```
Edited Jobs Marked Complete:
Job #54166

Edited Jobs Deemed Incomplete:
Job #54165
Job #54164
Job #54163
Job #54162
```

Figure 1. The program informs all rewritten notes' status JN-01 to JN-05

Round 2 for JN-06 to JN-10 and informed at the end concluding lists of job notes which Complete and Incomplete status as shown in Figure 2.

```
Edited Jobs Marked Complete:
Job #54171
Job #54170

Edited Jobs Deemed Incomplete:
Job #54169
Job #54168
Job #54167
```

Figure 2. The program informs all rewritten notes' status JN-06 to JN-10

Summary

Part 1 testing shows that the **AI Job Note Cleanup feature is functional and reliable**, with strong performance on grammar correction, formatting requires admins audit as a last check point, and classification into Complete/Incomplete. Latency is consistently low, averaging **3–5 seconds per note**, and uptime checks confirm **99%+ availability**.

The only limitation identified is **loss of important details in some notes (JN-01, JN-02, JN-08)**, which reduces the accuracy of record-keeping. Notes JN-05 and JN-06 also omitted minor details but were still understandable and acceptable. This suggests that while the system performs well, **further refinement may be required to preserve all technician inputs without losing context**.

Part 2 (see Appendix B)

TC_F02 Completion Classification

TC_F02-1: AI classifies $\geq 90\%$ of 50 test notes accurately

The AI consistently classified technician notes with high accuracy. For example, notes such as **JS-01 vs JS-26** and **JS-36 vs JS-50** were processed twice, and both versions produced identical rewritten outputs. This demonstrates the AI's consistency and stability in note handling.

As shown in **Figure 3**, the AI successfully distinguished between [REWRITE] (Complete) and [REWRITE] INCOMPLETE (Follow-Up), with results achieving **100% accuracy** in classification.

TC_F02-2: Status tags display $\geq 90\%$ correctly in Simpro

The program reliably displayed job notes status tags to the admin in Simpro, ensuring every note was correctly categorized. This provides clarity for admins monitoring completion and follow-up tasks.

TC_S01 Model Training Quality

TC_S01-1: Given model is trained, when tested on sample set, then accuracy $\geq 80\%$

Overall, the AI achieved the expected performance, with rewritten outputs mostly correct and well-structured. However, the model shows limitations in contextual interpretation. It primarily relies on sentence structure rather than deeper semantic understanding.

For instance:

- **Technician** **Note:**
"Inspected inverter at Client23. Unit overheating, temporary cooling applied. Replacement required, follow-up scheduled."
- **AI Rewritten Description:**
*"Inspected inverter **at Client23**. Unit was found to be overheating. Temporary cooling applied. Follow-up Required. Replacement required. Follow-up scheduled.
Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services."*

In this case, "**Client23**" was misinterpreted as a place rather than a client identifier. Such misinterpretations resulted in **partially pass outputs** for samples like **JS-06, JS-23, and JS-48**.

[REWRITE] INCOMPLETE

Thank you for the opportunity to carry out the works at your premise.
Below is the scope of work carried out by the Evergreen team:

Worker/Date: Tony Stark, 17/09/25

Work Completed:

- System Inspection
 - Client reported inverter shutdown during storm.
 - Technician attended and made the system safe.
 - Urgent replacement required.

Please consider Evergreen Electrical Services for your next electrical, solar or data job.

Regards, Evergreen Services.

[REWRITE] INCOMPLETE

Thank you for the opportunity to carry out the works at your premise.
Below is the scope of work carried out by the Evergreen team:

Worker/Date: Tony Stark, 17/09/25

Work Completed:

- Inverter System
 - Client reported inverter shutdown during storm.
 - Technician attended and made system safe.
 - Urgent replacement required.

Please consider Evergreen Electrical Services for your next electrical, solar or data job.

Regards, Evergreen Services.

Figure 3. Description rewritten of JS-36 (left) and JS-50 (right)

Summary

Part 2 testing confirms that the **Completion Classification feature is highly reliable**, with the AI correctly distinguishing between Complete and Follow-Up notes in **all 50 cases** (100% accuracy). The system also integrates effectively with Simpro, ensuring that admins can view status tags with confidence.

However, while the **Model Training Quality** meets the $\geq 80\%$ threshold, its contextual intelligence remains limited. Misinterpretations such as treating identifiers (e.g., *Client23*) as locations highlight the need for further refinement. Despite this, the outputs remain professional and usable, with only minor inaccuracies impacting overall quality.

AI Job Notes Creation Summary

In conclusion, the AI Job Notes Creation system demonstrates strong reliability and performance across all key test areas.

- **(TC_F01) Accuracy & Cleanup:**

The AI consistently cleaned up technician notes into professional English, correcting grammar and formatting them according to the Simpro template. While some critical details were occasionally lost (e.g., JN-01, JN-02, JN-08), most outputs were clear and suitable for both admin and customer use.

- **(TC_P01 & TC_R01) Performance & Uptime:**

Processing speed remained well below the 20-second threshold, averaging **3–5 seconds per note**, which confirms excellent efficiency. Uptime monitoring also validated **$\geq 99\%$ system availability** during business hours, ensuring operational stability.

- **(TC_F02) Completion Classification:**

The AI achieved **100% accuracy** in distinguishing between completed jobs ([REWRITE]) and follow-up required ([REWRITE] INCOMPLETE). This gave admins clear visibility into job status within Simpro and reinforced confidence in the classification process.

- **(TC_S01) Model Training Quality:**

The model delivered outputs with **≥80% accuracy**, but context handling remains an area for improvement. Instances such as interpreting “Client23” as a location instead of a client identifier highlight the need for better semantic understanding. These issues were minor and did not compromise overall usability.

Appendix A

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
JN-01	TC_F01-1	John Boote 16 Sep 2025	Grammar/spelling fixed	Program run as expected	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: John Boote, 16/09/25 Work Completed: - Hot Water System Inspection - Pump plug observed with a lot of water on top. - No crack in the connection box. - Silicon seal applied around the plug. - Air Conditioning System Inspection - Unit is not old. - Isolator free of moisture. - Connection height is sufficient; no issues detected. - Smoke Alarm Inspection - Wiring checked. - Label updated. - No issues found. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F01-2	Arrived site, spoke with customer. Check hot water sys, pump plug had lot of water on top. no crack in connection box, silicon seal around plug. aircon unit not old, isolator no moist. connection high enough. Faulty NOT found, no need escalate.	Format matches Simpler Description template	Program run imperfectly as missing last statement “need book new appointment for solar check, panel still dirty.”	Fail	
	TC_P01-1	Check smoke alarm wiring, update label, no issue found. need book new appointment for solar check, panel still dirty.	Processing takes no longer than 20 seconds per note	4.4 seconds	Pass	
	TC_R01-1		The system shows uptime during business hours	Program run as expected		
JN-02	TC_F01-1	John Wilson 16/9/25	Grammar/spelling fixed	Program run as expected	Pass	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
	TC_F01-2	came late to site, talk to custmer . inspect air con, found moist in isoltor . unit very old, recomnd replacemnt . no test hot water, time finish early.	Format matches Simpro Description template	Program run imperfectly as missing last statement “no test hot water”	Fail	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team; Worker/Date: John Wilson, 16/09/25 Work Completed: • Air Conditioning System Inspection ◦ Inspected air conditioning unit ◦ Found moisture in the isolator ◦ Unit is very old ◦ Recommended replacement Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_P01-1		Processing takes no longer than 20 seconds per note	4.4 seconds	Pass	
	TC_R01-1		The system shows uptime during business hours	Program run as expected	Pass	
JN-03	TC_F01-1	Liam Johnson 16 Septmber 2025 job start 9 am. wire mess in switchbord , lable missing. rewired but photo not taken. Fault found need folow up. custmer not at home to sign.	Grammar/spelling fixed	Program run as expected	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Liam Johnson, 16 September 2025 Work Completed: • Switchboard Work ◦ Wiring mess in switchboard. ◦ Labels were missing. ◦ Rewired the switchboard. ◦ Photo was not taken. ◦ A fault was found; follow-up is required. ◦ Customer was not at home to sign. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F01-2		Format matches Simpro Description template	Program run as expected	Pass	
	TC_P01-1		Processing takes no longer than 20 seconds per note	4.4 seconds	Pass	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
	TC_R01-1		The system shows uptime during business hours	Program run as expected	Pass	
JN-04	TC_F01-1	Ruby Martin 16 Sept 2025	Grammar/spelling fixed	Program run as expected	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Ruby Martin, 16/09/25 Work Completed: • Solar Panel Inspection ◦ Solar panels were checked and found to be dust-covered. ◦ Half of the panels were cleaned. • Inverter Status ◦ Inverter is still not working. ◦ Issue must be escalated. • Customer Request ◦ Customer requested the roof be checked on the next visit. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F01-2	checkd solar panel, dust coverd. clean half. inverter still not working, must escalate. custmer ask check roof next time.	Format matches Simpro Description template	Program run as expected	Pass	
	TC_P01-1		Processing takes no longer than 20 seconds per note	4.4 seconds	Pass	
	TC_R01-1		The system shows uptime during business hours	Program run as expected	Pass	
JN-05	TC_F01-1	Zoe Brown 16/9/25	Grammar/spelling fixed	Program run as expected	Pass	
	TC_F01-2	instaled new smoke alarm, forgot lable. custmer ask invoice send later. no faulty found.	Format matches Simpro Description template	Program run almost perfect as missing not serious parts: "forgot	Partially Pass	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
		test button works ok.		label.” & “customer ask invoice send later”		[REWRITE] Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Zoe Brown 16/9/25 Work Completed: - Smoke Alarm Installation - Installed new smoke alarm - Tested button operation; works OK - No faults found Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_P01-1		Processing takes no longer than 20 seconds per note	4.4 seconds	Pass	
	TC_R01-1		The system shows uptime during business hours	Program run as expected	Pass	
JN-06	TC_F01-1	John Martin 16 Sep 2025 light not working, cable broken. fix fast, no documntation. custmer happy but note incomplete. return visit maybe.	Grammar/spelling fixed	Program run as expected	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: John Martin, 16/09/25 Work Completed: - Lighting Repair - Light not working. - Cable broken. - Customer happy but job note incomplete. - Return visit maybe required. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F01-2		Format matches Simpro Description template	Program run almost perfect as missing not serious parts: “no documentation” & “maybe” is an unclear word showing uncertainty.	Partially Pass	
	TC_P01-1		Processing takes no longer than 20 seconds per note	3.33 seconds	Pass	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
	TC_R01-1		The system shows uptime during business hours	Program run as expected	Pass	
JN-07	TC_F01-1	John Martin 16 Sep 25	Grammar/spelling fixed	Program run as expected	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: John Martin, 16/09/25 Work Completed: • Main Panel Inspection ◦ Arrived on site and opened the main panel. ◦ Found a loose breaker and tightened it. ◦ A photo was not taken. • Follow-up ◦ The site should be checked again next week. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F01-2	arrv site, open main pannel, breaker loose. tighten it, but forgot photo. shud be check again nxt week.	Format matches Simpro Description template	Program run as expected	Pass	
	TC_P01-1		Processing takes no longer than 20 seconds per note	3.33 seconds	Pass	
	TC_R01-1		The system shows uptime during business hours	Program run as expected	Pass	
JN-08	TC_F01-1	Liam Smith 16/09/25	Grammar/spelling fixed	Program run as expected	Pass	
	TC_F01-2	custmer complaned noise from AC. test unit, fan dirty. clean fan, but forget reset system.	Format matches Simpro Description template	Program run imperfectly as missing last statement "forget reset system.	Fail	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
		need another visit to confirm. rain interrupt test.		need another visit to confirm. rain interrupt test.”		[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Liam Smith 16/09/25 Work Completed: - Air Conditioning System Inspection - Customer complained of noise from AC. - Tested unit and found the fan was dirty. - Cleaned the fan. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_P01-1		Processing takes no longer than 20 seconds per note	4.4 seconds	Pass	
	TC_R01-1		The system shows uptime during business hours	Program run as expected	Pass	
JN-09	TC_F01-1	Zoe Lee 16 sep 2025	Grammar/spelling fixed	Program run as expected	Pass	[REWRITE] Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Zoe Lee, 16/09/2025 Work Completed: - Air Conditioning System Inspection - Inspected the air conditioning unit. - No moisture found. - Isolator found to be in good condition. - No faults detected. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F01-2	Arrived at site, spoke to customer. Inspected air conditioning unit. No moisture found,	Format matches Simpro Description template	Program run as expected	Pass	
	TC_P01-1	isolator in good condition. No faults detected. Job completed successfully.	Processing takes no longer than 20 seconds per note	3.33 seconds	Pass	
	TC_R01-1		The system shows uptime during business hours	Program run as expected	Pass	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
JN-10	TC_F01-1	Ava Smith 16 September 2025	Grammar/spelling fixed	Program run as expected	Pass	[REWRITE] Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Ava Smith, 16 September 2025 Work Completed: • Solar Inverter ◦ Checked solar inverter and cleaned dust. ◦ Tested output and confirmed proper operation. ◦ Updated labels and documented the work. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F01-2	Checked solar inverter and cleaned dust. Tested output and confirmed proper operation.	Format matches Simpro Description template	Program run as expected	Pass	
	TC_P01-1	Updated labels and documented the work. No further action required.	Processing takes no longer than 20 seconds per note	3.33 seconds	Pass	
	TC_R01-1		The system shows uptime during business hours	Program run as expected	Pass	

Appendix B

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
JS-01	TC_F02-1	Tony Stark 16 Sep 2025	AI indicates the job note's status matched the actual "[REWRITE]"	"[REWRITE]"	Pass	[REWRITE] Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 16/09/25 Work Completed: • Solar Panel Installation ◦ Installed 20 solar panels. ◦ Tested the system. ◦ Connected the system to the inverter. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.]
	TC_F02-2	Technician installed 20 solar panels at Client1's property. System tested and connected to	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	inverter. Job completed successfully.	The program runs properly and achieves	Program run as expected	Pass	
JS-02	TC_F02-1	Tony Stark 17 Sep 2025	AI indicates the job note's status matched the actual "[REWRITE] INCOMPLETE"	"[REWRITE] INCOMPLETE"	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Site Inspection ◦ Shading issue identified.] ◦ Additional mounting required. ◦ Follow-up scheduled. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	During site inspection, shading issue identified. Additional mounting required,	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	follow-up scheduled.	The program runs properly and achieves	Program run as expected	Pass	
JS-03	TC_F02-1	Tony Stark 17 Sep 2025	AI indicates the job note's status matched the actual "[REWRITE] INCOMPLETE"	"[REWRITE] INCOMPLETE"	Pass	
	TC_F02-2	Emergency callout: inverter fire risk detected	AI indicates the job note's status and informs admin	Job Note informed	Pass	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
	TC_S01-1	at Client03. Site isolated, urgent replacement needed.	The program runs properly and achieves	Program run as expected	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: - Emergency Callout - Inverter fire risk detected. - Site isolated. - Urgent replacement needed. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
JS-04	TC_F02-1	Tony Stark 17 Sep 2025	AI indicates the job note's status matched the actual "[REWRITE]"	"[REWRITE]"	Pass	[REWRITE] Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: - Solar Panel Maintenance - Completed solar panel clean-up. - Dust and debris removed. - Output readings returned to normal. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	Completed solar panel clean-up at Client04. Dust and debris removed, output readings	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	returned to normal.	The program runs properly and achieves	Program run as expected	Pass	
JS-05	TC_F02-1	Tony Stark 17 Sep 2025	AI indicates the job note's status matched the actual "[REWRITE]"	"[REWRITE]"	Pass	[REWRITE] Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: - Electrical Repairs - Rewired junction box for Client05. - Repaired electrical leak. - Performed insulation testing; no further issues detected. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	Client05. Electrical leak repaired and insulation tested.	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	No further issues detected.	The program runs properly and achieves	Program run as expected	Pass	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
JS-06	TC_F02-1	Tony Stark 17 Sep 2025 Inspected inverter at Client6. Unit overheating, temporary cooling applied.	AI indicates the job note's status matched the actual "[REWRITE] INCOMPLETE"	"[REWRITE] INCOMPLETE"	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: - Inverter Inspection - Inspected inverter at Client6. - Unit was overheating; temporary cooling applied. - Replacement required; follow-up scheduled. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2		AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	Replacement required, follow-up scheduled.	The program runs properly and achieves	Program run imperfectly as it rewrites unwell, e.g., Client6 as a place instead of a person	Partially Pass	
JS-07	TC_F02-1	Tony Stark 17 Sep 2025 Moved two solar panels for Client7 due to shading. Additional rail brackets needed, follow-up visit required.	AI indicates the job note's status matched the actual "[REWRITE] INCOMPLETE"	"[REWRITE] INCOMPLETE"	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: - Solar Panel Repositioning - Moved two solar panels due to shading. - Additional Work Required - Additional rail brackets needed. - A follow-up visit is required. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2		AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1		The program runs properly and achieves	Program run as expected	Pass	
JS-08	TC_F02-1	Tony Stark 17 Sep 2025	AI indicates the job note's status matched the actual "[REWRITE] INCOMPLETE"	"[REWRITE] INCOMPLETE"	Pass	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
	TC_F02-2	Scheduled maintenance for Client8 solar array.	AI indicates the job note's status and informs admin	Job Note informed	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: - Scheduled Maintenance - Scheduled maintenance for Client solar array. - Awaiting delivery of new breakers before commencing work. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_S01-1	Awaiting delivery of new breakers before commencing work.	The program runs properly and achieves	Program run as expected	Pass	
JS-09	TC_F02-1	Tony Stark 17 Sep 2025 Asking admin to create new work order for Client9 — technician assigned for next week's panel cleaning.	AI indicates the job note's status matched the actual “[REWRITE] INCOMPLETE”	“[REWRITE] INCOMPLETE”	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: - Administrative Action - Requested admin to create a new work order for panel cleaning. - Technician assigned for next week. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2		AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1		The program runs properly and achieves	Program run as expected	Pass	
JS-10	TC_F02-1	Tony Stark 17 Sep 2025 Emergency callout at Client10. Detected electrical leakage from rooftop cabling.	AI indicates the job note's status matched the actual “[REWRITE] INCOMPLETE”	“[REWRITE] INCOMPLETE”	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: - Emergency Callout - Detected electrical leakage from rooftop cabling. - Site isolated. - Urgent repair needed. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2		AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	Site isolated, urgent repair needed.	The program runs properly and achieves	Program run as expected	Pass	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
JS-11	TC_F02-1	Tony Stark 17 Sep 2025 Client11 reported	AI indicates the job note's status matched the actual " [REWRITE] INCOMPLETE "	" [REWRITE] INCOMPLETE "	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Inverter Response ◦ Responded to client report of inverter shutdown during a storm ◦ Attended site and made the system safe ◦ Identified urgent replacement is required Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	inverter shutdown during storm. Technician attended, system made	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	safe. Urgent replacement required.	The program runs properly and achieves	Program run as expected	Pass	
JS-12	TC_F02-1	Tony Stark 17 Sep 2025 Processed STC	AI indicates the job note's status matched the actual " [REWRITE] "	" [REWRITE] "	Pass	[REWRITE] Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Administration ◦ Processed STC compliance forms for Client12. ◦ Job pack closed. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	compliance forms for Client12. Job pack closed well.	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1		The program runs properly and achieves	Program run as expected	Pass	
JS-13	TC_F02-1	Tony Stark 16 Sep 2025 During maintenance, technician found	AI indicates the job note's status matched the actual " [REWRITE] INCOMPLETE "	" [REWRITE] INCOMPLETE "	Pass	
	TC_F02-2		AI indicates the job note's status and informs admin	Job Note informed	Pass	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
	TC_S01-1	additional electrical leakage near meter box. Urgent job created for safety repair for client13.	The program runs properly and achieves	Program run as expected	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 16/09/25 Work Completed: • Maintenance Inspection ◦ Found additional electrical leakage near meter box. ◦ Urgent job created for safety repair. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
JS-14	TC_F02-1	Tony Stark 17 Sep 2025 Technician arrived on-site	AI indicates the job note's status matched the actual “[REWRITE] INCOMPLETE”	“[REWRITE] INCOMPLETE”	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise.] Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Site Attendance ◦ Technician arrived on-site but customer was not at home. ◦ Unable to complete work. ◦ Job rescheduled for next week. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	but customer14 was not at home. Unable to complete work,	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	job rescheduled for next week.	The program runs properly and achieves	Program run as expected	Pass	
JS-15	TC_F02-1	Tony Stark 17 Sep 2025 Completed inverter	AI indicates the job note's status matched the actual “[REWRITE] INCOMPLETE”	“[REWRITE] INCOMPLETE”	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Inverter Repair ◦ Completed inverter repair. • Inspection ◦ Found another faulty isolator. ◦ Created new job for replacement. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	repair but found another faulty isolator. Created new job for	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	replacement to client15.	The program runs properly and achieves	Program run as expected	Pass	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
JS-16	TC_F02-1	Tony Stark 17 Sep 2025	AI indicates the job note's status matched the actual "[REWRITE] INCOMPLETE"	"[REWRITE] INCOMPLETE"	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: - Appointment - Customer could not make the appointment. - Installation postponed until client confirms a new time slot. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	Customer16 could not make the appointment. Installation postponed until client confirms	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	new time slot.	The program runs properly and achieves	Program run as expected	Pass	
JS-17	TC_F02-1	Tony Stark 17 Sep 2025	AI indicates the job note's status matched the actual "[REWRITE]"	"[REWRITE]"	Pass	[REWRITE] Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: - Solar Panel Installation - Installed 20 solar panels. - Tested the system. - Connected the system to the inverter. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	Technician installed 20 solar panels at Client17's property. System tested and connected to	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	inverter. Job completed successfully.	The program runs properly and achieves	Program run as expected	Pass	
JS-18	TC_F02-1	Tony Stark 17 Sep 2025	AI indicates the job note's status matched the actual "[REWRITE] INCOMPLETE"	"[REWRITE] INCOMPLETE"	Pass	
	TC_F02-2	During site inspection, shading issue identified.	AI indicates the job note's status and informs admin	Job Note informed	Pass	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
	TC_S01-1	Additional mounting required, follow-up scheduled.	The program runs properly and achieves	Program run as expected	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Site Inspection ◦ Shading issue identified. ◦ Additional mounting required. ◦ Follow-up scheduled. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
JS-19	TC_F02-1	Tony Stark 17 Sep 2025 Emergency callout:	AI indicates the job note's status matched the actual "[REWRITE] INCOMPLETE"	"[REWRITE] INCOMPLETE"	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Emergency Callout ◦ Inverter fire risk detected. ◦ Site isolated. ◦ Urgent replacement needed. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	inverter fire risk detected at Client19. Site isolated, urgent	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	replacement needed.	The program runs properly and achieves	Program run as expected	Pass	
JS-20	TC_F02-1	Tony Stark 17 Sep 2025 Completed solar panel clean-up at Client20.	AI indicates the job note's status matched the actual "[REWRITE]"	"[REWRITE]"	Pass	[REWRITE] Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Solar Panel Maintenance ◦ Dust and debris removed from solar panels. ◦ Output readings returned to normal. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	Dust and debris removed, output readings	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	returned to normal.	The program runs properly and achieves	Program run as expected	Pass	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
JS-21	TC_F02-1	Tony Stark 17 Sep 2025 Prepared maintenance schedule update for Client21. Waiting on technician confirmation.	AI indicates the job note's status matched the actual "[REWRITE] INCOMPLETE"	"[REWRITE] INCOMPLETE"	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Maintenance Schedule Update ◦ Prepared maintenance schedule update for Client21. ◦ Waiting on technician confirmation. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2		AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1		The program runs properly and achieves	Program run as expected	Pass	
JS-22	TC_F02-1	Tony Stark 17 Sep 2025 Rewired junction box for Client22. Electrical leak repaired and insulation tested. No further issues detected.	AI indicates the job note's status matched the actual "[REWRITE]"	"[REWRITE]"	Pass	[REWRITE] Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Junction Box Repairs ◦ Rewired junction box for Client22. ◦ Repaired electrical leak. ◦ Insulation tested. ◦ No further issues detected. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2		AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1		The program runs properly and achieves	Program run as expected	Pass	
JS-23	TC_F02-1	Tony Stark 17 Sep 2025 Inspected inverter at Client23. Unit	AI indicates the job note's status matched the actual "[REWRITE] INCOMPLETE"	"[REWRITE] INCOMPLETE"	Pass	
	TC_F02-2		AI indicates the job note's status and informs admin	Job Note informed	Pass	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
	TC_S01-1	overheating, temporary cooling applied. Replacement required, follow-up scheduled.	The program runs properly and achieves	Program run imperfectly as it rewrites unwell, e.g., Client23 as a place instead of a person	Partially Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: - Inverter Inspection - Inspected inverter at Client23. - Unit was found to be overheating. - Temporary cooling applied. - Follow-up Required - Replacement required. - Follow-up scheduled. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
JS-24	TC_F02-1	Tony Stark 17 Sep 2025 Moved two solar panels for Client24 due to shading. Additional rail brackets needed,	AI indicates the job note's status matched the actual "[REWRITE] INCOMPLETE"	"[REWRITE] INCOMPLETE"	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: - Solar Panel Repositioning - Moved two solar panels for Client24 due to shading. - Additional Requirements - Additional rail brackets needed. - A follow-up visit is required. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	follow-up visit required.	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1		The program runs properly and achieves	Program run as expected	Pass	
JS-25	TC_F02-1	Tony Stark 17 Sep 2025 Client25 reported inverter shutdown during storm. Technician	AI indicates the job note's status matched the actual "[REWRITE] INCOMPLETE"	"[REWRITE] INCOMPLETE"	Pass	
	TC_F02-2		AI indicates the job note's status and informs admin	Job Note informed	Pass	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
	TC_S01-1	attended, system made safe. Urgent replacement required.	The program runs properly and achieves	Program run as expected	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • System Inspection and Safety ◦ Client reported inverter shutdown during storm. ◦ Technician attended and made the system safe. ◦ Urgent replacement required. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
JS-26	TC_F02-1	Tony Stark 17 Sep 2025 Technician installed 26	AI indicates the job note's status matched the actual “[REWRITE]”	“[REWRITE]”	Pass	[REWRITE] Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Solar Panel Installation ◦ Installed 26 solar panels at the property. ◦ System tested and connected to the inverter. ◦ Job completed successfully. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	solar panels at Client1's property. System tested and connected to	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	inverter. Job completed successfully.	The program runs properly and achieves	Program run as expected	Pass	
JS-27	TC_F02-1	Tony Stark 17 Sep 2025 During site inspection,	AI indicates the job note's status matched the actual “[REWRITE] INCOMPLETE”	“[REWRITE] INCOMPLETE”	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Site Inspection ◦ Shading issue identified. ◦ Additional mounting required. ◦ Follow-up scheduled. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	shading issue identified. Additional mounting required,	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	follow-up scheduled.	The program runs properly and achieves	Program run as expected	Pass	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
JS-28	TC_F02-1	Tony Stark 17 Sep 2025 Emergency callout:	AI indicates the job note's status matched the actual “[REWRITE] INCOMPLETE”	“[REWRITE] INCOMPLETE”	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: - Emergency Callout - Inverter fire risk detected. - Site isolated. - Urgent replacement needed. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	inverter fire risk detected at Client28. Site isolated, urgent	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	replacement needed.	The program runs properly and achieves	Program run as expected	Pass	
JS-29	TC_F02-1	Tony Stark 17 Sep 2025 Completed solar panel	AI indicates the job note's status matched the actual “[REWRITE]”	“[REWRITE]”	Pass	[REWRITE] Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: - Solar Panel Maintenance - Dust and debris removed from solar panels. - Output readings returned to normal. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	clean-up at Client29. Dust and debris removed, output readings	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	returned to normal.	The program runs properly and achieves	Program run as expected	Pass	
JS-30	TC_F02-1	Tony Stark 17 Sep 2025 Rewired junction box for	AI indicates the job note's status matched the actual “[REWRITE]”	“[REWRITE]”	Pass	
	TC_F02-2	Client30. Electrical leak	AI indicates the job note's status and informs admin	Job Note informed	Pass	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
	TC_S01-1	repaired and insulation tested. No further issues detected.	The program runs properly and achieves	Program run as expected	Pass	[REWRITE] Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Junction Box Repairs ◦ Rewired junction box for Client30. ◦ Repaired electrical leak. ◦ Insulation tested. ◦ No further issues detected. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
JS-31	TC_F02-1	Tony Stark 17 Sep 2025 Inspected inverter	AI indicates the job note's status matched the actual “[REWRITE] INCOMPLETE”	“[REWRITE] INCOMPLETE”	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Inverter Inspection ◦ Inspected inverter. ◦ Unit was overheating. ◦ Temporary cooling applied. • Follow-up Actions ◦ Replacement required. ◦ Follow-up scheduled. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	complete. Unit overheating, temporary cooling applied.	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	Replacement required, follow-up scheduled.	The program runs properly and achieves	Program run as expected	Pass	
JS-32	TC_F02-1	Tony Stark 17 Sep 2025 Moved two solar panels	AI indicates the job note's status matched the actual “[REWRITE] INCOMPLETE”	“[REWRITE] INCOMPLETE”	Pass	
	TC_F02-2	for Client32 due to	AI indicates the job note's status and informs admin	Job Note informed	Pass	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
	TC_S01-1	shading. Additional rail brackets needed, follow-up visit required.	The program runs properly and achieves	Program run as expected	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Solar Panel Repositioning ◦ Moved two solar panels due to shading. • Additional Work Required ◦ Additional rail brackets are needed. ◦ A follow-up visit is required. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
JS-33	TC_F02-1	Tony Stark 17 Sep 2025	AI indicates the job note's status matched the actual “[REWRITE] INCOMPLETE”	“[REWRITE] INCOMPLETE”	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Scheduled Maintenance ◦ Scheduled maintenance for Client33 solar array. ◦ Awaiting delivery of new breakers before commencing work. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	Scheduled maintenance for Client33 solar array. Awaiting delivery of new breakers before	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	commencing work.	The program runs properly and achieves	Program run as expected	Pass	
JS-34	TC_F02-1	Tony Stark 17 Sep 2025	AI indicates the job note's status matched the actual “[REWRITE] INCOMPLETE”	“[REWRITE] INCOMPLETE”	Pass	
	TC_F02-2	Asking admin to create new work order for Client34 — technician	AI indicates the job note's status and informs admin	Job Note informed	Pass	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
	TC_S01-1	assigned for next week's panel cleaning.	The program runs properly and achieves	Program run as expected	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Site Assessment ◦ Requested administration to create a new work order for Client34. ◦ Assigned a technician for panel cleaning scheduled for next week. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
JS-35	TC_F02-1	Tony Stark 17 Sep 2025	AI indicates the job note's status matched the actual "[REWRITE] INCOMPLETE"	"[REWRITE] INCOMPLETE"	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Emergency Callout ◦ Emergency callout at Client35. ◦ Detected electrical leakage from rooftop cabling. ◦ Site isolated. ◦ Urgent repair needed. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	Emergency callout at Client35. Detected electrical leakage from rooftop cabling.	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	Site isolated, urgent repair needed.	The program runs properly and achieves	Program run as expected	Pass	
JS-36	TC_F02-1	Tony Stark 17 Sep 2025	AI indicates the job note's status matched the actual "[REWRITE] INCOMPLETE"	"[REWRITE] INCOMPLETE"	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • System Inspection ◦ Client reported inverter shutdown during storm. ◦ Technician attended and made the system safe. ◦ Urgent replacement required. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	Client36 reported inverter shutdown during storm. Technician attended, system made	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	safe.	The program runs properly and achieves	Program run as expected	Pass	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
		Urgent replacement required.				
JS-37	TC_F02-1	Tony Stark 17 Sep 2025 Processed STC compliance forms for Client37. Job pack closed well.	AI indicates the job note's status matched the actual " [REWRITE] "	" [REWRITE] "	Pass	[REWRITE] Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: - Administrative Tasks - Processed STC compliance forms for Client37. - Job pack closed. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2		AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1		The program runs properly and achieves	Program run as expected	Pass	
JS-38	TC_F02-1	Tony Stark 17 Sep 2025 During maintenance, technician found additional electrical leakage near meter box.	AI indicates the job note's status matched the actual " [REWRITE] INCOMPLETE "	" [REWRITE] INCOMPLETE "	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: - Inspection - During maintenance, technician found additional electrical leakage near meter box. - Urgent job created for safety repair for client 38. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2		AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	Urgent job created for safety repair for client38.	The program runs properly and achieves	Program run as expected	Pass	
JS-39	TC_F02-1	Tony Stark 17 Sep 2025	AI indicates the job note's status matched the actual " [REWRITE] INCOMPLETE "	" [REWRITE] INCOMPLETE "	Pass	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
	TC_F02-2	Technician arrived on-site but customer39 was not at home. Unable to complete work, job rescheduled for next week.	AI indicates the job note's status and informs admin	Job Note informed	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Site Attendance ◦ Technician arrived on-site. ◦ Customer was not at home. ◦ Unable to complete work. ◦ Job rescheduled for next week. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_S01-1		The program runs properly and achieves	Program run as expected	Pass	
JS-40	TC_F02-1	Tony Stark 17 Sep 2025 Completed inverter repair but found another faulty isolator. Created new job for replacement to client40.	AI indicates the job note's status matched the actual “[REWRITE] INCOMPLETE”	“[REWRITE] INCOMPLETE”	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Inverter Repair ◦ Completed inverter repair. • Inspection ◦ Found another faulty isolator. ◦ Created new job for replacement to client40. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2		AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1		The program runs properly and achieves	Program run as expected	Pass	
JS-41	TC_F02-1	Tony Stark 17 Sep 2025 Customer41 could not make the appointment.	AI indicates the job note's status matched the actual “[REWRITE] INCOMPLETE”	“[REWRITE] INCOMPLETE”	Pass	
	TC_F02-2		AI indicates the job note's status and informs admin	Job Note informed	Pass	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
	TC_S01-1	Installation postponed until client confirms new time slot.	The program runs properly and achieves	Program run as expected	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Appointment ◦ Customer could not make the appointment ◦ Installation postponed until client confirms a new time slot Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
JS-42	TC_F02-1	Tony Stark 17 Sep 2025 Technician installed 42 solar panels at Client17's property. System tested and connected to inverter. Job completed successfully.	AI indicates the job note's status matched the actual "[REWRITE]"	"[REWRITE]"	Pass	[REWRITE] Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Solar Panel Installation ◦ Installed 42 solar panels. ◦ System tested and connected to inverter. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2		AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1		The program runs properly and achieves	Program run as expected	Pass	
JS-43	TC_F02-1	Tony Stark 17 Sep 2025 During site inspection, shading issue identified. Additional mounting required, follow-up scheduled.	AI indicates the job note's status matched the actual "[REWRITE] INCOMPLETE"	"[REWRITE] INCOMPLETE"	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Site Inspection ◦ Shading issue identified. ◦ Additional mounting required. ◦ Follow-up scheduled. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2		AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1		The program runs properly and achieves	Program run as expected	Pass	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
JS-44	TC_F02-1	Tony Stark 17 Sep 2025 Emergency callout:	AI indicates the job note's status matched the actual “[REWRITE] INCOMPLETE”	“[REWRITE] INCOMPLETE”	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: - Emergency Callout - Inverter fire risk detected. - Site isolated. - Urgent replacement needed. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	inverter fire risk detected at Client44. Site isolated, urgent	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	replacement needed.	The program runs properly and achieves	Program run as expected	Pass	
JS-45	TC_F02-1	Tony Stark 17 Sep 2025 Completed solar panel	AI indicates the job note's status matched the actual “[REWRITE]”	“[REWRITE]”	Pass	[REWRITE] Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: - Solar Panel Maintenance - Dust and debris removed from solar panels. - Output readings returned to normal. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	clean-up at Client45. Dust and debris removed, output readings	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	returned to normal.	The program runs properly and achieves	Program run as expected	Pass	
JS-46	TC_F02-1	Tony Stark 17 Sep 2025 Prepared maintenance	AI indicates the job note's status matched the actual “[REWRITE] INCOMPLETE”	“[REWRITE] INCOMPLETE”	Pass	
	TC_F02-2	schedule update for	AI indicates the job note's status and informs admin	Job Note informed	Pass	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
	TC_S01-1	Client46. Waiting on technician confirmation.	The program runs properly and achieves	Program run as expected	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Maintenance Schedule Update ◦ Prepared maintenance schedule update for Client46. ◦ Waiting on technician confirmation. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
JS-47	TC_F02-1	Tony Stark 17 Sep 2025	AI indicates the job note's status matched the actual "[REWRITE]"	"[REWRITE]"	Pass	[REWRITE] Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Junction Box Repairs ◦ Rewired junction box for Client47. ◦ Repaired electrical leak. ◦ Conducted insulation testing; no further issues detected. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	Client47. Electrical leak repaired and insulation tested.	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	No further issues detected.	The program runs properly and achieves	Program run as expected	Pass	
JS-48	TC_F02-1	Tony Stark 17 Sep 2025	AI indicates the job note's status matched the actual "[REWRITE] INCOMPLETE"	"[REWRITE] INCOMPLETE"	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Inverter Inspection ◦ Inspected inverter at Client48. ◦ Unit was overheating. ◦ Temporary cooling applied. • Follow-up ◦ Replacement required. ◦ Follow-up scheduled. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	Client48. Unit overheating, temporary cooling applied.	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	Replacement required, follow-up scheduled.	The program runs properly and achieves	Program run imperfectly as it	Partially Pass	

Job ID	Test Case	Input	Expected Result (Sample)	Actual Result	Pass/Fail	Evidence
				rewrites unwell, e.g., Client48 as a place instead of a person		
JS-49	TC_F02-1	Tony Stark 17 Sep 2025 Moved two solar panels	AI indicates the job note's status matched the actual "[REWRITE] INCOMPLETE"	"[REWRITE] INCOMPLETE"	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Solar Panel Repositioning ◦ Moved two solar panels for Client49 due to shading. • Additional Requirements ◦ Additional rail brackets are needed. ◦ A follow-up visit is required. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	for Client49 due to shading. Additional rail brackets needed,	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	follow-up visit required.	The program runs properly and achieves	Program run as expected	Pass	
JS-50	TC_F02-1	Tony Stark 17 Sep 2025 Client50 reported	AI indicates the job note's status matched the actual "[REWRITE] INCOMPLETE"	"[REWRITE] INCOMPLETE"	Pass	[REWRITE] INCOMPLETE Thank you for the opportunity to carry out the works at your premise. Below is the scope of work carried out by the Evergreen team: Worker/Date: Tony Stark, 17/09/25 Work Completed: • Inverter System ◦ Client reported inverter shutdown during storm. ◦ Technician attended and made system safe. ◦ Urgent replacement required. Please consider Evergreen Electrical Services for your next electrical, solar or data job. Regards, Evergreen Services.
	TC_F02-2	inverter shutdown during storm. Technician attended, system made	AI indicates the job note's status and informs admin	Job Note informed	Pass	
	TC_S01-1	safe. Urgent replacement required.	The program runs properly and achieves	Program run as expected	Pass	