CHAPTERS AI Hub · Admin Panel Design Document

1. Product Vision

What Is This?

A centralized web application that allows CHAPTERS Group administrators to manage, monitor, and configure Open WebUI deployments across all portfolio companies from a single interface. Instead of logging into each company's Open WebUI instance individually, the admin panel provides a unified dashboard where you can provision users, manage knowledge bases, configure AI agents, and track adoption · all through the Open WebUI API.

Who Uses This?

| User | Role | What They Do | |------|------|----------| | Anuraag / CHAPTERS AI Team | Super Admin | Full access to all instances. Provisions new companies, manages agents, monitors usage across the portfolio. | | Company IT Contact | Company Admin | Manages their own company's users, uploads documents to knowledge bases, views their company's usage. Limited to their own instance. | | Managing Directors | Read-Only Viewer | Views analytics dashboards and adoption metrics for presentations and investment reviews. |

Core Problem It Solves

Managing 50+ Open WebUI instances manually is unsustainable. Every new employee onboarding, every document update, every agent configuration change requires logging into a specific instance. The admin panel turns this O(n) problem into O(1).

---

2. Information Architecture

The Mental Model

The application is organized around a simple hierarchy that mirrors how CHAPTERS operates:

```
CHAPTERS Group (top level)
  ··· Portfolio Company (e.g., BleTec, Somentec, rocom)
       ··· Users (employees at the company)
       ··· AI Agents / Models (customer support, HR, product docs)
       ·    ··· Knowledge Bases (documents powering each agent)
       ··· Groups (who can access what)
       ··· Analytics (usage, adoption, tokens)
```

Every screen in the application operates within this hierarchy. The user always knows: "I'm looking at [Company X] ·[Category Y]".

---

3. Application Screens · Detailed Breakdown

3.1 Global Navigation

Persistent sidebar visible on all screens:

```
.........................
·  CHAPTERS AI Hub        ·
```

```
·  ........................ ·
·  · Dashboard             ·
·  · Companies             ·
·  ........................ ·
·  CURRENT COMPANY:         ·
·  [· BleTec GmbH      ]  ·  · Company selector dropdown
·  ........................ ·
·  · Users                 ·
·  · Models & Agents       ·
·  · Knowledge Bases       ·
·  ····· Groups & Permissions ·
·  · Prompts & Templates   ·
·  · Tools & Functions     ·
·  ·· Configuration         ·
·  · Analytics             ·
·  · Authentication        ·
·  · Files                 ·
·  ........................ ·
·  PLATFORM                 ·
·  ·· Provisioning          ·
·  · Portfolio Overview     ·
·  · API Proxy Manager     ·
·  ·· Health Monitor        ·
·  ........................ ·
·  Settings | Logout        ·
............................
```

The **company selector** is the most important UI element. When switched, all screens below reload with that company's data. This is the "context" for the entire application.

3.2 Screen: Dashboard (Home)

Purpose: At-a-glance health and activity across all companies.

Layout:

```
..............................................................
·  Dashboard                                        [Today ·]·
..............................................................
·                                                            ·
·  ............ ............ ............ ............       ·
·  · 12       · · 347      · · 8,420    · · 2.1M     ·       ·
·  · Active   · · Active   · · Messages · · Tokens   ·       ·
·  · Companies· · Users    · · Today    · · Today    ·       ·
·  ............ ............ ............ ............       ·
·                                                             ·
·  ............................ ............................   ·
·  · Messages per Day (7d)    · · Top Companies by Usage   ·   ·
·  · [Line Chart]             · · 1. BleTec      · 2,340   ·   ·
·  ·                          · · 2. Somentec    · 1,890   ·   ·
·  ·                          · · 3. rocom       · 1,220   ·   ·
·  ·                          · · 4. Convotis    · 980     ·   ·
·  ·                          · · 5. Aareon      · 670     ·   ·
·  ............................ ............................   ·
```

```
.                                                            .
.  ........................................................  .
.  . Recent Activity Feed                                  .  .
.  . . 10:32 . BleTec: 3 new users added                   .  .
.  . . 09:45 . Somentec: Knowledge base "Billing FAQ"      .  .
.  .           updated (4 files added)                     .  .
.  . . 08:12 . rocom: Model "IT-Support Agent" created     .  .
.  ........................................................  .
..............................................................
```

API endpoints used:

- `GET /api/v1/analytics/summary` (per instance, aggregated)
- `GET /api/v1/analytics/daily` (per instance)
- `GET /api/v1/analytics/users` (per instance)
- `GET /api/v1/analytics/tokens` (per instance)
- `GET /api/v1/analytics/messages` (per instance)

3.3 Screen: Companies

Purpose: Registry of all portfolio company instances. This is the master list.

Layout:

```
..............................................................
.  Companies                              [+ Add Company]      .
..............................................................
.  [. Search companies...]                                     .
.                                                              .
.  ........................................................    .
.  . Company         . URL                  . Status . Users.  .
.  ........................................................    .
.  . . BleTec       . bletec.chat.chap...  . Online . 45   .  .
.  . . Somentec     . somentec.chat.ch...  . Online . 32   .  .
.  . . rocom        . rocom.chat.chap...   . Slow   . 28   .  .
.  . . Convotis     . convotis.chat.ch...  . Down   . 0    .  .
.  . . Aareon       . .                    . Not    . .    .  .
.  .                 .                      . Deployed       .  .
.  ........................................................    .
.                                                              .
.  Clicking a company . sets it as current company +           .
.  navigates to its detail page                                .
..............................................................
```

Company Detail Page:

```
..............................................................
.  . Companies  /  BleTec GmbH                                 .
..............................................................
.                                                              .
.  Instance URL: https://bletec.chat.chaptersgroup.com         .
.  API Key:      sk-...............42fa     [Rotate] [Copy]   .
.  Status:       . Online (v0.6.51)                            .
.  Deployed:     2025-09-15                                    .
```

```
.                                                                  .
.  ............ ............ ............ ............        .
.  · 45       · · 3        · · 5        · · 12       ·        .
.  · Users    · · Agents   · · Knowledge· · Groups   ·        .
.  ·          · ·          · · Bases    · ·          ·        .
.  ···[View]··· ···[View]··· ···[View]··· ···[View]···        .
.                                                                  .
.  Quick Actions:                                                  .
.  [Sync Models] [Export Config] [Check Health] [Open WebUI ·]·
.................................................................
```

API endpoints used:

- Stored in admin panel's own database (company registry)
- `GET /api/models` (to verify connectivity and get version)
- `GET /api/v1/users/` (user count)
- `GET /api/v1/knowledge/` (KB count)

3.4 Screen: Users

Purpose: Manage employees who have access to the company's Open WebUI instance.

Layout:

```
.................................................................
.  Users · BleTec GmbH                    [+ Create User]      .
.................................................................
.  [· Search users...]    [Role: All ·]  [Status: All ·]     .
.                                                                  .
.  ...................................................  .
.  · Name          · Email              · Role  · Last Active·  ·
.  ...................................................  .
.  · Max Müller    · m.muller@bletec.de · Admin · 2 hrs ago ·  ·
.  · Anna Schmidt  · a.schmidt@bletec.de· User  · Today     ·  ·
.  · Tom Weber     · t.weber@bletec.de  · User  · 3 days ago·  ·
.  · Lisa Koch     · l.koch@bletec.de   · Pending· Never    ·  ·
.  ...................................................  .
.                                                                  .
.  Bulk Actions: [Select All] [Activate] [Deactivate] [Delete]·
.................................................................
```

Create/Edit User Dialog:

```
....................................
.  Create New User                     .
....................................
.  Name:     [________________]       .
.  Email:    [________________]       .
.  Password: [________________] [·]  .
.  Role:     [User ·]                 .
.  Groups:   [· All Users]            .
.            [· Management]           .
.            [· IT Team]              .
.                                     .
```

```
·  [Cancel]              [Create User]·
.....................................
```

API endpoints used:

- `GET /api/v1/users/` · List all users
- `GET /api/v1/users/search` · Search users
- `POST /api/v1/auths/signup` · Create new user
- `POST /api/v1/users/{id}/update` · Update user
- `DELETE /api/v1/users/{id}` · Delete user
- `GET /api/v1/users/{id}/settings` · Get user settings
- `POST /api/v1/users/{id}/settings` · Update user settings
- `GET /api/v1/users/permissions` · Get permissions config
- `POST /api/v1/users/permissions` · Update permissions

3.5 Screen: Models & Agents

Purpose: Create and configure custom AI models (agents) that combine a base LLM + system prompt + knowledge base + tools.

Layout:

```
.............................................................
·  Models & Agents · BleTec GmbH           [+ Create Agent]    ·
.............................................................
·  [Base Models]  [Custom Agents]  [Connections]               ·
·                                                             ·
·  Custom Agents tab:                                         ·
·  .......................................................    ·
·  · · BleTec Product Support                              ·  ·
·  ·    Base: gpt-4o · KB: IT-Blech Docs · Status: Active  ·  ·
·  ·    [Edit] [Clone] [Toggle] [Delete]                    ·  ·
·  .......................................................    ·
·  · · BleTec HR Assistant                                 ·  ·
·  ·    Base: gpt-4o-mini · KB: HR Policies · Active       ·  ·
·  ·    [Edit] [Clone] [Toggle] [Delete]                    ·  ·
·  .......................................................    ·
·  · · BleTec Internal Docs                                ·  ·
·  ·    Base: gpt-4o · KB: Internal Wiki · Active          ·  ·
·  ·    [Edit] [Clone] [Toggle] [Delete]                    ·  ·
·  .......................................................    ·
·                                                             ·
·  [Sync Models] [Import] [Export All]                        ·
.............................................................
```

Create/Edit Agent Page (full page, not dialog):

```
.............................................................
·  · Models & Agents  /  Edit: BleTec Product Support         ·
.............................................................
·                                                             ·
·  BASIC INFORMATION                                          ·
·  Agent Name:    [BleTec Product Support     ]              ·
·  Agent ID:      bletec-product-support (auto-generated)    ·
```

```
·  Description:   [Product documentation assistant for...]    ·
·  Base Model:    [gpt-4o ·]                                  ·
·                                                              ·
·  SYSTEM PROMPT                                               ·
·  ...................................................        ·
·  · You are the BleTec product support assistant.        ·   ·
·  · Answer questions using ONLY the provided             ·   ·
·  · documentation. If the answer is not found in the     ·   ·
·  · documents, say so clearly. Always respond in the     ·   ·
·  · same language as the user's question.                ·   ·
·  ·                                                      ·   ·
·  · Mandatory response rules:                            ·   ·
·  · 1. Never make up information                         ·   ·
·  · 2. Always cite which document you referenced         ·   ·
·  · 3. If unsure, say "I don't have this information"    ·   ·
·  ...................................................        ·
·                                                              ·
·  KNOWLEDGE BASES (RAG)                                       ·
·  Attached:                                                   ·
·  [· IT-Blech Product Docs (42 files)]                        ·
·  [· BleTec FAQ (12 files)]                                   ·
·  [· General CHAPTERS Docs (8 files)]                         ·
·                                                              ·
·  MODEL PARAMETERS                                            ·
·  Temperature:   [0.3 ......... 1.0]                        ·
·  Top K:         [5 ·]                                       ·
·  Max Tokens:    [4096 ·]                                    ·
·                                                              ·
·  ACCESS CONTROL                                              ·
·  Who can use this agent:                                     ·
·  [· All Users]                                               ·
·  [· IT Team]                                                 ·
·  [· Management Only]                                         ·
·                                                              ·
·  TOOLS                                                       ·
·  [· Web Search]                                              ·
·  [· Code Execution]                                          ·
·  [· Image Generation]                                        ·
·                                                              ·
·  [Cancel]    [Save as Draft]    [Save & Activate]            ·
................................................................
```

Connections Tab (manages Azure OpenAI connections):

```
................................................................
·  Connections · BleTec GmbH                                   ·
................................................................
·  OpenAI-Compatible APIs:                                     ·
·  ...................................................        ·
·  · · Azure OpenAI (Sweden Central)                      ·   ·
·  ·    URL: https://bletec-ai.openai.azure.com/v1         ·   ·
·  ·    Models: gpt-4o, gpt-4o-mini                        ·   ·
·  ·    [Edit] [Verify] [Remove]                            ·   ·
·  ...................................................        ·
```

```
.                                                              .
·  [+ Add Connection]                                          ·
...............................................................
```

API endpoints used:

- `GET /api/models` · List all models
- `POST /api/models/create` · Create custom model
- `POST /api/models/update` · Update model
- `DELETE /api/models/delete` · Delete model
- `POST /api/models/{id}/toggle` · Enable/disable
- `POST /api/models/{id}/access` · Set group access
- `GET /api/models/base` · List available base models
- `POST /api/models/sync` · Sync model list
- `POST /api/models/import` · Import model configs
- `GET /api/models/export` · Export model configs
- `GET /api/v1/configs/connections` · Get connections
- `POST /api/v1/configs/connections` · Update connections
- `POST /api/v1/openai/verify` · Verify connection

3.6 Screen: Knowledge Bases

Purpose: Manage document collections that power RAG for each agent.

Layout:

```
...............................................................
·  Knowledge Bases · BleTec GmbH        [+ Create Knowledge]   ·
...............................................................
·  [· Search...]                                               ·
·                                                              ·
·  .........................................................   ·
·  · · IT-Blech Product Documentation                      ·   ·
·  ·    42 files · 128 MB · Last updated: 2 days ago        ·   ·
·  ·    Used by: BleTec Product Support                      ·   ·
·  ·    Status: · Fully indexed                              ·   ·
·  ·    [Manage Files] [Reindex] [Export] [Delete]           ·   ·
·  .........................................................   ·
·  · · HR Policies & Procedures                             ·   ·
·  ·    18 files · 24 MB · Last updated: 1 week ago          ·   ·
·  ·    Used by: BleTec HR Assistant                         ·   ·
·  ·    Status: · Fully indexed                              ·   ·
·  ·    [Manage Files] [Reindex] [Export] [Delete]           ·   ·
·  .........................................................   ·
·  · · Customer FAQ                                         ·   ·
·  ·    8 files · 6 MB · Last updated: 3 weeks ago           ·   ·
·  ·    Used by: (none)                                      ·   ·
·  ·    Status: ·· 2 files pending processing                ·   ·
·  ·    [Manage Files] [Reindex] [Export] [Delete]           ·   ·
·  .........................................................   ·
...............................................................
```

Manage Files Sub-Screen:

```
.............................................................
·  · Knowledge Bases / IT-Blech Product Documentation        ·
.............................................................
·                                                           ·
·  .......................................................   ·
·  ·  · Drag & drop files here or [Browse Files]        ·   ·
·  ·     Supported: PDF, DOCX, TXT, MD, CSV, XLSX        ·   ·
·  .......................................................   ·
·                                                           ·
·  Files (42):                                     [Select All]·
·  ......................................................  ·
·  · · · · installation-guide-v3.pdf    · 4.2 MB · ·     ·  ·
·  · · · · api-reference.md             · 890 KB · ·     ·  ·
·  · · · · release-notes-2025.docx      · 1.1 MB · ·     ·  ·
·  · · · · troubleshooting.pdf          · 2.3 MB · ·     ·  ·
·  · · · · hardware-specs.xlsx          · 340 KB · ·     ·  ·
·  ......................................................  ·
·                                                           ·
·  Selected: [Delete Selected] [Reprocess Selected]         ·
.............................................................
```

API endpoints used:

- `GET /api/v1/knowledge/` · List all knowledge bases
- `POST /api/v1/knowledge/create` · Create knowledge base
- `GET /api/v1/knowledge/{id}` · Get details
- `POST /api/v1/knowledge/{id}/update` · Update
- `DELETE /api/v1/knowledge/{id}` · Delete
- `POST /api/v1/knowledge/{id}/file/add` · Add file to KB
- `POST /api/v1/knowledge/{id}/file/remove` · Remove file
- `POST /api/v1/knowledge/{id}/reindex` · Reindex
- `POST /api/v1/knowledge/{id}/reset` · Reset vectors
- `GET /api/v1/knowledge/search` · Search across KBs
- `POST /api/v1/files/` · Upload file
- `GET /api/v1/files/` · List files
- `GET /api/v1/files/{id}` · Get file info
- `DELETE /api/v1/files/{id}` · Delete file
- `GET /api/v1/files/{id}/content` · Download file

3.7 Screen: Groups & Permissions

Purpose: Control who can access which models and features.

Layout:

```
.............................................................
·  Groups & Permissions · BleTec GmbH     [+ Create Group]     ·
.............................................................
·                                                           ·
·  ......................................................  ·
·  · ····· All Users (default)                                 ·  ·
·  ·    45 members · Access: BleTec HR Assistant            ·  ·
·  ·    [Manage Members] [Edit Permissions] [Edit Access]   ·  ·
·  ......................................................  ·
```

```
·  · ····· IT Team                                          ·  ·
·  ·    12 members · Access: All models                    ·  ·
·  ·    [Manage Members] [Edit Permissions] [Edit Access]   ·  ·
·  ........................................................  ·
·  · ····· Management                                        ·  ·
·  ·    5 members · Access: HR Assistant, Internal Docs     ·  ·
·  ·    [Manage Members] [Edit Permissions] [Edit Access]   ·  ·
·  ........................................................  ·
·                                                            ·
·  Global Permissions:                                       ·
·  ........................................................  ·
·  · File uploads:       [· Enabled]                       ·  ·
·  · File deletions:     [· Enabled]                       ·  ·
·  · Temporary chats:    [· Enabled]                       ·  ·
·  · Knowledge creation: [· Admin only]                    ·  ·
·  · Tool creation:      [· Admin only]                    ·  ·
·  · Model creation:     [· Admin only]                    ·  ·
·  ........................................................  ·
............................................................
```

API endpoints used:

- `GET /api/v1/groups/` · List groups
- `POST /api/v1/groups/create` · Create group
- `GET /api/v1/groups/{id}` · Get group details
- `POST /api/v1/groups/{id}/update` · Update group
- `DELETE /api/v1/groups/{id}` · Delete group
- `GET /api/v1/groups/export` · Export groups
- `GET /api/v1/users/permissions` · Get permissions
- `POST /api/v1/users/permissions` · Update permissions

3.8 Screen: Prompts & Templates

Purpose: Manage reusable prompt templates that can be shared across agents or companies.

Layout:

```
............................................................
·  Prompts & Templates · BleTec GmbH       [+ Create Prompt]   ·
............................................................
·  [Company Prompts]  [CHAPTERS Templates]                    ·
·                                                            ·
·  ........................................................  ·
·  · · Customer Support Base Prompt                         ·  ·
·  ·    Version 3 · Last edited: Jan 12 · Tag: support      ·  ·
·  ·    Used by: BleTec Product Support agent               ·  ·
·  ·    [Edit] [Version History] [Clone to Other Company]   ·  ·
·  ........................................................  ·
·  · · HR Policy Q&A Prompt                                 ·  ·
·  ·    Version 1 · Last edited: Dec 05 · Tag: hr           ·  ·
·  ·    [Edit] [Version History] [Clone to Other Company]   ·  ·
·  ........................................................  ·
·                                                            ·
·  "Clone to Other Company" · deploys the same prompt template ·
```

```
·  to another portfolio company's Open WebUI instance          ·
.............................................................
```

API endpoints used:

- `GET /api/v1/prompts/` · List prompts
- `POST /api/v1/prompts/create` · Create prompt
- `GET /api/v1/prompts/{slug}` · Get prompt
- `POST /api/v1/prompts/{slug}/update` · Update
- `DELETE /api/v1/prompts/{slug}` · Delete
- `GET /api/v1/prompts/{slug}/history` · Version history
- `POST /api/v1/prompts/{slug}/access` · Set access
- `GET /api/v1/prompts/tags` · List prompt tags

3.9 Screen: Tools & Functions

Purpose: Manage tools (web search, code execution, custom functions) and filter/pipe functions available to agents.

Layout:

```
.............................................................
·  Tools & Functions · BleTec GmbH                            ·
.............................................................
·  [Tools]  [Functions]  [Tool Servers]                       ·
·                                                             ·
·  Tools tab:                                          [+ Add] ·
·  .......................................................  ·
·  · · Web Search (SearXNG)          · Active · [Config]  ·  ·
·  · · Email Sender (Graph API)      · Active · [Config]  ·  ·
·  · · Social Media Publisher        · Inactive· [Config] ·  ·
·  .......................................................  ·
·                                                             ·
·  Functions tab:                                      [+ Add] ·
·  .......................................................  ·
·  · · PII Filter (pipe)              · Global · [Valves]  ·  ·
·  · · Response Formatter (filter)    · Active · [Valves]  ·  ·
·  .......................................................  ·
·                                                             ·
·  Tool Servers tab:                                   [+ Add] ·
·  .......................................................  ·
·  · · MCP Server: SharePoint        · · Connected       ·  ·
·  · · MCP Server: Jira              · · Disconnected    ·  ·
·  .......................................................  ·
.............................................................
```

API endpoints used:

- Tools: `GET/POST/DELETE /api/v1/tools/`, per-tool `valves`, `access`, `toggle`
- Functions: `GET/POST/DELETE /api/v1/functions/`, per-function `valves`, `toggle`, `toggle/global`
- Tool Servers: `GET/POST /api/v1/configs/tool_servers`

3.10 Screen: Configuration

Purpose: Manage instance-level settings · RAG config, code execution, banners, OAuth.

Layout:

```
.............................................................
·  Configuration · BleTec GmbH                               ·
.............................................................
·  [General] [RAG] [Auth & OAuth] [Banners] [Code Execution]  ·
·                                                            ·
·  RAG tab:                                                  ·
·  .......................................................   ·
·  · Chunk Size:        [400        ]                    ·  ·
·  · Chunk Overlap:     [100        ]                    ·  ·
·  · Top K Results:     [5          ]                    ·  ·
·  · Relevance Threshold: [0.3 ····· 1.0]               ·  ·
·  ·                                                    ·  ·
·  · Embedding Model:                                   ·  ·
·  · Engine:   [OpenAI ·]                              ·  ·
·  · Model:    [text-embedding-3-small ·]               ·  ·
·  · API URL:  [https://bletec-ai.openai.azure.com/v1]    ·  ·
·  ·                                                    ·  ·
·  · [Save Configuration]                               ·  ·
·  .......................................................   ·
·                                                            ·
·  General tab:                                             ·
·  .......................................................   ·
·  · Default Model:     [gpt-4o ·]                      ·  ·
·  · Enable Signup:     [· Disabled]                    ·  ·
·  · Default User Role: [User ·]                        ·  ·
·  · WebUI Name:        [BleTec AI Hub    ]             ·  ·
·  .......................................................   ·
·                                                            ·
·  Auth & OAuth tab:                                        ·
·  .......................................................   ·
·  · SSO Provider:      [Microsoft Entra ID ·]          ·  ·
·  · Client ID:         [··............]                ·  ·
·  · Allowed Domains:   [bletec.de]                     ·  ·
·  · Auto-create users: [· Enabled]                    ·  ·
·  .......................................................   ·
.............................................................
```

API endpoints used:

- `GET/POST /api/v1/retrieval/config` · RAG configuration
- `GET/POST /api/v1/retrieval/embedding/config` · Embedding config
- `GET/POST /api/v1/configs/` · General configs
- `GET/POST /api/v1/configs/banners` · Banner management
- `GET/POST /api/v1/configs/code_execution` · Code execution settings
- `GET/POST /api/v1/configs/oauth` · OAuth settings
- `GET/POST /api/v1/auths/admin/config` · Auth admin config

3.11 Screen: Analytics

Purpose: Usage metrics and adoption tracking for the selected company.

Layout:

```
.............................................................
·  Analytics · BleTec GmbH          [Last 7 days ·] [Export]  ·
.............................................................
·                                                           ·
·  ........... ........... ........... ...........        ·
·  · 45       · · 32       · · 2,340    · · 890K     ·       ·
·  · Total    · · Active   · · Messages · · Tokens   ·       ·
·  · Users    · · Users    · · (7d)     · · (7d)     ·       ·
·  ........... ........... ........... ...........        ·
·                                                            ·
·  ............................... ........................ ·
·  · Daily Messages              · · Messages by Model      · ·
·  · [Area Chart - 7 days]       · · [Pie Chart]            · ·
·  ·                             · · · Product Support 52%  · ·
·  ·                             · · · HR Assistant   31%   · ·
·  ·                             · · · Internal Docs  17%   · ·
·  ............................... ........................ ·
·                                                            ·
·  ...................................................       ·
·  · Top Users (7d)                                        ·  ·
·  · 1. Max Müller · 342 messages                          ·  ·
·  · 2. Anna Schmidt · 289 messages                        ·  ·
·  · 3. Tom Weber · 198 messages                           ·  ·
·  ...................................................       ·
·                                                            ·
·  ...................................................       ·
·  · Model Leaderboard (from user feedback)                ·  ·
·  · · 4.6 BleTec Product Support                        ·  ·
·  · · 4.2 HR Assistant                                  ·  ·
·  · · 3.8 Internal Docs                                 ·  ·
·  ...................................................       ·
.............................................................
```

API endpoints used:

- `GET /api/v1/analytics/summary` · Summary stats
- `GET /api/v1/analytics/daily` · Daily breakdown
- `GET /api/v1/analytics/messages` · Message analytics
- `GET /api/v1/analytics/models` · Per-model usage
- `GET /api/v1/analytics/tokens` · Token consumption
- `GET /api/v1/analytics/users` · Per-user stats
- `GET /api/v1/evaluations/leaderboard` · Model ratings
- `GET /api/v1/evaluations/` · Feedback data

3.12 Screen: Authentication & API Keys

Purpose: Manage SSO configuration, API keys, and authentication settings.

```
.............................................................
·  Authentication · BleTec GmbH                              ·
```

```
.............................................................
·  [SSO / OAuth]  [API Keys]  [LDAP]  [Signup Settings]      ·
·                                                            ·
·  API Keys tab:                                             ·
·  .........................................................  ·
·  · Admin API Key:     sk-·····42fa   [Rotate] [Copy]     ·  ·
·  · Created: 2025-09-15 · Last used: 2 min ago            ·  ·
·  .........................................................  ·
·  · Chatbot Proxy Key: sk-·····8b21   [Rotate] [Copy]     ·  ·
·  · Created: 2025-11-01 · Last used: 1 hr ago             ·  ·
·  .........................................................  ·
·  [+ Generate New API Key]                                  ·
.............................................................
```

API endpoints used:

- `GET/POST /api/v1/auths/admin/config` · Auth config
- `POST /api/v1/auths/api_key` · Generate API key
- `DELETE /api/v1/auths/api_key` · Delete API key
- `GET /api/v1/auths/api_key` · Get current key
- `GET/POST /api/v1/configs/oauth` · OAuth settings

3.13 Screen: Files

Purpose: Manage all uploaded files across the instance (independent of knowledge bases).

```
.............................................................
·  Files · BleTec GmbH                       [+ Upload Files] ·
.............................................................
·  [· Search files...]     [Type: All ·]                     ·
·                                                            ·
·  .........................................................  ·
·  · · · File Name              · Size  · KB       · Status·  ·
·  .........................................................  ·
·  · · · install-guide-v3.pdf   · 4.2MB · IT-Blech · ·    ·  ·
·  · · · hr-policy-2025.docx    · 1.1MB · HR Docs  · ·    ·  ·
·  · · · specs-sheet.xlsx       · 340KB · (none)   · ·    ·  ·
·  · · · meeting-notes.md       · 12KB  · (none)   · ·    ·  ·
·  .........................................................  ·
·                                                            ·
·  Selected: [Add to Knowledge Base] [Delete] [Reprocess]    ·
.............................................................
```

API endpoints used:

- `POST /api/v1/files/` · Upload
- `GET /api/v1/files/` · List
- `GET /api/v1/files/search` · Search
- `GET /api/v1/files/{id}` · Details
- `GET /api/v1/files/{id}/content` · Download
- `DELETE /api/v1/files/{id}` · Delete
- `POST /api/v1/retrieval/process/file` · Process file for RAG

3.14 Platform Screens (Cross-Company)

These screens operate at the CHAPTERS level, not per-company.

3.14.1 Provisioning

Purpose: Onboard a new portfolio company in one workflow.

```
.............................................................
·  Provision New Company                                     ·
.............................................................
·                                                           ·
·  Step 1 of 4: Company Details                             ·
·  ...............................................          ·
·  Company Name:    [                    ]                  ·
·  Domain:          [.chat.chaptersgroup.com]               ·
·  Contact Person:  [                    ]                  ·
·  Contact Email:   [                    ]                  ·
·                                                           ·
·  Step 2 of 4: Instance Setup                              ·
·  ...............................................          ·
·  Instance URL:    [Auto-generated from domain]            ·
·  API Key:         [Will be generated on connection]       ·
·                                                           ·
·  Step 3 of 4: Default Agents                              ·
·  ...............................................          ·
·  Deploy standard agents:                                  ·
·  [· HR Assistant (CHAPTERS template)]                     ·
·  [· General Q&A (CHAPTERS template)]                      ·
·  [· Product Support (requires custom KB)]                 ·
·  [· Customer Support (requires custom KB)]                ·
·                                                           ·
·  Step 4 of 4: Initial Users                               ·
·  ...............................................          ·
·  Admin user:      [admin@company.de]                      ·
·  [+ Add more users]                                       ·
·                                                           ·
·  [Back]                                   [Provision Now] ·
.............................................................
```

3.14.2 Portfolio Overview

Purpose: Bird's-eye view for MDs and leadership presentations.

```
.............................................................
·  Portfolio AI Adoption Overview            [Export to PPTX]  ·
.............................................................
·                                                           ·
·  ........... ........... ........... ...........       ·
·  · 12/52    · · 347      · · 52,400   · · ·2,840   ·       ·
·  · Companies· · Total    · · Messages · · Est. Cost·       ·
·  · Deployed · · Users    · · (30d)    · · (30d)    ·       ·
·  ........... ........... ........... ...........       ·
·                                                           ·
·  ...................................................      ·
```

```
·   · Adoption Heatmap (messages/user/week by company)       ·   ·
·   · [Heatmap grid visualization]                           ·   ·
·   ..........................................................   ·
·                                                                ·
·   ..........................................................   ·
·   · Company          · Users · Active · Msgs/wk · Status  ·   ·
·   ..........................................................   ·
·   · BleTec           · 45    · 32     · 2,340   · · High ·   ·
·   · Somentec         · 32    · 18     · 1,890   · · High ·   ·
·   · rocom            · 28    · 22     · 1,220   · · Med  ·   ·
·   · Convotis         · 15    · 3      · 120     · · Low  ·   ·
·   ..........................................................   ·
..............................................................
```

3.14.3 API Proxy Manager

Purpose: Manage the customer-facing chatbot API proxies.

```
..............................................................
·  API Proxy Manager                        [+ Register Agent]  ·
..............................................................
·                                                              ·
·  Active API Agents:                                          ·
·  ..........................................................   ·
·   · Endpoint                  · Company · Requests/day· ·  ·   ·
·  ..........................................................   ·
·   · /chat/bletec-support     · BleTec  · 342         · ··  ·
·   · /chat/rocom-support      · rocom   · 128         · ··  ·
·   · /chat/somentec-billing   · Somentec· 56          · ··  ·
·  ..........................................................   ·
·                                                              ·
·  [Widget Code Generator] · generates embed code per agent    ·
..............................................................
```

3.14.4 Health Monitor

Purpose: Real-time status of all Open WebUI instances.

```
..............................................................
·  Health Monitor                           [Auto-refresh: 60s] ·
..............................................................
·                                                              ·
·  ..........................................................   ·
·   · Instance            · Status · Response · Version      ·   ·
·  ..........................................................   ·
·   · chat.chaptersgroup  · · 200 · 120ms    · v0.6.51     ·   ·
·   · bletec.chat.chap... · · 200 · 230ms    · v0.6.51     ·   ·
·   · somentec.chat.ch... · · 200 · 180ms    · v0.6.49     ·   ·
·   · rocom.chat.chap...  · · 200 · 2100ms   · v0.6.51     ·   ·
·   · convotis.chat.ch... · · 503 · timeout  · ·           ·   ·
·  ..........................................................   ·
·                                                              ·
·  [· Alerts: Convotis instance down since 14:32]              ·
..............................................................
```

---

4. Cross-Cutting Features

4.1 Clone & Sync Across Companies

One of the most powerful features: take any configuration from one company and deploy it to others.

- **Clone Agent** · Select source company · Select agent · Select target companies · Deploy
- **Clone Prompt Template** · Same flow
- **Clone Tool Configuration** · Same flow
- **Sync RAG Config** · Push standardized RAG settings to all companies

This works by reading from the source instance's API and writing to the target instance's API.

4.2 Bulk Operations

- Create the same user across multiple instances (e.g., a CHAPTERS consultant who needs access everywhere)
- Push a document to all companies' HR knowledge bases
- Update a system prompt across all instances that use a specific template
- Rotate API keys across all instances

4.3 Audit Log

Track every action taken through the admin panel:

- Who did what, when, on which company's instance
- Stored in the admin panel's own database (not in Open WebUI)
- Essential for GDPR compliance documentation

4.4 Role-Based Access in the Admin Panel Itself

The admin panel needs its own auth layer (separate from Open WebUI):

| Role | Access | |------|--------| | Super Admin | All companies, all features, provisioning | | Company Admin | Their company only, all features except provisioning | | Viewer | Read-only access to analytics and configuration |

---

5. Data Architecture

What the Admin Panel Stores (Its Own Database)

- Company registry (name, URL, API key, status, metadata)
- Admin panel users and roles
- Audit logs
- Cached analytics for portfolio overview
- Clone/sync job history
- Health check history
- API proxy agent configurations

What It Does NOT Store

- Open WebUI users, chats, files, knowledge bases · these live in each instance
- The admin panel is a **management layer**, not a data store
- All data flows through the Open WebUI API in real-time

---

6. API Endpoints Coverage Summary

Screen	API Category	Endpoints Used	Coverage
Dashboard	analytics	6/8	75%
Users	users, auths	15/41	37%
Models & Agents	models, configs	14/29	48%
Knowledge Bases	knowledge, files	16/29	55%
Groups	groups, users	8/31	26%
Prompts	prompts	8/15	53%
Tools & Functions	tools, functions, configs	15/47	32%
Configuration	retrieval, configs, auths	12/52	23%
Analytics	analytics, evaluations	8/23	35%
Authentication	auths, configs	8/35	23%
Files	files, retrieval	8/29	28%
Total unique		**~118/412**	**29%**

The remaining ~294 endpoints are primarily end-user features (chat operations, ollama pass-through, channel messaging, memories, notes, folders, images, audio, tasks, skills) that don't belong in an admin panel. The 118 endpoints cover virtually all administrative and management functionality.

---

7. Recommended Build Order

Phase 1 · Foundation (Week 1-2)

1. FastAPI backend with company registry + auth
2. React shell with sidebar navigation + company selector
3. Health Monitor (simplest screen, validates API connectivity)
4. Companies screen (CRUD for the registry)

Phase 2 · Core Management (Week 3-4)

5. Users screen (most requested by company admins)
6. Knowledge Bases screen (most operationally critical)
7. Models & Agents screen (the showcase feature)
8. Groups & Permissions screen

Phase 3 · Configuration & Insights (Week 5-6)

9. Configuration screen (RAG, auth, general settings)
10. Analytics screen
11. Authentication & API Keys screen
12. Files screen

Phase 4 · Platform Features (Week 7-8)

13. Provisioning wizard
14. Portfolio Overview
15. Clone & Sync features
16. API Proxy Manager
17. Prompts & Templates
18. Tools & Functions

Phase 5 · Polish

19 Audit logging
20 Export to PPTX/PDF for presentations
21 Email notifications for health alerts
22 Bulk operations

---

8. Technical Decisions

Decisions confirmed during design review:

Tech Stack

| Layer | Choice | Rationale | |-------|--------|-----------| | **Frontend** | React + shadcn/ui + Tremor | Biggest community, easiest to find help, pairs naturally with FastAPI backend | | **Backend** | FastAPI (Python) | Consistent with existing CHAPTERS tooling, async-first, excellent OpenAPI docs | | **Database** | PostgreSQL | Consistent with the rest of the AI Hub stack | | **Charts/Viz** | Tremor | React-native charting library, designed for dashboards | | **UI Components** | shadcn/ui (Tailwind CSS) | Copy-paste components, fully customizable, no vendor lock-in |

Hosting

Local development for now. No cloud hosting decisions needed for MVP. The admin panel will run as two local processes (FastAPI backend + React dev server) connecting to remote Open WebUI instances over HTTPS.

Authentication & API Key Model

- On each Open WebUI deployment (CHAPTERS + each OpCo), a dedicated admin account is created using email/password (not Microsoft SSO).
- This admin account generates an API key within that instance.
- The admin panel stores each instance's URL + API key in its own PostgreSQL database.
- Each instance therefore has its own independent API key. The admin panel uses the correct key when making API calls to a specific instance.
- All API calls go over HTTPS through the Application Gateway · no VPN or special network access required.

Provisioning Scope

"Provision Now" **only registers an already-deployed Azure instance** in the admin panel's database. It does NOT trigger infrastructure deployment. The Azure deployment pipeline (`spoke-deploy.sh`, `hub-onboard.sh`, etc.) is completely separate from the admin panel. The provisioning wizard collects the instance URL, connects to it with the provided API key, verifies connectivity, and saves it to the registry.

API Proxy Manager Scope

The API Proxy is an **admin-only tool for testing chat APIs** directly from the admin panel UI. It is NOT a customer-facing chatbot proxy. Think of it as a built-in API playground/Postman specifically for the chat completion endpoints, allowing the admin to test agents, prompts, and model configurations without leaving the admin panel.

Access Control (MVP)

The MVP is **super admin only** · a single admin role with full access to all companies and all features. Role-based

access control (Company Admin, Viewer roles) will be added in a later phase.

Build Strategy

All screens will be implemented. Development will pause for a checkpoint after the first ~9-10 screens (Phases 1-3), then continue with the remaining screens (Phase 4-5).