

JavaScript for WordPress

Zac Gordon @zgordon

<https://javascriptforwp.com>

Getting Setup

- **Local install of WordPress:**

“DesktopServer” or “Local from Flywheel”

FakerPress - wordpress.org/plugins/fakerpress

- **Code Editor:**

Atom*, Visual Studio Code*, PHPStorm / WebStorm

- **Example Files and Slides:**

github.com/zgordon/wcsanjose-2017

Workshop Overview

1. JavaScript [JS 101, DOM, Events]
2. The WordPress REST API [Accessing, Arguments]
3. JavaScript & WP API in Themes [Enqueuing, jQuery, API]
4. *Homework!*

Part 1

JS 101

Pop Quiz!

JS 101 Pop Quiz!!!

1. What is a variable?
2. What is an array?
3. What is a function?
4. What is an Object?
5. What is a Loop?
6. What is a Conditional
7. How do you include JavaScript in HTML?
8. How do you include JavaScript in a WordPress Theme?

JS 101

Variable

A container for storing values (in memory)

```
var username = 'zgordon';
```

```
let username = 'zgordon';
```

```
const siteURL = 'https://site.com';
```


Variable

A container for storing values (in memory)

```
var username = 'zgordon',  
    twitter = '@zgordon',  
    website = 'zacgordon.com';
```

Array

A collection of values

```
var postIds = [ 1, 2, 3, 5 ];  
var usernames = [  
    'zgordon',  
    'admin'  
];
```

Array

A collection of values (zero indexed)

```
var postIds = [ 1, 2, 3, 5 ];
```

```
postIds[ 0 ] // Equals 1
```

```
postIds[ postIds.length - 1 ] // Last item
```

Functions

Let us write, call and reuse blocks of code

```
function getPosts() { // Function Declaration
    var posts = apiMagic(); // Will learn..
    return posts;
}
getPosts(); // Function Call
getPosts // Function Reference
```

Function Parameters

Can pass data into functions

```
function getUser( id = 0 ) {  
    var user = apiMagic( id );  
    return user;  
}  
getUser( 1 );
```

Objects

Container with properties (values) and methods (functions).

```
var post = {  
  title: 'Hello World!',      post.title;  
  render: function() {       post.render();  
    console.log( this.title );  
  }  
}
```

Loops

Let us perform an action on a collection of items.

```
var postIds = [ 1, 7, 14, 34, 88, 117 ];
```

```
for ( let i = 0, max = postIds.length; i < max; i++ ) {  
    console.log( 'Post #' + postIds[ i ] );  
}
```

For Of Loop

Lets us loop through an array

```
var postIds = [ 1, 7, 14 ];
```

```
for( let id of postIds ) {  
    console.log( id );  
}
```


For Each Method

Lets us loop through an array

```
var postIds = [ 1, 7, 14 ];
```

```
postIds.forEach( id => {  
    console.log( id )  
} );
```

Mapping

Mapping is a functional alternative to looping

```
var postIds = [ 1, 7, 14 ];
```

```
postIds.map( id => {  
    console.log( id );  
});
```

Conditional Statements

Tests to determine what code to run

```
var loggedIn = true;
if ( true === loggedIn ) {
    console.log( 'Show dashboard' );
} else {
    console.log( 'Please login' );
}
```

Include JS in HTML

```
<html>  
  <head>  
  </head>  
  <body>  
    <script>  
      console.log( 'JS Running!' );  
    </script>  
  </body>  
</html>
```

Include JS in HTML

```
<html>
```

```
  <head>
```

```
  </head>
```

```
  <body>
```

```
    <script src="index.js"></script>
```

```
  </body>
```

```
</html>
```

Include JS in WP Theme



```
function my_theme_scripts() {  
    wp_enqueue_script(  
        'main-js',  
        get_template_directory_uri() . '/js/main.js',  
        [ 'jquery', 'wp-api' ],  
        time(),  
        true );  
}  
add_action( 'wp_enqueue_scripts', 'my_theme_scripts' );
```


The DOM & Nodes



The DOM is an API

For HTML (XML & SVG)





Build documents, **navigate** their structure, and **add, modify, or delete** elements and content.



Everything in the DOM
Is a Node

Common Node Types

- Document [9]
- DocumentType [10]
- Element [1]
- Text [3]
- Comments [8]
- DocumentFragments [11]

Common Node Types

- Document [9]
- DocumentType [10]
- **Element [1]**
- **Text [3]**
- Comments [8]
- *DocumentFragments [11]*

```
<!DOCTYPE html>
<html>
<head>
  <title>The DOM</title>
</head>
<body>
  <h1>Title</h1>
  <p>Lorem <a title="Learn more"
href="#">to the</a> ipsum</p>
</body>
</html>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>The DOM</title>
```

```
</head>
```


```
<body>
```

```
<h1>Title</h1>
```

```
<p>Lorem <a title="Learn more" href="#">to the</a> ipsum</p>
```

```
</body>
```

```
</html>
```



Getting DOM Nodes w JS

```
document.getElementById( 'main' )
```

```
document.getElementsByTagName( 'a' )
```

```
document.getElementsByClassName( 'post' )
```

```
document.querySelector( '.entry-title a' )
```

```
document.querySelectorAll( '.entry-title a' )
```

```
el.querySelector( 'a' )
```


Getting Node Values

```
var el = document.getElementById( 'main' );
```

el.innerText

el.href

el.innerHTML

el.dataset.custom

el.id

input.value

Setting Node Values

```
var el = document.getElementById( 'main' );
```

```
el.innerText = 'New';
```

```
el.innerHTML = '<p>New</p>';
```

```
input.value = 'zgordon';
```

PRACTICE 1.1

Getting & Setting Nodes w JS

Creating & Appending Nodes

Creating Nodes

```
document.createElement( 'p' )
```

```
document.createTextNode( 'Text' )
```

Appending Nodes

```
parent.appendChild( newEl );  
parent.insertBefore( newEl, el );
```

Appending Nodes Example

```
var pEl = document.querySelector( 'p' ),  
    aEl = document.createElement( 'a' ),  
    aText = document.createTextNode( 'Link' );  
  
aEl.appendChild( aText );  
aEl.href = 'https://javascriptforwp.com';  
pEl.appendChild( aEl );
```

"Hacker Style" Appending Nodes

```
var pEl = document.querySelector( 'p' ),  
    markup = '';
```

```
markup += '<a href="https://site.com">';  
markup += 'Link Text';  
markup += '</a>';
```

```
pEl.innerHTML = markup;
```


Practice 1.2 + 1.3

Creating & Appending Nodes

Events w JavaScript

Types of Events

- Mouse events
- Keyboard events
- Form events
- Media events
- Drag and Drop events
- Window events
- Many more....



<https://javascriptforwp.com/intro-to-events/> ~40mins

Hooking into Events w JavaScript

1. **Inline** in HTML `Alert`
2. **Global** 1 Off `a.onclick = sayHi`
3. **Listeners** Best `a.addEventListener('click', sayHi, false)`

Event Listeners

```
var linkEl = document.querySelector( 'a' );

function displayLinkInfo( event ) {

    event.preventDefault();
    console.log( event );

}

linkEl.addEventListener( 'click', displayLinkInfo, false );
```

The Event Object

```
link.addEventListener( 'click', sayHi );
```

```
function sayHi( event ) {  
    console.log( event );  
    console.log( event.type );  
    console.log( event.target );  
}
```

Removing Event Listeners

```
var el = document.querySelector( 'a' );
```

```
el.addEventListener( 'click', sayHi, false );
```

```
el.removeEventListener( 'click', sayHi, false );
```

Removing Event Listeners

```
var el = document.querySelector( 'a' );  
  
el.addEventListener( 'click', sayHi, false );  
  
el.remove(); // Listener still exists  
el = null;   // Listener does NOT exist
```


Practice 1.4

Event Listeners Practice

Part 2

The WordPress REST API

The WP REST API

Allows us to get, save, edit, and remove content from WordPress using JavaScript.

The WordPress REST API

/wp-json/wp/v2/posts

/wp-json/wp/v2/revisions

/wp-json/wp/v2/categories

/wp-json/wp/v2/tags

/wp-json/wp/v2/pages

/wp-json/wp/v2/comments

/wp-json/wp/v2/taxonomies

/wp-json/wp/v2/media

/wp-json/wp/v2/users

/wp-json/wp/v2/types

/wp-json/wp/v2/statuses

/wp-json/wp/v2/settings

/wp-json/custom/v1/something

/wp-json/another/v3/else

The WordPress REST API

To access all of the **posts** for your site:

<https://yoursite.com/wp-json/wp/v2/posts>

To access a **post with an ID** of “1” for your site:

<https://yoursite.com/wp-json/wp/v2/posts/1>

The WordPress REST API

To access all of the **pages** for your site:

<https://yoursite.com/wp-json/wp/v2/pages>

To access a **page with an ID** of “5” for your site:

<https://yoursite.com/wp-json/wp/v2/pages/5>



You can pass **arguments**
to API URLs to **customize**
what you get back.

The WordPress REST API

`https://yoursite.com/wp-json/wp/v2/posts`

`? per_page=10`

`&_embed`

`&search=hello%20world`

`&orderby=title`

`&order=asc`

<https://developer.wordpress.org/rest-api/reference/posts/#arguments>

Practice 2.1

WP API in the Browser

WordPress API

w AJAX + JS

ajax

Allows for us to make calls to the WP REST API and get back content in a format JavaScript can understand. (Can also save, edit and delete)

Ways to Make JS AJAX Calls

- XMLHttpRequests()
- fetch()
- jQuery
- Axios
- API Clients (Backbone, Node)

AJAX Behind the Scenes

1. Request a URL
2. Get JSON in return
3. Parse JSON into Native JavaScript
4. Use Native JavaScript

Pseudo AJAX

```
var postsJSON = fetch('https://wp.dev/wp-json/wp/v2/posts'),  
    posts = JSON.parse( postsJSON );  
  
for( let post of posts ) {  
    renderPost( post );  
}
```

AJAX with Axios

```
axios({  
  method: 'get',  
  url: 'https://example.dev/wp-json/wp/v2/posts',  
  params: {  
    per_page: 3  
  }  
})  
  .then( function( response ) {  
    for( let post of response.data ) {  
      renderPost( post );  
    }  
  })  
);
```


Practice 2.2 + 2.3

WP API with Axios Ajax

Part 3

JS + API

Inside of WP

Enqueuing JavaScript

The process of loading JavaScript into a theme or the admin area via PHP functions.

wp_enqueue_script()

wp_localize_script()

wp_enqueue_script()

```
function my_theme_scripts() {  
    wp_enqueue_script(  
        'main-js', // Unique name  
        get_template_directory_uri() . '/js/main.js', // Path  
        [ 'jquery', 'wp-api' ], // Dependencies  
        time(), // Version  
        true ); // Include in footer (v header)  
}  
add_action('wp_enqueue_scripts', 'my_theme_scripts', 999);
```

wp_localize_script()

```
function my_theme_scripts() {  
    wp_enqueue_script( 'main-js', ... );  
    wp_localize_script(  
        'main-js',  
        'myGlobalVars',  
        [  
            'siteUrl' => esc_url( home_url() ),  
            'siteName' => get_bloginfo( 'name' )  
        ]  
    );  
}  
add_action('wp_enqueue_scripts', 'my_theme_scripts', 999);
```

wp_localize_script()

functions.php

```
function my_theme_scripts() {  
    wp_enqueue_script( 'main-js', ... );  
    wp_localize_script( 'main-js', 'myGlobalVars', ... );  
}  
add_action('wp_enqueue_scripts', 'my_theme_scripts', 999);
```

main.js

```
console.log( myGlobalVars.siteUrl );
```

Enqueuing JS in Admin Area

```
function my_theme_scripts() {  
  
    wp_enqueue_script( 'main-js', ... );  
    wp_localize_script( 'main-js', 'myGlobalVars', ... );  
  
}  
  
add_action( 'wp_enqueue_scripts', 'my_theme_scripts', 999);  
add_action( 'admin_enqueue_scripts', 'my_theme_scripts', 999 );
```


Enqueuing JS in Admin Area

```
function my_admin_scripts( $hook ) {  
  
    global $main_menu_url;  
  
    if( $hook != 'toplevel_page_' . $main_menu_url ) return;  
  
    wp_enqueue_script( 'my-admin-js', plugins_url( '/assets/js/  
admin.js', __FILE__ ), [ 'wp-api' ], time(), true );  
  
}  
add_action( 'admin_enqueue_scripts', 'my_admin_scripts', 999);
```

Practice 3.1

Enqueuing JavaScript
in a Theme

jQuery + WordPress



WordPress comes with
Several **JS Libraries**
Available to Us

jQuery Dependency

```
function my_theme_scripts() {  
    wp_enqueue_script(  
        'main-js', // Unique name  
        get_template_directory_uri() . '/js/main.js', // Path  
        [ 'jquery' ], // Dependencies  
        time(), // Version  
        true ); // Include in footer (v header)  
}  
add_action('wp_enqueue_scripts', 'my_theme_scripts', 999);
```



The **\$** in jQuery
is **NOT available**
by **default**

```
jQuery( '.this-works' ).show();
```

Immediately Evoked Function Expression (IIFE)

```
(function( $ ) {
```

```
    $(' .this-works' ).show();
```

```
})( jQuery );
```


Practice 3.2

Using jQuery for AJAX

The Backbone

WP API Client

Backbone API Client

Allows us to easily use the WP REST API in a theme or plugin without writing AJAX or authentication.

*No knowledge of Backbone necessary**

Backbone API Client Dependency

```
function my_theme_scripts() {  
    wp_enqueue_script(  
        'main-js', // Unique name  
        get_template_directory_uri() . '/js/main.js', // Path  
        [ 'wp-api' ], // Dependencies  
        time(), // Version  
        true ); // Include in footer (v header)  
}  
add_action('wp_enqueue_scripts', 'my_theme_scripts', 999);
```

Backbone Client - Get Posts

```
var posts = new wp.api.collections.Posts();
  posts.fetch({
    data: {
      per_page: 3
    }
  })
  .done( () => {
    posts.each( post => renderPost( post.attributes ) );
  });
```

Backbone Client - Get Post By ID

```
var post = new wp.api.models.Post( { id } );
```

```
post.fetch()
```

```
.done( () => renderPost( post.attributes ) );
```

Practice 3.3

Using the Backbone API Client

javascriptforwp.com/category/free-videos

Learn JavaScript Deeply with Zac Gordon
@zgordon