

MuleSoft Support KT - Onsite-20260914_133753-Meeting Recording – Meeting 1

September 15, 2026, 6:37PM

43m 57s

● **Mohammed, Khaja Sohail** started transcription

MS **Mohammed, Khaja Sohail** 0:04

This recording has been started.

Yeah, so basically we are here. Mills of support team is 1 in onsite. That was me and we have five other people supporting in offshore hours. We have Narendra as offshore lead and in morning shift we have Kumar Vishal, Vishal Kumar, and then general shift we will have Shaik.

Shaik and Narendra as well in general shift and then first shift.

Second shift is Prasanna and Ganesh. They will be there till I come back. So basically this is 24 bar 7 support and we usually manage shifts according to our roaster, we plan roaster usually and then we'll follow accordingly for one, two weeks. So basically we on weekends we will have on-call support.

That is on-call support is only from offshore, but if many major P1, P2s are there, then we have to join calls and resolve it as on-site team, if it is in on-site hours. Okay, so this is the overview of the team.

Do you have any questions on this?

Yeah, so how we plan is morning shift, morning shift, which is also called as first shift, is from 6.15 A.m. IST to 2 A.m. IST.

And for general shift is 9 to 5, and 2nd shift is 1 to 10 or 2 to 10, depending on the availability, 2 to 10 P.m. IST. And after 10 P.m. IST, whenever it is feasible, onset we can log in. If you have an issue, then definitely you have to log in earlier and work on it. So that is the timings.

And this is the overview, and...

Next thing is basically support in this Levi support model, we'll be working on service no ticket and as well as emails as well. Mostly here, service no tickets are being tracked through e-mail if you have or if you want if they want to escalate or if they want a faster or quicker resolution, they will deal through emails. Ours is Mule Soft support deal, Mule Support deal.

Okay, they'll send out an e-mail to Mule Support DL. We have to check and respond

back accordingly. And as you told us earlier, we are now scrutinizing more and we are asking every e-mail chain that is coming to Mule Soft DL, we are asking them to create a service notification so that it is also easy for our enhancement request.

SP **Snigda Pavuluri** 2:36
Okay.

MS **Mohammed, Khaja Sohail** 2:36
Okay, yeah, so basically in service now we have five kinds of tickets: P1, P2, P3, P4, and P5. P1 is the highest priority ticket if something is broken completely in production, and if the impact is so high, then that will be declared as a...

So the P1 resolution will be within three hours, three to four hours only. You have to resolve that P1 within three to four hours. P2 resolution is 8 hours. Within 8 hours you have to finish, you have to give the resolution. And P3 is, I think is 3 days, and P4 is 5 days, and P5 has no resolution.

That is the SLS for all the P1 to P5 tickets clear.

SP **Snigda Pavuluri** 3:24
Okay, yeah, is there any documentation that has all these details?

MS **Mohammed, Khaja Sohail** 3:28
Documentation I don't have, but I'll try. I'll try to make a note and I'll share it with you. OK.

Yeah, so let me share my screen here.

Yeah, so these are the basic support overview components that we are using in our daily, everyday activities. So the first one is service and I just told you, right? So as soon as the ticket comes, you have to go, we'll segregate this. As soon as you come here, you just have to go to your unresolved.

incidents and you have to keep everything in progress. Okay, basically this ticket is in a site. So you have to go here and place it in progress whenever you get time. This has to be in progress. In progress means that you have acknowledged ticket and you have started working on it. Okay, so P1, P2, P3, and P4, these are the.

Five priority tickets, and these are the resolution types: one, this is three, three to four

hours, this is 8 hours, three days, five days, and no resolution. OK, so this is the ticket, ticket spot, INC. OK.

SP **Snigda Pavuluri** 4:39

So when you say no resolution, that means it can be fixed whenever we can or...

MS **Mohammed, Khaja Sohail** 4:43

But...

Yeah, that means the lowest priority ticket, which doesn't, yeah, which doesn't have to, I mean, there is no rush if there is a P1. For example, you are waiting for a business approval, you can go there and put a P5 ticket. So those kind of instances will be considered as P5. Okay. Yeah, so basically, and also in.

SP **Snigda Pavuluri** 4:48

Launch, yeah.

Okay.

Yeah.

Okay.

Okay, okay.

MS **Mohammed, Khaja Sohail** 5:04

INC incident, this is how your incident overview will look like. This is the overview, this is your incident number, and this is your mails of support, it is assigned to me, and this is your short description, one description. That's it. You have to put this it in progress without fail.

Okay, otherwise it will be as you'll see it as incident is not acknowledged. Okay, yeah, and here in this incident there are two kinds of incidents. We majorly split as two kinds of incidents. One is system generated and the other is...

SP **Snigda Pavuluri** 5:31

Okay.

MS **Mohammed, Khaja Sohail** 5:44

user generated. For example, this ticket, I'll take example of this ticket. When affected end user is event management, then this is a system generated ticket.

Okay, so if affected end user is not event management, then that is a user generated ticket. So this is how your system generated tickets look like. So basically this system generated tickets we use for monitoring alerts. For example, I didn't tell you like we are mostly managing like 600.

SP **Snigda Pavuluri** 6:08
Okay.

MS **Mohammed, Khaja Sohail** 6:18
Between 600 and 650 APIs in production currently, Mule Soft APIs. Yeah, that is a very huge number. So, what we are doing is, for example, any failures are happening in the, for example, this transaction, this transaction is failed with some connectivity glitch or some connectivity error.
Then it will route a ticket to us saying that this is the, these are the details. Can you have a look at it now? If you have any action item, for example, this is the error queue. What we'll do is, okay, this is the error queue. We'll go and reprocess and from the error queue to main queue. And then you have to close this incident.

SP **Snigda Pavuluri** 6:45
Yeah.

MS **Mohammed, Khaja Sohail** 6:58
Okay, on a daily basis you will receive 70 between 65 to 80.
System generated incidents.

SP **Snigda Pavuluri** 7:08
Okay.

MS **Mohammed, Khaja Sohail** 7:10
Yeah.
If I create it, it depends on the volume. OK, and it might be less and more also, but I just gave a rough figure. OK, and user generated is something you can you can go here and you can filter if you want to check any user related.
I'm giving my filters. Assignment group is Mules of Support. OK, and.
Affected end user is not.

Yuwen.

Event manage, event management. OK, fair run.

See, this is this is one.

Incident.

This, this, if you see here affected end user is this guy. OK, so this is user generated.

Basically, user generated, you would get very less, only P1, P2s, most of the 10, P1 and P2s are only user generated. These will be all system generated only. OK.

SP **Snigda Pavuluri** 8:05
Yeah.

MS **Mohammed, Khaja Sohail** 8:21
Yeah, and also one more thing to note down, which we are going to make sure from now, you should not reduce any priority, beat anything.
Okay, so basically we are getting few P2 system generated alerts. So I've been working with ServiceNow team to reduce the priority to P3, but apart from that, you will never reduce any priority, be it P1, P2, P3. Even if it is P3 to P5 also, you cannot reduce unless until you have a proper approval.

SP **Snigda Pavuluri** 8:50
Okay.
Okay.

MS **Mohammed, Khaja Sohail** 8:54
So this is the ticket background. Do you have any doubt in this tickets?

SP **Snigda Pavuluri** 9:01
No, so if we, so when you say reduce priority, like if we, if we do decide to register priority, whom do we reach out?

MS **Mohammed, Khaja Sohail** 9:09
So basically, if there is a user generated ticket, you will reach out to the user saying that, okay, for example, he raised it as a P4 here for us. Okay, now this will not affect. This has a SLA of five days, so you can work within five days. But if, for example, there

is a P2 and you see that is not qualified as a P2, can you go and ask them, okay, this is not.

SP **Snigda Pavuluri** 9:13

Yeah.

Yeah.

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 9:30

qualified as a P2 because this is something that we do daily and only only if the numbers are high. If you have if you have financial impact, business impact, then only we are getting a P1 or P2 and that P1 P2 is determined by the end user.

SP **Snigda Pavuluri** 9:42

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 9:46

We are, we are not deciding any priority.

SP **Snigda Pavuluri** 9:49

Okay.

MS **Mohammed, Khaja Sohail** 9:53

There are a few critical interfaces which we receive P1 or P2s on daily basis. I mean, not daily basis, but if something goes wrong, then it is a P2 for that interface for sure.

SP **Snigda Pavuluri** 10:03

Okay.

MS **Mohammed, Khaja Sohail** 10:04

There are other critical interfaces as well, but this is this is on the service, not ticket handling part. Are we clear?

SP **Snigda Pavuluri** 10:12

Yes, so is it P1 three hours and P2 is 5 to 8 hours?
Is it 5 to 8 hours, 32?

MS **Mohammed, Khaja Sohail** 10:19

No, no, P1 is 3, three to four hours P1. I'll note it, I'll note it down here.

SP **Snigda Pavuluri** 10:23

Okay.

MS **Mohammed, Khaja Sohail** 10:26

P1 is 3 to 4.

P2 is 8 hours.

P3 is 3 days.

P4 is 5 days.

And this has no SLAP, if I has no SLAP.

Okay, sorry, we don't have a, I mean, this complete documentation. I just, I just, I noted this regarding my KP, so.

SP **Snigda Pavuluri** 10:57

No, that's OK. That's OK.

Yeah, yeah, yeah, yeah. No, no, that's okay.

MS **Mohammed, Khaja Sohail** 11:07

Yeah, so this is on the incident part. Okay, are we clear? And then I'm jumping on to the second second thing that is request service now request. So we'll be using this rarely, like only like 30, 40% of the time. So what is an RITM? Basically, an RITM is a service service now request.

request that you are raising or somebody is raising for you a task to be done. For example, you want, for example, you have joined device and then you want MuleSoft Anypoint platform access, then you will raise an RITM request, service or request to the concerned team, so that they will approve your request. So that will.

SP **Snigda Pavuluri** 11:40
Yeah.

MS **Mohammed, Khaja Sohail** 11:46
Any request rather than saying that this is a incident is something, everything is on your interfaces. RITMs are task or something is you are assigning something to a person, for example, for having access or for any enabling of any debug logs if somebody is asking. Those things you can do as an RITM or a service no request. Yeah, OK, so this mostly you will be using very less, but I'll show you how. So, basically, on firewall request, basically, if you want an IP, you are allowing your Mule soft application to that IP, you are allowing that firewall, then you raise a firewall request. Mostly, we'll use it.
in these cases.

SP **Snigda Pavuluri** 12:28
Okay.

MS **Mohammed, Khaja Sohail** 12:29
Yeah, and also if somebody, for example, there is a break in production, for example, something is not working as expected, they will come and ask you, you have to fix this immediately and you don't have any incident or any change that to move forward. So what you'll do is you'll ask them to create a service or request and you'll go.

SP **Snigda Pavuluri** 12:37
No.

MS **Mohammed, Khaja Sohail** 12:48
You will track your effort through that request and then we'll fix it and go back and tell them that this is fixed using this request. That's it. We don't have any other use with this RIT and task.

SP **Snigda Pavuluri** 12:56

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 13:00

OK, clear on this.

SP **Snigda Pavuluri** 13:04

Yeah, so just a question like if it is like same fix so they cannot create an incident.

MS **Mohammed, Khaja Sohail** 13:11

No, incident is, if some, if I have to assign it, for example, incident is something is like this transaction has not reached here, this transaction has failed, and incident you will have workaround. For this, you don't have any workaround. You are raising a request.

SP **Snigda Pavuluri** 13:24

Okay.

OKOK.

MS **Mohammed, Khaja Sohail** 13:29

Yeah, so if something is failing in production, then you'll raise a ticket, but if something is you want as a request, then you'll raise RITMs in service.

Okay.

Better if you also, if you note down on his notes, if I forget something, you can.

SP **Snigda Pavuluri** 13:48

Yeah, yeah, yeah, I'm writing them, yeah.

MS **Mohammed, Khaja Sohail** 13:51

Okay.

So that is on service now, are a request, are a part.

And coming back to your change order. OK, so change order is also something something that we are using in ServiceNow only. What is a change order?

So, basically, what you have done a fix in production. OK, somebody has requested you to.

SP **Snigda Pavuluri** 14:18

Here.

MS **Mohammed, Khaja Sohail** 14:20

do a fix in production. For example, you have added one error queue. For example, you have fixed, added a logger or something, and you want to move it to production. We will, we don't have as a support team, we don't have access to deploy in production directly. We will ask, we for deploying in production, we need a change request.

or a change order. Okay, that change order we will use and we'll ask DevOps team, we have a separate DevOps team. You should ask them to create a, you need to create a change request and assign it to them and they will work on it and they'll deploy it. You need to give all your API details, branch details and your POM or.

SP **Snigda Pavuluri** 14:41

Yeah, yeah.

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 15:00

RKF version, accordingly, they will deploy it to the production. So chain order is something that you have to use to move something into production. You cannot use your incident, you cannot use your request also. Even using your request, you cannot move something, some API or some interface to production.

SP **Snigda Pavuluri** 15:09

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 15:19

Okay.

Yeah, so, so in change order, we have four kinds of change orders, OK? Emergency, urgent, normal, and standard.

Four kinds of change orders. OK, what what these are what this change order means,

for example, a regular process you follow, somebody reached out to you saying that this has broken in production, can you please fix it? You go take your time, sorry, take your time of one week, fix it, and then say...
come back and say, okay, I fixed it. Now I want to move it to production. Then you'll use your normal change.

SP **Snigda Pavuluri** 15:58
Thank you.

MS **Mohammed, Khaja Sohail** 15:59
Okay, when you are creating your normal change, it will go to your first manager approval.

SP **Snigda Pavuluri** 16:04
Okay.

MS **Mohammed, Khaja Sohail** 16:05
Okay.
Once your manager approves, then you will go and present it in a weekly cap call. Change advisory board, see cap means, so they will, you need to present your that cap call will happen every Tuesday morning, sorry, morning on-site hours.

SP **Snigda Pavuluri** 16:14
Yeah.
Okay.

MS **Mohammed, Khaja Sohail** 16:26
So you need to go once you once you've done your changes, everything is tested, you have your results, non-prod results, you need to come back, create a change order, get your manager approval and then go and present it in a cap call. Once your change is approved in cap call, you will create your another C task under change order, you will have a C task.

SP **Snigda Pavuluri** 16:40
Okay.

MS **Mohammed, Khaja Sohail** 16:46

You need to create a C task assigned to the DevOps team with all the details, so that they will they will go and deploy it on a certain date whenever you mention it.

OK, this is the normal change.

SP **Snigda Pavuluri** 17:04

Yeah.

MS **Mohammed, Khaja Sohail** 17:06

Yeah, urgent change. What is urgent? Urgent change is something that will have, for example, okay, this normal cab you have to present in every cap call, one only weekly once cap call is happening. Okay, now something has broken in production and that is not a P1P2 also.

SP **Snigda Pavuluri** 17:17

Okay.

MS **Mohammed, Khaja Sohail** 17:24

Okay, so what you'll do, you'll create an urgent change. With urgent change, what you have to do is 72 hours. Within 72 hours, you have to implement that change.

SP **Snigda Pavuluri** 17:34

Okay.

MS **Mohammed, Khaja Sohail** 17:35

If, for example, if we are created today, till next that is valid till next 72 hours, whenever you want, you can create it, but you don't need any P1, P2, you just need command center approval, sorry, not command center, your manager approval first, and then and then a couple of directors you will be having it in your if you go down.

SP **Snigda Pavuluri** 17:47

Okay.

MS **Mohammed, Khaja Sohail** 17:56

You have changed, you can look at that, so those approvals, if you have, you can deploy it in urgent change if you don't want to represent it in a cap call.

SP **Snigda Pavuluri** 17:58

Okay.

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 18:08

OK, this is your urgent change and emergency change. In my word, why we use emergency change? For example, everything is going fine. You don't have any change, normal change. You don't have any urgent change. Now there is a P2. You have to add something so that it will be fixed. You have a resolution for your P2, but you have to deploy the fix in production. So you need an emergency change right away. So what we'll do is emergency change will be linked to 1P1P2 instant, any P1P2 incident.

SP **Snigda Pavuluri** 18:34

Okay.

MS **Mohammed, Khaja Sohail** 18:42

OK, that P1P2 incident will be linked to emergency change and it should it will be approved by first year manager and then then Command Center.

SP **Snigda Pavuluri** 18:54

Okay.

MS **Mohammed, Khaja Sohail** 18:56

Yeah.

Command Center, Command Center means so basically if you have any P1, P2, if you want to connect to someone you don't have any picture and what is what is happening you don't have anything you can reach out to Command Center. WL Command Center is there. You can e-mail them saying that I want to reach out to this particular team or I want someone from this point from this team. I want some point of contact.

They'll be able to give you this details, and also, if they want, if you want to call set up a call with them, they will set up a call. Basically, they'll take care of incident is in priority or not, how they're reaching RSL. If some P1P2 comes in, Command Center will come and they'll ask for all your questions.

SP **Snigda Pavuluri** 19:22

Okay.

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 19:42

Okay, that is your emergency and standard change we are not using. And if you are mostly 99% we are not using, but if we have to use standard change, it will be almost similar like a normal change.

SP **Snigda Pavuluri** 19:56

Okay.

MS **Mohammed, Khaja Sohail** 19:57

You have to present it in a cab, and then they take up role and present it in a cab.

SP **Snigda Pavuluri** 20:02

Okay.

MS **Mohammed, Khaja Sohail** 20:04

Clear over.

SP **Snigda Pavuluri** 20:05

Yeah, so what is the deployment type that you're following in this project?

MS **Mohammed, Khaja Sohail** 20:11

Sorry.

SP **Snigda Pavuluri** 20:12

Deployment type, like, is it cloud hub random?

MS **Mohammed, Khaja Sohail** 20:16

No, we have both cloud and RTF.

SP **Snigda Pavuluri** 20:18

RTF, okay.

MS **Mohammed, Khaja Sohail** 20:20

Cloud up and RTF, so I'll come, I'll come back to that later. I directly jumped into service now. I'll give you over over mails often.

SP **Snigda Pavuluri** 20:25

Okay.

Okay, and yeah, I just have like one question here, like, so, so for example, like if it is a bad request or like any 500, then usually bad request we can just check the logs and check the what's wrong with the request and then we can tell it back to the customer, or if it is a like a 500, they can always restart the service or something like that, but...

If something needs to be fixed in the API, like the code has to be fixed. So do we reach out to the developer or we fix it ourselves? Because, yeah.

MS **Mohammed, Khaja Sohail** 20:50

Mm.

No, we fix it. We fix it once it is into production. It is a responsibility of production support.

SP **Snigda Pavuluri** 20:59

Okay.

Okay, usually like what happens in our project is like my previous project, I was like a developer there, so they used to reach out to us and then we used to deploy the fix in the dev and then stage and then test it and then we tell them and then we push the code to the production, they just deploy it. So it's how it used to happen. So that's why I asked the question, yeah.

MS **Mohammed, Khaja Sohail** 21:21

Yeah, so yeah, no problem. I'll give you a...

SP **Snigda Pavuluri** 21:22

But here, production support only fixes the OK.

MS **Mohammed, Khaja Sohail** 21:26

I'll give you Mule soft overview as well after after this problem ticket is done. I'll come back to Mule soft. OK.

SP **Snigda Pavuluri** 21:28

Okay.

Okay, yeah, sure.

MS **Mohammed, Khaja Sohail** 21:33

Yeah, so these are the four change requests that we use in our day-to-day task, I mean, day-to-day lives. If it is P1-P2, it is emergency. If you have to deploy within 72 hours without P1-P2, then that is your urgent change. A normal change is something you have to be present in your cap call every Tuesday. Clear? Standard we are not using.

SP **Snigda Pavuluri** 21:50

Okay, okay, yeah, sure.

MS **Mohammed, Khaja Sohail** 21:53

I'll show you, I'll also show you how to how do we create a change request or something. Okay, second is problem ticket. So, problem ticket is created by is created by other teams or Command Center. Why this problem ticket is created? Because, for example, there is one interface.

SP **Snigda Pavuluri** 22:09

Okay.

MS **Mohammed, Khaja Sohail** 22:13

Which is, which is having issue all the time. For example, every day you are getting a failure there. You, you, you receive one P2 today, after two days you received another P2 on the same thing. You are just fix your, for example, you are just restarting your interface and fixing it. OK, and third time also you receive same. So what Command Center does is...

SP **Snigda Pavuluri** 22:20

Okay.

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 22:33

They will create a problem ticket and they will open one problem ticket and assign it to you. You will have different what is the root cause, what what fixed it, what is the what is the immediate action that you did, what is what are the preventive actions that you want to do? Those details will be there in the problem ticket. You have to update it.

SP **Snigda Pavuluri** 22:42

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 22:54

only for recurring incidents. If it is only once, you can assign a regular P1, P2, P4 ticket. If it is recurring, then you can create a problem ticket.

SP **Snigda Pavuluri** 22:55

Okay.

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 23:08

This is your service node overview. This is our major part for any production support activity. Service node is the major part. Okay, now coming back to Mule Soft, I'll

come. So, basically, you, I think you have complete picture and what we are using here. What we are using is our any point platform.

SP **Snigda Pavuluri** 23:12
Okay.

MS **Mohammed, Khaja Sohail** 23:28
And any point studio, you know, studio for our workspace and platform, like how we manage. OK, there are two instances where our APIs mainly run on.

SP **Snigda Pavuluri** 23:31
Yeah, yeah.

MS **Mohammed, Khaja Sohail** 23:39
One is Cloud Hub instance, one is RPF. Cloud Hub is managed by Salesforce. They are hosted in AWS platform. OK, yeah, RPF. See these are Cloud Hub APS running.

SP **Snigda Pavuluri** 23:48
Okay.

MS **Mohammed, Khaja Sohail** 23:54
Which is in this is in production environment. OK, this is our our runtime manager, how it looks like. OK, and this is your RTF APS running, so RTF is basically it is managed within Levi network only. It is hosted on Azure, load up is hosted on AWS.

SP **Snigda Pavuluri** 23:56
Okay.
Okay.
Okay.
Okay.
OK, and RTF, it's it's host from liver servers.

MS **Mohammed, Khaja Sohail** 24:17
Yeah, it's Azure. It is hosted on Azure server, mainly it is managed by Levi only. Kubernetes, you can reach out to, you have a different point of contact, you can

reach out. They have, we have a separate platform team, they might, they can help us.

SP **Snigda Pavuluri** 24:18

Okay. Okay.
Okay, okay.
Okay. Okay.

MS **Mohammed, Khaja Sohail** 24:32

Yeah.

SP **Snigda Pavuluri** 24:32

Okay.

MS **Mohammed, Khaja Sohail** 24:34

So, this is your Mule Soft overview and studio in your, you, you, I mean I think you are having idea because you are a new software developer, right? So, you need to clone your API in your, this is GitHub, you can clone your, yeah, the Git repos, you just need.

SP **Snigda Pavuluri** 24:42

Yeah.
Yeah.
Yeah, the Git repos, right? Yeah, yes, yeah.

MS **Mohammed, Khaja Sohail** 24:53

To add, for example, if you want to input this API, this copy, remove this production thing and copy.
This API and come back and your clone repository and ours is github.com OK.

SP **Snigda Pavuluri** 25:07

Okay.

MS **Mohammed, Khaja Sohail** 25:09

It will become Levi C4 E is the group. This is the group you have to select. OK, and then close, that's it, and you, you know, after this.

SP **Snigda Pavuluri** 25:12

Okay.
Okay.
Okay.

MS **Mohammed, Khaja Sohail** 25:21

Right, this is the MuleSoft overview.
And major activities that we are doing as a team right now is we are we are supporting platform team in updating the runtime updates, you know, runtime versions, right?

SP **Snigda Pavuluri** 25:39

Yeah.

MS **Mohammed, Khaja Sohail** 25:40

Yeah, so basically you are updating all the 4.6 runtime to 4.9.
Whatever 4.4 has come to end, it will come to end this October. 4.6, I think we have till November or December. And 4.9, everything we are trying to move it to 4.10, we are going batch phase. We have like 600 plus APIs, right? So we are going batch phase, everything. So every week, like 20 APIs, we are moving into production.

SP **Snigda Pavuluri** 25:47

Okay.
Okay.
Yeah.
Okay.

MS **Mohammed, Khaja Sohail** 26:10

Yeah, so production support is helping them. We are taking up every day two to three APIs, updating the runtime versions, deploying it to dev, and then getting deployed it to test. I mean, QA or stage test. Here we call our non-product environment dev and test instead of stage and QA.

SP **Snigda Pavuluri** 26:27

Okay.

MS **Mohammed, Khaja Sohail** 26:29

Anything is fine, but here in usual language we do a test test. So here instances we are having the most we use is dev test production. Okay, this is dev part test and production. Dev you will be having access, platform access for test and production. You need to request your manager.

SP **Snigda Pavuluri** 26:40

Yeah.

MS **Mohammed, Khaja Sohail** 26:49

If they want to provide, they will provide you access.

SP **Snigda Pavuluri** 26:53

Okay, so, but when you fix it, when you fix the, like, if there's an issue with the AP, when you fix it, you don't fix it in dev and then move to test and then to broad. Do you directly fix it in the broad?

MS **Mohammed, Khaja Sohail** 27:05

No, no, no, direct, directly, we will not fix it. For example, in platform, you want to fix some configuration, you want to update that memory or CPU or something that will that configuration will definitely be different from dev and queue dev and production, right? So, for for those, you will use.

SP **Snigda Pavuluri** 27:10

Yeah.

Yeah.

Yeah.

Yeah.

MS **Mohammed, Khaja Sohail** 27:24

You will need platform help, or for enabling any debug logs.

If you come back here, if you go into this thing, monitoring, mostly what you need is you will need this access, these debug logs. If you want to enable additional debug logs to print your payload, you'll be using this thing. And for regular, if you want to go back and fix something here. I don't know, my platform is very slow.

SP **Snigda Pavuluri** 27:40

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 27:52

Is Desk.

If you want to change this replica.

Now, if you want to change your any any configuration, CPU, memory, something is going wrong, then you will need here platform access. OK, and we have test one instance as well, but as I told, dev and test are dev and test are for non-prod and production is for production.

SP **Snigda Pavuluri** 28:03

Yeah.

Okay.

MS **Mohammed, Khaja Sohail** 28:16

But test one is completely this particular instance or this particular environment is completely for solar. We have a solar project going on. I think it will come to end next year. But this completely test, if you are touching anything in test one, any part, if you want to, even if you want to deploy your code.

SP **Snigda Pavuluri** 28:16

Yeah.

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 28:35

you need solar team approval to touch this test one.

SP **Snigda Pavuluri** 28:37

Okay. Okay.

MS **Mohammed, Khaja Sohail** 28:38

Okay, test your wish, you can do anything you want, but test one, you need their approval. And dev one is also same. Basically, dev one is connected to test one. Dev is connected to test.

SP **Snigda Pavuluri** 28:43

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 28:50

Yeah, because that is a major one of the major projects that is going on solar, so that we will have very after effects if we are blocking their testing, this test, just keep it on note, test one we need solar approval.

SP **Snigda Pavuluri** 29:02

Okay.

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 29:09

Yeah.

SP **Snigda Pavuluri** 29:09

Okay.

MS **Mohammed, Khaja Sohail** 29:11

And production is your production, for example, so this is how your platform looks like. Do you think you are already working earlier?

This replica account, if you want to increase, decrease, you will need your platform access. OK.

SP **Snigda Pavuluri** 29:30

So, so for configuration changes, we can do them there, like, for the for the four changes I was asking about, like, if when you're running that change in any point studio, so you do follow the whole flow, right? Like, first deploy into dev and then test it, and then move to test and then to production, right? The same way.

MS **Mohammed, Khaja Sohail** 29:43

Yes, yes.

Correct, yeah, the the.

Production, correct, correct.

SP **Snigda Pavuluri** 29:50

Okay, okay.

MS **Mohammed, Khaja Sohail** 29:51

That is a regular process. If you are doing any code change, then definitely you have to follow the standard procedure, but if you, yeah, if you, if you want to start or stop any platform, I mean, if you want to restart any application, then you can use your platform.

SP **Snigda Pavuluri** 29:53

Okay.

OK, standard procedure, OK.

Yeah, in.

Okay, and we can directly do it in prod.

MS **Mohammed, Khaja Sohail** 30:07

Yeah, so...

SP **Snigda Pavuluri** 30:14

Okay.

MS **Mohammed, Khaja Sohail** 30:14

First, they will give you access to Mahmood. Basically, Mahmood is our onsite, and we have a team of five people in onsite. Basically, it was me, Tanay. Tanay is...

SP **Snigda Pavuluri** 30:19
Okay.

MS **Mohammed, Khaja Sohail** 30:29
Me, me and Tanay were supporting from Cognizant in on-site hours, and also we have Mahmood, who is our manager. We directly report to Mahmood, and Mahmood will be reporting to Christopher. He he he has IBM MQ and he looks after IBM MQ.

SP **Snigda Pavuluri** 30:34
OK, OK.
Okay.
Yeah, we're trying.

MS **Mohammed, Khaja Sohail** 30:48
You, IBMSI and Mule Soft, and Jenny is Senior Director.

SP **Snigda Pavuluri** 30:54
But those three are from Levi. Okay, okay, okay.

MS **Mohammed, Khaja Sohail** 30:56
Yeah, those three are from Levi, correct. They are our client. I mean, yeah, Mahmood will be looking it into some AI, these things, and also MuleSoft, partially he'll be into Mule Soft and AI things, but mostly Christopher and Jenny will be looking after these things.

SP **Snigda Pavuluri** 31:03
Yeah.
No.
So, these replicas and all, yeah, I can just go, I'll just go through them because I've never wrote down those things.

MS **Mohammed, Khaja Sohail** 31:18
Okay.

SP **Snigda Pavuluri** 31:26
So do we get a request to change those as well?

MS **Mohammed, Khaja Sohail** 31:30
As a production support, you will not need anybody access to change that. But yeah, you cannot, if you are directly doing it, then there might be challenges. So what you need to do is just take approval. You should inform my mother, Christopher.

SP **Snigda Pavuluri** 31:42
Okay.
Okay.

MS **Mohammed, Khaja Sohail** 31:49
Telling that, OK, we are increasing this configuration so that everybody is aware.

SP **Snigda Pavuluri** 31:54
Okay. Okay.

MS **Mohammed, Khaja Sohail** 31:55
Yeah, and basically this all comes from your development team. You don't have to work anything. Whatever developers give this thing and they'll push it to production. Those things only will follow.
Yeah.
What?
But then, so basically, throughout here, it is like, I'm sorry, there's some noise.

SP **Snigda Pavuluri** 32:17
Okay.

MS **Mohammed, Khaja Sohail** 32:23
Hello, can you hear me?

SP **Snigda Pavuluri** 32:25

Yeah, I can hear you, yeah.

MS **Mohammed, Khaja Sohail** 32:27

Yeah, there is some noise, sorry. Yeah, so basically throughout year, everything will be same, but in Levi, there will be a peak period that will be starting in November or mid-October. It will stay till your new year.

SP **Snigda Pavuluri** 32:38

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 32:46

Okay, so this is peak period. So whatever sales happen.

SP **Snigda Pavuluri** 32:48

Okay.

MS **Mohammed, Khaja Sohail** 32:51

In the Levi, one third sales happen at the peak peak period time.

SP **Snigda Pavuluri** 32:52

Yeah.

Okay.

MS **Mohammed, Khaja Sohail** 32:56

So, at that time, anything, any abnormal issues are treated as P2 during the peak. So, so basically, we'll get ready for peak. We'll what what we'll do is we'll update our configurations. If you they will expect more load, right? For example, you are receiving 600 transactions in.

SP **Snigda Pavuluri** 33:02

Okay.

MS **Mohammed, Khaja Sohail** 33:14

one day at the peak time you expect a transaction of 1000 to 1200 more than double. So what what happens at that time is your configuration might burst out and your CPU might reach 100% reach the limit and then something might go wrong there. So what you do as a part of your peak preparation you will.

SP **Snigda Pavuluri** 33:19

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 33:34

go and increase your configuration, you'll check if any certificate is going to expire, you'll renew your certificate, and if you are any recurring incident you are seeing, then you'll solve it or you'll add extra monitoring, you'll ask team to take care of that particular interface, a little bit extra.

And these all things you'll be doing during your peak period. As I told you, Thanksgiving is the highest. At that time you have to be available 24 by 7.

SP **Snigda Pavuluri** 34:01

Okay, okay.

MS **Mohammed, Khaja Sohail** 34:02

There will be no weekend, nothing. Thanksgiving during Thanksgiving.

SP **Snigda Pavuluri** 34:07

Okay, oh, I have the perfect timing.

MS **Mohammed, Khaja Sohail** 34:09

Yeah, so you are busy. Even I joined at the same time, no worries. I was here from last two years. I joined in 2024 November in this project support project. And from then I was dealing. I came exactly on the peak period. I had Jagadeesh hand back then. Jagadeesh was.

SP **Snigda Pavuluri** 34:12

Okay.

Okay.

Okay.

Okay.

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 34:28

our previous on-site support member. Now he has moved to different development project. From then I was handling it, but now soon you will be, I think, in within like next week, I think you'll be onboarded and you have to start working on things.

SP **Snigda Pavuluri** 34:32

Okay.

Okay.

Okay.

Okay, okay, yeah.

MS **Mohammed, Khaja Sohail** 34:48

I know this is a very, I mean, huge thing, but a huge number of APIs we manage, but it will be easy, definitely. I mean, you can manage, I believe.

SP **Snigda Pavuluri** 34:54

Yeah.

Okay, thank you. Yeah.

MS **Mohammed, Khaja Sohail** 35:01

Yeah.

So this is your service now update and this is your Mule soft. Do you have any kind of doubt, anything?

SP **Snigda Pavuluri** 35:12

No, like RTF and these replicas and these are something new to me, so I'll go through them. And if I have any questions, I'll ask you and maybe next Katie.

MS **Mohammed, Khaja Sohail** 35:18

Yeah.

Yeah, and also we reprocess. Okay, here in Levi, we follow two types of process, asynchronous, asynchronous, and synchronous. Asynchronous is, you know, pub and sub model, right? We use between your pub and sub, we use IBM MQ, that is your asynchronous. Synchronous is...

SP **Snigda Pavuluri** 35:23

Yeah.

Okay.

Yeah.

Okay.

MS **Mohammed, Khaja Sohail** 35:41

Process experience system layer.

SP **Snigda Pavuluri** 35:43

Okay.

MS **Mohammed, Khaja Sohail** 35:44

Okay, so mostly for IBM MQ, error queue for pub APIs, right? Pub APIs, we have our own APM queue.

SP **Snigda Pavuluri** 35:45

Okay.

Yeah.

Okay.

MS **Mohammed, Khaja Sohail** 35:54

For example, there will be a consolidated CPS file. OK, this is your production consolidated CPS file. This is the latest one. I have it. Sorry, September one. OK, so all your APIs will be all your API, you know, CPS file, right? Your configuration properties, all your configuration properties will be there.

SP **Snigda Pavuluri** 36:11

Yeah, yeah.

MS **Mohammed, Khaja Sohail** 36:14

For example, this is 1 API. Everything, every detail you'll be having, which instance ID is the RTF, this production and branch is base, and which country it is related to, your client details, everything, IBMQ details, everything you'll be having in your CPS file.

SP **Snigda Pavuluri** 36:30

Okay.

MS **Mohammed, Khaja Sohail** 36:32

OK, so this is just EPS file, so in in in a synchronous model, in PubSub model, a pub API, let me note it down here, I can forget.

SP **Snigda Pavuluri** 36:38

Yeah.

MS **Mohammed, Khaja Sohail** 36:48

Sync process.

Sub.

Up, sub.

And synchronous process is your experience process.

System, OK, so here.

Pub API, Pub API, you will have your own Anypoint MQ. I think you're aware of this, right? Anypoint monitoring.

A PM key. This is your basically your error queue or any your any point monitoring queue.

Sohail.

So for example, I will take this API, not this, I'll take different API. For example, I'll take, this is 1 pub API, okay? Omni, EOM, EOM, ASN, pub, okay? This is my pub API. I'll come back here if I see here.

there is a DLQ. Okay, how we configure is all the pub API field messages will go and

sit in here. You have to select your group as C for experience, only for any point MQ, not for your regular thing.

SP **Snigda Pavuluri** 38:05
Hello!

MS **Mohammed, Khaja Sohail** 38:06
Yeah.

SP **Snigda Pavuluri** 38:07
Yeah, your voice is breaking now.

MS **Mohammed, Khaja Sohail** 38:10
My wish.

SP **Snigda Pavuluri** 38:11
Yeah.

MS **Mohammed, Khaja Sohail** 38:12
Okay, so basically now is it clear now?

SP **Snigda Pavuluri** 38:14
Yeah.

MS **Mohammed, Khaja Sohail** 38:16
Yeah, so for Pub API, right? Pub API, you will have your any point MQ here. Any point MQ is your own messaging queue. Basically, any point, our Mule queue. Okay, this any point MQ in Levi is what we use for is storing our error out messages.

SP **Snigda Pavuluri** 38:18
Yeah.
Okay.

MS **Mohammed, Khaja Sohail** 38:35
For example, this is your DL queue. OK, you will have if you see there is there are no

messages right now, but if something is failing, you'll have messages here in this queue. OK, now this is your DL queue and there will be one more queue. This is your reprocess queue.

SP **Snigda Pavuluri** 38:35

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 38:55

Okay, this is your DLQ and this is reprocess queue. What you will do is you from your any point studio, you'll do your reprocess. That means you will give your DLQ name and from this DLQ, you'll try to put the messages same in reprocess queue again.

SP **Snigda Pavuluri** 38:55

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 39:11

Okay, he will put it in this same queue and this in this messages from this queue it will go into actual pub sub API messages. Okay, this is for pub sub if any failures happen. This is IBM MQ. Pub sub will post messages to IBM MQ sender queue.

SP **Snigda Pavuluri** 39:19

Okay.

MS **Mohammed, Khaja Sohail** 39:30

OK, sender queue, and from sender queue, you will be having receiver queue.

This is from receiver queue sub message from our sub API will read the messages and for sub API we have IBM MQ error queue. We don't that is not managed by managed in Mule Software. OK, this sub API failures will be managed in IBM MQ, so you will have your.

SP **Snigda Pavuluri** 39:51

Okay.

MS **Mohammed, Khaja Sohail** 39:57

For example, this one.

This is this is all your we last team. Hi team, this is your error queue. They have two managers, PRDSLver, Prod Solar, and PRDQM1, two kinds of channels in IBM MQ. So you'll give them queue details, they will reprocess it. They are from Paresh and Ruth Vishal.

They are from IBM MQ team production support, these two people.

SP **Snigda Pavuluri** 40:28

OK, and where do you get those queue details? Like, how, how would you?

MS **Mohammed, Khaja Sohail** 40:29

This is, this is all.

In your CPS, you just have to give your APN. For example, I'm searching for any SCMFM sub. This is 1 API. I'm going, I will have all the details. You'll see this receiver queue details. Error queue details will start from SUB dot.

SP **Snigda Pavuluri** 40:33

Okay.

MS **Mohammed, Khaja Sohail** 40:51

OK, receiver queue will start with RCVR dot.

SP **Snigda Pavuluri** 40:51

Okay.

MS **Mohammed, Khaja Sohail** 40:56

OK, sender queue will start with SNDR dot. This is this is your sender queue.

SP **Snigda Pavuluri** 41:02

Yeah.

MS **Mohammed, Khaja Sohail** 41:02

SNDR.pub API will post to sender queue messages and from sender queue, this is all MQ related stuff. This is all configured in MQ.

SP **Snigda Pavuluri** 41:06

Okay.

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 41:14

And here sub API will have error queue will be having a sub dot.

SP **Snigda Pavuluri** 41:20

Okay, and so when we give them, we give them the receiver queue or error queue.

MS **Mohammed, Khaja Sohail** 41:25

LLQ will give them, you'll give them.

SP **Snigda Pavuluri** 41:27

Error queue, we have to give them. OK, OK.

MS **Mohammed, Khaja Sohail** 41:29

Yeah, so from error queue, they will put the messages back into the receiver queue and that will come into sub. For example, any intermittent issues, as you told, right, 500 error, 404 error, something like that. So we will have the receiver queue, these things. This is asynchronous model.

SP **Snigda Pavuluri** 41:34

Okay.

Yeah, yeah, yeah.

And if when we reprocess, like, how do we reprocess from the queue?

MS **Mohammed, Khaja Sohail** 41:49

You will have a, you will have, I'll share you the details. You have a code, APM query process code. You just need to give your DLQ name and your process queue name, then redirectly reprocess it.

SP **Snigda Pavuluri** 41:52

Okay, okay.

Okay.

Okay.

Okay, okay, alright, okay, sure.

MS **Mohammed, Khaja Sohail** 42:03

Yeah, so that is your async model. And synchronous model, you don't have any error queue thing. They are just misses are just passed through.

SP **Snigda Pavuluri** 42:07

Okay.

Okay, sure.

MS **Mohammed, Khaja Sohail** 42:13

They will retry and they will process. If it is failed, it is failed. That's it. We need to ask source only to trigger the messages. This is your model.

SP **Snigda Pavuluri** 42:17

Okay.

Okay.

Okay, so be okay, yeah.

Yeah.

MS **Mohammed, Khaja Sohail** 42:26

Got it, clear. If you want me to repo again, I'll give over you again. No problem. I know it's a bit difficult. I've been in that phase, so ask me.

SP **Snigda Pavuluri** 42:28

Yeah.

No, so the, like, yeah, I'll go through them because I actually the MQs and all, I'm not much aware of it, so I'll go through those details and I have this recording also, right? So I'll go through that again and if you have any questions, I'll ask you again.

MS **Mohammed, Khaja Sohail** 42:43

Mm.

Yeah.

Yeah, sure. Uh, integrations we use in in Levi majorly is uh, Mule Soft.

Second one is IBM MQ.

SP **Snigda Pavuluri** 42:58

Login.

Yeah.

MS **Mohammed, Khaja Sohail** 43:02

Uh, IBM SI, uh, Tanay, uh, Tanay team. I was supporting by IBM as well, uh, and then...

SP **Snigda Pavuluri** 43:11

What does this say?

MS **Mohammed, Khaja Sohail** 43:13

Sterling integration.

SP **Snigda Pavuluri** 43:15

Okay.

MS **Mohammed, Khaja Sohail** 43:16

SAP PIPPIPO is decommissioned SAPPI and BTPIS.

SP **Snigda Pavuluri** 43:20

Okay.

MS **Mohammed, Khaja Sohail** 43:28

and BTPIS. So these are the major integrations that we use in our Levi. Okay, this is.

SP **Snigda Pavuluri** 43:36

Yeah.

Sorry, could you give me a few minutes, like 5 minutes?

MS **Mohammed, Khaja Sohail** 43:43

Yeah, sure, sure, no problem.

SP **Snigda Pavuluri** 43:45

Yeah, my baby's crying A lot. I'll just go and yeah, yeah, I'll just be back in like maybe we can connect in 10 minutes.

MS **Mohammed, Khaja Sohail** 43:47

No problem, okay.

No problem, no problem. Let me stop the record. No problem.

SP **Snigda Pavuluri** 43:53

Yeah, I'm so sorry.

● **Mohammed, Khaja Sohail** stopped transcription

MuleSoft Support KT - Onsite-20260915_135535-Meeting Recording—Meeting 2

September 16, 2026, 6:55PM

1h 3m 10s

● **Mohammed, Khaja Sohail** started transcription

MS **Mohammed, Khaja Sohail** 0:04

Yeah, recording started. Let me share my screen. Can you see my screen?

PS **Pavuluri, Snigda (Cognizant)** 0:09

Yeah.

MS **Mohammed, Khaja Sohail** 0:10

Yeah, so basically, yesterday this I discussed these are the topics that we discussed yesterday till here. OK, and today I'm going, this is the these are the topics that we are going to discuss today. The first thing is your Mule Soft platform introduction in detail. OK.

So basically in Mule Soft, in our Levi, as I told you yesterday, we are hosting applications on two instances, mainly Cloud Hub and RTF. Okay, both are handling both runtime between 4.4, 4.6, 4.9 and all. Okay, so these are the...

PS **Pavuluri, Snigda (Cognizant)** 0:40

Yeah.

MS **Mohammed, Khaja Sohail** 0:48

Instance, these are all APIs that you can see here. For example, I'll take one Cloud Hub API.

This is one of the adults I will give.

Gum experience CPU.

If this is 1 mobile experience API, OK.

PS **Pavuluri, Snigda (Cognizant)** 1:14

Yeah.

MS **Mohammed, Khaja Sohail** 1:16

This is running, this is one of the important APIs, critical APIs that we mark. Okay, here we, this is running in the Cloud Hub instance, okay? As I told you, right, there are two kinds of flow, one is PubSub model and the other one is asynchronous like this, a process API, experience API, and system API.

PS **Pavuluri, Snigda (Cognizant)** 1:35

Yeah.

MS **Mohammed, Khaja Sohail** 1:35

So this is one of this. This is how your Cloud Hub application will look like from platform. Okay, it's a bit slow, it's loading. So you have, I think you told me you were already working on the Cloud Hub application, so you have idea on workers, this and all right, how to update it to.

PS **Pavuluri, Snigda (Cognizant)** 1:53

Yeah, like, yeah, in my before, like the project before this one, so yeah.

MS **Mohammed, Khaja Sohail** 2:00

Yeah, so this is how your this thing is going to be look like dashboard. Don't know why it's taking so much time to load. Yeah.

So you are aware of this inbound request, outbound request, right? So this is the volume of the transactions that you are seeing in last 5 minutes, around 15K transactions.

So that's how, so in the peak you will see the volume will be more than three times for this. So yeah, so that's how this is, this is your overview. And if you want to check for a particular endpoint, you can go, you can see your inbound endpoints.

PS **Pavuluri, Snigda (Cognizant)** 2:28

Okay.

MS **Mohammed, Khaja Sohail** 2:40

This is your inbound endpoint response time, average response time. And this is your outbound request for very, very publishing experience API to which endpoint you are

hitting. You can go down, check here how much, what is average time, what is, what are the HTTPS calls, total calls, how many records published.

All these, you can see down here. OK, and if you are, if you want to update any workers or co worker size or how many workers, for example, we we have auto scaling here in in for all the EOM applications in Levi.

Okay, so auto scaling is something, for example, you gave this four week course and three workers, right? What happens when when it when there are there are the transaction volume is high, automatically it's high, so automatically this will scale up to four four to five workers.

PS **Pavuluri, Snigda (Cognizant)** 3:24

Yeah.

Okay.

MS **Mohammed, Khaja Sohail** 3:35

So we have that auto scaling enabled here.

PS **Pavuluri, Snigda (Cognizant)** 3:38

Okay.

MS **Mohammed, Khaja Sohail** 3:39

And we have all this, you know, that we store enabling monitoring. These are all your this thing runtime settings. If you want to add any debug logs, you need to come here to monitoring and here in monitoring you need to select debug and whatever value that you have given in your studio, you need to give that.

PS **Pavuluri, Snigda (Cognizant)** 3:46

Okay.

Yeah.

MS **Mohammed, Khaja Sohail** 3:58

In levels, you mostly have HTTP logger, solar logger.

PS **Pavuluri, Snigda (Cognizant)** 4:02

Okay.

MS **Mohammed, Khaja Sohail** 4:03

Yeah, so debug and then apply here. Once you do it, once you do it, it will be enabled. Okay. And if you go and click in your logs, this is how your logs will look like.

Okay, enter. If you want to see transactions, whether it is success or not, just see whether a transaction you are seeing enter or not. Enter, exit, that means your transaction is being success. Okay, and if you want to check how long the transaction has been running, just go and open event ID, copy that event ID and search it. With event Reddy, you can find your how long that application that came in at what time.

PS **Pavuluri, Snigda (Cognizant)** 4:40

Okay.

MS **Mohammed, Khaja Sohail** 4:44

341345145383816164 it came in and it processed at 352.

So, this is this is what everything happened in in that event.

OK, this is how you have to check logs for your Cloud Hub API.

Okay, clear. Any doubt?

Dashboard, this is your dashboard.

If you want to, if you have any scheduler process running right, or a cron jobs running, then you can enable it.

PS **Pavuluri, Snigda (Cognizant)** 5:18

Yeah.

MS **Mohammed, Khaja Sohail** 5:22

Yeah, this is this is all about cloud up, how you how we check logs. You can check logs here directly and also you can check in your monitoring. OK.

To me, so now I'll take another one RTF API.

PS **Pavuluri, Snigda (Cognizant)** 5:37

So, all these, like, we can also check in the other app that you should like some more logic or somewhere that there was a there also we can check, OK.

MS **Mohammed, Khaja Sohail** 5:42

Yes, yes, you can check that.

Yeah, there only you will have it like this.

For example, this is only these details will have API name. What is the entity ID? If, for example, this is order status, this is order status, the transaction ID. What is what is the success message? Is it success or not?

PS **Pavuluri, Snigda (Cognizant)** 5:56

Okay.

Okay, so you don't see request payload, response payload, all these here.

MS **Mohammed, Khaja Sohail** 6:05

It'll.

No, in Sumo logs, you won't see whatever you want. Request response payload will only come once you enable debug. If you don't enable your debug logs, then even Mule logs will also not print the payload.

PS **Pavuluri, Snigda (Cognizant)** 6:21

Not even one time, like, like, I mean, the process that we used to follow is like, we at least bring the first request and the last response that went out, like, they are not debug, they're like info loggers that we used to bring in APS, but here is it like the request and response are only logged as debug?

MS **Mohammed, Khaja Sohail** 6:35

Okay.

Yes, all if.

PS **Pavuluri, Snigda (Cognizant)** 6:41

Like only in case of an error it would get printed, otherwise it won't be there.

MS **Mohammed, Khaja Sohail** 6:44

No, even if it is error also, it do not print. You have to be, you have to have your debug enabled, then only your request and response payload will be printing.

PS Pavuluri, Snigda (Cognizant) 6:47

Mm.

Hmm, like, like in the monitoring, like how we added, like, you have to add those, then only it will get displayed. OK.

MS Mohammed, Khaja Sohail 6:58

Mhm.

Yes, yes, correct.

Yeah.

PS Pavuluri, Snigda (Cognizant) 7:05

But then, like, if any error comes, like suppose a bad request came, how would you know, like, what was the payload and what was that, what was wrong with it?

MS Mohammed, Khaja Sohail 7:14

For example, see this is the error, right? So if you see here.

We need to enable debugs or for example, if one particular transaction is failing, you will see only this error which flow, for example, this one.

PS Pavuluri, Snigda (Cognizant) 7:30

Yeah, yeah, yeah. No, I get this. Like, my question was, like, suppose you get a bad request and then, like, you have to see the payload to see what bad request is like. There's something wrong with the request payload, right? So, if you have to check that, then, like, if we even if we enable the debug, then we have to trigger the request again, right?

MS Mohammed, Khaja Sohail 7:36

Mm-hmm.

So, basically, we will ask source team for payload. If you want, they will provide, yeah, in e-mail or any in the incident, wherever you want, wherever they logged us incident, you can ask them, they will be able to provide it, or else we'll have to ask them to re-trigger the transaction or replicate the same thing.

PS Pavuluri, Snigda (Cognizant) 7:49

Yeah.

Okay.

Yeah, okay. After enabling the debug, we'll just have to ask them, okay.

MS **Mohammed, Khaja Sohail** 8:08

and lower.

Yes, yes.

PS **Pavuluri, Snigda (Cognizant)** 8:14

All right, okay.

MS **Mohammed, Khaja Sohail** 8:16

So that is, that's all about cloud.

PS **Pavuluri, Snigda (Cognizant)** 8:18

So this is the case where all the APIs, like, no, none of the APIs will have payload or okay.

MS **Mohammed, Khaja Sohail** 8:20

Audipis.

Yeah, yeah, all the be it cloud up, RTF, whatever it is, for example, I'll take one when this API, yeah, this is 1 RTF API I'm taking, so RTF logs will not, you will not have any logs assets like how you saw in cloud up, you will not have these logs here, okay?

PS **Pavuluri, Snigda (Cognizant)** 8:26

Okay.

MS **Mohammed, Khaja Sohail** 8:42

RTF is a bit different. So you have to go to any point monitoring. You have idea, right? Any point monitoring. This is.

PS **Pavuluri, Snigda (Cognizant)** 8:50

So, like this, I have never used any point monitoring.

MS **Mohammed, Khaja Sohail** 8:54

Yeah, so this is the, this is the platform, you know this right? How this design center exchange these all this works.

PS Pavuluri, Snigda (Cognizant) 8:59

Yeah.

Yeah, yeah, those, yes, yeah.

MS Mohammed, Khaja Sohail 9:03

Yeah, so these this is how this works, you know, right? So mainly support, we are not going to touch this part 90% of the time, unless until we have one enhancement. Like we don't build APIs, we only support APIs in support. So this is your API manager where all your client secrets, client means, you know, right? Whenever, for example, source time.

PS Pavuluri, Snigda (Cognizant) 9:06

Yeah, yeah.

Okay.

Yeah.

Yeah.

Yeah.

Yeah, yes, yeah.

MS Mohammed, Khaja Sohail 9:24

Source is trying to reach Mule, they will have a client ID, we have a client ID configured over it, and they have to use our secret to reach to reach us, so those all whatever and what do you call IPs, whatever IPs are configured, which which all IPs are white listed, everything you will see it in your in API manager.

PS Pavuluri, Snigda (Cognizant) 9:28

Yeah.

Yeah.

So do you use like platform client ID secret or the Azure client ID secret?

MS Mohammed, Khaja Sohail 9:51

That depends on the application again, which which what kind of application that you are using depends again.

PS Pavuluri, Snigda (Cognizant) 9:53

Okay.

OKOK.

Okay.

MS Mohammed, Khaja Sohail 10:06

Yeah, so this is API manager, API governance we will not use. This is your runtime manager. This, sorry, this is the runtime manager.

Okay.

All your applications will be here and the any point in queue. I told you yesterday, right? Whatever any point pub API error queues all will be there in in our DLQ and we have to we have to place those DLQ messages into reprocess queue and that will that reprocess queue is connected to our API that will reroute the messages.

PS Pavuluri, Snigda (Cognizant) 10:23

Yeah, yeah.

Yeah.

Probably been, yeah.

Okay.

Okay.

MS Mohammed, Khaja Sohail 10:42

Yeah, the API visualizer also we will not use and secret manager also we are not using, we are using monitoring. Okay, if I come, this is how monitoring dashboard looks like. Okay, all these you will have your runtime in queue monitoring. Okay, here you have to select every time levisn code, you have to see logs.

If you are using API manager or any point MQ, then you need to use C for experience, C for experience.

PS Pavuluri, Snigda (Cognizant) 11:02

Okay.

So, for the monitoring, we have to use levisn.
And for all others, it's C4E experience.

MS **Mohammed, Khaja Sohail** 11:26
Yeah.

PS **Pavuluri, Snigda (Cognizant)** 11:33
Okay.

MS **Mohammed, Khaja Sohail** 11:38
Yeah, so in monitoring, see if I'm now I have to check logs. OK, I'll also show you how to debug after this. I'm just showing you how we have to do this. Go into log search something.

PS **Pavuluri, Snigda (Cognizant)** 11:45
Okay.

MS **Mohammed, Khaja Sohail** 11:57
Sorry, my platform sometimes is irritating.
You can give it here. You can give it here also, your environment, everything. But I would prefer, what I would prefer is I'll go to log search, log search here, and then I'll give it. This is not responding for some reason.

PS **Pavuluri, Snigda (Cognizant)** 12:15
Okay.
Okay.
Okay.
So, do you call Cognizant laptop or Levi laptop?

MS **Mohammed, Khaja Sohail** 12:45
So.
Actually, cognizant laptop, but I completely BYOD, you know, BYOD, bring your own device. So in that, bring I basically Levi image laptop, all these OS and all everything is Levi.

PS Pavuluri, Snigda (Cognizant) 12:56

Yeah.

Okay.

MS Mohammed, Khaja Sohail 13:04

So this is this is how I opened log search. I did not do anything. I just opened log search here. OK, and here add filter. For example, you were you were searching for one one particular application you are searching. OK, your application is and whatever application you copied there.

PS Pavuluri, Snigda (Cognizant) 13:07

Yeah.

Okay.

MS Mohammed, Khaja Sohail 13:22

Data Lake API. OK, this is production production and save and here last 15 minutes. OK, if you see last 15 minutes transactions are coming here and any point logs if all the time that will be in your local time.

PS Pavuluri, Snigda (Cognizant) 13:24

Okay. Okay.

Okay.

Okay.

MS Mohammed, Khaja Sohail 13:38

This is your local time. This is my two time is my local time, right? So 28 in 24 hour clock, 28. This is the latest transaction.

PS Pavuluri, Snigda (Cognizant) 13:45

So even the other logs, like in the cloud hub, we saw the logs, right? That is also local time? Okay.

MS Mohammed, Khaja Sohail 13:48

Cloud up also anything, yeah, Mule soft, whatever you have, everything is in your local time and in Sumo logic you have to set your preferences. I did it my time zone.

PS Pavuluri, Snigda (Cognizant) 13:52

OK, it's local then, OK.

OK, yeah, yeah, yeah.

MS Mohammed, Khaja Sohail 14:03

Yeah, so...

PS Pavuluri, Snigda (Cognizant) 14:06

Okay.

MS Mohammed, Khaja Sohail 14:06

So, okay, I'll show you that later, but yeah, where is it? So, yeah, this is how you have to search for your application logs. For example, somebody's sharing you only. I'll show you one case.

PS Pavuluri, Snigda (Cognizant) 14:16

Okay.

MS Mohammed, Khaja Sohail 14:22

Uh...

This.

This one, this, they reached out to us saying that they have re-pushed these DOs and they did not mention any of the API name or anything, right? Transaction ID. So what I'll do is how my, how analysis as a support team you do is we have only this information available, correct? So I just go, go ahead.

PS Pavuluri, Snigda (Cognizant) 14:38

Yeah, yeah.

Yeah.

Yeah.

MS Mohammed, Khaja Sohail 14:48

Copy this transaction ID here and I go to my Sumo logic. Just first initial findings. I copy paste. I'll check whether in last three days I'll just give you a wider time frame whether this is processed or not. I see this process from two different same interface, same application.

PS Pavuluri, Snigda (Cognizant) 14:54

Yeah.

Yeah, yeah.

MS Mohammed, Khaja Sohail 15:08

but two different API names. One is pub, one is sub.

PS Pavuluri, Snigda (Cognizant) 15:14

Okay.

MS Mohammed, Khaja Sohail 15:16

Okay, so I just go and tell him, boss, this is the transaction that you shared. This is your logs. Let us know if you are looking for 1160 in particular, then the transaction has been processed from Mule Soft. Okay, and if you are not looking for any, if you are not looking for 1160.

Share me your expected application name. I'll go into the application logs and check whether this transaction is processed or not.

OK, that's how I asked Ganesh to reply, so I did it like that. See if you see here.

See, we verify transaction, confirm that they are processed to 1160 interface. If 1160 is correct interface, then both transactions are completed successfully. If not correct interface, please provide appropriate details. We can investigate further. That's it.

PS Pavuluri, Snigda (Cognizant) 16:06

Okay.

Okay.

MS Mohammed, Khaja Sohail 16:09

That's how you address your emails.

Mostly 70% of the emails are only validation emails. They will share one transaction ID or they'll share you one entity ID and they'll ask you to check whether it is

processed from this interface or not. So 70% of your time will go away in Sumo Logic. You can do everything in Sumo. But for example, if something is failing completely.

PS Pavuluri, Snigda (Cognizant) 16:16

Okay.

Okay.

Okay.

MS Mohammed, Khaja Sohail 16:34

If you see a data error or if you see a timeout error, so then you have to go to your any point monitoring logs and check it.

PS Pavuluri, Snigda (Cognizant) 16:36

Yeah.

Okay.

MS Mohammed, Khaja Sohail 16:45

Yeah, and also note down that Cloud Hub logs or any RTF logs, we will only have logs for 30 days or 100 or 100 MB of the total application level volume.

PS Pavuluri, Snigda (Cognizant) 16:55

Mm.

MS Mohammed, Khaja Sohail 17:04

30 days or 100 MB. Beyond that, 31st day also if you're coming and asking me the previous data, I will not have any data.

PS Pavuluri, Snigda (Cognizant) 17:14

100 MB isn't it too less.

MS Mohammed, Khaja Sohail 17:15

100 MB.

That it application develop this, for example, this log is not 100 MB, right? Whichever comes first, either is it whether is it 30 MB or 130 days or 100 MB.

PS Pavuluri, Snigda (Cognizant) 17:19

Yeah.

Okay.

MS Mohammed, Khaja Sohail 17:29

Yeah.

Now, this is a limitation in Mule Soft, OK?

PS Pavuluri, Snigda (Cognizant) 17:36

Okay.

MS Mohammed, Khaja Sohail 17:38

Clear so far, cloud, how you have to deal with e-mail.

PS Pavuluri, Snigda (Cognizant) 17:39

Yeah.

MS Mohammed, Khaja Sohail 17:43

You have any doubt?

PS Pavuluri, Snigda (Cognizant) 17:43

Yeah, is there anything like in the name where we can figure out whether it is loader or RTF or we have to go to the runtime manager to check?

MS Mohammed, Khaja Sohail 17:52

No, basically, issue for issue doesn't matter whether the whatever issue you are seeing or if you are resolving, it might be cloud hub, it might be RTF, but there are two different instances. Basically, initially when Levi had it had only cloud hub APIs, and then since it is like...

PS Pavuluri, Snigda (Cognizant) 18:03

Singh.

Okay.

MS **Mohammed, Khaja Sohail** 18:11

AWS hosted and direct mules of Salesforce, right? So we gradually migrated a few of them to RTF.

PS **Pavuluri, Snigda (Cognizant)** 18:15

Yeah.

Okay.

MS **Mohammed, Khaja Sohail** 18:19

So yeah, we are trying to do it, but keeping the volume and keeping the all these things in mind. So we are just thinking how can we move forward. Ultimately, everything will move to RTF, but not now going down like two, three years.

PS **Pavuluri, Snigda (Cognizant)** 18:33

Okay.

Okay, okay.

MS **Mohammed, Khaja Sohail** 18:36

No.

PS **Pavuluri, Snigda (Cognizant)** 18:38

And actually, I had one question about the runtime yesterday. Like yesterday, you said you were actually migrating the runtime from 4.6 to 4.9, right? For all the APIs. So is it like, do you just update the runtime in the code and then deploy the API or is there any other thing to that like?

MS **Mohammed, Khaja Sohail** 18:48

Nine, yeah.

No.

No, no, no, not like, not like that.

PS **Pavuluri, Snigda (Cognizant)** 18:58

In the platform that you do.

MS **Mohammed, Khaja Sohail** 19:00

We will have, we will have document, they'll give you Katie how to update it. So basically how we will do is we will take the code, how we do anything, take the code, take the latest branch. If you want to check the latest branch, this is how you have to do it. You go to your runtime, for example, one API, any API, be it Cloud Hub, RTF, anything.

PS **Pavuluri, Snigda (Cognizant)** 19:08

Okay.

MS **Mohammed, Khaja Sohail** 19:22

Come here to settings properties. OK, it will directly take you. Once you click on your settings, it will take to properties. And if you come here, if you search for Git branch, Git branch, this is your latest branch.

PS **Pavuluri, Snigda (Cognizant)** 19:43

Go ahead.

Hello?

MS **Mohammed, Khaja Sohail** 19:47

Hello, can you hear me?

PS **Pavuluri, Snigda (Cognizant)** 19:50

Yeah, yeah, yeah, I think there's something wrong with the connection, like your screen is stuck for me.

MS **Mohammed, Khaja Sohail** 19:54

Ohh, no, this I so if you have to take the latest branch, go to that API. Can you able to hear? Are you able to hear me now?

PS **Pavuluri, Snigda (Cognizant)** 19:56

Yeah.

Yeah.

Yeah, I can hear you. I think it's a bit slow, the screen, yeah.

MS **Mohammed, Khaja Sohail** 20:09

Okay, so this is your API. If you go to settings, come back to properties, and if you search with GIT Git, okay, Git branch, then this is your latest branch.

PS **Pavuluri, Snigda (Cognizant)** 20:11

Yeah.

Yeah.

Okay.

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 20:25

Okay, you just need to copy this. Whatever git I use desktop mostly, you can use this one also. Clone repository, search for remove prod, just API name, CB2B event monitor. I'll just clone this API.

PS **Pavuluri, Snigda (Cognizant)** 20:34

Okay.

MS **Mohammed, Khaja Sohail** 20:43

And this is Solar R4 added OData call. OK.

I'll have to search for that is my latest branch.

OK, this is not the latest branch.

See origin solar R4. This is my latest branch. Now whatever changes you are doing you have to do from the production branch itself and you have to create a new branch from the production branch.

PS **Pavuluri, Snigda (Cognizant)** 21:06

Yeah.

Okay.

MS **Mohammed, Khaja Sohail** 21:17

Okay, so if it is master, create from master.

PS Pavuluri, Snigda (Cognizant) 21:23
Okay.

MS Mohammed, Khaja Sohail 21:25
Yeah.

So that is how you will do it. And so far, coming back to 4.9, you'll clone the code in your git or in your local. Basically, now we have the Jenkins automated script. Okay, so once you give that script automatically, it will run the application. What in application, what we are doing is.

PS Pavuluri, Snigda (Cognizant) 21:39
Okay.

MS Mohammed, Khaja Sohail 21:47

Instead of doing manually updating each and every connector, each and every POM version, each and every this thing, what we are doing is we are giving it to a automation, giving it as an automation job, and it will do it automatically. And then you are performing after once that is done.

PS Pavuluri, Snigda (Cognizant) 21:52
Yeah.

MS Mohammed, Khaja Sohail 22:07

You will check whether this is processed correctly or not. Okay, everything is updated or not. Then you use Jenkins pipeline to push it to dev.

PS Pavuluri, Snigda (Cognizant) 22:08
Okay.
Okay.
Okay.

MS Mohammed, Khaja Sohail 22:18

Yeah, that's it your part and test deployment and production deployment DevOps will be taking care.

Yeah, so 4.name, that's how we do. We don't update directly in platform. We go inside the code, update it manually. Here you're talking about this one, right?

PS Pavuluri, Snigda (Cognizant) 22:37

No, no, actually in the code, like, like we usually we have this artifact thing, like when we updated the runtime version, like we pulled the code into Anybone Studio and then updated the artifact and then deployed it manually because it was on-prem. Is it the same way that you want to do it?

MS Mohammed, Khaja Sohail 22:42

Yes, yes.

Yeah, the same way.

Yeah, it's the same way that we do it.

PS Pavuluri, Snigda (Cognizant) 22:55

Okay.

Yeah, but it says that we only deployed until Dev and then just give it to DevOps and they'll take care of the rest.

Okay, and even that updating also you said this Jenkins automated job really which part of this process is automated?

MS Mohammed, Khaja Sohail 23:09

Yeah, there is one auto.

Only the updation part, whatever you told manually, you are updating, right? Artifact, POM, or any connector versions in POM and artifact, those things are automated.

PS Pavuluri, Snigda (Cognizant) 23:15

Yeah.

Okay. Yeah. Okay. Okay. Okay.

MS Mohammed, Khaja Sohail 23:24

And the runtime 4.9 you'll just give manually, right? All that will be updated as part of Jenkins. Somebody will give you Katie if you are working on 4.9. Mostly I did not take up 4.9 because I was the only person here in onsite. My offshore helped do it.

PS Pavuluri, Snigda (Cognizant) 23:27

Okay, yeah, yeah.

Oh, okay, okay.

Okay, okay.

Okay, okay. Okay.

MS Mohammed, Khaja Sohail 23:42

Yeah, so this is your platform deleted everything. OK, you have any doubt?

PS Pavuluri, Snigda (Cognizant) 23:48

Oh.

MS Mohammed, Khaja Sohail 23:52

Basically, you got to know what is Cloud Hub RTF. You understood the minor difference in beat anything, but basically that is how you AWS. It is hosted by AWS and this is hosted by Azure. OK, and the major part is like this will not have if you want to.

PS Pavuluri, Snigda (Cognizant) 24:04

Yeah.

MS Mohammed, Khaja Sohail 24:10

Ohh.

This one, this one is memory. This will have memory and CPU and all replica count. OK, if you want to enable persistent object store, you can enable directly from platform.

PS Pavuluri, Snigda (Cognizant) 24:23

Yeah.

MS Mohammed, Khaja Sohail 24:24

No.

Mostly you'll be having all the developers here in onsite. If you are stuck somewhere, they'll definitely, I'm sorry, they'll definitely help you.

PS Pavuluri, Snigda (Cognizant) 24:34
Okay.

MS Mohammed, Khaja Sohail 24:35
But just in case.

PS Pavuluri, Snigda (Cognizant) 24:37
Okay, yeah, sure.

MS Mohammed, Khaja Sohail 24:40
OK, clear on platform.

PS Pavuluri, Snigda (Cognizant) 24:41
Yeah.

MS Mohammed, Khaja Sohail 24:42
How to check logs cloud of RTF? We are done with this. OK, now coming to this second part. OK, so what I'm trying to do is, for example...

PS Pavuluri, Snigda (Cognizant) 24:45
Yeah.

MS Mohammed, Khaja Sohail 24:56
you receive an e-mail, let's say in this scenario. Support scenario, mostly only issues. If issues are there, then you are there. If issues are not there, then you are not there. That's it. Okay. So if, for example, we received an e-mail saying that, hey, this transaction has not reached target system. Okay.

PS Pavuluri, Snigda (Cognizant) 25:05
Okay, yeah.
Okay. Okay.

MS Mohammed, Khaja Sohail 25:15
and they will not give you any details. Okay? They'll give only the transaction

number. You go as usual, you search in your sumo logs, you will not find it. In any point logs, you'll not find it. Okay? What are the next steps that you have to do? You need to ask them either endpoint or interface ID. Okay?

PS Pavuluri, Snigda (Cognizant) 25:18

Okay.

Yeah.

Yeah, yeah.

Yeah.

Okay.

Okay, okay.

MS Mohammed, Khaja Sohail 25:34

Endpoint is our directly, they'll give you our APN name. Okay, if interface ID, interface, this is your conference page, you know, conference page, right? You just that interface ID is something it looks like this, IT10, IT100, it will look like this.

PS Pavuluri, Snigda (Cognizant) 25:36

Yeah, yeah, okay.

Yeah, yeah, yeah, yes.

MS Mohammed, Khaja Sohail 25:53

IT is interface ID. Okay, keep a note of it. IT, see these are all interfaces. IT 137017113771380. When you are referring to interface, then you are referring complete interface. I mean, that is from source to target.

PS Pavuluri, Snigda (Cognizant) 26:04

Okay.

Okay.

MS Mohammed, Khaja Sohail 26:12

OK, so, so this is the...

PS Pavuluri, Snigda (Cognizant) 26:14

Oh, so it's not just like one application, it's the integration between source and target.

MS **Mohammed, Khaja Sohail** 26:16

One application.

Yes, correct. So, why, why do 101379? This is TSD. Search for TSD anytime, not FSD. FSD is something developers will have to deal with about whatever requirements there. FSD will be updated. TSD. OK, this is TSD. This is your menu, and if you come back...

PS **Pavuluri, Snigda (Cognizant)** 26:19

Okay.

Yeah.

Okay.

Okay.

Okay, okay.

MS **Mohammed, Khaja Sohail** 26:37

These are all just an overview, how the application works. Source, publish, subscribe, or how it is. What is the what is the basic objective? What it does? WMS will trigger a JSON. OK, and we'll post it to SCARSupport. OK, whatever the transformation is happening here.

PS **Pavuluri, Snigda (Cognizant)** 26:42

Okay.

Okay.

Yeah, yeah.

Okay.

MS **Mohammed, Khaja Sohail** 26:56

From JSON to XML.

PS **Pavuluri, Snigda (Cognizant)** 26:56

Okay, yeah, yeah.

MS **Mohammed, Khaja Sohail** 26:59

OK, so this is your interface. Now, in this interface, if you come down here, you will have your APN in, yes.

PS **Pavuluri, Snigda (Cognizant)** 27:00

Okay.

So the source system have the interface ID, like, isn't this like internal ID? They also will have it.

MS **Mohammed, Khaja Sohail** 27:15

No, they this is for everyone's reference purpose; they will they will call.

PS **Pavuluri, Snigda (Cognizant)** 27:20

The interface ID, the ID 101379, so source system will also have that ID with the.

MS **Mohammed, Khaja Sohail** 27:23

Yeah.

No, no, ID means basically this interface ID is only referred in integration.

Okay, when what when I'm saying, for example, this development guy for all of them, there is only one flow, one trigger that will go to multiple APIs. Okay, for them. Okay, that will come into Mule Soft and that will split, right? So how they will refer in general context, not that is not something configured at their end.

PS **Pavuluri, Snigda (Cognizant)** 27:33

Yeah, yeah.

Yeah.

Yeah.

Yeah.

MS **Mohammed, Khaja Sohail** 27:53

in a general context. So they will say, ID 101379, this is your documentation. They will give me this documentation. I'll come here in my documentation, I'll check, okay, here I have my Mule soft part. Okay, now I'll go down, see what is the API name. This is my API name. Okay, now I take this API name.

PS Pavuluri, Snigda (Cognizant) 28:06

Okay.

Okay.

MS Mohammed, Khaja Sohail 28:13

Go to logs, give my application same like this.

Filter application is, and I see my logs.

See prod dev test prod and just click on it and give your time and whatever entity or transaction or status, whatever you want to give, you can give it here. You'll find the transaction that is your use for confluence. Major part support team is using confluence only for TSDs.

PS Pavuluri, Snigda (Cognizant) 28:34

Okay.

Okay.

MS Mohammed, Khaja Sohail 28:44

SB's or any other documentation purpose.

It might be anything. For example, when P2 happened yesterday, for P1, P2, as I told you, right, when P2 happened yesterday. So that P2, they'll ask you to document it in confluence. So you just need to come here, create confluence page, and just update all these details and then publish it. Mostly, nobody's asking, but again, if they ask you.

PS Pavuluri, Snigda (Cognizant) 28:53

Yeah.

Okay.

Okay, so like we just go to the existing documentation and update that issue that we got.

MS Mohammed, Khaja Sohail 29:13

No, no, not existing. For creating, I'm saying existing, we are not touching anything.

Existing is, it is how it is. This guy, our developer is there, Ankush Raskan, that guy

developed it, and that's it. So this will, this only will keep us documentation. See, in this, in this TSD, you'll be having your source sample.

PS Pavuluri, Snigda (Cognizant) 29:18

Okay.

Yeah.

Yeah, yeah.

Okay.

MS Mohammed, Khaja Sohail 29:32

What is the this thing they are triggering?

PS Pavuluri, Snigda (Cognizant) 29:33

Yeah, okay. Okay.

Yeah, okay.

MS Mohammed, Khaja Sohail 29:38

Okay, all this you'll be having in your TSDs. FSD means, FSD means what you'll do is, that is functional specification. That means, yeah, whatever requirements, whatever mapping that you want, or whatever how you want to map, everything will be in FSD. So for us, that is not required since you are support team, right?

PS Pavuluri, Snigda (Cognizant) 29:48

Function specification here.

Yeah.

Okay.

Yeah.

Okay.

MS Mohammed, Khaja Sohail 30:21

Okay, so what we will do is, after 15 days, if some issue comes, for example, they are coming and adding one new requirement. They want another one more field to be added, one more field to be mapped. What you'll do ask them is go to source team and ask that this is.

PS Pavuluri, Snigda (Cognizant) 30:32
Okay. Yeah. Yeah.

MS Mohammed, Khaja Sohail 30:39
this particular message, if you want this particular message to be mapped, update FSD and share the link to us. Okay? We will go to FSD, we will check, okay, this is what they need, this is the new change that they need. Okay, you'll download the sheet and you'll check and go back, create a Jira ticket.

PS Pavuluri, Snigda (Cognizant) 30:46
Okay.
Okay.

MS Mohammed, Khaja Sohail 30:59
and tell them what you'll explain all the details and you'll go and ask approval from your manager, levisn manager.

PS Pavuluri, Snigda (Cognizant) 31:00
Okay.
Okay.
Okay, okay.

MS Mohammed, Khaja Sohail 31:07
Once they approve, you need to start working on it. If they're not approving, then that's it. You need to reply e-mail.

PS Pavuluri, Snigda (Cognizant) 31:10
Okay.

MS Mohammed, Khaja Sohail 31:14
I reply to the e-mail.
OK, so this is about confluence.

PS Pavuluri, Snigda (Cognizant) 31:20

Okay, but like you said, if there is a P2 or P1, you said they might ask you to create something in the conference data documentation. So in that case, like do you just create like a new page with all these details, but include the error as well?

MS **Mohammed, Khaja Sohail** 31:28

Yeah.

No, basically, P2 documentation, how would how P2 documentation, how it will look like, right? I am just taking example of other teams example.

It should be somewhere here.

See, this is one of the confluence document. The P2 was to us, but they document us P2. We don't do it in confluence. So we are trying. We are also trying to adopt that thing. So this is the incident number. What happened? What is the subject line? OK, from.

PS **Pavuluri, Snigda (Cognizant)** 32:02

Okay.

Okay.

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 32:15

24,000 units are missing for DDC. This is 1 distribution center, 1919 on September 8th. Okay, this is the first thing. What is that summary? What is incident number? What is the title? What is the severity? P1, P2, P3, P4?

PS **Pavuluri, Snigda (Cognizant)** 32:19

Okay.

MS **Mohammed, Khaja Sohail** 32:35

Date, OK. Date of RCA, whatever related, what are the related changes? It happened because of any change. What is the problem statement? This is your format.

PS **Pavuluri, Snigda (Cognizant)** 32:41

Okay.

MS **Mohammed, Khaja Sohail** 32:47

You can use this format, but just I'm saying that if they ask you to create, mostly they did not ask any of us to create so far, but if something comes into picture, you can use this as.

PS **Pavuluri, Snigda (Cognizant)** 32:47

Okay.

Yeah.

Okay.

MS **Mohammed, Khaja Sohail** 33:01

Yeah.

PS **Pavuluri, Snigda (Cognizant)** 33:01

OK, like do you get any uh creative when an API goes into production or uh OK?

MS **Mohammed, Khaja Sohail** 33:07

Yes, yes, we'll get computer from development team.

PS **Pavuluri, Snigda (Cognizant)** 33:10

Development, yeah, okay.

MS **Mohammed, Khaja Sohail** 33:12

Yeah, so then only you'll understand how they build it. No, they try to do it, or mostly if the if the developer is reachable, then you can connect to him. He might help you offline, but he will not officially join call, and this is all on a just a friendship, I mean, how we did, yeah.

PS **Pavuluri, Snigda (Cognizant)** 33:14

Yeah, yeah.

Okay.

That's.

Yeah, yeah, yeah, okay.

MS **Mohammed, Khaja Sohail** 33:30

Yeah, so that's your source and target introduction. Source and target mostly, it will be like this. This is your source and this is your target. WMS, SAP, or SAP to Fieldglass or anything. It might be WMS, anything. Okay, so this is your source, this is your target.

Yeah, clear conference. This is source on top and message processing. I told you yesterday explained it at pub sub model. OK, so what these two are clear. So what I'll do message processing pub sub model is what I just told you. OK.

PS **Pavuluri, Snigda (Cognizant)** 33:56

Yeah.

Yeah.

No.

MS **Mohammed, Khaja Sohail** 34:14

She's the flow.

Source Mule pub API, Mule sender queue, receiver queue, sub API target.

PS **Pavuluri, Snigda (Cognizant)** 34:23

I see with you, so baby, yeah.

MS **Mohammed, Khaja Sohail** 34:25

I'll give you an example. An example I'm taking one. You'll get to know all these interfaces once you join.

PS **Pavuluri, Snigda (Cognizant)** 34:32

Yeah.

Yeah, I think actually there was one in the conference CPS, right? What was that CPS thing?

MS **Mohammed, Khaja Sohail** 34:39

Yes, CPS I told you, right? Consolidated CPS. Property file, yeah.

PS **Pavuluri, Snigda (Cognizant)** 34:42

Yeah, that property file, yeah. Is there anything that are the same thing, like we need to request the...

MS **Mohammed, Khaja Sohail** 34:46

The.

No, no, no, they will it will be in production. You can download it from through Jenkins.

PS **Pavuluri, Snigda (Cognizant)** 34:52

Okay.

Okay. Okay.

MS **Mohammed, Khaja Sohail** 34:55

Yeah.

For example, if you want to download for one API.

For example, if you want to download over this API, I'll go to Jenkins.

PS **Pavuluri, Snigda (Cognizant)** 35:04

Or the.

MS **Mohammed, Khaja Sohail** 35:07

give the login credential for production. I'm just taking this search decrypt, okay?

Decrypt, you can search anything, CPS file decryption. Everything will be encrypted.

From encrypted, you are decrypting the file, okay?

So I'll give project name. Project name is API name. Base, base is base for all of them.

Okay. Instance ID, if you for RTF, you have to choose RTF. For Cloud Hub, you have to use base.

PS **Pavuluri, Snigda (Cognizant)** 35:28

Yeah, Tom Reddy.

Okay.

OK.

I'll tell you.

MS **Mohammed, Khaja Sohail** 35:40

Okay.

And here you have to give your e-mail. For example, this is my e-mail. I'll trigger and build. The pipeline is set.

PS Pavuluri, Snigda (Cognizant) 35:44

Ms. Aviraj.

Okay.

So we can either do this or you said there was one girl who can provide, right? We can do that or this or that is different.

MS Mohammed, Khaja Sohail 35:58

That is a she she no that is consolidated CPS or individual CPS consolidated we will not have.

PS Pavuluri, Snigda (Cognizant) 36:01

Yes.

OK, OK, OK. So, for consolidated, we can request it beginning of every month, and if you want individual CPS, we can download from the Jenkins.

MS Mohammed, Khaja Sohail 36:07

Yeah.

Yeah.

PS Pavuluri, Snigda (Cognizant) 36:15

Okay.

MS Mohammed, Khaja Sohail 36:16

So this is your CBS file, how it looks like.

PS Pavuluri, Snigda (Cognizant) 36:19

Yeah, okay.

MS Mohammed, Khaja Sohail 36:20

API name, production, which base you give all this. What is the country, US? What is the status message? These all, these all.

PS Pavuluri, Snigda (Cognizant) 36:28

So these details we can see them in logs too, right? Like is there any specific purpose to this CTS?

MS Mohammed, Khaja Sohail 36:33

No.

No, for example, not, I don't see specific, I don't see a specific purpose, but rather all these, for example, this HTTP method is hard-coded in your code application level in your code. Okay, if you want to change here, you don't need to change your code, you just need to update here to.

PS Pavuluri, Snigda (Cognizant) 36:44

Yeah.

Yeah.

Yeah.

MS Mohammed, Khaja Sohail 36:53

was to get, for example, I'm just saying.

PS Pavuluri, Snigda (Cognizant) 36:56

Okay.

MS Mohammed, Khaja Sohail 36:57

Okay, you just need to update it and your thing will get up. For example, this API wants an update saying that I want to change the HTTP method from post to get.

Okay, what I'll do is I'll go check my code. I found HTTP method is hard-coded. That means...

PS Pavuluri, Snigda (Cognizant) 37:08

Okay.

Okay.

MS Mohammed, Khaja Sohail 37:16

P of some, they added some P of and then HTTP method they give. That means the property is not updated in the code. The property is defined in the CPS file.

PS Pavuluri, Snigda (Cognizant) 37:20

Okay.

Okay.

MS Mohammed, Khaja Sohail 37:26

So this property I can change in CPU, I don't have to download code only. I just come here, I just update it to get and that's it. And I push this to production. I'm not able to read it because I downloaded the.

PS Pavuluri, Snigda (Cognizant) 37:31

Okay.

Okay, so these are all the values from like the YAML file, like whatever is there in the YAML file, all these will, okay, okay, okay, okay. So, and like once we update this, what do we do? Like how do we, like how do we deploy this in production?

MS Mohammed, Khaja Sohail 37:43

Yes, yeah, yeah.

Yeah, you.

In, we don't have the, I mean, direct access, I told you, right? DevOps, DevOps, but DevOps only will do it.

PS Pavuluri, Snigda (Cognizant) 37:57

The access, right? Yeah, yeah, yeah. So you just update the CPS file and give it to DevOps and they'll deploy it. Okay, okay. And like after getting that ones, of course, yeah, okay, okay. All right, okay.

MS Mohammed, Khaja Sohail 38:04

Yes, correct.

Yeah.

Yeah, so...

That's it, that's that's all you have.

PS Pavuluri, Snigda (Cognizant) 38:12

So if you get these kind of requests, like do you first create like a Jira ticket for that or?

MS Mohammed, Khaja Sohail 38:18

For non-prod Jira only, complete non-prod Jira, complete production service now. If some ask is they want to increase this, for example, they want to change this receiver queue, okay? For example, IBM GameQ team is coming and saying that, now change your receiver queue to the other queue. What you will do, you'll ask them to create a change.

PS Pavuluri, Snigda (Cognizant) 38:21

Okay.

Service, okay.

Okay.

MS Mohammed, Khaja Sohail 38:38

I told you right yesterday, change and assign it to you so that that change what you will do, you will make your changes and that change you will assign it to DevOps and you will give you a CTS file. They will push it to production.

PS Pavuluri, Snigda (Cognizant) 38:40

Yeah, yeah.

Okay.

So, do you create the change request or do you ask them to create the change? We we can create it. OK, OK, OK.

MS Mohammed, Khaja Sohail 38:54

Yeah, we should, we we need to, we we can create it.

I told you red cap call will be there. You need to go and present your change in cap call.

PS Pavuluri, Snigda (Cognizant) 39:02

Yeah, yeah.

Do you also create like an RA team for this since this is like a task that you're working on or you just create a change request? Okay.

MS **Mohammed, Khaja Sohail** 39:10

No production deployment deployment anytime we have to go with change request or change task only. OK, if it is.

PS **Pavuluri, Snigda (Cognizant)** 39:16

Yeah, yeah, yeah, like, but since you're working on this, like, do you have any other way to track it, or like you just work on it? Like, usually, like, how we used to do is, like, if there is any task, like, like you said, even if it is updating one file, we used to create one task in Gita and then update our efforts there, so it was like that, so do you...

have any such thing or just you could directly create a change request and then make your changes and ask them to do it.

MS **Mohammed, Khaja Sohail** 39:41

No, seeing that.

Change request will create and you need to go and present in cap call. I told it for normal change cap call.

PS **Pavuluri, Snigda (Cognizant)** 39:47

Yeah, yeah, yeah, yeah, that that process I understand, yeah, yeah.

MS **Mohammed, Khaja Sohail** 39:50

But what, but for example, there is a deployment that you are doing, for example, CPS file update or code depth code change. For these two things, you will track through your change request, change request or change order.

PS **Pavuluri, Snigda (Cognizant)** 39:58

EOM.

Okay.

MS **Mohammed, Khaja Sohail** 40:04

Okay, and all other for production I'm saying for non-prod, you'll track it through Jira.

PS Pavuluri, Snigda (Cognizant) 40:10

Okay, okay.

MS Mohammed, Khaja Sohail 40:11

Am I confusing?

PS Pavuluri, Snigda (Cognizant) 40:12

No, no, no.

Okay, okay.

MS Mohammed, Khaja Sohail 40:22

Service, no, you will not touch anything in zero.

PS Pavuluri, Snigda (Cognizant) 40:25

OK, yeah, no, I I didn't know that, like, you can track efforts through change request too.

MS Mohammed, Khaja Sohail 40:26

Cut.

Yeah, service now will do it only for production. Yeah, this is something billable, so...

PS Pavuluri, Snigda (Cognizant) 40:31

Okay, okay.

Okay.

MS Mohammed, Khaja Sohail 40:35

Yeah.

PS Pavuluri, Snigda (Cognizant) 40:36

Okay.

MS Mohammed, Khaja Sohail 40:38

So that is the that is your confluence thing. OK, sorry, I was OK. Anything any other doubt? I'll come back here.

Okay, I'll, this is the example that I took. Okay, 770 WMS, for example, so the one I told you, right? Source, Mule Pub API, Mule Pub API will publish to sender queue, sender queue to receiver queue, and receiver queue will publish to sub API, okay?

PS Pavuluri, Snigda (Cognizant) 41:03
Mhm.

MS Mohammed, Khaja Sohail 41:09
And this is this is the target.

PS Pavuluri, Snigda (Cognizant) 41:10
Okay.

MS Mohammed, Khaja Sohail 41:12
OK, so this is exactly this is how your application source Mule sender queue, sorry, Mule Pub API, Pub API to sender queue, send your dot OK, and this sender queue to receiver queue. Here you have multiple, but just let's see, let's go only with one. For example, if write.

PS Pavuluri, Snigda (Cognizant) 41:13
Okay, okay.
Okay.

MS Mohammed, Khaja Sohail 41:33
Ship confirm right? RCVR dot I freight ship confirm dot Q1. This subscriber API will subscribe to Mule receiver queue and then it will publish to I freight.

PS Pavuluri, Snigda (Cognizant) 41:46
Okay.

MS Mohammed, Khaja Sohail 41:47
OK, this is the clear flow.
Sender pub, just notice simple difference. Pub API will post message to sender

queue.

OK, sub API will subscribe to MQ to receiver queue to read the messages.

PS Pavuluri, Snigda (Cognizant) 41:56

Yeah.

Yeah.

MS Mohammed, Khaja Sohail 42:04

OK, and it will post to the target system.

Yeah, there is also one more queue here, GCP. And this WMS is directly not reaching to SPUB API. It is reaching through GCP. There is one more GCP queue, Google, Google queue. So the GCP queue.

PS Pavuluri, Snigda (Cognizant) 42:22

Okay.

Okay.

OK, and that API is polling from there. OK, OK.

MS Mohammed, Khaja Sohail 42:28

Yes, correct. So now for this thing, how, for example, if there is an issue, how you are going to investigate is you'll check this source. Did you trigger it or not? Okay, once you triggered it, did you receive 200 okay or 201 okay response or not? First thing.

PS Pavuluri, Snigda (Cognizant) 42:46

Okay.

MS Mohammed, Khaja Sohail 42:47

They said, yeah, okay, I published it to Mule Soft and Mule Soft sent me a response saying that, okay, I received your transaction. You'll go to your Pub API first. Do you see logs in Pub API?

PS Pavuluri, Snigda (Cognizant) 42:53

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 42:59

Yes, I see. I do see logs in pub API. It is success and it says publish to IBM MQ. But IBM MQ is this one, sender queue, right? Okay, sender queue to receiver queue. This is not our part. This is their part, okay? And after that, this sub API.

PS **Pavuluri, Snigda (Cognizant)** 43:07

Yeah.

Okay.

MS **Mohammed, Khaja Sohail** 43:17

Receiver queue, sub API will subscribe from receiver queue and it will read the messages and it will publish to target. Mostly failure part here, for example, pub API, it's error dot, okay, saying that this is there is a time out error. This transaction has been timed out. What you'll do.

PS **Pavuluri, Snigda (Cognizant)** 43:25

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 43:36

You have error queue for pump API is APM queue.

PS **Pavuluri, Snigda (Cognizant)** 43:42

Okay.

MS **Mohammed, Khaja Sohail** 43:43

This is your any point MQ monitoring I just showed you, right?

PS **Pavuluri, Snigda (Cognizant)** 43:45

Yeah, yeah.

MS **Mohammed, Khaja Sohail** 43:47

Yeah, this is your APMQ. You go there and do that. OK, and from sub for sub API, it is IBM MQ always.

PS Pavuluri, Snigda (Cognizant) 43:48

Yeah, yes, yeah.

Yeah.

MS Mohammed, Khaja Sohail 43:56

Okay, this is sub dot your sub API starts with sub.

PS Pavuluri, Snigda (Cognizant) 43:59

And we don't have access to that, right? The sub. No, we don't have it. Reach out to them. Yeah, okay.

MS Mohammed, Khaja Sohail 44:01

No, we don't have, we just, yeah, we just need to tell them. Yeah, correct, correct.

That's it. These are the two main parts and sometimes, not all the times, sometimes between sender queue and receiver queue, you will have conditions.

PS Pavuluri, Snigda (Cognizant) 44:16

Okay.

MS Mohammed, Khaja Sohail 44:17

That is all managed in IBM MQ. We are not responsible for that.

PS Pavuluri, Snigda (Cognizant) 44:20

Okay.

Okay.

MS Mohammed, Khaja Sohail 44:23

There's that there's one more scope I'm trying to say for error.

PS Pavuluri, Snigda (Cognizant) 44:26

Okay, yeah, okay.

MS Mohammed, Khaja Sohail 44:28

Yeah, this is for PubSub model. Clear how to investigate or how to reprocess messages.

PS Pavuluri, Snigda (Cognizant) 44:33

Yeah, and can you go to that MQ once like in the platform?

MS Mohammed, Khaja Sohail 44:37

APMQ.

PS Pavuluri, Snigda (Cognizant) 44:38

If the, if yeah, yeah.

Yeah, so here, like, if they get an error, we would see it here, right? Like, if if it the issue is with the, like, with any API, we would see it here, like, even if the sub API, yeah, any public.

MS Mohammed, Khaja Sohail 44:50

Yeah.

Any Pub API? No, no, Sub API will not. Any Pub API, you'll see it. For example, I'll take, say, this is 1 API.

PS Pavuluri, Snigda (Cognizant) 44:59

Yeah.

MS Mohammed, Khaja Sohail 45:03

Or else.

Okay, so this is DLQ. I told you, messages will go and sit in DLQ. From DLQ, you have to push it to APM, reprocess queue. I'll take one example.

PS Pavuluri, Snigda (Cognizant) 45:08

Yeah.

Yeah.

Okay.

MS Mohammed, Khaja Sohail 45:20

OK, this is 1 DLQ. I go here and I check. OK, this is DLQ and.

PS Pavuluri, Snigda (Cognizant) 45:28

Okay, so you get an e-mail like that, like the all the things that we need to reprocess.

MS Mohammed, Khaja Sohail 45:31

Yeah, alert no for.

Yeah, not for all the queues, but only for a few queues, for a few critical queues.

Okay, you just need to come here and see, okay, there is one message, they reprocessed it. Let's come back to one which is having, yeah, so.

PS Pavuluri, Snigda (Cognizant) 45:39

The.

MS Mohammed, Khaja Sohail 45:49

And this one?

Okay, 59 messages are there in this queue. You go to your studio. I don't have it open. I don't have it logged.

PS Pavuluri, Snigda (Cognizant) 45:56

Okay.

MS Mohammed, Khaja Sohail 46:01

I I will sort of showed you. OK, what you'll do is you will have a code, APMQ code. I don't have that code that is, I mean, that is not available in Git. Someone will share it with you. So what you'll do is in that you go and give your DLQ name to your reprocess queue name. If how to find how to find it out is.

PS Pavuluri, Snigda (Cognizant) 46:04

Okay.

Yeah.

Okay.

Okay.

Okay.

MS Mohammed, Khaja Sohail 46:21

in your consolidated CPS file. Okay, consolidated CPS file, come here and see this is DLQ. Okay, APMQ DLQ. Okay, and here if you see.

PS Pavuluri, Snigda (Cognizant) 46:24

Okay.

Okay.

MS Mohammed, Khaja Sohail 46:35

Where is this?

So many.

It is a PMQ.

Ohh, APM query process.

Oh, it's not there.

Usually, you'll have a ohh, am I searching in this one?

My bad, I'm searching in wrong file.

PS Pavuluri, Snigda (Cognizant) 47:32

So, DLQ is like the pub API, what error queue, right? It's error queue, it's the pub error queue for the pub APIs.

MS Mohammed, Khaja Sohail 47:35

NLQ, yeah, DLQ, dead, dead.

Yeah, dead letter queue. DLQ means dead letter queue for pub API and you are putting it in your reprocess queue. Okay, see that this is your reprocess queue. See, this is how it will look like. DLQ will have DLQ in that name. Reprocess will have reprocess in that name.

PS Pavuluri, Snigda (Cognizant) 47:46

We process queue, okay.

Ohh, okay, okay, so we did that.

Okay, reprocess the okay.

MS Mohammed, Khaja Sohail 47:58

Yeah.

PS Pavuluri, Snigda (Cognizant) 47:59

And there's like a documentation for this, like how to do it.

MS Mohammed, Khaja Sohail 48:04

Yeah, somebody will share the KP.

PS Pavuluri, Snigda (Cognizant) 48:05

Okay, okay, yeah, okay, okay, okay.

MS Mohammed, Khaja Sohail 48:07

Yeah, I'll tell them I don't have that setup with me. I deleted that for, I just imported this new studio. So yeah, yeah, so that is, that is for Pub EPA, okay? APMQ. For IBMQ, we don't do anything. There is a group chat. You can go and update it.

PS Pavuluri, Snigda (Cognizant) 48:10

Okay.

Okay, sure.

Okay.

MS Mohammed, Khaja Sohail 48:27

Here you need to ask them, see, hi team, can you check and reprocess these queues? They will come, they will say that I've already reprocessed these queues. All the messages has to be there. If, for example, it is data related issues, right? I told you two types of issues we'll have. One is data related and connectivity related.

PS Pavuluri, Snigda (Cognizant) 48:42

Yeah.

MS Mohammed, Khaja Sohail 48:46

Data, data, data related issues means payload input payload issue. The payload itself is wrong, so that is data issue. That even if you reprocess also, that will fail because the data itself from, so, so that's what he's trying to say. All these messages has to be data issue. That's why they are coming back.

PS Pavuluri, Snigda (Cognizant) 48:46

Yeah.

Yeah, yeah.

Yeah.

Yeah.

Yeah, yeah.

Okay.

MS Mohammed, Khaja Sohail 49:06

Except for this particular queue.

PS Pavuluri, Snigda (Cognizant) 49:09

Okay.

MS Mohammed, Khaja Sohail 49:10

Yeah, so that's how we do it.

PS Pavuluri, Snigda (Cognizant) 49:13

So, like, suppose if you see one queue, like there are like 230 messages pending, right? So, like, how would you know, like, which is data issue and which is connectivity issue?

MS Mohammed, Khaja Sohail 49:25

They can pull up messages to us. This one you are saying?

PS Pavuluri, Snigda (Cognizant) 49:29

Yeah, like, no, do you have you had one e-mail right? Like, where you receive like these many, yeah, suppose this, yeah, like if you take the 10, 30 more than one, like if suppose the next API is 30 message count is there, right? So, if you go to that API, you can see that 30 messages are pending.

MS Mohammed, Khaja Sohail 49:37

Mm.

Yeah.

Yeah.

PS Pavuluri, Snigda (Cognizant) 49:49

That means all of them are failed in the first try. But how would you know like which one is data issue and which one is connectivity issue?

MS Mohammed, Khaja Sohail 49:55

You just reprocess, you just reprocess on a daily basis. OK, you don't and on a daily basis, once you reprocess, for example, let's say 20 messages have passed through and went into the actual API and messages got processed and 10 messages are still pending. Now, what you will do, you'll go and check the logs.

PS Pavuluri, Snigda (Cognizant) 49:59

Okay.

Yeah.

Okay.

Okay.

MS Mohammed, Khaja Sohail 50:13

That what are the really data issue? Yeah, if there are really data issue then your messages are in APM to remember messages were only stay till seven days.

PS Pavuluri, Snigda (Cognizant) 50:16

Oh.

Yeah, okay.

MS Mohammed, Khaja Sohail 50:25

After that they will expire or they will get purged automatically. You don't have to do any setting.

PS Pavuluri, Snigda (Cognizant) 50:29

Okay. Okay.

MS Mohammed, Khaja Sohail 50:30

OK, and this in error queue, unless until you go and manually do it, they will not get purged.

PS Pavuluri, Snigda (Cognizant) 50:37

Yeah.

MS Mohammed, Khaja Sohail 50:37

Yeah, this they are they only manage IBM team will be manage.

PS Pavuluri, Snigda (Cognizant) 50:41

Okay, so we just reprocess and if this still fail, then we go to the logs and check if what was the issue for that and then if it is data issue, then we reach out back to the source and tell them it's a data issue.

MS Mohammed, Khaja Sohail 50:51

Yes, correct.

Yeah, so this is this is your LQ PubSub model and for EOM APIs, this is process API, experience API, system API, and this is like same, you don't have any replay, sorry, what do you call it, reprocess mechanism.

PS Pavuluri, Snigda (Cognizant) 51:00

Okay. Okay.

Yeah.

Reprocessing the year, yeah.

MS Mohammed, Khaja Sohail 51:13

If it is fail, it is fail, that's it.

PS Pavuluri, Snigda (Cognizant) 51:14

It's failure, okay, yeah.

MS Mohammed, Khaja Sohail 51:17

Yeah, that's all, that's it about it.

Okay.

PS Pavuluri, Snigda (Cognizant) 51:21
Okay.

MS Mohammed, Khaja Sohail 51:23
Clear, clear on this, and I, I might, I might have given you only overview, but once you start digging it in, then you'll actually understand the actual difficulties.

PS Pavuluri, Snigda (Cognizant) 51:25
Yeah, yeah.
Yeah, yeah, yeah, yeah.
Yeah.

MS Mohammed, Khaja Sohail 51:36
So, and this is for this one. Okay, clear so far. Any doubt here? Anything?

PS Pavuluri, Snigda (Cognizant) 51:41
Yeah, no.

MS Mohammed, Khaja Sohail 51:43
OK, so, and one more, one more important point: we integration team, we have different integrations team, right? So, in in levels, usually, what are the integration teams we have? One is Mule Soft, IBM, MQ, OK.

PS Pavuluri, Snigda (Cognizant) 51:51
Yeah.
Okay.

MS Mohammed, Khaja Sohail 52:00
IBM SI Sterling integration, I told you, BTPIS.

PS Pavuluri, Snigda (Cognizant) 52:02
Yeah, yeah.

MS Mohammed, Khaja Sohail 52:06

And SAP, these are both managed by SAP PI. These are the major integrations you have so far.

Okay.

The whatever you have, if you have, if you are internally, for example, if you have any IBM Q issue rate, or if you want to pull somebody in call, you'll have internal integration chat. This you'll have in this year, for example, they're asking all the details. You want someone from Mule shipping who is available from Mule.

PS Pavuluri, Snigda (Cognizant) 52:32

Okay.

MS Mohammed, Khaja Sohail 52:40

This guy responded hi, so then they'll pull, so this all internal things, whatever internal things, all you post post it here.

PS Pavuluri, Snigda (Cognizant) 52:41

OKOK.

Okay.

OK, are they all from Cognizant or?

MS Mohammed, Khaja Sohail 52:51

Yeah, these are all these are from Cognizant.

Yep.

PS Pavuluri, Snigda (Cognizant) 52:57

Okay.

MS Mohammed, Khaja Sohail 52:58

So, this is the this is clear right on this integration. I mean, we are only managing only, we are only managing Mule Soft. OK, IBM, IBM, we are everybody has their own team.

PS Pavuluri, Snigda (Cognizant) 53:02

Yeah, yeah.

Okay, yeah.

Okay, okay.

MS **Mohammed, Khaja Sohail** 53:12

Okay, and now the other way of working is e-mail handling, how you are handling your emails. Most of the time in Levi, how you will work is through emails only, not through incidents. Now, I told you right now we are creating or starting a trend by saying that, okay, please create an incident.

PS **Pavuluri, Snigda (Cognizant)** 53:19

Yeah.

Yeah.

MS **Mohammed, Khaja Sohail** 53:34

Okay, for example, this guy used out saying, from Satish Kumar, he say that some high support team, this PDP do happen, can you please let us know the RCA? Okay, this guy is from our team, Vishal. So he doesn't know. First thing, what he'll do is he'll acknowledge incident.

PS **Pavuluri, Snigda (Cognizant)** 53:36

Call me.

Yeah.

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 53:53

Something like that acknowledged, we are looking into it, we will check and update you something, anything like that, just your team validate, Mule team will validate and let it something, just acknowledge, let them know that you are working, OK?

PS **Pavuluri, Snigda (Cognizant)** 53:55

Okay.

Okay.

Okay. Okay.

Okay, okay.

MS **Mohammed, Khaja Sohail** 54:07

OK, first acknowledge anything you get, acknowledge, that's it.

PS **Pavuluri, Snigda (Cognizant)** 54:10

OKOK.

MS **Mohammed, Khaja Sohail** 54:11

Second thing, whether it is our issue or not, just acknowledge third thing, and then what you, if you go start digging in, your effort is more, it is taking more effort. Ask them to create an incident, and you can reply on top of e-mail. Please create INC for this request, okay? They'll create it.

PS **Pavuluri, Snigda (Cognizant)** 54:14

Okay.

Ohh.

Okay.

Okay, okay, okay.

MS **Mohammed, Khaja Sohail** 54:31

Okay, or if it's just a small validation, you can close that e-mail right away. Okay, and once the incident is there, you need to work on it and share all the analysis, whatever you did in your e-mail, whatever, how, why it failed, why it got failed, what happened to that particular transaction.

PS **Pavuluri, Snigda (Cognizant)** 54:36

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 54:49

You need, or if you are stuck somewhere, let's say you are stuck here and you don't have IBM, for example, NQ thing you don't have. What you'll do is in your handle you say, okay, this is e-mail subject. This is how your handover looks like.

PS **Pavuluri, Snigda (Cognizant)** 54:52

Yeah.

Yeah.

Yeah.

Okay.

MS **Mohammed, Khaja Sohail** 55:05

We do it, but once you come in, that's your wish, who you want to do it. See, for example, this is for my tracking purpose. This is what we need to do. He asked him to check in tomorrow's call. He totally will create a CTask.

PS **Pavuluri, Snigda (Cognizant)** 55:10

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 55:24

And this we need to update RCA something like analysis whatever is there. Something like this you need to mention. We'll have handover group chat separate. Okay.

PS **Pavuluri, Snigda (Cognizant)** 55:32

Okay, okay.

MS **Mohammed, Khaja Sohail** 55:35

This is how you handle your emails. If whatever emails come in your thing, you need to address. If you're stuck somewhere, you can assign it to offshore.

PS **Pavuluri, Snigda (Cognizant)** 55:43

Okay.

MS **Mohammed, Khaja Sohail** 55:45

Yeah.

PS **Pavuluri, Snigda (Cognizant)** 55:45

Okay.

MS **Mohammed, Khaja Sohail** 55:46

And the last part is segregation of mail folders. So your outlook is something it is going to look like this.

PS **Pavuluri, Snigda (Cognizant)** 55:55

Yeah.

MS **Mohammed, Khaja Sohail** 55:56

Okay.

PS **Pavuluri, Snigda (Cognizant)** 55:57

Yeah, yeah.

MS **Mohammed, Khaja Sohail** 55:58

I did it more for my over, so...

PS **Pavuluri, Snigda (Cognizant)** 56:00

Yeah, yes, like, yeah, however it would work for us, yeah.

MS **Mohammed, Khaja Sohail** 56:06

So basically, you know how to create rules and all right. I'll show you one. Yeah, just go to rules, go to rules, create new rules, example create when you're creating rule. For example, I want from this particular sender, I'll select this. Okay, subject should contain this.

PS **Pavuluri, Snigda (Cognizant)** 56:10

Yeah, yeah, yes, yeah, yeah, yeah, I know you.
Yeah.

MS **Mohammed, Khaja Sohail** 56:25

And it is, if it is sent to Mule Support Desk only, I will take it or car support or anything, and you just need to click what are the major folders you use inbox, you are daily for all your e-mail purposes. Second thing, any point MQ pending messages, just for all this will be at one place.

PS Pavuluri, Snigda (Cognizant) 56:28

Yeah, yeah, yeah.

Yeah.

Yeah.

Yeah.

MS Mohammed, Khaja Sohail 56:44

You don't have to go and search it. So that is one thing. Third thing is your CPS file. CPS whatever, it's not mandatory. So most of them keep it in inbox, but if you want to do it, you can do it. Okay, okay, this is your error queue alert. I told you, right? There are.

PS Pavuluri, Snigda (Cognizant) 56:44

Yeah.

Yeah.

Yeah.

Yeah.

Okay.

Yeah.

Yeah, yeah.

MS Mohammed, Khaja Sohail 57:03

Two IBM MQ channels.

PS Pavuluri, Snigda (Cognizant) 57:05

Yeah.

MS Mohammed, Khaja Sohail 57:06

One is PRD SLR1 and one is PRD QM1.

PS Pavuluri, Snigda (Cognizant) 57:09

Okay.

MS Mohammed, Khaja Sohail 57:10

Okay, I created error queues for two different so that I mean they will send this is an alert e-mail. This will be triggered every one hour if you see 11512515258595. So every hour this will be triggered. This will this alert will be triggered to you.

PS Pavuluri, Snigda (Cognizant) 57:17

Okay.

Okay.

Okay.

MS Mohammed, Khaja Sohail 57:30

So, error queue alert, whatever error queue means, whatever starts with sub rate.

PS Pavuluri, Snigda (Cognizant) 57:32

Mm.

Yeah.

MS Mohammed, Khaja Sohail 57:36

sub dot sub dot you will create saying that is this error error in Q alert something like that. PRD PRD QM 1.

PS Pavuluri, Snigda (Cognizant) 57:43

Okay.

So this is just for like a just like FIA only that we can't do anything about these because these are sub APIs.

MS Mohammed, Khaja Sohail 57:54

Yeah, we just need to see if you see this. Yeah, for example, if there is some one example, we saw it in Sumo logic, you see this queue here. If you want to check how many misses are there, you will not have access. Just go and search here if it is there. Okay, you see, okay, I see something is there.

PS Pavuluri, Snigda (Cognizant) 57:55

Yeah, the just, just to OKOK.

Yeah.

Yeah.

MS **Mohammed, Khaja Sohail** 58:13

I don't see, and this is incident. OK, this is for PRDSLR1PRDKM1 error queue. OK, and coming down here.

PS **Pavuluri, Snigda (Cognizant)** 58:14

Okay.

Okay, okay.

Okay.

And what is QM and SLR is? What is the difference?

MS **Mohammed, Khaja Sohail** 58:26

That that is IBM MQ channels, two different queue managers, they they did it for their some purpose, and yeah, it doesn't work. Yeah, SLR one is Solar QM. I don't know what exactly QM is.

PS **Pavuluri, Snigda (Cognizant)** 58:29

OKOK, just OK.

Okay, okay, for us it doesn't it doesn't mean anything. Okay, okay.

Okay, okay.

So Solar, is it like a new project that they're working on or what is it?

MS **Mohammed, Khaja Sohail** 58:48

Solar is a complete different project.

No, that's all business related, but for in Mule Soft we have so many APIs that are related to Solar project. They have a very big team.

PS **Pavuluri, Snigda (Cognizant)** 58:53

Okay.

OK, is it like an application that solar? Is it an application? Is it a?

MS **Mohammed, Khaja Sohail** 59:03

No, it's not application. It's a whole, all the different applications are involved in that project.

PS Pavuluri, Snigda (Cognizant) 59:07
Oh, different. Okay, okay, okay. It's just a project name.

MS Mohammed, Khaja Sohail 59:11
Yeah, it's a project.

PS Pavuluri, Snigda (Cognizant) 59:12
Okay. Okay.

MS Mohammed, Khaja Sohail 59:14
Yeah, so solar R, they have different uh goals, right? Solar R1, R2, R3, R4, R, every phase will have a different uh this places for R3, R for R3, they did India, Asia, Pacific, all everything, so like that, it will come to know once you are in.

PS Pavuluri, Snigda (Cognizant) 59:19
Okay, okay.
Okay.
Okay.
Okay.
Okay, okay, okay, yeah, okay, sure.

MS Mohammed, Khaja Sohail 59:34
Khaja.
Yeah, another receiver queue alerts, for example, this receiver queue I told you, right?
Here is the receiver queue.

PS Pavuluri, Snigda (Cognizant) 59:40
Yeah.

MS Mohammed, Khaja Sohail 59:42
The receiver queue, if you see here, misses are stuck here.

PS Pavuluri, Snigda (Cognizant) 59:45
Yeah, yeah.

MS **Mohammed, Khaja Sohail** 59:47

You want a sub sub API to subscribe and take the message. What you'll do is you'll your only action should be restart here.

PS **Pavuluri, Snigda (Cognizant)** 59:51

Yeah.

MS **Mohammed, Khaja Sohail** 59:56

OK, restart. Just I just kept in the beginning for my understanding purpose. I kept as restart. OK, receiver something. You just need to go for example or you see there are 668 stuck messages. You for one alert you will not restart. OK, if you see two.

PS **Pavuluri, Snigda (Cognizant)** 1:00:01

Okay.

Okay.

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 1:00:15

more than two alerts, restart right away. That means messages are stuck and you are monitoring, I mean you are restarting it so that messages will be consumed. Okay.

PS **Pavuluri, Snigda (Cognizant)** 1:00:25

Do we have access to restart those queues?

MS **Mohammed, Khaja Sohail** 1:00:28

Yes, yes, I told you not queue queues will not restart that API subscriber API you'll start.

PS **Pavuluri, Snigda (Cognizant)** 1:00:29

Okay.

OK, subscribe an API, OK.

MS **Mohammed, Khaja Sohail** 1:00:35

Yeah, yeah, you will restart the subscriber API to fetch the message from receiver queue.

PS Pavuluri, Snigda (Cognizant) 1:00:39

Yeah.

Okay, okay, okay.

MS Mohammed, Khaja Sohail 1:00:42

Yeah, so these alerts are if the messages are stuck there, you need to restart the sub VP. This is for this alert.

PS Pavuluri, Snigda (Cognizant) 1:00:51

Okay, okay, but isn't it sub API managed by IBM? That's all.

MS Mohammed, Khaja Sohail 1:00:51

Okay, and.

Sub, no, no, sub API here, that's what it, yeah, yeah, pub and sub are management only.

PS Pavuluri, Snigda (Cognizant) 1:00:59

It's meals of day pay only.

Okay, okay, only the sender queue and receiver queue, those are managed by IBM queue? IBM queue, okay, okay, okay.

MS Mohammed, Khaja Sohail 1:01:07

Managed by IBMQ, correct?

PS Pavuluri, Snigda (Cognizant) 1:01:11

Okay.

MS Mohammed, Khaja Sohail 1:01:12

The sub API is Mule API only.

PS Pavuluri, Snigda (Cognizant) 1:01:14

Siri, let me know. OKOK.

MS **Mohammed, Khaja Sohail** 1:01:16

Yeah.

Hey, Rosdianawati.

Yeah, so you see, I just, this is also PRDSLR1PRDQM1 same IBM managers just need to register. Yeah, this is something I kept for Sumo, it's already always in reading me for in inbox, so I just kept in separate all alerts, yeah.

PS **Pavuluri, Snigda (Cognizant)** 1:01:25

Okay.

Okay.

Yeah.

Okay. Okay.

MS **Mohammed, Khaja Sohail** 1:01:40

So this is a service now insurance.

PS **Pavuluri, Snigda (Cognizant)** 1:01:43

Yeah, OK.

MS **Mohammed, Khaja Sohail** 1:01:43

This incident is assigned to me. Just need to start work.

PS **Pavuluri, Snigda (Cognizant)** 1:01:46

So like as soon as you get an incident, you go and put that in in progress, right? And then...

MS **Mohammed, Khaja Sohail** 1:01:50

Yeah, in in progress, and once you get time, you close start closing the incident based on, yeah, that incident closer also, I'll give you Katie, OK?

PS **Pavuluri, Snigda (Cognizant)** 1:01:55

Start closing K.

Okay.

Okay, yeah, sure. Okay.

MS **Mohammed, Khaja Sohail** 1:02:01

These all I did for this is, for example, this is some client I client expiry secret, but this is gray night alert was getting some alert, so I created different folders for my my convenience.

PS **Pavuluri, Snigda (Cognizant)** 1:02:06

Okay.

Okay. Okay. Yeah, yeah. Okay. Sure.

MS **Mohammed, Khaja Sohail** 1:02:17

Yeah, so that is the mail segregation part.

PS **Pavuluri, Snigda (Cognizant)** 1:02:21

Okay.

MS **Mohammed, Khaja Sohail** 1:02:22

Okay, so this is this is today's thing clear. You have any doubts?

PS **Pavuluri, Snigda (Cognizant)** 1:02:26

Okay.

No, no, I'm good.

MS **Mohammed, Khaja Sohail** 1:02:31

Yeah, I think it's a bit confusing here in RTF model, right? But, and this, once you start digging, I mean, start digging in, then everything will be clear. It's not that complicated, no.

PS **Pavuluri, Snigda (Cognizant)** 1:02:31

Yeah.

Yeah, a little bit, yeah, yeah.

Yeah.

Yeah, hopefully.

MS **Mohammed, Khaja Sohail** 1:02:47

It's not this. I'll copy paste this here just in case for your reference. I'll again share a document complete document, but just.

PS **Pavuluri, Snigda (Cognizant)** 1:02:50

Yeah, yes.

Yeah, yeah.

MS **Mohammed, Khaja Sohail** 1:03:03

Uh, I, I'll help.

Oh.

● **Mohammed, Khaja Sohail** stopped transcription

Meeting 3

AI-generated content may be incorrect

□□

Mohammed, Khaja Sohail
started transcription

PS

[image](#)

Pavuluri, Snigda (Cognizant)

0 minutes 3 seconds0:03

Pavuluri, Snigda (Cognizant) 0 minutes 3 seconds

And then, no, OK.

MS

[image](#)

Mohammed, Khaja Sohail

0 minutes 3 seconds0:03

Mohammed, Khaja Sohail 0 minutes 3 seconds

Yeah, I think it's a problem. Mostly, uh, two days and the cover API.

Mohammed, Khaja Sohail 0 minutes 13 seconds

Yeah, so basically we finished three days so far. So just a heads up regarding the Jira. I told you it is already related to the only non-product request and conference if you want to check an interface ID or you want to publish a page, if you want to do something, then you can use confluence.

PS

[image](#)

Pavuluri, Snigda (Cognizant)

0 minutes 17 seconds0:17

Pavuluri, Snigda (Cognizant) 0 minutes 17 seconds

Yeah.

Pavuluri, Snigda (Cognizant) 0 minutes 27 seconds

Yeah.

Pavuluri, Snigda (Cognizant) 0 minutes 32 seconds

Yeah.

MS

[image](#)

Mohammed, Khaja Sohail

0 minutes 32 seconds0:32

Mohammed, Khaja Sohail 0 minutes 32 seconds

And platform, today morning also we had a hands-on activity, how we can use platform to debug logs and how to check the transaction failures. Is it passed or not? All we can throw it from the platform. Okay, and the other thing is GitHub.

PS

[image](#)

Pavuluri, Snigda (Cognizant)

0 minutes 44 seconds0:44

Pavuluri, Snigda (Cognizant) 0 minutes 44 seconds

Yeah.

Pavuluri, Snigda (Cognizant) 0 minutes 48 seconds

Yeah.

MS

[image](#)

Mohammed, Khaja Sohail

0 minutes 51 seconds0:51

Mohammed, Khaja Sohail 0 minutes 51 seconds

And you know, right, as we explained today, we just need to take the production branch 1st and then we have to update the, if you want to create a new branch, you have to create on top of new production branch. If you do with other production branches, then that might be a mismatch and that something might go wrong in production.

MS

Mohammed, Khaja Sohail

37 minutes 39 seconds37:39

Mohammed, Khaja Sohail 37 minutes 39 seconds

For example, we are not doing for P3s, P2s, but definitely we have to do it for P2s from now. Okay, you just have to write a, I'll show you P2. See, we just started writing it. I'm just showing example. Okay, for example, this is the P2 incident. Okay, okay, what is the issue?

Mohammed, Khaja Sohail 37 minutes 58 seconds

This team received incorrect count from our interface. OK, this PO team because they were unable to send data, blah blah blah. This is the actual issue. OK, what is the analysis that you did? OK, what we did is because of APMQ our time mode, that's why we are not we are not able to publish the correct account to.

Mohammed, Khaja Sohail 38 minutes 19 seconds

SAP PO team. OK, what is the root cause? OK, we we found out the root cause and what is the fix that we did? We asked WMS team to retrigger the file. That is the that is the immediate fix. OK, and this is the root cause, and you can if you want to deep dive and work on again.

Mohammed, Khaja Sohail 38 minutes 38 seconds

You can update the updated root cause something you can write and you can work on it. That's how everything we are trying to document it. Okay.

PS

Pavuluri, Snigda (Cognizant)

38 minutes 46 seconds38:46

Pavuluri, Snigda (Cognizant) 38 minutes 46 seconds

So apart from the notes in the incident, service now incident, there should be a separate confluence document.

MS

Mohammed, Khaja Sohail

38 minutes 50 seconds38:50

Mohammed, Khaja Sohail 38 minutes 50 seconds

Yeah.

Mohammed, Khaja Sohail 38 minutes 54 seconds

A confluence document, but we are tracking it through a word. This is for leadership analysis. If, for example, weekly calls we have right with Mahmood, you just need to go and present it. OK, this week we had this P2.

This is what we did. He can tell you what what can be mitigated or what can be done extra. OK, that is your RC document.

PS

Pavuluri, Snigda (Cognizant)

39 minutes39:00

Pavuluri, Snigda (Cognizant) 39 minutes

Okay.

Pavuluri, Snigda (Cognizant) 39 minutes 3 seconds

Yeah, yeah, yeah.

Pavuluri, Snigda (Cognizant) 39 minutes 10 seconds

Okay.

Pavuluri, Snigda (Cognizant) 39 minutes 12 seconds

Okay.

MS

Mohammed, Khaja Sohail

39 minutes 15 seconds39:15

Mohammed, Khaja Sohail 39 minutes 15 seconds

Okay, and coming to your preventive actions, you know how to, if you come, if you know what is the issue, you can proactively do the preventive actions. For example, if you are restarting an API continuously, go and check inside what is exactly causing that API to go down. Auto scaling, if it is like.

PS

Pavuluri, Snigda (Cognizant)

39 minutes 23 seconds39:23

Pavuluri, Snigda (Cognizant) 39 minutes 23 seconds

Yeah.

Pavuluri, Snigda (Cognizant) 39 minutes 30 seconds

Yeah, yeah.

MS

Mohammed, Khaja Sohail

39 minutes 34 seconds39:34

Mohammed, Khaja Sohail 39 minutes 34 seconds

more data is coming, less data, more and less, then you can enable auto scaling. Or you can do some load testing or dashboard you can monitor regularly. So these kind of activities that you can do to avoid any P1 or P2s.

PS

Pavuluri, Snigda (Cognizant)

39 minutes 48 seconds39:48

Pavuluri, Snigda (Cognizant) 39 minutes 48 seconds

Okay.

MS

Mohammed, Khaja Sohail

39 minutes 49 seconds39:49

Mohammed, Khaja Sohail 39 minutes 49 seconds

OK, so this is this is your complete documentation for run Mule soft production support. OK.

Mohammed, Khaja Sohail 40 minutes

I'm just keeping it here.

Mohammed, Khaja Sohail 40 minutes 3 seconds

This is your today's you are you understood all of this right? How to how to overview, how to analyze, and how or how you have to deal with different type of errors. OK, this is our thing.

PS

Pavuluri, Snigda (Cognizant)

40 minutes 7 seconds40:07

Pavuluri, Snigda (Cognizant) 40 minutes 7 seconds

Yeah, yeah, yeah.

Pavuluri, Snigda (Cognizant) 40 minutes 12 seconds

Yeah.

Pavuluri, Snigda (Cognizant) 40 minutes 15 seconds

Yeah.

MS

Mohammed, Khaja Sohail

40 minutes 18 seconds40:18

Mohammed, Khaja Sohail 40 minutes 18 seconds

Shall I stop recording?

□□

Mohammed, Khaja Sohail

stopped transcription

MuleSoft Support KT - Onsite-20260916_134810-Meeting Recording—Meeting 4

September 17, 2026, 6:48PM

52m 48s

● **Mohammed, Khaja Sohail** started transcription

MS **Mohammed, Khaja Sohail** 0:03
thing started. Let me share my screen.

PS **Pavuluri, Snigda (Cognizant)** 0:06
You.

MS **Mohammed, Khaja Sohail** 0:07
Can you see my screen?

PS **Pavuluri, Snigda (Cognizant)** 0:08
Yeah.

MS **Mohammed, Khaja Sohail** 0:10
Yeah, so basically today, yesterday we had an overview, just a quick recap. We had an introduction to Cloud Hub and RTF, how to check Mule logs and how to perform validations, what are the components that we use in our RTF and Cloud Hub. So this is the...
This is regarding your platform, and I told you regarding the source and target systems, like we have multiple source and targets like a CPWMS and all that is, and you can use what if you if you want to fetch for the async process pops up models, then you can go to your conference and check, and if you want to check for experience system API.

PS **Pavuluri, Snigda (Cognizant)** 0:37
Yeah.

MS **Mohammed, Khaja Sohail** 0:50
then that will be there configured in your CPS. So that is one, that is another

overview. And when it comes to reprocessing, or how we do it for pub model and how we do for sub model, sub API and pub API, pub we use APM query process and sub API, IBM query process.

That is, that is regarding pub and sub, and we don't have any reprocess mechanism for the EOM APIs. I mean, sorry, this APIs.

PS Pavuluri, Snigda (Cognizant) 1:19

The.

Yeah.

MS Mohammed, Khaja Sohail 1:21

And also these are the integration things that we are closely working with. So basically this, we have an internal chat. If you need anyone or if you need any help, they will be definitely able to help you. Everyone are from Cognizant only.

PS Pavuluri, Snigda (Cognizant) 1:36

Okay.

MS Mohammed, Khaja Sohail 1:37

And the other is how to handle your emails. Whatever comes first, you have to acknowledge, be it whatever it might, it might even it might be not our issue, but just acknowledge so that they know that you are working on it. And then second thing, you know how to debug check logs, check what went wrong if there is a...

PS Pavuluri, Snigda (Cognizant) 1:40

Yeah.

MS Mohammed, Khaja Sohail 1:56

The message in error queue, then you can get it reprocessed, and if you don't, if they don't have an INC or service note ticket created, they can, then you can ask them to create a service note ticket, so that it will be, you can track, you can easily track your effort.

PS Pavuluri, Snigda (Cognizant) 2:11

Okay, yeah.

MS **Mohammed, Khaja Sohail** 2:12

Or if you are stuck somewhere, you can give handover to your offshore team and they can take it over. And also I showed you what are the main folders that you can segregate. And this is for your easy, making your life much easier. That's it.

PS **Pavuluri, Snigda (Cognizant)** 2:21

Yeah.

Yeah.

MS **Mohammed, Khaja Sohail** 2:28

OK, now coming back to today's topic, so we are going to we are going to cover all the key key components or key tools that you are that you are that you'll be using in your support everyday process. OK, so we have quite a few. We have Jira, we have Confluence.

Platform, GitHub, Jenkins, Sumo, and Anypoint MQ, Anypoint Manager - these all you'll be using all this just for your daily activities purpose. OK, coming back to the first thing, Jira. OK, Jira, as...

PS **Pavuluri, Snigda (Cognizant)** 2:59

Yeah, yeah.

That, whatever the authentication method is, LM will be can improve.

MS **Mohammed, Khaja Sohail** 3:06

As a production support team, we will be tracking everything in production using ServiceNow ticket, right? I told you, right? For incidents, we will have INCs, and for problem ticket, for only for P1, P2, you'll have problem tickets. And if you are tracking any enhancement, then that will be your RITM request, ServiceNow request.

PS **Pavuluri, Snigda (Cognizant)** 3:14

Yeah.

Yeah.

MS **Mohammed, Khaja Sohail** 3:26

Okay, that is for service now, but for any non-product activities, for example, let's say

you have developed one code or you have enhanced one code, you need to, you deployed it in dev, you need to push it to test environment, not production, just you want to push it to test or.

QA or whatever. So what you'll do is you'll create a Jira and assign it to DevOps team. so that they'll use that Jira and they'll deploy your application in test environment. So that is where you'll be using your Jira. And the other purposes of the Jira are like for any non-productivity, let's say one enhancement came into your bucket. So you need something to start with, you need something to track with. Okay, so basically you'll ask them to.

PS Pavuluri, Snigda (Cognizant) 3:56

Okay.

like first we have the same time will be needed even

MS Mohammed, Khaja Sohail 4:11

Create A Jira and assign it to your team support team, so that from there you can go check your code and you can update everything in comment saying that this is the effort, this is all you'll be need, this all you need for tracking purpose, so that's why we will create a Jira once Jira is created and FSD is updated.

You'll start working based on the mapping mapping documents they have updated. OK, once.

PS Pavuluri, Snigda (Cognizant) 4:35

So, like, whoever is sending or creating incidents or asking for enhancements, are they all like internal delivery? Do they all have access to Gita to create a ticket? OK.

MS Mohammed, Khaja Sohail 4:44

Yeah, most of them, yes, 90% are with Levi only. We have few other external customers as well. But for example, I'll give you an example. There is WMS chain, okay, that is we have a very wide team. So how they work is they have external partners. They have DHL.

PS Pavuluri, Snigda (Cognizant) 4:49

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 5:03

They have Maersk, they have Red Prairie, so they have different external, so even if they have external tools, it is managed by WMS directly.

PS **Pavuluri, Snigda (Cognizant)** 5:12

OK, and WMS is internal to live, right?

MS **Mohammed, Khaja Sohail** 5:13

We will reach out to internal delivers, yeah, so they will be coordinating with other teams. So, once if you ask for Jira, mostly they will create you and give a Jira, so everybody basically will have will be having access if like there we have asked team, even if one that one doesn't have access, other can raise it, so that is where you can use your Jira and.

PS **Pavuluri, Snigda (Cognizant)** 5:16

Okay.

Okay, okay.

Okay, good.

Okay. Okay.

MS **Mohammed, Khaja Sohail** 5:35

Keep completely 0 for non-prod. This is what I followed. And going forward, I think they're also going to follow the same thing. So Jira, anything come related to Jira, don't do it in production. If they ask you to, for example, some team is coming and asking you to help for a deployment, ask them to create a change and give it to you, then you can take it forward.

PS **Pavuluri, Snigda (Cognizant)** 5:37

Okay. Okay.

Okay.

Yeah.

MS **Mohammed, Khaja Sohail** 5:56

Don't take any requests that were coming from zero.

PS Pavuluri, Snigda (Cognizant) 5:59

Okay.

MS Mohammed, Khaja Sohail 6:00

Okay, these are not for our tagging purpose. That's how we use your Jira clear, right? Only non-product request.

PS Pavuluri, Snigda (Cognizant) 6:05

Yeah.

Okay, yeah.

MS Mohammed, Khaja Sohail 6:08

Okay, and I told you this is regarding the conference, like how we are going to use our conference. Mostly the major and primary use in the conference is to look at your interface or how the flow is. For example, this is your Jira, sorry, this is your conference, how it looks like.

PS Pavuluri, Snigda (Cognizant) 6:13

Yeah, yeah.

It was here.

MS Mohammed, Khaja Sohail 6:26

TSD. This is a primary. Somebody reached out to me in e-mail saying that, for example, I'll show you today morning. So we received an e-mail saying that, hi, Support Desk, could you please check if these orders have reached Mule? Okay, ID 357. Okay, if there are only three digits, you can add 100 before this.

PS Pavuluri, Snigda (Cognizant) 6:48

Okay.

MS Mohammed, Khaja Sohail 6:49

Okay, that you'll come to know regularly when you're using. So basically 8100, 357, they attach the payload also. Okay, they asked me to check. Now 357, I don't have an

overview. I'll just go to my confluence, search for 357, I'll open my TSD. Then I see, okay, Manhattan is 1 WMS system.

PS Pavuluri, Snigda (Cognizant) 6:50

Okay.
Okay.

MS Mohammed, Khaja Sohail 7:09

OK, this development will trigger an XML. OK, I found an error. Now I go to my logs, I see this API, SCMW message confirm CA pump. OK, I open the logs, I check for the transaction.

Ohh, now I see success. OK, now I go back to them.

and say that, hey team, please check and let us know if you can see the iDocs now. I just gave a Sumo Logic screenshot because if I give this, they will not understand. So that's why I gave this Sumo Logic Mule Soft success. They only need one thing, their ship confirm message, their whatever number entity ID is.

PS Pavuluri, Snigda (Cognizant) 7:38

Okay.

MS Mohammed, Khaja Sohail 7:47

And water application 357 that he mentioned, Mule Soft success. If these things is visible for him, then he's satisfied, right? External, he doesn't know internal, so that's why I gave him a Sumo logic screenshot, and then that's it. Yes, he's, and then the he replied to he replied back to me saying that.

PS Pavuluri, Snigda (Cognizant) 7:55

Okay.

MS Mohammed, Khaja Sohail 8:06

Hi, so we can see a doc in S4.

PS Pavuluri, Snigda (Cognizant) 8:09

Working iDocs?

MS **Mohammed, Khaja Sohail** 8:10

I docs is something that is for a language, but there are some documents like, for example, you are posting, they are sending in XML format, okay? XML format and you are sending to PIPO in canonical format.

PS **Pavuluri, Snigda (Cognizant)** 8:15

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 8:30

I said, okay, this canonical, what all the transformations will happen here, and you'll publish a canonical to the SAP PO. Since this is also managed by SAP, they will convert this canonical to a talk. Basically, it's a document, that's it.

PS **Pavuluri, Snigda (Cognizant)** 8:45

Okay.

MS **Mohammed, Khaja Sohail** 8:47

Uh, it it's a yeah.

So that and later you'll come to know like how, what are like documents, what is ship confirm, what is ASN. These are all the regular entities that you use in your retail language. Okay, goods received, GR is goods received, ASN is advanced shipment number.

PS **Pavuluri, Snigda (Cognizant)** 9:03

Okay. Okay.

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 9:10

shipment confirmation number, order status number, you'll have multiple things, but gradually as you work, you'll be able to figure it out.

PS **Pavuluri, Snigda (Cognizant)** 9:13

Okay.

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 9:20

Okay, so that is your primary use, you however you use your confluence for in for in end-to-end flow and for what what do you call any integration or or if you are stuck somewhere somebody sharing an endpoint, for example, let's say someone shared you.

This endpoint, for example.

PS **Pavuluri, Snigda (Cognizant)** 9:45

So, can we like the policy with the ID or can we get the results of EOM?

MS **Mohammed, Khaja Sohail** 9:45

One second.

Somebody shared you this ship confirm. They ask you to check what is the endpoint up and running. So you don't have in our mail sort we'll have API names, right? So you don't know whether they are using or not. So you just go to your ship confirm and you like copy and search it in your conference.

PS **Pavuluri, Snigda (Cognizant)** 10:03

Yeah.

MS **Mohammed, Khaja Sohail** 10:17

OK, if you if you foresee these many ship confirms you are using.

PS **Pavuluri, Snigda (Cognizant)** 10:22

OK.

MS **Mohammed, Khaja Sohail** 10:22

See, hashtag ship confirm, hashtag ship confirm, all these you'll be using.

Okay, so I just give an example. That's how you use your confluence. Any data, anything you want, you can search in your confluence. Okay, and that is one more

thing. And the other thing that you use when enhancement request comes in, right? For example, when, do you want me to show you an example or?

PS Pavuluri, Snigda (Cognizant) 10:44

Yeah.

Yeah, yeah, yeah, yeah, the example is great.

MS Mohammed, Khaja Sohail 10:48

Okay, so...

Yeah, so basically there are two kinds. I'll show you one-of-a-kind. Okay, this is 1 enhancement. They created an INC, that's why I asked today morning call. So should we close this or not? So they want, so they are saying that beyond yoga, Shopify refund transactions failed to process automatically in SAP.

because prices do not match. Okay, they didn't elaborate this description, but what they're trying to say is Beyond Yoga is your source. Okay, your source system. So from source system, your middleware is Mule Soft and target system is SAP.

PS Pavuluri, Snigda (Cognizant) 11:31

Okay.

MS Mohammed, Khaja Sohail 11:32

Okay, beyond you guys trying to send you one price, for example, let's say \$100 they're trying to send, but after transformation in Mule, which is happening, then you are publishing to SAP saying that all this has come down to only \$95. So due to the mismatch and end of the day, BYN and SAP should be on the same page, right? They have to get it reconciled.

PS Pavuluri, Snigda (Cognizant) 11:45

Okay.

MS Mohammed, Khaja Sohail 11:53

So there is a \$5 difference. So basically what they're trying to see is what is the logic that you have, what is the logic that you want to enhance in MuleSoft so that \$100 is coming as \$100 to shop, sorry, SAP.

PS Pavuluri, Snigda (Cognizant) 12:08
SAP, okay.

MS Mohammed, Khaja Sohail 12:10
Okay, now you need to go your code and check mapping, which condition it is mapped, then you need to change the condition based on the mapping sheet that they gave you.

PS Pavuluri, Snigda (Cognizant) 12:19
Okay.

MS Mohammed, Khaja Sohail 12:19
OK, so, so you, how what you need to do is...

PS Pavuluri, Snigda (Cognizant) 12:22
So the mapping sheets and all, do we have them in the confluence too or okay, yeah.

MS Mohammed, Khaja Sohail 12:24
Will be there in confluence? Yes, that's what I'm saying. So if you come back to confluence and for example, I want, I just take the same interface, CFSD. This is technical specification, this is functional specification.

PS Pavuluri, Snigda (Cognizant) 12:39
Okay.

MS Mohammed, Khaja Sohail 12:41
Yeah.
This is this is all your mapping which what you updated. This for example, the one development team used 1965 0 and they gave this has to be mapped. OK, these are all all your changes will be there here in your FSD. If you want to download mapping sheet, you can see this is your map.
Yeah, this is your mapping sheet. This is how your mapping sheet looks like. Okay, if you download it, you can get in proper format, but there will be Excel sheet. Okay,

this I think you are aware of development. Yeah, so you'll have your mapping in your FSD.

PS Pavuluri, Snigda (Cognizant) 13:08

Yeah, yeah, yeah.

Yeah.

Yeah, yeah, yes, yeah.

Yeah.

MS Mohammed, Khaja Sohail 13:20

So that is for your secondary use enhancement request FSD. You'll use your confluence.

PS Pavuluri, Snigda (Cognizant) 13:24

So, since since they asked for a change, like, are you gonna ask them to update FSD or OK?

MS Mohammed, Khaja Sohail 13:29

Yeah.

mapping documents or FSD, whichever is relevant, we will ask them to update and share the link to us because we need to have the updated link, right? So we use that link and based on the mapping, whatever was previously there, we run it logic according to that mapping and we first test it in our local and then deploy it to dev.

PS Pavuluri, Snigda (Cognizant) 13:36

Okay.

Yeah.

Okay.

MS Mohammed, Khaja Sohail 13:51

Okay, so that is your secondary use for conference. Got it right.

Yeah, and third thing is I told you they are now are trying to track it with P1, P2 something or if you want to publish a page for example, now right now I'm trying to give you KT. Okay, now these are what my plan end of the day is this is day one, this is day two and all seven days I'll try to.

PS Pavuluri, Snigda (Cognizant) 14:09

Yeah.

MS Mohammed, Khaja Sohail 14:16

all five days, sorry, all five days I'll try to consolidate and I'll prepare a full document and I'll share it with you. Now if you are going somewhere, if you want to give handover, you'll use that document that is your personal purpose for your personal reference. But if you want to publish it, you can publish it through conference so that even outside of Mule Soft also they can view it.

PS Pavuluri, Snigda (Cognizant) 14:23

Okay.

Yeah.

Yeah.

Okay.

Okay.

MS Mohammed, Khaja Sohail 14:38

And I'm just say that is that is so basically if you want to publish something you can use confluence.

Okay.

That is something and coming back to platform, any point platform. I think you might have complete picture on it. So why we use logs? We use, sorry, platform. Why we use platform? Basically to check logs, what went wrong, which exactly, which particular flow went wrong.

PS Pavuluri, Snigda (Cognizant) 14:53

Yeah.

Yeah.

MS Mohammed, Khaja Sohail 15:07

What exactly happened? What is the status message? What is the error message? Complete configuration, you will be having it in your platform logs, platform level logs. OK, so, and if, for example, keeping logs aside, you are restarting one API,

mostly cloud APIs, you'll have a restart.

But RK few APS will not come up while you restart.

OK, they'll show some Kubernetes error. For example, I'll take an RTF API.

PS Pavuluri, Snigda (Cognizant) 15:41

So even if it is RTF or what, we can always restart it, right? We have access to that. Okay.

MS Mohammed, Khaja Sohail 15:45

Yeah, you can restart. Yeah, yeah. You will use a separate GitHub link to restart it.

PS Pavuluri, Snigda (Cognizant) 15:52

We can't just do it from the runtime manager.

MS Mohammed, Khaja Sohail 15:55

You can do it. That's what I told you. You need to request access. If they provide you access, then yeah, yeah.

PS Pavuluri, Snigda (Cognizant) 15:58

Okay, okay, okay, okay.

Okay, if they don't give the access, then we have to follow some procedure. Okay, okay.

MS Mohammed, Khaja Sohail 16:02

So, some.

We have to follow these things. Yeah, yeah. So example, this is 1 RTF API. Now, I told you, right, transaction volume if you want to check. For example, last, for example, it's the last 5 minutes, only 100 messages will process, but there will come a time like.

PS Pavuluri, Snigda (Cognizant) 16:10

Yeah.

MS Mohammed, Khaja Sohail 16:23

there will be 2000 messages in 5 minutes. So this configuration will not be sufficient for you. Definitely. This is configuration 1 replica count, CPU, CPU limit, memory. This

will not sufficient. What you will do, you will inform your manager or someone, someone from leadership or Jenny or Christopher, saying that, okay, we are expecting this transaction.

PS Pavuluri, Snigda (Cognizant) 16:26

Okay.

Okay.

MS Mohammed, Khaja Sohail 16:45

So what we are doing is we are trying to increase the CPU. We can increase the CPU to two or two and is there a CPU to 5 or 6 and then memory to five so that at least your configuration is updated and you'll see you don't have to change anything in your code.

just the configuration so that transactions will flow smoothly. You're just increasing the memory.

PS Pavuluri, Snigda (Cognizant) 17:10

Is there any guidance or just like, you know, I don't know, instructions for this, like how much you should increase or it's just like...

Okay.

Yeah, okay.

MS Mohammed, Khaja Sohail 17:29

but for cloud up it will happen. You can increase but too much memory it will cause everything depends on cost right.

PS Pavuluri, Snigda (Cognizant) 17:31

Okay.

OK, so this is not auto scalable. This is like we have to do it manually. OK, only for cloud hub. OK, OK.

MS Mohammed, Khaja Sohail 17:39

Yeah, auto scalable only for E-com APS we have.

Yeah, this is not auto-scalable.

PS Pavuluri, Snigda (Cognizant) 17:45

Okay.

Okay.

MS Mohammed, Khaja Sohail 17:47

Yeah, so this is your this is one more use for your platform if you want if you're seeing a transaction thing for even even the same applies for the cloud hub as well.

PS Pavuluri, Snigda (Cognizant) 17:57

Okay.

MS Mohammed, Khaja Sohail 17:58

OK, so...

PS Pavuluri, Snigda (Cognizant) 17:58

So are there any like set of APIs where we monitor these kind of stuff? Like if the transactions increase, we increase these or only if there is an incident, then we do that.

MS Mohammed, Khaja Sohail 18:11

No, usually the whatever configuration that we already that is already set up by the developer, that should be fine, but if you see a constant error or a constant issue with that API, like for example, continuously these transactions are failing with timeout error, then you might have to increase your memory or CPU.

PS Pavuluri, Snigda (Cognizant) 18:17

Yeah, Okay.

Okay, okay, okay.

Yeah, okay.

MS Mohammed, Khaja Sohail 18:31

Yeah, in that case, but most of the time, 90% of the time, you will not touch your configuration, yeah.

PS Pavuluri, Snigda (Cognizant) 18:31

Okay.

We don't touch it, okay, okay, okay, okay.

MS Mohammed, Khaja Sohail 18:39

So, this is this is what you why you use your any point platform, as I told you, there are all these things in your runtime manager.

PS Pavuluri, Snigda (Cognizant) 18:49

Okay, so except those daily validations or like whatever reprocessing queue stuff, like we don't touch any other thing except if there's an incident, right? Only those daily validations and all we do it. Otherwise, like only when there's an incident, we touch the DPA.

MS Mohammed, Khaja Sohail 18:50

MQ.

Yes, any API, if there is issue only, you will go in touch. But if it is a critical one, you need to monitor it. Sometimes you will have a deployment. Mostly all the deployments, 99% of the time, deployments will happen in offshore hours only. Okay, because you don't have an on-site DevOps person.

PS Pavuluri, Snigda (Cognizant) 19:06

Yeah, OK.

Yeah, yeah, okay.

Okay.

Okay.

Okay.

MS Mohammed, Khaja Sohail 19:24

So, that's why everything deployment will be in offshore only. OK, and if any critical is there, you have two to three resources here. I'll let you know who are there. You can reach out to them. They, I mean, with the proper C task and all the change, change request, everything is ready, then they will take up.

PS Pavuluri, Snigda (Cognizant) 19:35

Okay.

Okay, and one more thing, like since production support is not doing the deployments here, like do we get any notice if any existing APIs are getting some enhancements deployed or anything like that?

MS Mohammed, Khaja Sohail 19:42

Just only for.

Yeah, anything moving to production, production support team is given a KT, be it offshore, onset, anything.

PS Pavuluri, Snigda (Cognizant) 19:58

Okay.

Even after a small change.

MS Mohammed, Khaja Sohail 20:02

even if it is small change for developers and DevOps made it mandatory for any development related changes, they have to provide KT link.

PS Pavuluri, Snigda (Cognizant) 20:03

Okay.

Okay, okay, okay.

MS Mohammed, Khaja Sohail 20:13

Okay, so for support changes, you don't have to provide any KT to anyone. You can directly push your changes.

PS Pavuluri, Snigda (Cognizant) 20:19

Okay.

Okay, okay, okay.

MS Mohammed, Khaja Sohail 20:22

And you know, M unit, right? While deployment, yeah, you can skip M unit for your support change. That is one more leave viewpoint for us. M unit doesn't, you can skip

M unit. You can say it is a support change, they will understand. They will not ask you M unit.

PS Pavuluri, Snigda (Cognizant) 20:23

Yeah, yeah, yeah.

OKOKOK.

Okay.

O.K.

Okay.

MS Mohammed, Khaja Sohail 20:41

Yeah, so that is your platform use. Clear about platform any point MK showed you the other day, right? How it is going to work and monitoring use for all the alerts. If you want to create in the dashboards, you can create it here. And your API manager for all the client secret experience. Okay, so I'll give you.

PS Pavuluri, Snigda (Cognizant) 20:41

Okay.

Okay.

Yeah, yes, yeah.

Peng.

Yeah, okay.

Yeah, yeah.

MS Mohammed, Khaja Sohail 21:01

Okay, I'll come back to that later, but so this is all about platform, okay? And going forward, you'll hopefully you'll learn new things, definitely. Platform.

PS Pavuluri, Snigda (Cognizant) 21:05

Okay.

Yeah, and also like I've been meaning to ask this, like you're saying like client secret experience or API manager, right? Usually we have them in exchange applications, right? Like, are you meaning to select policies or?

MS Mohammed, Khaja Sohail 21:25

Not policies when I say client secret. So basically, for example, let's say let's take the same interface. OK, 357. Now what I'm what how they will call us is they'll they'll post an XML to us, right? This is an API call. OK, for this API call they will use, they will set up a client ID initially.

PS Pavuluri, Snigda (Cognizant) 21:29

Yeah.

Yeah.

Yeah, yeah.

Yeah.

MS Mohammed, Khaja Sohail 21:48

And they will have a client secret. That's how they will use it. They will reach to Mailsoft, right? So what?

PS Pavuluri, Snigda (Cognizant) 21:50

Yeah, yes.

So that is actually created in Exchange, right? In the applications we create that in Exchange.

MS Mohammed, Khaja Sohail 21:58

Yeah, in applications we create, but it is not stored with us. We just keep it in API manager.

PS Pavuluri, Snigda (Cognizant) 22:00

Yeah.

MS Mohammed, Khaja Sohail 22:05

Secret is not configured in our Mule again.

PS Pavuluri, Snigda (Cognizant) 22:08

Yeah, yeah, yeah, it's not, but we just validate it, right? Like, we add, can you can you go to the API manager once I, I just wanna.

MS Mohammed, Khaja Sohail 22:12

Yeah.

Oh.

PS Pavuluri, Snigda (Cognizant) 22:19

Like you can add the contract to the API, right? Like those applications you add it as contract. So that will have.

MS Mohammed, Khaja Sohail 22:22

Yeah, contracts, yeah.

You're saying you'll add it here?

PS Pavuluri, Snigda (Cognizant) 22:29

Yeah, in the API manager, like so we create the application in the exchange and we give that client ID secret to the source and then here in the API, like from exchange only, you actually request access to that particular application and you actually approve it in the contracts, right?

MS Mohammed, Khaja Sohail 22:34

Okay.

Yeah, correct.

Correct, correct.

PS Pavuluri, Snigda (Cognizant) 22:45

So that way, that is applied here, like the client ID and secret, if it matches, then it will come. So that doesn't have any expiry date, right? Like Exchange application platform client ID and secret, it doesn't have any expiry, no.

MS Mohammed, Khaja Sohail 22:49

Exactly.

Come is correct.

No.

So, that's what I'm saying, but authorization will expire right for everyone to it. This is like this basic authorization that you are using, right?

PS Pavuluri, Snigda (Cognizant) 23:00

Yeah.

Yeah, this is just basic authorization, yeah.

MS **Mohammed, Khaja Sohail** 23:09

Yeah, so what is happening is the secret you are not configuring it. ID you are configuring. That means secret once this client ID will be valid until you change it yourself. But I'm talking about secret, not ID. ID will remain same forever.

PS **Pavuluri, Snigda (Cognizant)** 23:13

Yeah, true. Yeah, yeah, yeah.

Okay.

Okay, yeah, and that even secret also platform secret it won't expire right? The Azure secret will expire like they have like one year or some validity.

MS **Mohammed, Khaja Sohail** 23:32

Azure secret, yeah, Azure secret on what I'm talking about.

PS **Pavuluri, Snigda (Cognizant)** 23:35

OK, OK, OK. This is platform client, and this is platform client, right?

MS **Mohammed, Khaja Sohail** 23:41

Yeah, platform planted, yeah.

PS **Pavuluri, Snigda (Cognizant)** 23:41

This one, yeah, this is platform client ID.

MS **Mohammed, Khaja Sohail** 23:44

Yeah, this the same ID this client ID will be using Azure as well. For example, I'll show you.

PS **Pavuluri, Snigda (Cognizant)** 23:49

Oh.

MS **Mohammed, Khaja Sohail** 23:51

For most of the APIs, see, this is will receive an alert like this, expiring client secret for this particular API. This is from...

PS Pavuluri, Snigda (Cognizant) 23:51

Okay.

Ohh.

Okay, use the same platform client ID like they create it like that like to match the platform client ID.

MS Mohammed, Khaja Sohail 24:03

But depends on a developer, how you are pushing it. But as you told, it might be different in whatever you told, it might be one of the keys. But there might be different cases. Whatever client Reddy you are using to platform, you can use the same, or if you want to create a new one, then you can, it's up to the developer how they want to.

PS Pavuluri, Snigda (Cognizant) 24:07

Okay. Okay.

Okay.

MS Mohammed, Khaja Sohail 24:23

Take it.

PS Pavuluri, Snigda (Cognizant) 24:24

Hey, your voice was gone.

MS Mohammed, Khaja Sohail 24:28

Can you hear me now?

PS Pavuluri, Snigda (Cognizant) 24:29

Yeah, yeah, I can hear you now, yeah.

MS Mohammed, Khaja Sohail 24:31

Yeah, so basically that all depends on a developer, so how they want to structured

process. We don't have, like we have, you don't have any limitations. OK, you have to do only in this way, so like different developers for.

PS Pavuluri, Snigda (Cognizant) 24:35

Okay.

Okay.

I said, but is it like they generate a token with client ID secret resource and then use that token to send to the AP? Is it the same process that you follow or what's the same process only? Okay, okay, okay. And this client ID, do you do the injection? Client ID injection, do you do it or?

MS Mohammed, Khaja Sohail 24:52

Yeah, the same process, same process, same process, yeah, yeah, so...

I mean, this all will come as a ready made. I mean, everything will be ready and it come back, come to support, right? So you will not do anything. Whatever it is doing, it's already done and that will be shared in your KT.

PS Pavuluri, Snigda (Cognizant) 25:08

Okay.

Okay.

Then, OK.

Okay.

MS Mohammed, Khaja Sohail 25:15

Yeah.

PS Pavuluri, Snigda (Cognizant) 25:16

Okay, okay.

MS Mohammed, Khaja Sohail 25:18

To be from our end, we we are not updating anything from our end. For example, let's say some some policies might you want to add some policies, or if there is a requirement of adding or white listing an IP right at that time, you can you can use your you can update this, but unless and unless until you will not use this.

PS Pavuluri, Snigda (Cognizant) 25:22
Okay.

MS Mohammed, Khaja Sohail 25:39
contract or policies.

PS Pavuluri, Snigda (Cognizant) 25:39
Okay.
Do you have like any any postman collection for any API like how you any for like any experience API?

MS Mohammed, Khaja Sohail 25:50
I don't have a particular connection, but I'll try to show it to you sometime here. I'll definitely show it to you.

PS Pavuluri, Snigda (Cognizant) 25:50
Like.
Okay.
Okay, yeah, sure, sure, yeah.
Yeah, sure. Yeah. But like, I think for this API, it's basic authorization, but it's not the same for all the APIs. They have like different kinds of things.

MS Mohammed, Khaja Sohail 26:05
For most of them, it's basic authority.

PS Pavuluri, Snigda (Cognizant) 26:07
Basic auth only. Okay, because their XML is okay. Okay, so they send it, do they send it in like header, the client ID secret or do they have a different way to do it?

MS Mohammed, Khaja Sohail 26:08
Yeah.
Yeah.
No, they I they don't have header for most of them. I whichever I saw I didn't know they don't have any header options.

PS Pavuluri, Snigda (Cognizant) 26:27
Okay.

MS Mohammed, Khaja Sohail 26:28
Hmm, I'll show you one day or how we can do that, or, or tomorrow or after tomorrow, I'll make up time and show.

PS Pavuluri, Snigda (Cognizant) 26:30
Okay, yeah, sure. Okay.
Yeah.
Sure.

MS Mohammed, Khaja Sohail 26:38
Yeah, so this is where you use your manager, APM manager, run time manager, and APM queue monitoring, right? So this is clear so far.

PS Pavuluri, Snigda (Cognizant) 26:45
Yeah.
Yeah.

MS Mohammed, Khaja Sohail 26:49
Yeah, this platform is, I'll show you an example. I'll just note it down.
Yeah, and coming, that's fine, right? Can I shall we move on? Yeah, so that coming to other topic, is this GitHub? I think you have been working on this quite for a long time. I showed you the other day how we'll be using. You just need to clone your repository. You'll use this github.com.

PS Pavuluri, Snigda (Cognizant) 27:03
Yeah, yeah, sure, yeah.
Yeah, yeah, yeah, yeah, yeah.
Yeah.

MS Mohammed, Khaja Sohail 27:17
And you'll need to search it your API name. OK, C4E is.

PS Pavuluri, Snigda (Cognizant) 27:17

Yes.

It's good that like you have a direct connection, like you can directly log into your GitHub account here.

MS Mohammed, Khaja Sohail 27:25

Yeah, LS go GitHub. If you download, you can do it.

PS Pavuluri, Snigda (Cognizant) 27:26

Okay.

MS Mohammed, Khaja Sohail 27:34

Okay.

PS Pavuluri, Snigda (Cognizant) 27:34

We used to use GitHub desktop to clone the repository, so there was no direct support. So we used to use that. There's a URL option, right? So you go to the GitLab and copy the URL and then paste it here. That's how we used to clone.

MS Mohammed, Khaja Sohail 27:43

Yeah, we.

Yeah, we do use get here this.

PS Pavuluri, Snigda (Cognizant) 27:49

But here.

In GitHub only, right, so yeah, OK.

MS Mohammed, Khaja Sohail 27:53

Yeah, GitHub only, and get so this is the if you want to use whichever UI UI you want, you can use. I personally use desktop because it is like user friendly, you can use, yeah, so that is it.

PS Pavuluri, Snigda (Cognizant) 28:04

Okay.

Yeah, this is actually really easy. This is very simple, the Gita desktop. Yeah.

MS **Mohammed, Khaja Sohail** 28:09

Mmhmm.

Yeah, so basically you'll have everything over here, which branch, what changes, everything will be there here. You can go each and check every commit. If you see, for example, one of the, for me, one of the ways to debug an issue is if I don't see anything in logs, I go back to my production in production branch and see.

PS **Pavuluri, Snigda (Cognizant)** 28:14

Yeah.

Yeah.

MS **Mohammed, Khaja Sohail** 28:32

if there were any recent changes that were made. For example, a week ago, or two days, three days ago, then I can correlate how this issue is caused because of that commit or that change. So that's how I.

PS **Pavuluri, Snigda (Cognizant)** 28:36

Okay, yeah.

Yeah, and we do that with that, we said there's some big branch we check from there only we know the latest branch, right? From the settings properties, yeah.

MS **Mohammed, Khaja Sohail** 28:51

Yeah, yeah, same from production, yes, yes.

Mm.

PS **Pavuluri, Snigda (Cognizant)** 28:57

Okay, so it's not that the main, the master branch, that's not the always the latest branch. Okay.

MS **Mohammed, Khaja Sohail** 29:01

No, that's not always correct.

That's not always good branch is your not master branch is always your this one

latest branch. They will ask you to merge, but sometimes some developers will not do because everything if you merge to master, it will be tough for you to, you know, sometimes if you want to take one separate branch and do it.

PS Pavuluri, Snigda (Cognizant) 29:08

My latest branch, okay.
Yeah.

MS Mohammed, Khaja Sohail 29:25

You don't want your other changes, so that will be helpful. So that's why most of them do it. If you want, we have master as well for so many. But again, so for example, and one more thing, one more thing to clarify, if B2B, for example, this is, you see this is latest branch, okay? And here if you come, if you don't find your branch, don't get panic here. They might have merged to master.

PS Pavuluri, Snigda (Cognizant) 29:32

Yeah.
Yeah.
Yeah.
Yeah.
Okay.

MS Mohammed, Khaja Sohail 29:47

Uh, uh, then you can...

PS Pavuluri, Snigda (Cognizant) 29:48

and then deleted that branch.

MS Mohammed, Khaja Sohail 29:49

Exactly.

PS Pavuluri, Snigda (Cognizant) 29:50

Oh, okay. Okay.

MS Mohammed, Khaja Sohail 29:53

So, that's the one, so if you come to master, you can, if you see your first commit, see it will, you'll see here my pull request.

PS Pavuluri, Snigda (Cognizant) 29:58

Yeah, Okay. Okay. Okay. Okay.

MS Mohammed, Khaja Sohail 30:03

That's how I use my GitHub. So for all the download code, code repository, build any code, mostly will not build any code, but any enhancements or any checking code, what commits last time they did, you can use your GitHub. Okay, that's all about Git.

PS Pavuluri, Snigda (Cognizant) 30:06

Okay.

Yeah.

Okay.

Yeah.

MS Mohammed, Khaja Sohail 30:23

And I'm, I'm telling you, I'm explaining in everything, not in a generalized way. I'm trying to explain you in a support perspective, what I did and how we as a team, how we explored so far. OK.

PS Pavuluri, Snigda (Cognizant) 30:28

Yeah.

Yeah.

Yeah.

Yeah.

MS Mohammed, Khaja Sohail 30:36

Yeah, and coming back to Jenkins, how you how you used to apply to develop to dev?

PS Pavuluri, Snigda (Cognizant) 30:43

Like in Jenkins only, we used to do manual, it was on-prem, right? So we had access to dev test, except production, we had access to all the other branches. So we just go

to Jenkins and pull up that pipeline, that API pipeline, and then just select the branch and deploy it.

MS **Mohammed, Khaja Sohail** 30:44

In Europe.

Mm.

Okay.

Same, same process. So basically you have two logins, one is for production and one is for non-production.

PS **Pavuluri, Snigda (Cognizant)** 31:00

Yeah.

Okay.

MS **Mohammed, Khaja Sohail** 31:06

I use, for example, I'll show you non-production. You can production also, if you even if you open, you'll not have access to pipelines, but I'm just showing you.

PS **Pavuluri, Snigda (Cognizant)** 31:15

Okay.

MS **Mohammed, Khaja Sohail** 31:16

Uh, I'll take, I'll just come here, I search for my this.

PS **Pavuluri, Snigda (Cognizant)** 31:19

Yeah, the same thing, yeah.

MS **Mohammed, Khaja Sohail** 31:22

This is my development, this is RTF. I come here, same thing, right? I just same thing.

PS **Pavuluri, Snigda (Cognizant)** 31:25

In.

Yeah, just configure, yeah, just select the branch and OK.

MS **Mohammed, Khaja Sohail** 31:31

Same, same thing that is for your GitHub is mostly used for your deployment purpose.

PS Pavuluri, Snigda (Cognizant) 31:33

Okay.

Yeah, okay.

MS Mohammed, Khaja Sohail 31:37

And you can use this.

Here in M unit, right? You can, if you come down here and you if you add minus D skip test, your M unit should be skipped.

PS Pavuluri, Snigda (Cognizant) 31:49

Okay.

MS Mohammed, Khaja Sohail 31:50

Okay, I think they did not add here. They did not work. Support team did not work on it might be. So yeah, so this is how we skip a minute.

PS Pavuluri, Snigda (Cognizant) 31:57

So, do we need to like update that every time?

MS Mohammed, Khaja Sohail 32:02

Which one?

PS Pavuluri, Snigda (Cognizant) 32:03

My the the skipping test property.

MS Mohammed, Khaja Sohail 32:06

In supporting, if you want to M unit, you can do it, that's depending on our interest, but it's a Levi.

PS Pavuluri, Snigda (Cognizant) 32:09

OK, no, like, once, like, once we add it and save it, do we have to remove it after we deploy it, because the other developers are also gonna use the same pipeline?

MS **Mohammed, Khaja Sohail** 32:16

No, it will be, it will be safe. No, you don't, you don't need to.

Yeah, developers also going to use the same pipeline, but they have to show you this a unit percentage, right? How much was a unit percentage, but they have for L1, L2 approval, they'll definitely need 85 to 89, I believe. I'm not sure on.

PS **Pavuluri, Snigda (Cognizant)** 32:26

Yeah, yeah, yeah.

Yeah, so, so that's what, like, if we update the configuration, it would be saved to the API. They will change it, okay, okay, okay, okay, yeah, okay, yeah, that's what, like, if I do the skipping and then if they also, yeah, they also can do it right, okay.

MS **Mohammed, Khaja Sohail** 32:38

They will change it.

We'll change it, no worries. You don't have to worry about it.

Who?

No, no, yeah, yeah, they also can do it.

PS **Pavuluri, Snigda (Cognizant)** 32:50

Okay.

Yeah, I don't know what to do in units, no.

MS **Mohammed, Khaja Sohail** 32:57

Okay, one second. Sorry, I'm getting a call.

PS **Pavuluri, Snigda (Cognizant)** 32:57

Yeah.

Yeah.

MS **Mohammed, Khaja Sohail** 33:11

Sorry, I got a call from Mohammed. OK, so that is your Jenkins, and the other main use that we use is for the CPA, sorry, CPS pulling CPS, be Cloud Hub work. Yeah, you have, you got, I think you got idea right for if you want to do for production.

PS Pavuluri, Snigda (Cognizant) 33:23
Okay, yeah, the one you showed, yeah, yes.
Yes.

MS Mohammed, Khaja Sohail 33:31
Production also you can do it. Operations is for production. It will come back. You can type CPS or anything you want. For me, for easy remembering, I use decrypt so that encrypted CPS will come. Production you want, select production, build with parameter, give your project name, branch base will be same.

PS Pavuluri, Snigda (Cognizant) 33:49
Yeah.

MS Mohammed, Khaja Sohail 33:51
OK, but if, if, if there is a change in branch name, they will ask you, they'll ask to select, but...

PS Pavuluri, Snigda (Cognizant) 33:56
Is it something here, right? Like if it is cloud hub, it's based, and if it is RTF, no?

MS Mohammed, Khaja Sohail 34:00
No, no, yeah, yeah, that is for down. This is next thing, instance ID, branch name. I'm saying branch is based for all of them, but for only solar few of the we have common configuration CPS. OK, common config. So basically what happens is, for example, let's say there are six solar APS, OK.

PS Pavuluri, Snigda (Cognizant) 34:02
Okay, here, okay, okay, okay.
Okay, based on, okay.
Okay.

MS Mohammed, Khaja Sohail 34:20
6 solar APIs, you'll create one common configuration. It is these all domain APIs correct. So common configuration will be same for all the six APIs. If something is not

there in common config, then it will go to your regular CPS. So that's how it will work. So for common config, mostly the branch name will change, but for regular APIs, everything branch name will be base only.

PS Pavuluri, Snigda (Cognizant) 34:20

Yeah.

Like domain, domain API, right?

Okay.

Yeah, okay, okay.

Okay.

Okay.

Okay.

MS Mohammed, Khaja Sohail 34:46

Okay, and your instance ID I told you right for cloud up base for RTF RTF only these two these three you'll not be using anymore Okay, these two only.

PS Pavuluri, Snigda (Cognizant) 34:49

Yeah, yeah.

Okay, yeah.

MS Mohammed, Khaja Sohail 34:58

Okay.

PS Pavuluri, Snigda (Cognizant) 34:58

And the branch name, you said it's different to configure common config API, right?

So, what is that, or is it different for?

MS Mohammed, Khaja Sohail 35:03

Yeah.

No, it's a, I mean, it's a, I mean, like, if if if someone will want, I'll request you, for example, I'll show you an example.

Mohit is from Solar team, so mostly he only Solar team will be requesting you this access whenever he needs a CPS.

PS Pavuluri, Snigda (Cognizant) 35:23

Yeah, yeah.

MS Mohammed, Khaja Sohail 35:28

Hmm.

One second.

See, he'll ask you, can you please share RTF production CPS? The branch name he did not mention here, so I'll give my regular base only. A common config somewhere he has to be.

See, Sohail, can you please share following, see everything you give and common, yeah, this is your property name, sorry, this one, what is this project name, common branch is solar, you just have to keep solar here, that's it.

PS Pavuluri, Snigda (Cognizant) 35:56

Branch is solar, okay.

And they give the details, OK?

Okay.

Okay.

MS Mohammed, Khaja Sohail 36:11

Okay, so if it is not solar, he will not mention anybody, not him, anyone. If it is not solar, they will not mention. Branch has to be base. Okay, instances RPF. That's it.

These are our production. This key ID will be remained for all and this is where you have to give your e-mail. This is my e-mail.

PS Pavuluri, Snigda (Cognizant) 36:17

Okay.

Okay. Okay.

MS Mohammed, Khaja Sohail 36:30

and just trigger, you will get it in your folder if you configure it or else it will come to your inbox like this. This is how it looks like.

PS Pavuluri, Snigda (Cognizant) 36:36

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 36:39

You need to download and use it. That's other part for Jenkins.

Okay.

And, and one more for if you want to fetch any pod locks, you can use Jenkins as well, but for pod locks, we will not have access. She, I told you, if you remember from client side, Levi is client side, she is, she is having access for fetching pod locks, so whenever you restart a new pod, the pod will be refreshed, right?

PS **Pavuluri, Snigda (Cognizant)** 36:54

Oh.

Yeah, yeah.

Okay.

MS **Mohammed, Khaja Sohail** 37:09

So, so that way, if you want to pull, this is regarding something regarding RTF. If there is some, if they're very PU and P2, then very we use like 10, 15% pod logs, but regular logs will be sufficient to debug an issue.

PS **Pavuluri, Snigda (Cognizant)** 37:24

Oh, is that okay? Is that different like pod locks? Is it new only?

MS **Mohammed, Khaja Sohail** 37:29

Yeah.

PS **Pavuluri, Snigda (Cognizant)** 37:30

Okay, what are your bar logs?

MS **Mohammed, Khaja Sohail** 37:33

For example.

PS **Pavuluri, Snigda (Cognizant)** 37:37

Yeah.

MS **Mohammed, Khaja Sohail** 37:38

Now, this, when you restart this, the whatever, for example, it's a first version you were using. Okay, now when you refresh, it will move to 2nd version. Okay, all the logs, whatever you have, whatever configurations, all will be updated to your second version. Okay, then no, you'll not see anything configuration change.

PS **Pavuluri, Snigda (Cognizant)** 37:45

Yeah.

MS **Mohammed, Khaja Sohail** 37:57

Okay, you'll not try just your pod logs will be changed. So what pod logs exactly means? It's a same any point logs. Everything will be same. But in any point logs, once your data gets, I mean, purged, then what you will do is you will go for pod logs.

PS **Pavuluri, Snigda (Cognizant)** 37:57

Okay.

Okay. Okay.

Okay, okay.

MS **Mohammed, Khaja Sohail** 38:17

Okay, so she can pull it and she can give it to us, but mostly our anypoints log should be fine.

PS **Pavuluri, Snigda (Cognizant)** 38:25

Okay, okay, okay. All right, okay. And they are only for RT of APIs.

MS **Mohammed, Khaja Sohail** 38:28

Yeah, so this...

Yeah, RTFAP is mostly now.

Got it clear, Jenkins, and sometimes used to enable debug logs, but most of most of the time, if you get platform access, then you can do it directly through your platform. I told you, let come come to monitoring debug and give the package name.

PS Pavuluri, Snigda (Cognizant) 38:37

Yeah.

Yeah.

Yeah.

Yeah.

MS Mohammed, Khaja Sohail 38:54

OK, so, but for only for enabling debug only for cloud hub applications, Jenkins we use, but now mostly we are not using it.

PS Pavuluri, Snigda (Cognizant) 39:02

OK, you directly do it in the runtime manager.

MS Mohammed, Khaja Sohail 39:03

Okay, directly do it to my manager. If you request access, they will give you access. Then you can directly do it from your platform. Okay.

PS Pavuluri, Snigda (Cognizant) 39:06

Okay.

OK.

MS Mohammed, Khaja Sohail 39:14

Or else you can ask DevOps, they will have this thing to do, then you can update it.

PS Pavuluri, Snigda (Cognizant) 39:21

Is it possible, like?

Have, since I'll be the only one, maybe we are on, you know, on site, yeah, no, and like, if you, if you can make a list of all the access, I should request, like this, or...

MS Mohammed, Khaja Sohail 39:31

What would you show?

Yeah, yeah, you'll, you'll, you'll all have that documented. I'll share with you to you once you have your level account activated. I'll tell you what process BAOD, right?

BAOD, I did it two years back, but someone has done recently, I'll ask them to make a

copy. I'll, I already have a copy. I'll share it with you. It is in Cognizant, so that way you have to do your BYOD and then...

PS Pavuluri, Snigda (Cognizant) 39:42

Okay. Okay. Yeah, sure.

Yeah.

Yeah.

Okay.

Okay.

Okay.

MS Mohammed, Khaja Sohail 40:01

Once BOD is done, you log into your Levi account. And once you log into Levi account, I have a list of RATMs that needs to be raised for your platform, Sumo Logic, Jenkins, GitHub, and what New Relic, all of these, I'll share you the reference RATM number. Then you can go to ServiceNow.

PS Pavuluri, Snigda (Cognizant) 40:03

Okay.

Okay.

Yeah, yeah.

Okay.

MS Mohammed, Khaja Sohail 40:20

And you can raise your request.

PS Pavuluri, Snigda (Cognizant) 40:21

Okay.

Okay, sure. Yeah, thank you.

MS Mohammed, Khaja Sohail 40:24

Yeah.

Yeah, so that is your Jenkins thing. Okay, clear so far.

PS Pavuluri, Snigda (Cognizant) 40:30
Yeah.

MS Mohammed, Khaja Sohail 40:32
And coming to Sumo, I showed you how Sumo Logic interface looks like. This is this is how your Sumo interface looks like, okay? Home, this is home if you want to ask. Mostly metrics, all these traces, these all will be there, but mostly the basic primary purpose that we use is only for log search. Okay, if I go here.

PS Pavuluri, Snigda (Cognizant) 40:35
Yeah.

MS Mohammed, Khaja Sohail 40:51
And, for example, if I want to search 80100303, I can give you my time frame and last 60 minutes, or if you want to go specific, you can go to custom, you can select everything, whatever you want. I'll give you last 24 hours, OK?

PS Pavuluri, Snigda (Cognizant) 41:01
Yeah.
Yeah.
Yeah, it's like Splunk only, it's almost like Splunk, yeah, yeah.

MS Mohammed, Khaja Sohail 41:10
Yeah, it's same. Almost everything will be same.
Like this.
You will see what what all here if you come come to your left side, you'll see all whatever which this is production or test which one you want you can select. OK, log level, mostly all are info logs only.

PS Pavuluri, Snigda (Cognizant) 41:33
Yeah.

MS Mohammed, Khaja Sohail 41:34

And this is your organization and this all doesn't matter.
These are your host order host you are using.

PS Pavuluri, Snigda (Cognizant) 41:43
Yeah.

MS Mohammed, Khaja Sohail 41:44
Source name, this application. This is the most one of the most used. If you want to set up it here directly, you can, if you want to display this here, it will be, for example, if I click application, you'll see application, the number.

PS Pavuluri, Snigda (Cognizant) 41:56
Yeah, yeah.

MS Mohammed, Khaja Sohail 41:58
OK, if I want to select country, I only use time and message.

PS Pavuluri, Snigda (Cognizant) 42:02
Okay.

MS Mohammed, Khaja Sohail 42:03
Because I just want this one, you can use however you want. OK, so status, status, message system, whatever transaction ID, log, logging runtime will be your API name anytime. OK, in some more application ID will be the primary thing, and if you want API name from the application, you need to check logging runtime.

PS Pavuluri, Snigda (Cognizant) 42:07
Yeah.
Yeah.
Okay.
OK, application ID is the interface ID, right? That application, OK, interface ID, and the API name is the logging logging runtime, OK?

MS Mohammed, Khaja Sohail 42:26
Interface ID, correct, correct.

Run time.

Yes.

PS Pavuluri, Snigda (Cognizant) 42:42

Okay.

MS Mohammed, Khaja Sohail 42:43

OK, so this is this is P.O. interface, but, and if you want, if you see Mule Soft, if you want to do this particular system, you can select this is B.T.P.S.A.P.O. I told you it yesterday integration system.

PS Pavuluri, Snigda (Cognizant) 42:56

Okay, this is not like not just Mule soft logs like other okay.

MS Mohammed, Khaja Sohail 42:59

Not just, you will have S4 logs, you will have SAP logs, every almost of them will be using, yeah.

PS Pavuluri, Snigda (Cognizant) 43:03

O.K.

OK, so you need to filter out systems, too.

MS Mohammed, Khaja Sohail 43:09

Yeah, once you get a hands on, then you can, that will be easy for you. You just need hands on on this, that's it. So this is your sumo.

PS Pavuluri, Snigda (Cognizant) 43:10

Something being soft.

Okay. Yeah, okay.

Yeah.

MS Mohammed, Khaja Sohail 43:20

Okay, so any doubt on this?

PS **Pavuluri, Snigda (Cognizant)** 43:24

No, I'm good. Yeah.

MS **Mohammed, Khaja Sohail** 43:25

Clear it, yeah, so coming coming to the next point is our APM queue. APM queue is one of the key things right there.

PS **Pavuluri, Snigda (Cognizant)** 43:30

Yeah.

But all the sub, pub, babies.

MS **Mohammed, Khaja Sohail** 43:36

Ha, pub APS, yeah, pub APS. What you'll do is you'll mostly you use for reprocess whenever pub APM messages fail, it will come to your APM queue and it will it will come to your D it will come and sit in your DL queue. Okay, so when it comes to DL queue, you will give your reprocess queue name.

PS **Pavuluri, Snigda (Cognizant)** 43:38

Yeah.

Mm.

Yeah.

MS **Mohammed, Khaja Sohail** 43:57

And actually Ganesh is trying to set up something. He will add this instance ID, cloud or RPF, and he will trigger it to demo so that everybody can be using it from Postman directly. So at least it will be half and less burden on this.

PS **Pavuluri, Snigda (Cognizant)** 44:12

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 44:15

So, start trying something, but let's see, till he he's doing that, we need to use the

regular process only. You have to go into your code, give give reprocess queue name, DLQ name, and then publish it, yeah.

PS Pavuluri, Snigda (Cognizant) 44:22

Okay.

Yeah.

You said just some documentation, right, for that?

MS Mohammed, Khaja Sohail 44:34

Which one?

PS Pavuluri, Snigda (Cognizant) 44:35

The reprocessing, like the process to do that.

MS Mohammed, Khaja Sohail 44:38

I'll show you that Katie. I'll give Katie on that. Yeah, I'll give, I actually, I'm every day I'm trying to install that setup, but now it's a moving, but I'll try to get that set up, and I'll show you AP and Gaho.

PS Pavuluri, Snigda (Cognizant) 44:40

OKOKOK.

It's okay, okay, okay.

Okay, okay.

Yeah.

MS Mohammed, Khaja Sohail 44:56

Today I actually thought tomorrow once you are free, let's connect with Ganesh and he can give that key to you. Okay.

PS Pavuluri, Snigda (Cognizant) 45:01

Yeah, sure. Yeah.

MS Mohammed, Khaja Sohail 45:04

That is one thing, and this is all something.

Yeah, this is regarding your any point MQ. OK.

PS Pavuluri, Snigda (Cognizant) 45:16

Okay. Okay.

MS Mohammed, Khaja Sohail 45:17

Clear, you have any doubts? Once you start getting a, you can pull the payload from APMK as well. I told you, right?

PS Pavuluri, Snigda (Cognizant) 45:18

Yeah.

Yeah, like, like seems like so many log and stuff like any point in queue, and or there's also monitoring and the sumo logic, yeah, the sumo logic and all this stuff, like do you have like any, I don't know, like process like for this log, I'll go to this, for this log, I'll go to this, is it?

MS Mohammed, Khaja Sohail 45:34

Monitoring for logs, huh?

No, no, everything is anywhere if you want. For example, your basic, I'll tell you, if your basic go-to point should be any point monitoring, first thing. Okay, but if you want an overview, if you want, if you, if you in any point monitoring, you have like go to application, select this time, give the transaction ID.

PS Pavuluri, Snigda (Cognizant) 45:45

Is there anything like that we can find it anywhere, so...

Okay, yeah, okay.

Yeah.

Okay. Okay.

Yeah.

Yeah.

Yeah.

MS Mohammed, Khaja Sohail 46:06

Instead of this, you use Sumo. OK, first you see Sumo, Sumo you don't find, then you come back to monitoring, even for a few interfaces we are using Sumo and few interfaces we are using New Relic, right? So, if you if you don't find in New Relic and

Sumo, then you go come back to any point monitoring monitoring, so these these for logs only these three.

PS Pavuluri, Snigda (Cognizant) 46:11

Okay.

Yeah.

OKOK.

Yeah.

MS Mohammed, Khaja Sohail 46:27

Manager and all, I give you an overview, but because you just have to have an overview what you're doing, so mostly it will not be handled by it will be handled by DevOps only, even API Manager also.

PS Pavuluri, Snigda (Cognizant) 46:32

Yeah, yeah.

Okay, so those client secret expiry, all those things, also they'll only handler.

MS Mohammed, Khaja Sohail 46:44

No client secret expiry, we need to handle it because this is Azure one, right?

PS Pavuluri, Snigda (Cognizant) 46:48

Yeah, so like do, so we reach out to some team to, yeah, again.

MS Mohammed, Khaja Sohail 46:51

Yeah, today's to renew access, we reached IDAM, yeah, IDAM, IDAM team, they will.

PS Pavuluri, Snigda (Cognizant) 46:54

Renew it and.

And then we only provide the new secret to the source, or...

MS Mohammed, Khaja Sohail 47:01

Yeah, actually I'm trying to simplify the process for all Mule applications. They are referring to Mule Support, but client ID is configured at our end, but we are not the right system, right? So sometimes if you miss in communication, then there will be

delay there in production. They might run out of the secret and they're not aware of it. So what I'm trying to do is I'm...

PS Pavuluri, Snigda (Cognizant) 47:04

Okay.
Okay.
Yeah.
Yeah.
Yeah.

MS Mohammed, Khaja Sohail 47:21

That is also in process still, client secret expiry. For example, this is 1 API, API transit mule. I believe this is, this should, this has to go to MDM team because MDM is the source, okay? MDM has, I'll go to MDM seeing that, MDM see, hi MDM team.

PS Pavuluri, Snigda (Cognizant) 47:25

Okay.
Yeah.
Okay.
Okay.

MS Mohammed, Khaja Sohail 47:40

This is this particular client ID is expiring. Please raise an RITM to IDAM team. They will create a new secret and then you can start using it. I'll I I'm doing trying to simplify the process, but yeah.

PS Pavuluri, Snigda (Cognizant) 47:42

Okay.
Okay.

MS Mohammed, Khaja Sohail 47:55

Let's see how far I can do, or else I'll try to give handover. You can continue.

PS Pavuluri, Snigda (Cognizant) 47:57

Yeah.

Okay.

MS **Mohammed, Khaja Sohail** 48:01

Yeah, so this is the that is regarding this all this basic every day. These are every day for you, like if you listen to this every day. Once you are in, then everybody will start zero conference when you find monitoring, so more you hear it from everyone.

PS **Pavuluri, Snigda (Cognizant)** 48:11

Yeah.

Yeah, yeah, yeah.

MS **Mohammed, Khaja Sohail** 48:20

So, that's something.

PS **Pavuluri, Snigda (Cognizant)** 48:22

Okay.

MS **Mohammed, Khaja Sohail** 48:23

I already told you.

I told you about IBM MQ rate. This is also one of the integrations that we use and IBM MQ will not have any logs.

PS **Pavuluri, Snigda (Cognizant)** 48:28

Yeah.

Yeah, and we don't have access. We just talk to them and then they only do it. Yeah.

Okay.

MS **Mohammed, Khaja Sohail** 48:36

Yes, correct. Yeah, so and one more thing to say, one sender might have multiple receiver queues. It is not such that when I we were discussing 1770, if you remember right, 770, it is having multiple receiver queues.

PS **Pavuluri, Snigda (Cognizant)** 48:45

Yeah.

Yeah, yeah.

Multiple, yeah, yeah.

MS **Mohammed, Khaja Sohail** 48:55

So, it's just one sender will have multiple receivers, but multiple receivers will not have different.

PS **Pavuluri, Snigda (Cognizant)** 49:00

Yeah.

MS **Mohammed, Khaja Sohail** 49:06

OK, you understood that. Sender queue. One sender queue will have multiple receiver queues.

PS **Pavuluri, Snigda (Cognizant)** 49:09

Multiple, OK.

MS **Mohammed, Khaja Sohail** 49:12

So that is, you can, it might be anything. So just in case, so depending on the filter conditions, it will, whichever it is mapped, it will go according to that. All that mapping is handled by NQ only.

PS **Pavuluri, Snigda (Cognizant)** 49:14

Okay.

Yeah.

Okay.

MS **Mohammed, Khaja Sohail** 49:24

OK, this is IBM MQ overview.

PS **Pavuluri, Snigda (Cognizant)** 49:25

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 49:28
So this is for today. Did I miss anything?

PS **Pavuluri, Snigda (Cognizant)** 49:30
Okay.

MS **Mohammed, Khaja Sohail** 49:33
It may have.
Oh, it's understood, right?
Daily, okay. So what are our duties as on site? Once you log in, what you'll do is you will basically start your shift with handover. Somebody will be there at offshore. I did not schedule any call, but if you want, you can schedule a call at 10 o'clock.

PS **Pavuluri, Snigda (Cognizant)** 49:55
Yeah.

MS **Mohammed, Khaja Sohail** 49:59
every day so that, but I generally don't schedule because I sometimes there might be scheduled calls for me or I might have some other work. So depending on my availability, I'll connect with offshore. I'll take the hand off or if I have to assign some work, I'll right away assign it in Teams or in e-mail, wherever I want to assign it to them, I'll assign it.

PS **Pavuluri, Snigda (Cognizant)** 49:59
Okay.
Yeah.
Yeah.

MS **Mohammed, Khaja Sohail** 50:19
And then I'll start working on emails slightly. And once emails are done, I go to incidents, then I close incidents. And then if there are any pending calls or if there are pending enhancements, I start doing an onset. But onset, since you are the only person, you have to do everything, be it APM reprocessing or API restart.

PS Pavuluri, Snigda (Cognizant) 50:33
Yeah.

MS Mohammed, Khaja Sohail 50:38
Or you don't have to, you, you will not have a critical list every day restart, but if you if you are seeing any alerts right, then these alerts you have to monitor. For example, you are seeing this alert. OK, OK, this this alert, this queue has five messages. You just need to take this queue name, search in the CPS.

PS Pavuluri, Snigda (Cognizant) 50:42
Yeah.
Yeah.
Yeah.
Yeah.

MS Mohammed, Khaja Sohail 50:56
Come back to CPS search.
OK, this then you have to come.

PS Pavuluri, Snigda (Cognizant) 51:01
But since they're like receiver queues, we have to give it to IBM and Q, right? Ask them to.

MS Mohammed, Khaja Sohail 51:05
No, no, API is starting saying.

PS Pavuluri, Snigda (Cognizant) 51:08
OK, submit.

MS Mohammed, Khaja Sohail 51:10
So you just need to go there, search for CPS, copy that API name, and you have to restart it, be it sub, whatever it might be. Okay, you just need to restart that, depending on the application. And if you're seeing, for example, I'll show you, CE CDC product match has one message, right?

PS Pavuluri, Snigda (Cognizant) 51:11

Okay.

Okay.

Okay.

Okay.

Yeah.

MS Mohammed, Khaja Sohail 51:30

And this alert came at Saturday, 9, 12, 12 A.m. My time.

PS Pavuluri, Snigda (Cognizant) 51:34

Yeah.

MS Mohammed, Khaja Sohail 51:36

I don't see another alert. That means that might be a temporary connection issue and that automatically got refreshed and messages are processed. But if you see continuous alert more than two times, then you have to reprocess it. That's how I think, but if you receive one alert, you can go ahead and do proactively.

What's your call? But yeah, then just saying, so these are your duties and any calls in onsite you have to definitely join based on availability of your calendar. They'll try to schedule. So mostly validation calls will be there if there are any enhancement. What I came to know from client is from now we will only give enhancement only to offshore.

PS Pavuluri, Snigda (Cognizant) 51:52

Okay.

Okay.

Yeah.

Okay.

MS Mohammed, Khaja Sohail 52:14

So that in onsite there is only one resource and they can handle all the P1, P2s whichever comes.

PS **Pavuluri, Snigda (Cognizant)** 52:14

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 52:23

Yeah, so that is that is your these are your basic details. You have to put our like everywhere so that you know everything. Even if offshore is absent, then you can do it.

PS **Pavuluri, Snigda (Cognizant)** 52:36

Okay.

MS **Mohammed, Khaja Sohail** 52:37

Here, these are your regular duties.

PS **Pavuluri, Snigda (Cognizant)** 52:38

Yeah. Yeah, true.

MS **Mohammed, Khaja Sohail** 52:42

Do you have any doubt?

● **Mohammed, Khaja Sohail** stopped transcription

MuleSoft Support KT - Onsite-20260918_145939-Meeting Recording—Meeting 5

September 19, 2026, 7:59PM

23m 49s

● **Mohammed, Khaja Sohail** started transcription

PS **Pavuluri, Snigda (Cognizant)** 0:03
If it could be a better...

MS **Mohammed, Khaja Sohail** 0:06
I think, so in Japan already.

PS **Pavuluri, Snigda (Cognizant)** 0:06
OK.

MS **Mohammed, Khaja Sohail** 0:11
This is not a gesture.

PS **Pavuluri, Snigda (Cognizant)** 0:12
Yeah.
Okay.

MS **Mohammed, Khaja Sohail** 0:16
So, basically...
So, today we are going to...
Cover on all on all of these topics, OK?

PS **Pavuluri, Snigda (Cognizant)** 0:26
Okay.

MS **Mohammed, Khaja Sohail** 0:27
First thing, enhancement. I think we already have, you already have a brief overview on it, but I just want to go in detail and check how do you, how will you take this?
Okay, I'll show you through a live example, okay?

PS Pavuluri, Snigda (Cognizant) 0:33

In.

Okay, yeah.

MS Mohammed, Khaja Sohail 0:45

There is 1 e-mail chain.

In new order.

Yeah.

So?

This is the e-mail.

Okay, so basically the ask is, okay, what the first basic ask, what the ask is, what is the JSON that we are sending to target system? Okay, so, and we enabled, so the way we do it is we enable debug logs and we check and we say that, okay.

PS Pavuluri, Snigda (Cognizant) 1:10

Okay.

MS Mohammed, Khaja Sohail 1:19

If your JSON is logged, you just copy paste and give the JSON to them to get them analyzed. Okay, further analysis. But what happened here in this case? I, we don't have, we did not log the payload for that particular size because that size was very huge and that JSON was in unstructured manner. Okay.

PS Pavuluri, Snigda (Cognizant) 1:24

Yeah.

Okay.

MS Mohammed, Khaja Sohail 1:38

And, and it, and for example, it in 30 seconds it did multiple lines which I could not capture. Even if I have captured, I would have only done half only, so I told them payload was not logged.

Please let us know if anything else required. OK, and then they all conversation went on.

And what the ask was, basically, what they told is.

There are two, they are seeing two types of issues here. OK, the basically this is this is any order interface from source to SAP. It should go from MDM. So what is happening? They should get in this serial format like SMXL, XL, double XL, all the sizes, right?

PS Pavuluri, Snigda (Cognizant) 2:07

Okay.

Okay.

Yeah, yeah.

MS Mohammed, Khaja Sohail 2:20

in the serial format they have to get. But the problem is what we are doing is in our logic, I mean the logic is there.

PS Pavuluri, Snigda (Cognizant) 2:23

Okay.

MS Mohammed, Khaja Sohail 2:29

It is this.

PS Pavuluri, Snigda (Cognizant) 2:29

Yeah.

MS Mohammed, Khaja Sohail 2:32

The logic is there, but if you see you are not logging it in the correct manner. When it says double XS, when is L, when is double XL, you don't have a proper hierarchy or proper serial serializing. So they wanted to get it deserialized. Okay, like they want exactly if if you are giving with S, M, L, XL, double XL.

PS Pavuluri, Snigda (Cognizant) 2:36

Yeah.

Yeah.

Okay.

MS Mohammed, Khaja Sohail 2:51

That is one thing. And if you want to give XSHRP, LSHRP, LXLSHRP, so that is another flow. Okay, two types of things they wanted to do. Okay, now what I told them is, see, the processes in the middleware should sort double **, XS, small, all this should be in order.

PS Pavuluri, Snigda (Cognizant) 2:59

Okay.

MS Mohammed, Khaja Sohail 3:11

Okay, this is what he told. Okay, what I told. Okay, now we are doing it on a sequence basis. Okay, this is the logic for us. I explained this all in e-mail. Basically, you can do it in a call as well. Okay, so this is the logic that we are doing, and this is there in our CPS. So P of something we are defining, right?

PS Pavuluri, Snigda (Cognizant) 3:11

Yeah.

Okay.

Okay.

Okay.

MS Mohammed, Khaja Sohail 3:30

Properties of OK, property of P of everything will be in CPS. I told you right the other day, whatever CPS values is having, you will at least have P of something. P of X is equal to value will be in CPS. So now P of default sequence, the default sequence is what? This is our default sequence.

PS Pavuluri, Snigda (Cognizant) 3:31

Yeah, yeah.

Okay, yeah, yeah.

Okay.

MS Mohammed, Khaja Sohail 3:50

I like this. OK, now what we are doing is, according to this logic, it is going correctly. OK, if you see one, two, three, 4, but but the problem is there was SHRT in the in in the order.

PS Pavuluri, Snigda (Cognizant) 3:50

Yeah.

Yeah.

Yeah.

MS Mohammed, Khaja Sohail 4:04

OK, so they were sending it correctly, but they added SHRT which was not which which was not done in the initial analysis in the initial go live. OK, now they are they're asking us to fix it. OK, now we came back that.

PS Pavuluri, Snigda (Cognizant) 4:13

O.K.

Okay, okay.

MS Mohammed, Khaja Sohail 4:20

They are asking whatever there are who will who will need to up. I told them if you want to get the change done.

To support this requirement, we need to enhance this logic. We need to add trim in first place so that it will take the logic. Okay. If you add trim, then it will take only this, right? SHRT will be this done.

PS Pavuluri, Snigda (Cognizant) 4:28

Yeah.

Okay.

Oh.

No, claim is to remove just white spaces, right? It won't remove shirt.

MS Mohammed, Khaja Sohail 4:49

No, no, but when you're saying use only first token, the rest all will be trimmed. OK, when we tested this logic in data view as well.

PS Pavuluri, Snigda (Cognizant) 4:56

No.

Are you saying with trim function or like just trim word?

MS **Mohammed, Khaja Sohail** 5:04

This trim word when you're when you're saying when you're saying trim then it will trim it will only take your first thing and just water risk.

PS **Pavuluri, Snigda (Cognizant)** 5:06

Oh, okay, okay, okay, okay, okay.

Yeah, you're only taking the 1st letters before the space, first word before the space.

Okay, okay, okay.

MS **Mohammed, Khaja Sohail** 5:15

Yes, exactly. So everything else will be trimmed. Okay, that is how, that is the logic we need to, we, I told him, we need necessary approvals, how we need to proceed with implementing of this change. Okay, so then he has to.

PS **Pavuluri, Snigda (Cognizant)** 5:20

Yeah.

Okay.

MS **Mohammed, Khaja Sohail** 5:30

Ohh, where is this? Jump somewhere.

PS **Pavuluri, Snigda (Cognizant)** 5:31

Okay.

MS **Mohammed, Khaja Sohail** 5:35

Okay, so basically he asked me to take all the approvals and start work start working. Can you proceed approval today? We need to do this something he told me. Okay, what then what I did is see what Ganesh did this actually this is the way we need to we need to create an Jira ticket.

We need to ask them actually all of the for trim for trim thing you don't want your mapping sheet to be updated right? That is I mean that is a small change and you don't have a logic written in your mapping sheet. So if if nothing is there you just need to create a Jira and you need to work on it. He created Jira by himself. OK, assigned it to him and then he did the deployment and he.

PS Pavuluri, Snigda (Cognizant) 5:55

Okay.

Yeah.

Yeah.

Okay.

MS Mohammed, Khaja Sohail 6:14

and he completed the enhancement and deployed in non-product environment. And he replied, and he asked them to test. Okay, now the testing is going on now. But what if in case you need a mapping change? For example, they're asking you to add a new field, a complete new field. What do you need to do? Basic questions is.

PS Pavuluri, Snigda (Cognizant) 6:19

Okay.

Okay.

MS Mohammed, Khaja Sohail 6:33

This is an enhancement request in e-mail itself. If they come in e-mail or if they come in chat, ask them to create a first thing is what you need to do is you need to ask them to update mapping and FSD. This is the first thing that you need to do. OK, second.

PS Pavuluri, Snigda (Cognizant) 6:49

Like, just if if the if it is required, right? Like, if you think if you think it is, yeah, OK.

MS Mohammed, Khaja Sohail 6:53

Yeah, if it's required, yes.

If it is logical change or if it's a new field, so then you need to ask them to update the mapping and FSD. OK, and second thing is, once they create, ask them to share the link, and this is also ask them to share, because you need to go and saturate, ask them to share link.

PS Pavuluri, Snigda (Cognizant) 6:59

Yeah.

Yeah.

Okay.

Yeah, yeah.

MS **Mohammed, Khaja Sohail** 7:14

And second thing is, ask them to create an RITM request, which is a service request, or a Jira.

PS **Pavuluri, Snigda (Cognizant)** 7:19

Okay.

Yeah.

MS **Mohammed, Khaja Sohail** 7:24

For non-prod, for Jira, for code enhancement.

And non-prod.

Deployment. OK, till here. Clear. Now, they are now exact now Narendra is talking to Jenny and Christopher, like, where they want to track. Is it RATM or this thing? Not sure, but...

PS **Pavuluri, Snigda (Cognizant)** 7:37

Okay, yeah, yeah.

MS **Mohammed, Khaja Sohail** 7:51

Okay, so this is which one, which one they are trying to figure out. It should be either RATM or Jira, whichever they ask you to do. Okay, better if you ask them to create a Jira for me, but as you wish. Okay, this is the, this is the second one. Okay, till here. Okay, and now testing part.

PS **Pavuluri, Snigda (Cognizant)** 7:57

Okay.

Okay.

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 8:11

And make sure testing, we are not wasting so much of your effort. You are not sitting in a call, sitting for three hours, 4 hours, doing only one testing. Ask them to test it. You just need to view the results. Okay. If they ask you to share the results, take your free time because it's a non-product request, right? I told you non-product requests are your second priority.

PS Pavuluri, Snigda (Cognizant) 8:20

Okay.

Okay.

Okay.

Yeah.

MS Mohammed, Khaja Sohail 8:31

They are priority, but their second priority. First priority should be our production support. Okay, so testing, you should not be part of any testing calls or anything. If they do it, ask them, we don't have this resource. So you need anything, please send out an e-mail or reach out to meals of SOTCSupport DL so that we can help you with the results.

PS Pavuluri, Snigda (Cognizant) 8:31

Okay.

Okay.

Okay.

MS Mohammed, Khaja Sohail 8:50

If they are not satisfied, you can go back to your thing and you can change everything, whatever you want. Okay, so this is most, most important testing. You are not going to support because if even if you go and support, you are pending production support work will be pending. You have to do it anyhow at the end of the day.

PS Pavuluri, Snigda (Cognizant) 8:55

Yeah.

MS **Mohammed, Khaja Sohail** 9:07

OK, so testing should be.

PS **Pavuluri, Snigda (Cognizant)** 9:08

Then, then who, like, if there are any issues, who can support that?

MS **Mohammed, Khaja Sohail** 9:13

Which issues?

PS **Pavuluri, Snigda (Cognizant)** 9:15

Like, even the testing, if they face any issues.

MS **Mohammed, Khaja Sohail** 9:18

They see, once we did, we deployed our code and we gave it, they have to test it. Their source and target are there, they need to, whoever has raised the concern, they need to test it. And once they test it, in meanwhile testing, they might have multiple questions, right? They may ask, this logic is not as per enhancement, this is not as what we are expecting. There might be multiple changes, you can.

PS **Pavuluri, Snigda (Cognizant)** 9:23

Yeah.

Yeah.

Yeah.

Yeah.

MS **Mohammed, Khaja Sohail** 9:39

Follow them through e-mail or chats, but it takes your time if you go and sit in four or four to five hour calls. OK, yeah, yeah, so that is that is for testing. Once your testing is done, ask them to create a ask them to give a QA sign off. This is very mandatory.

PS **Pavuluri, Snigda (Cognizant)** 9:41

Okay.

Yeah, yeah, okay, yeah.

Okay.

Yeah.

Yeah, yes.

MS **Mohammed, Khaja Sohail** 10:16

I will not approve your change that is cap call you need to represent. I told you, right? That is one thing, yeah, and then create change and cab.

PS **Pavuluri, Snigda (Cognizant)** 10:21

Yeah.

MS **Mohammed, Khaja Sohail** 10:27

And deployment, but I told you all this process cap call cap call is for your once you create your change, you'll necessary approvals, you'll update all the relevant details, testing this testing screenshots, Jiras, or RITMs, or whatever this FSD if you require.

PS **Pavuluri, Snigda (Cognizant)** 10:30

Yeah.

Yeah.

MS **Mohammed, Khaja Sohail** 10:47

and also QA sign of e-mail. If you do all this, then you need to get ready for cab. In cab, you need to present your change and then proceed one date you will decide next week or whenever you are free that you will only decide that deployment date or depends on the user. Okay, then you need to deploy it that day and all this, all the production support enhancements are.

PS **Pavuluri, Snigda (Cognizant)** 10:47

Yeah.

Okay.

MS **Mohammed, Khaja Sohail** 11:10

any deployments will happen only in IST hours.

PS Pavuluri, Snigda (Cognizant) 11:14
Okay.

MS Mohammed, Khaja Sohail 11:15
Okay, you need to give handover to someone, they will take up and they will once it is deployed to production, they will validate in production. And validation is also one of the key part.
Okay, validation. Once if you see any error, then they have to revert back in production. There's no other choice.

PS Pavuluri, Snigda (Cognizant) 11:30
Okay. Okay.
And this testing, it has to happen in test only, right? There's no dev testing there.

MS Mohammed, Khaja Sohail 11:39
Not required for small enhancement. I told you all this how to deploy to Jenkins immunity against keep dev and test everything you can do. And when you are deploying to non-prod, they will ask you Jira. You can use the same, this Jira, if you have a Jira here, right? RTM or Jira, I told you. You can use the same Jira to deploy it to non-prod, assign it to DevOps team.

PS Pavuluri, Snigda (Cognizant) 11:42
Yeah.
Yeah, yeah, yeah, yeah.
Yeah.
Mm.
Yeah, yeah.
Yeah.

MS Mohammed, Khaja Sohail 12:00
they will get deployed to non-prod. This is your, this thing. And if you want any request, for example, you don't have platform access, you want to ask team to get debug logs enabled or add something in platform, then you need to go and check with DevOps only.

PS Pavuluri, Snigda (Cognizant) 12:02
Okay. Okay.

MS Mohammed, Khaja Sohail 12:19
Okay.

PS Pavuluri, Snigda (Cognizant) 12:19
Okay.

MS Mohammed, Khaja Sohail 12:20
That is one more part.

PS Pavuluri, Snigda (Cognizant) 12:21
Okay.

MS Mohammed, Khaja Sohail 12:23
OK, listen, this is your this is how you will deal with your code enhancement if somebody reaches out to you saying that this is the enhancement request that you have right now we are having.

PS Pavuluri, Snigda (Cognizant) 12:33
Okay.

MS Mohammed, Khaja Sohail 12:36
Four enhancement requests in our bucket. OK, one, two, three, 4. We these they raised incident, fewer bugs and fewer enhancement. OK, first one is this is enhancement. OK, this is 1 enhancement we Ganesh is working on. They are saying that, for example, in source.

PS Pavuluri, Snigda (Cognizant) 12:45
Okay.
Okay.

MS Mohammed, Khaja Sohail 12:55

They are triggering as 12, 12 units while coming to SAP is your, sorry, diplomacy is your source. They are saying 12 units. It will go through all the mapping from middleware and come back to SAP. In SAP it says 24 units.

PS Pavuluri, Snigda (Cognizant) 12:58

Yeah.

Okay.

MS Mohammed, Khaja Sohail 13:10

So there is a discrepancy. Yeah, so what is a mapping change? There is some mapping change. I did not analyze this. I don't know which interface is also. Ganesh is working on it. So Mahmood asked Narendra to work on it. And Ganesh took it up and he's working on it. I think he deployed that code in non-prod also.

PS Pavuluri, Snigda (Cognizant) 13:11

Dublin, yeah, yeah.

Okay. Okay.

MS Mohammed, Khaja Sohail 13:29

So that way he need to, so he's the testing is everything is going on for this one. This is enhancement. OK, so they closed this, the Narendra was saying that today, so they closed this incident today. OK.

PS Pavuluri, Snigda (Cognizant) 13:30

Okay.

Okay.

Okay, okay.

MS Mohammed, Khaja Sohail 13:44

And the second one is this also an enhancement.

This is new enhancement. We closed the ticket and we asked them to create a Jira. If you see this e-mail, this is recent today only.

PS Pavuluri, Snigda (Cognizant) 13:48

Okay.

MS **Mohammed, Khaja Sohail** 13:57

See, in the Ganesh, we are currently working on analysis and enhancement. However, this incident has breached SLA, close to breaching SLA. We are closing incident. Can you please create RITM or Jira for enhancement request? So see if she shared an RITM and she's asking to share EPA. So that's how you follow the process.

PS **Pavuluri, Snigda (Cognizant)** 14:10

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 14:17

OK, this is sorry, and this is on bug one. I told you, right? The trim one. This is the trim logic. The testing is going on.

PS **Pavuluri, Snigda (Cognizant)** 14:21

Yeah. Okay.

Okay.

MS **Mohammed, Khaja Sohail** 14:25

Yeah, and there is one more interface. This is gone to production. There is one interface, GR discrepancy. There is some issue within APM queue, in our APM queue. The acknowledgement time, the duplicates are being created, and you are acknowledging it twice, and it is going to target as multiple.

PS **Pavuluri, Snigda (Cognizant)** 14:30

Okay.

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 14:45

discrepancies. So what we did is we enhanced, we added a log or something in APM queue and that will that went to production actually yesterday before yesterday. So this is a bug, so this is a bug, this is a bug and these two are enhancement.

PS Pavuluri, Snigda (Cognizant) 14:47

Okay.

Okay.

Okay.

MS Mohammed, Khaja Sohail 15:01

Okay, so that's how you have to deal with your enhancement requests.

PS Pavuluri, Snigda (Cognizant) 15:05

Okay.

MS Mohammed, Khaja Sohail 15:09

Okay, and anything greater than one more point to be noted.

in SOW, in Levi and Cognizant SOW, any enhancement request having an expected effort of more than 80 hours will not be considered in scope. That is what Cognizant and Levi has agreed. Okay.

PS Pavuluri, Snigda (Cognizant) 15:30

Okay.

MS Mohammed, Khaja Sohail 15:33

For example, if they're asking you to develop a new API, that is more than 80 words, right? So that is not concerned as an enhancement.

PS Pavuluri, Snigda (Cognizant) 15:37

Yeah, yeah.

MS Mohammed, Khaja Sohail 15:41

So that will that we will not consider in cognizant and levisn. OK, that is the main main thing you need to note it down. Rest all you have to finish it. OK, that's how you are doing and enhancement hours are 100 enhancement hours. OK, per month.

PS Pavuluri, Snigda (Cognizant) 15:41

Okay.

MS **Mohammed, Khaja Sohail** 16:00
OK, that is this one clear in and out so far.

PS **Pavuluri, Snigda (Cognizant)** 16:05
Hundred enhancement for us for the whole team.

MS **Mohammed, Khaja Sohail** 16:08
No, no, I think yeah, it's for old team.

PS **Pavuluri, Snigda (Cognizant)** 16:11
It's an old Tim Mukherjee.
Okay, so like, are you like, how are you estimating right now? Like, suppose a change comes and so do you have any process in place or you just ask the developer and ask him how much time is it going to take or?

MS **Mohammed, Khaja Sohail** 16:28
No, no, no, no, you can you can do it right. For example, you if it, for example, if you have everything clear, for you need to check the code one hour, you need to and check the mapping sheet like half an hour or one hour, two hours will be gone.

PS **Pavuluri, Snigda (Cognizant)** 16:32
Yeah.
Yeah.
Yeah, like, what based on the analysis only, we can, like, or do you have any, like...

MS **Mohammed, Khaja Sohail** 16:44
Yeah, our own analysis, not our own analysis.

PS **Pavuluri, Snigda (Cognizant)** 16:47
Yeah, okay, okay.

MS **Mohammed, Khaja Sohail** 16:49
How much you validate, how much you saved? No one will ask you, but again, end of

the day, it will come for, it will come as this one, right? You need to answer client, so...

PS Pavuluri, Snigda (Cognizant) 16:57

Oh, yeah.
Okay.

MS Mohammed, Khaja Sohail 17:02

Yeah, so this is for your code enhancement, everything. Clear so far, you have any doubt?

PS Pavuluri, Snigda (Cognizant) 17:07

Yeah, no.

MS Mohammed, Khaja Sohail 17:09

OK, this is done. OK, now Katie.

PS Pavuluri, Snigda (Cognizant) 17:11

I think I got my e-mail.

MS Mohammed, Khaja Sohail 17:14

Yeah, yeah, I just saw, I was, I was seeing in my phone, actually.

PS Pavuluri, Snigda (Cognizant) 17:14

Levi, yeah.
Yeah.
Yeah.

MS Mohammed, Khaja Sohail 17:19

Congratulations, welcome to Levi.

PS Pavuluri, Snigda (Cognizant) 17:23

Thank you.

MS Mohammed, Khaja Sohail 17:24

Okay.

So, shall we proceed next?

PS Pavuluri, Snigda (Cognizant) 17:28

Yeah, yeah, yeah.

MS Mohammed, Khaja Sohail 17:29

Okay, so this is the second topic is KD session from a developer. Okay, now how you know, you asked me right this question earlier, how you have to proceed while going, I mean, while while some code is deployed in production, how will you come to know, right? So, basically, our...

PS Pavuluri, Snigda (Cognizant) 17:36

Yeah.

MS Mohammed, Khaja Sohail 17:49

What will happen is if a developer has developed a code and he has to move it to a production, he should definitely give Katie to support team.

PS Pavuluri, Snigda (Cognizant) 17:56

Yeah.

Yeah.

MS Mohammed, Khaja Sohail 18:01

That should be recorded.

PS Pavuluri, Snigda (Cognizant) 18:04

It will happen in the cab meeting, right?

MS Mohammed, Khaja Sohail 18:06

No, no, regarding KD session will be separate for you. For example, if I am a developer, if for example, let's say I'm a developer, okay, you are the production support team member. Now I have developed that trim phase part, okay, trim whatever I told you, explain the logic rate. Same thing, I'll call you, I'll record, I'll start recording, I'll explain you.

PS Pavuluri, Snigda (Cognizant) 18:10

Oh, separate, okay, okay, okay.

Yeah.

Yeah, yeah.

MS Mohammed, Khaja Sohail 18:26

This is the request, this is the enhancement that I did. This is blah blah, this is the code water, this is the testing, this is error handling, but everything I will say you and I'll ask you any questions. And as being a production support, you have complete 100% rates to ask any kind of question and you even have right to reject the code. You can send back the code, you can send back the code for revision.

PS Pavuluri, Snigda (Cognizant) 18:34

Yeah.

Yeah.

Okay.

Okay.

MS Mohammed, Khaja Sohail 18:48

Okay, so that's how, that's the right you have as a production support team. If you don't like the code or if you want the code can be a better way, you can ask them to do it. That is not just for information purpose, you can do this. Okay, this is your basic right. This didn't happen so far, but I'm just telling you, they are developers.

PS Pavuluri, Snigda (Cognizant) 18:49

Okay.

Okay. Okay.

Okay.

Okay.

Yeah, yeah, okay.

MS Mohammed, Khaja Sohail 19:07

And Aviraj did a good job, so...

PS Pavuluri, Snigda (Cognizant) 19:09
Okay, okay.

MS Mohammed, Khaja Sohail 19:11
So this is how, for example, I'll show you what there is one.

PS Pavuluri, Snigda (Cognizant) 19:14
Hey.

MS Mohammed, Khaja Sohail 19:16
Ohh.
I'm showing examples because you, I mean, when you come, you can come come to know, you'll understand. See, this guy KT and RTV or RTDC changes. Hi team, I'm scheduling a call to cover this. His developers will track to Jira. They will not have service north, right? So they will track only through Jira. Okay, this is the Jira that he had.

PS Pavuluri, Snigda (Cognizant) 19:24
Yeah.
Yeah.
And.

MS Mohammed, Khaja Sohail 19:39
So this is the Jira that new current API. What is the new API requirements? All this and all this changes has happened. Okay, now he will schedule a call with our support team. See.

PS Pavuluri, Snigda (Cognizant) 19:52
So, this is also usually done during ISTR, so yeah.

MS Mohammed, Khaja Sohail 19:55
If the developer depends, if the developer is in IST, it is in IST. See, there will be a recording for your reference. If you want to keep it, you can keep it, or you can just

go through the recording if you want, just in case. I usually go through the recordings. This is how they do it, okay? 12 minutes.

PS **Pavuluri, Snigda (Cognizant)** 19:58

Okay.

Okay.

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 20:15

OK, see Ravind, Narendra, and Shaik joined.

PS **Pavuluri, Snigda (Cognizant)** 20:16

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 20:19

Okay, so that's how we need to do it.

PS **Pavuluri, Snigda (Cognizant)** 20:21

Okay.

MS **Mohammed, Khaja Sohail** 20:22

First, first you need to and basically ask them for interface details.

PS **Pavuluri, Snigda (Cognizant)** 20:29

Yeah, okay.

MS **Mohammed, Khaja Sohail** 20:29

Okay, existing flow and you will have a set of questions that you need to, it's not mandatory that you ask, but if you ask that will be benefit to you only.

PS **Pavuluri, Snigda (Cognizant)** 20:40

Okay.

MS **Mohammed, Khaja Sohail** 20:41

See, basically, what is the questions that you ask? Will you ask whether it is an old or new API? Okay, and if it says new API, then okay, if you new API, how many, how many days hyper care you have for it? For example, new API, you are pushing to production. Production support will watch out for two weeks. Okay, for basically the...

PS **Pavuluri, Snigda (Cognizant)** 20:55

Yeah.

Okay.

MS **Mohammed, Khaja Sohail** 21:01

This one will be for two weeks, okay? So, hyper gear, so, so for at least what are the, if you want to check what are the connectors involved, then what are the connectors involved in here, okay?

PS **Pavuluri, Snigda (Cognizant)** 21:15

Okay, okay.

MS **Mohammed, Khaja Sohail** 21:16

That is one thing, and if you want to see if any, what if all these questions are basically you can go to all.

Yeah, can you hear me now?

PS **Pavuluri, Snigda (Cognizant)** 21:47

Yeah, yeah, I can hear you.

MS **Mohammed, Khaja Sohail** 21:49

Yeah, so basically you can ask, what is the service now insurance that are getting created? If they are not getting created, why they are not getting that is all developer setting, how they are creating it. OK, what are the sumo alerts? What are the how many queues are involved? How many this hyper is hyper period? Is there all these questions you need to ask?

PS **Pavuluri, Snigda (Cognizant)** 21:56

Yeah.

Yeah, yeah.

Yeah.

Yeah.

MS **Mohammed, Khaja Sohail** 22:07

This is just, I just, I just did it for my my own this thing.

PS **Pavuluri, Snigda (Cognizant)** 22:11

Yeah.

MS **Mohammed, Khaja Sohail** 22:12

OK, but if you want to do, I can share this with you, OK?

PS **Pavuluri, Snigda (Cognizant)** 22:16

Yeah, yeah, yeah, sure, yeah.

MS **Mohammed, Khaja Sohail** 22:18

Yeah, you need to ask questions and you need to.

And if you, if you don't, if you don't feel like you can send back, send back for revision.

PS **Pavuluri, Snigda (Cognizant)** 22:31

Yeah.

MS **Mohammed, Khaja Sohail** 22:32

OK, these are all your duties, and once it is into production, if you after production deployment, if you want it, you can validate it.

PS **Pavuluri, Snigda (Cognizant)** 22:39

Yeah.

Okay.

MS **Mohammed, Khaja Sohail** 22:41

If you want to validate, you can help validating, or if you can see, you can ask team to

validate, or you can keep an eye on that interface for a few days. That is how you do it, okay?

PS Pavuluri, Snigda (Cognizant) 22:49

Yeah, sure.

MS Mohammed, Khaja Sohail 22:51

This is for the K decision from a developer, how you need to proceed.

PS Pavuluri, Snigda (Cognizant) 22:55

Okay, okay.

MS Mohammed, Khaja Sohail 22:56

Clear any doubts here?

PS Pavuluri, Snigda (Cognizant) 22:59

No, can you also paste the questions here only like just for my reference?

MS Mohammed, Khaja Sohail 23:03

Okay, it's not getting copied.

PS Pavuluri, Snigda (Cognizant) 23:04

Yeah.

Okay, okay, that's okay.

MS Mohammed, Khaja Sohail 23:08

No, no, I don't think do it.

Okay.

List of questions, this is not mandatory, but yeah, as if you have, yeah, if you have new questions, you can add, you can do, OK, OK, clear.

PS Pavuluri, Snigda (Cognizant) 23:28

Yeah, yeah, just for reference, yeah.

Yeah.

Yeah.

And, like, before we start this, can can we stop and do the onboarding thing so that, because, yeah, yeah, we can stop recording, yeah, yeah.

MS **Mohammed, Khaja Sohail** 23:42

Sure.

● **Mohammed, Khaja Sohail** stopped transcription

MuleSoft Support KT - Onsite-20260918_163540-Meeting Recording—Meeting 6

September 19, 2026, 9:35PM

23m 9s

● **Mohammed, Khaja Sohail** started transcription

MS **Mohammed, Khaja Sohail** 0:03

Yeah, so basically coming back to the incident closure. Okay, for example, as I told you, there are two kinds of incidents majorly. One is system generated and other is user generated. Okay, so if you are if you want to differentiate clearly which one is what, then you just...

Second. Sorry.

PS **Pavuluri, Snigda (Cognizant)** 0:26

Yeah, we can go to the incident and see the event management or username. Yeah.

MS **Mohammed, Khaja Sohail** 0:28

Uh...

Even when, yes, correct, affected end user is if you you in.

PS **Pavuluri, Snigda (Cognizant)** 0:35

Even. Yeah.

MS **Mohammed, Khaja Sohail** 0:38

Event manager, event management, then it is.

PS **Pavuluri, Snigda (Cognizant)** 0:43

The system generator.

MS **Mohammed, Khaja Sohail** 0:44

System generated event management. OK, so this is a kind of system generated alert. Now, for example, this is the system generated alert that you got. OK, now you are just going through the incidents or you want to close this incident. What is the action item and how do you close this? OK, basically, first this is the incident. OK, you see.

PS Pavuluri, Snigda (Cognizant) 0:46

Yeah.

Yeah.

Yeah.

Okay.

MS Mohammed, Khaja Sohail 1:03

What is this? Okay, this is the error, this is the log, and this is the API name. MDM product US mask pub. Okay, log I told you right in in so so basically how the this works is whatever monitoring logs we are writing to either Sumo or New Relic, right? If you remember I told you we will route to Sumo or New Relic.

PS Pavuluri, Snigda (Cognizant) 1:11

Okay, yeah.

Yeah, yeah.

MS Mohammed, Khaja Sohail 1:23

Those from the Sumo or New Relic, the service now will take the log. OK, this log is from Sumo now.

PS Pavuluri, Snigda (Cognizant) 1:31

Okay.

MS Mohammed, Khaja Sohail 1:32

So this particular thing is from Sumo. So Sumo, in Sumo, this is the, this is how you see it, right? I showed you if you remember. Yeah, so this is how you see. Same thing will be logged in your incident as well. Now you see, okay, there is an incident, bad gateway. Okay, this is coming from ManhWMOSSupport.

PS Pavuluri, Snigda (Cognizant) 1:40

Yeah.

Okay.

MS Mohammed, Khaja Sohail 1:51

Now what you'll do, Musk might have sent us bad gateway at that particular point. So what you'll do, you'll just give this queue, this is MQ, right? I told you sub API.

PS Pavuluri, Snigda (Cognizant) 2:02
Yeah.

MS Mohammed, Khaja Sohail 2:03
All the sub-VPs will have MQ error queues.

PS Pavuluri, Snigda (Cognizant) 2:05
Mm.

MS Mohammed, Khaja Sohail 2:06
You can just come and see, you'll have a group with MQ. I'll add you gradually there, but...

PS Pavuluri, Snigda (Cognizant) 2:12
Ohh.

MS Mohammed, Khaja Sohail 2:13
So this is see 914 team already gave it for reprocess. OK, this guy says no messages and then once that is done, OK, coming here.

PS Pavuluri, Snigda (Cognizant) 2:18
Okay.

MS Mohammed, Khaja Sohail 2:26
After coming, how to close it? First, you need to put it in progress if you, if you know if you are working, OK?

PS Pavuluri, Snigda (Cognizant) 2:33
Yeah, like I have one question here. So when do we ask the MQ team and when do we just restart the sub API?

MS Mohammed, Khaja Sohail 2:36

Mm.

Okay, when, for example, let's say a message is completely failed. Okay, message came to Mule Soft, mapping has everything has passed through your mapping and data view, everything is done. And at the end, while posting to target system, there is an error.

PS Pavuluri, Snigda (Cognizant) 2:48

Yeah.

Okay.

Okay.

Yeah.

Yeah, yeah.

MS Mohammed, Khaja Sohail 3:04

OK, then that will go and sit in your error queue.

PS Pavuluri, Snigda (Cognizant) 3:07

OK, the DLQ.

MS Mohammed, Khaja Sohail 3:07

Okay, DLQ, that is MQDLQ, right?

PS Pavuluri, Snigda (Cognizant) 3:10

Yeah.

Yeah.

MS Mohammed, Khaja Sohail 3:13

Sohail.

It will go and sit in your MQDLQ that then you will reprocess. You will ask MQDM to reprocess there. OK.

PS Pavuluri, Snigda (Cognizant) 3:24

Oh, okay.

MS Mohammed, Khaja Sohail 3:25

I think, okay, let me, let me, and this give it. Okay, this is your source, okay? Message will be triggered from source. Now you will have pub BPA, our Mule pub BPA. Okay, I'll give us Mule pub. Next, Mule pub will post the message to sender queue.

PS Pavuluri, Snigda (Cognizant) 3:30

Yeah.

A baby, yeah.

Yeah.

Tender queue.

MS Mohammed, Khaja Sohail 3:43

This is what MQ, correct? Now, this this are this receiver queue, correct?

PS Pavuluri, Snigda (Cognizant) 3:45

Yeah, and then receiver queue.

Yeah, this is all same, cute.

MS Mohammed, Khaja Sohail 3:50

Receiver queue and queue, this from receiver queue, our sub API will subscribe. Mule, sub API will subscribe. OK, subscribe, and then it will post to target system, whatever the message is. OK, this is target, this is the infrastructure, you know, right now.

PS Pavuluri, Snigda (Cognizant) 3:52

Yeah.

So, baby, yeah, yeah.

Yeah.

EOM.

Yeah.

Yeah.

MS Mohammed, Khaja Sohail 4:09

One source is triggering the messages from the source. Pub API, it is gone through Pub API, it is gone through sender queue, it is gone through receiver queue, and it is also gone through sub API, but it did not make it to target system.

PS Pavuluri, Snigda (Cognizant) 4:12

Yeah.

Yeah.

Okay.

Okay.

MS Mohammed, Khaja Sohail 4:24

For example, this is the this is the live example here. Mask is the endpoint. This is sub AP, right?

PS Pavuluri, Snigda (Cognizant) 4:31

Yeah.

MS Mohammed, Khaja Sohail 4:31

This is sub API till here it came. And while Musk is the target system here. While posting to Musk, it is throwing bad gateway error. Musk is not ready to accept this message. So what will happen here gradually, the messages will route to error queue.

PS Pavuluri, Snigda (Cognizant) 4:33

Yeah.

Okay.

Yeah.

Yeah.

MS Mohammed, Khaja Sohail 4:50

Okay.

PS Pavuluri, Snigda (Cognizant) 4:52

Okay.

MS Mohammed, Khaja Sohail 4:53

Error queue.

PS Pavuluri, Snigda (Cognizant) 4:55

Okay.

MS Mohammed, Khaja Sohail 4:55

OK, what error queue does is this error queue. This will start with how to determine it will start with sub dot error queues. All the error queues will start with sub dot. OK, this is the error queue sub dot.

PS Pavuluri, Snigda (Cognizant) 5:05

Oh, OK.

Okay.

Okay.

MS Mohammed, Khaja Sohail 5:13

OK, receiver queues will always start with RCVR dot.

PS Pavuluri, Snigda (Cognizant) 5:16

I see the, yeah.

MS Mohammed, Khaja Sohail 5:18

OK, RCVR dot, so then the sender queue will always start with SNDR dot.

PS Pavuluri, Snigda (Cognizant) 5:19

Yeah.

Yeah.

MS Mohammed, Khaja Sohail 5:26

OK, this is their naming convention.

Okay, difference is clear. Sender queue, receiver queue, and error queue. Now, since the target, the message is failed, it is going and sitting in sub API. That's where you ask MQ team to reprocess because you don't have a grip over it. Only MQ team has the access to reprocess messages, right?

PS Pavuluri, Snigda (Cognizant) 5:30

Okay, yeah, yeah.

Yeah.

Yeah.

OK, then if the OK if it goes to the sub dot queue that error queue.

MS **Mohammed, Khaja Sohail** 5:48

So.

Yes.

If it is, for example, if the message, this is 1 case, you understood where we'll ask MQT. This is first case. Second case, everything will be same, but messages will be stuck here.

PS **Pavuluri, Snigda (Cognizant)** 6:02

Yeah.

Yeah, yeah.

MS **Mohammed, Khaja Sohail** 6:13

Okay, you will not see messages coming to sub API itself.

PS **Pavuluri, Snigda (Cognizant)** 6:17

Okay.

MS **Mohammed, Khaja Sohail** 6:18

Okay, the ask in the e-mail is also the same thing. He's asking these shipments confirm messages are stuck in this receiver queue. That's why they are not making it to the target. It is stuck here. Now how do you reestablish the connection between the sub API and receiver queue is?

PS **Pavuluri, Snigda (Cognizant)** 6:26

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 6:37

By restarting the Mule application.

PS Pavuluri, Snigda (Cognizant) 6:39

Okay.

MS Mohammed, Khaja Sohail 6:41

Okay, in that case, you will not see any failure in your logs. Whenever you see failure in your logs only, you will ask MQTM to reprocess it. But if you are not seeing any failures in your error queue or some Mule MQ error queue, then you will.

PS Pavuluri, Snigda (Cognizant) 6:41

Okay.

Ohh, OK.

Okay.

MS Mohammed, Khaja Sohail 7:00

The messages itself is has not come to sub API, so you'll you are restarting because you have an you have an idea that there are some 10 messages you don't you can't see the messages what happened, how many messages you can't see, you'll just get alerts like this.

PS Pavuluri, Snigda (Cognizant) 7:04

Okay.

Yeah.

Okay.

MS Mohammed, Khaja Sohail 7:17

OK, see this, right? I will show you how we received.

PS Pavuluri, Snigda (Cognizant) 7:19

Yeah.

The receiver, OK.

MS Mohammed, Khaja Sohail 7:24

Okay, where is the disco alert? See, RCVR dot disco. See like this, you'll get alerts

RCVR dot. When you, whenever you do RCVR dot, that means you are restarting the application. When it is sub dot something, you are reprocessing it.

PS Pavuluri, Snigda (Cognizant) 7:31

Okay.

Okay.

OK, and then we the for that we have to ask the IBM Q2.

MS Mohammed, Khaja Sohail 7:44

MQT correct.

I mean, good.

PS Pavuluri, Snigda (Cognizant) 7:47

Okay, and the DLQ, if the any point MQ, if there is an issue with the pub API, then only we get that that gets logged in the any point MQ.

MS Mohammed, Khaja Sohail 7:49

So, DLQ is here.

Yes, correct.

Exactly.

PS Pavuluri, Snigda (Cognizant) 7:58

That we reprocess using that that local get the code to local and then run it that process. OK.

MS Mohammed, Khaja Sohail 8:04

Yes, yeah, this is that is DLQ to reprocess queue.

PS Pavuluri, Snigda (Cognizant) 8:08

Okay, okay.

MS Mohammed, Khaja Sohail 8:09

Clear.

PS Pavuluri, Snigda (Cognizant) 8:10

Yeah.

MS Mohammed, Khaja Sohail 8:11

Have doubt, if, if you want, I can explain, yeah, OK.

PS Pavuluri, Snigda (Cognizant) 8:12

Yeah. No, no, I'm good. No, I'm good. Yeah.

MS Mohammed, Khaja Sohail 8:16

Yeah, so this is the this is how you do your reprocess, you know, coming back to incident closure, so you saw, okay, this this has been reprocessed, okay, if you want for your satisfaction, or if you if you if you want to know you don't have access to MQ, you'll give this whole thing, okay, PRDSLR, just ask MQ team.

PS Pavuluri, Snigda (Cognizant) 8:19

Yeah.

Yeah.

Yeah.

MS Mohammed, Khaja Sohail 8:36

Hi, team.

Can you reprocess this message? OK.

They're not available now, but when they're available, OK.

I give them the message. Okay, now what I'll do, okay, now this is done in progress, right? Now I understood what is context. I want to act upon it. Now I'm closing because I know this is a monitoring alert. I'll directly, I'll mark as resolved first. Okay, as soon as you mark resolve, you will see, if you come down, you'll see closure information.

PS Pavuluri, Snigda (Cognizant) 9:03

Yeah.

Okay.

MS **Mohammed, Khaja Sohail** 9:12

Or else, if the message is in assigned, you will not see closure information.

PS **Pavuluri, Snigda (Cognizant)** 9:12

Okay.

Yeah.

Okay. Okay. Yeah.

MS **Mohammed, Khaja Sohail** 9:18

Okay, once you do it, you can also resolve here directly, but the way we follow is unique. So do it resolve here 1st and then come to closure nodes. And since this is a monitoring alert, use close code, you go and select monitoring. There are multiple.

PS **Pavuluri, Snigda (Cognizant)** 9:23

Yeah.

Yeah.

Okay.

MS **Mohammed, Khaja Sohail** 9:38

Solve work for P1, P2, you are solving, you are doing some work, you are doing some enhancement, or you are doing some reprocess, then you are doing it as solved workaround, mostly for systems generated, you are using monitoring alert information only, you are not doing anything out of this, OK?

PS **Pavuluri, Snigda (Cognizant)** 9:42

Yeah.

Yeah.

Okay.

Okay.

Okay. Okay.

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 10:03

What I'll do, I'll say we have validated. You can write whatever you want.

The transaction.

Failed due to an intermittent connection issue.

KPI.

You can mention whatever you want is up and running.

And it was.

reprocessed. Okay, nobody's going to check. I mean, nobody in the sense the source and target will not have visibility. Only our team will have visibility. Okay, it and it was reprocessed. Okay, this is my notes. This is my closed notes and one more copy of the closed notes. I will add it here in the notes.

PS **Pavuluri, Snigda (Cognizant)** 10:41

Okay.

MS **Mohammed, Khaja Sohail** 10:53

Okay, same thing.

PS **Pavuluri, Snigda (Cognizant)** 10:55

Okay, but like since the reprocess is not yet done, right? So shouldn't we assign it to the like IBM and Q team and then?

MS **Mohammed, Khaja Sohail** 11:03

No, no, this is our only for information purpose. So whatever this one we are getting, you don't have to assign into it anyone. Okay, so this is only for our monitoring purpose.

PS **Pavuluri, Snigda (Cognizant)** 11:12

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 11:16

Yeah.

PS **Pavuluri, Snigda (Cognizant)** 11:17

So, the client and all they don't, they didn't get this error.

MS **Mohammed, Khaja Sohail** 11:22

No, they they got this error, but for we we created an alert an incident for us to be to monitor.

PS **Pavuluri, Snigda (Cognizant)** 11:24

Yeah.

Yeah.

MS **Mohammed, Khaja Sohail** 11:30

OK, once they will definitely reprocess it anyhow. OK, if the messages are there or are there, once they will anyway reprocess it, so that's why I'm closing this incident.

PS **Pavuluri, Snigda (Cognizant)** 11:34

Okay.

K.

MS **Mohammed, Khaja Sohail** 11:41

Okay, this is notes and this is closure information. And I'll come here and click not on resolve incident or update. Okay.

PS **Pavuluri, Snigda (Cognizant)** 11:50

Yes.

MS **Mohammed, Khaja Sohail** 11:53

Oh ****, oh.

That is, yeah, that is how you close your incident. And there is one more point I forgot. Before updating, you need to click affected location, unlock it first, unlock it and select SCARSupport.

PS **Pavuluri, Snigda (Cognizant)** 12:00

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 12:12

Is for if, if you, if you know the region, for example, it is only for US, you can select US, Canada, global, rest all, you can select global.

PS Pavuluri, Snigda (Cognizant) 12:12

Okay.

Okay.

Okay.

MS Mohammed, Khaja Sohail 12:23

Then update. Okay, that is one more point.

Okay, that's how you close your system generated tickets. Now I think Narendra is working on analysis, deep analysis, but once he's ready with analysis, then you can follow the other process. Process will be same, but the nodes that you are giving will be changing. Whatever I give, the nodes that he will change, but rest all the process remains the same thing.

PS Pavuluri, Snigda (Cognizant) 12:34

Yeah.

Yeah.

Yeah, yeah.

Yeah.

Yeah.

MS Mohammed, Khaja Sohail 12:50

OK, clear on incident closure.

PS Pavuluri, Snigda (Cognizant) 12:50

Okay.

Yeah.

MS Mohammed, Khaja Sohail 12:53

Yeah, first what you will do Click on resolve was basically check what is the issue, okay?

PS Pavuluri, Snigda (Cognizant) 13:01
Yeah.

MS Mohammed, Khaja Sohail 13:03
Next, resolve.
Ten.
Ohh.

close code. close code is very, very important. OK, if you are giving workaround, then your SLA is different, and if you are giving monitoring, your SLA is different. OK, OK, close word, not close nodes is the nodes that you give. OK, and then...

PS Pavuluri, Snigda (Cognizant) 13:21
Okay.
Yeah.

MS Mohammed, Khaja Sohail 13:30
Uh, those are the notes.
and update it. That's it. Clear?

PS Pavuluri, Snigda (Cognizant) 13:36
Okay, yeah.

MS Mohammed, Khaja Sohail 13:37
How you close your instance? OK, this is for your this system generated.

PS Pavuluri, Snigda (Cognizant) 13:40
Yeah.
Yeah.

MS Mohammed, Khaja Sohail 13:44
OK, for user generated.
OK, for users, I'll show you the the one of the close in one of the incidents that I closed today.
Okay, so basically how I close this incident? This incident came to our queue saying

that...

For one of the interface, I first what I how I will do is I'll take the incident number first, I'll copy the incident number, and I will see an e-mail. If there is an e-mail chain going on, then you'll get full clarity on it, right? What is the conversations that you have, everything, okay?

PS Pavuluri, Snigda (Cognizant) 14:38

Yeah.

Yeah, yeah.

MS Mohammed, Khaja Sohail 14:41

So, I open see if you.

Okay, first thing.

Where is this?

They told me that.

High Support Desk, what has happened for one of the interfaces, IT for 770 and CN67 interface ID? There, they said they received the transaction twice. Okay, but what what source confirmed is they sent it only once, sent to host.

PS Pavuluri, Snigda (Cognizant) 15:09

Okay.

Okay.

MS Mohammed, Khaja Sohail 15:15

Count one, send to host count one, OK?

PS Pavuluri, Snigda (Cognizant) 15:19

Okay.

MS Mohammed, Khaja Sohail 15:20

No, what I did upon my investigation, I see that, OK.

This, this one.

I went, I said this is the shipment number. SHI 8676676.

Where is this going?

Last 30 days.

Okay, I want only in particular, only in, they gave me two interface ID, right? Ship, this is ship interface and this is closure interface. Okay, I'll just go to my application and I have 770, I'm clicking on 770.

PS Pavuluri, Snigda (Cognizant) 16:00

Yeah.

Yeah.

MS Mohammed, Khaja Sohail 16:10

I see 4 instances, okay, 4 instances. That means basically the architecture of the interface, I know, I know this architecture, that's why I'm saying it to you, but if not, you need to deep dive in it. First thing is, it is one shipment, it is publishing to two different IBM, as I told you, right, one sender queue might have.

PS Pavuluri, Snigda (Cognizant) 16:22

Yeah.

MS Mohammed, Khaja Sohail 16:30

Multiple receiver queues. OK, that way, one sender queue, this is sender queue, this is pub API. OK, this sender queue is posting messages to...

PS Pavuluri, Snigda (Cognizant) 16:30

Yeah, yeah.

Yeah.

MS Mohammed, Khaja Sohail 16:40

Publisher one and publisher 2. OK, that means for every shipment you will be having two two transactions, publisher one and publisher 2. But here what I observed is 9:14, 12:00. OK, 9:14, 12:00. There are these are same, what do you know, same transaction which is expected.

PS Pavuluri, Snigda (Cognizant) 16:48

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 17:02

But I see two more transactions with this with the same shipment.

PS **Pavuluri, Snigda (Cognizant)** 17:02

Yeah.

MS **Mohammed, Khaja Sohail** 17:07

Which went which went at 253? OK, so what I did now, there is no chance of duplication. If it is happening within 1015 minutes, then I can understand message might have retried or reprocess or something might have happened, but three hours is a very huge gap. OK, so what I did is...

PS **Pavuluri, Snigda (Cognizant)** 17:08

Okay.

Okay.

Yeah.

Yeah.

Yeah.

Yeah.

MS **Mohammed, Khaja Sohail** 17:26

I went into the incident and I added close note, same thing how we resolve it, same resolved closure notes, click on closure information, solved workaround. I told you for user generally you have to give workaround. Okay, I told we'll validate our logs for 770 and we see we received the transaction twice from.

Source here, I'm not I'm not finding out to WMS between WMS and Mule there is GCP.

PS **Pavuluri, Snigda (Cognizant)** 17:49

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 17:54

OK, there is this from GCB. Can you please check attach file? I gave them the screenshot.

PS Pavuluri, Snigda (Cognizant) 17:56

Okay.
Okay.

MS Mohammed, Khaja Sohail 18:01

So, not screenshot the logs.

PS Pavuluri, Snigda (Cognizant) 18:04

Okay.

MS Mohammed, Khaja Sohail 18:04

Okay, those logs, they can use it and...
One second, sorry, yeah.
Yeah, so I just did that and I closed the incident resolved.

PS Pavuluri, Snigda (Cognizant) 18:17

Okay.

MS Mohammed, Khaja Sohail 18:19

Okay, that's how I did it.
That is how you close your user generated. You want me to show with another example? I can show you.

PS Pavuluri, Snigda (Cognizant) 18:28

No, the closure thing, I'm good.
Yeah, just depending on the issue, we would have to deal with it, right?

MS Mohammed, Khaja Sohail 18:35

Yeah, so this is one more same thing I would go first. I'll take the incident number for user generated. I'll check in most 90% of the time it will be there. See it is not there here. Okay, this is the regular service now. This is from service now. Okay, so now what I'll do is...

PS Pavuluri, Snigda (Cognizant) 18:36

Yeah.

Okay.

MS Mohammed, Khaja Sohail 18:52

I'll RTV because I know the interface ID, I know the store code, I know everything. I went, I saw, solved workaround. The RTV is processed from 333. This interface I checked, attached screenshot, closing the incident. Please reach out to Mule SOTCSupport DL.

PS Pavuluri, Snigda (Cognizant) 18:56

Yeah.

Okay.

Okay.

MS Mohammed, Khaja Sohail 19:11

For any queries, and I closed it.

PS Pavuluri, Snigda (Cognizant) 19:12

Yeah, OK.

MS Mohammed, Khaja Sohail 19:14

OK, that's how you need to close your users. OK.

PS Pavuluri, Snigda (Cognizant) 19:17

Okay.

MS Mohammed, Khaja Sohail 19:19

Everything will be same per user generated.

But...

But here, what you are doing is...

If e-mail is going on, OK, and then act up, then act accordingly. Simple.

PS Pavuluri, Snigda (Cognizant) 19:40
Yeah.

MS Mohammed, Khaja Sohail 19:41
OK, this is the so you follow your.
Incident closure clear.

PS Pavuluri, Snigda (Cognizant) 19:47
Okay, yeah.

MS Mohammed, Khaja Sohail 19:48
Are you pending?

PS Pavuluri, Snigda (Cognizant) 19:49
Yeah, can you show me like any P1 or P2 if you have any like gold ones is also fine?

MS Mohammed, Khaja Sohail 19:57
You do is nothing.
Okay.
Okay.

PS Pavuluri, Snigda (Cognizant) 20:05
If we do anything, if you have.

MS Mohammed, Khaja Sohail 20:07
Yeah.
This is not a pito.
This one I already told, I think I already told you the analysis.
Okay, 637.

PS Pavuluri, Snigda (Cognizant) 20:45
Is that the like the adding default timeout issue? Is it that one?

MS Mohammed, Khaja Sohail 20:48

Yeah.

Yeah, that one. I don't have any recent view and Peters.

PS Pavuluri, Snigda (Cognizant) 20:51

Okay.

Okay, okay, okay.

MS Mohammed, Khaja Sohail 20:59

And the analysis will be this mostly.

PS Pavuluri, Snigda (Cognizant) 21:00

So like for that one, like the, so that is P2, right? And you knew the issue. So did you like just reverted the API or did you, and then you added the code and then you started the whole deployment process with the fix?

MS Mohammed, Khaja Sohail 21:11

Yeah, I just reverted the API.

Yes, same thing.

PS Pavuluri, Snigda (Cognizant) 21:18

Okay, okay. But the first we need to revert it, even if we know the solution, first we need to revert it and then work on the solution if we know it.

MS Mohammed, Khaja Sohail 21:20

So, basic.

Correct.

Yes, that's it. So P2 is not a different, I mean, you don't have a different approach.

The basic approach is, you just need to, yeah, just need to see workaround will be the same. You later restart reprocess, cause them to retrigger. It depends on the application.

PS Pavuluri, Snigda (Cognizant) 21:28

Okay.

How it impacts the business? Yeah, like, yeah, the yeah.

Yeah.

Yeah.

Yeah, yeah.

MS **Mohammed, Khaja Sohail** 21:47

Okay, so and the approach will be same, but only the priority and the working time, like how you work for P3 like 3 days, you'll have to work it in eight hours.

PS **Pavuluri, Snigda (Cognizant)** 21:50

Yeah.

Yeah, big, yeah.

Yeah.

MS **Mohammed, Khaja Sohail** 21:58

So that is the end peak season everything will be a peak too. I think I already told you it. So yeah, that's how we are doing it. It will be same, but if definitely something comes up again, I'll show it to you.

PS **Pavuluri, Snigda (Cognizant)** 22:03

Yeah.

Okay.

Okay.

MS **Mohammed, Khaja Sohail** 22:16

Okay, clear. You have any doubt on this?

Mohit.

PS **Pavuluri, Snigda (Cognizant)** 22:25

Yeah.

MS **Mohammed, Khaja Sohail** 22:25

Even reverse Kate is also, I think you are good enough. You understood all the key points, whatever has to be done. At least you have an idea, complete picture, whenever an emails come, what you have to do first. How you have to work on incident, how you have to do it, how you have to take it forward.

PS **Pavuluri, Snigda (Cognizant)** 22:29

Yeah.

Okay, good.

Okay.

Yeah, no.

MS **Mohammed, Khaja Sohail** 22:44

If somebody's internal team, how they're...

PS **Pavuluri, Snigda (Cognizant)** 22:58

Yeah.

Okay.

Yeah, thank you, yeah.

● **Mohammed, Khaja Sohail** stopped transcription



By SOUMYA MATHEW (Deactivated)

3 min

Listen

12

Add a reaction

This runbook provides guidelines for addressing issues and managing incidents in a Mulesoft production environment. It is designed to help support engineers quickly diagnose and resolve issues, ensuring minimal downtime and optimal system performance.

- **Incident Identification and Categorization**

- Monitoring Alerts

Check Mulesoft Anypoint Monitoring Dashboard for any red or yellow alerts indicating issues (API performance, availability, or errors).

Review logs from the Mulesoft CloudHub or On-Premises logs and Sumo Logic for unusual spikes, failures, or delays.

- Incident Severity Levels

Critical: Service is down, major API failure, significant data loss.

High: Performance degradation, API response time issues, security concerns.

Medium: Non-disruptive errors, minor delays, configuration issues.

Low: Information requests, minor UI bugs, documentation-related issues.

- **Initial Diagnosis**

- Details of the api

Find the documentation and flow of the impacted integration

- Review Logs and Metrics

CloudHub Logs: Access CloudHub logs for any error messages.

Application Logs: Go to Anypoint Studio and check the logs for any specific error details.

Anypoint Monitoring: Look for metrics such as response time, CPU, memory usage, and error rate.

- Check Mulesoft API Status

Check for API status in Anypoint Platform (Anypoint Runtime Manager).

Verify service dependencies (e.g., external services, databases, third-party APIs).

Check if the issue is reproducible: Sometimes issues may be transient (e.g., network latency).

- Confirm Environment and Configuration

Check environment settings (prod, staging, dev, etc.).

Review **configuration changes** made recently

Check for **deployed versions** to confirm if recent changes or deployments caused the issue.

- **Common Issues and Troubleshooting Steps**

- Service or API Down

Check Mule Runtime: Ensure the runtime is running in Anypoint Runtime Manager.

Restart Application: If a specific API or service is down, try restarting the app from Anypoint Runtime Manager.

Check Application Health: Investigate any specific health check failure reasons such as 503 (Service Unavailable) or 500 (Internal Server Error).

- Performance Degradation

Check CPU/Memory Usage: High resource usage may be causing slowness. Consider scaling up resources.

API Response Time: Look at the API performance metrics; slow response times could indicate issues in specific API endpoints.

Optimize Code: Check for inefficient logic or bottlenecks in data processing.

- Connectivity Issues

External Dependencies: If your API relies on external systems (e.g., databases, third-party services), confirm their availability.

Network Configuration: Ensure that any firewall or security groups are correctly configured, allowing traffic to necessary services.

Timeout Issues: Check for timeouts in connectors or third-party integrations.

- Errors in Logs (Specific Error Codes)

HTTP 400 (Bad Request): Typically indicates a malformed request from the client or incorrect parameters. Review the incoming request and API documentation.

HTTP 401/403 (Unauthorized/Forbidden): Indicates authentication/authorization failures. Verify API keys, OAuth tokens, or client credentials.

HTTP 500 (Internal Server Error): An issue with the Mule application. Check logs for any stack traces or specific exceptions.

500 Series Errors: If these errors appear, track down the specific flow or connector causing the issue.

- Data Issues

Data Integrity: If the issue involves missing or incorrect data, verify the input/output data structures and check for data mapping issues.

- **Common Fixes and Best Practices**

- Fixes for API Errors

Check if any code fix can be done

Version Rollback: If a new deployment caused the issue, rollback to a previous working version.

Check if Restart can help

- Network Configuration

Ensure that **VPC**, **subnet**, and **firewall rules** are properly configured, allowing Mule applications to connect to external services.

Update Security Certificates if SSL/TLS errors occur.

- **Post-Incident Activities**

- Incident Documentation

Document the incident: Log the root cause, resolution steps, and any preventive measures taken.

Root Cause Analysis (RCA): Conduct a detailed RCA for critical incidents and identify areas of improvement.

- Preventive Actions

Implement **health monitoring dashboards** for real-time visibility into system performance.

Review **auto-scaling** configurations to better handle spikes in traffic.

Perform regular **load testing** to identify potential bottlenecks before they impact production.

This runbook is a living document. Update it regularly based on new incidents, lessons learned, and changes in Mulesoft's platform or your specific environment.