AdifySkills

n8n Automation Mastery
+91 83838 91716

MENTOR COPY

Module 3 · APIs, Webhooks & Integrations

DAY 08 of 25

Authentication, Credentials & Webhooks

"Real-time apps banane ka secret: webhooks."

⚡ AAJ HUM YEH BANAYENGE

Website Form → Webhook Lead API

Apna mini API: website form POST karta hai, n8n validate karta hai, Sheet mein save karta hai, customer ko auto-reply bhejta hai aur website ko JSON response deta hai (200 ya 400).

Webhook | Respond to Webhook | OAuth2

Naam: _____ Class date: _____

2 ghante ki live class · 7:00 PM – 9:00 PM IST

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

Webhooks se n8n ek "backend" ban jaata hai — website, app, payment gateway sab real-time mein n8n ko data bhej sakte hain.

🎯 Aaj ke baad aap yeh kar paoge

01 API keys, Bearer tokens, Basic auth

🌍 Gym card (API key), movie ticket (bearer token), ghar ki chaabi (basic auth: user+password).
⚙️ HTTP Request → Authentication: Header Auth → x-api-key: ••••

02 OAuth2 flow — Google, Microsoft, social apps

🌍 Valet parking key — gaadi chala sakta hai, dikki nahi khol sakta.
⚙️ Google OAuth2 credential → sirf Sheets scope.

03 n8n credential manager & sharing

🌍 Ghar ki chaabiyon ka ek locked box — family ko share.
⚙️ Credentials → New → ek baar banao, har workflow mein select.

04 Webhook node: test vs production URLs

🌍 Rehearsal ka stage vs asli show ka stage.
⚙️ /webhook-test/lead (sirf Listen mode) vs /webhook/lead (active).

05 Respond to Webhook — build your own API

🌍 Courier ko receipt dena.
⚙️ Respond to Webhook: 200 { "ok": true, "id": "lead_12" }

06 Webhook security: auth headers, HMAC verify

🌍 Note par watermark — asli hai ya nakli.
⚙️ Crypto node: HMAC-SHA256(body, secret) === header signature?

⏱ Class ka plan (2 ghante)

10m	35m	45m	20m	10m

`0:00-0:10` **Recap**

🪄 Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.

👩‍🏫 2 students se homework screen share karwao. Galti wala homework bhi dikhao — sabse zyada seekh wahin se aati hai.

`0:10-0:45` **Concept: Auth & Webhooks**

Push vs pull

🪄 Tumhare ghar ka pata (webhook) sabko pata hai, par andar sirf woh aa sakta hai jiske paas pass (auth) hai.

👩‍🏫 Pehle real-life example se shuru karo, phir n8n screen dikhao. Har concept ke baad 1 student se apne shabdon mein dobara bulwao.

`0:45-1:30` **Live Build**

Apna mini REST API: /lead endpoint with validation

🪄 Aaj ki kahani yaad hai — 'Society gate aur security guard'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.

👩‍🏫 Har 10 minute par poocho "sabka green tick aaya?". Jaan-boojh ke ek galti live hone do aur use debug karke dikhao.

1:30-1:50 **Challenge**

Secure the webhook with header auth

🪄 Practice match — jitna yahan girenge, utna asli match mein kam girenge.

👩‍🏫 Pehle 5 minute akele try karne do, phir hint do. Jo solve kare use screen share karwao.

1:50-2:00 **Q&A + Homework**

🪄 Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?

👩‍🏫 Chat se top 3 doubts live solve karo. Homework ka pehla step class mein hi karwa do, taaki koi blank na baithe.

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01

Webhook URL

Ek unique address jahan data POST hota hai.

🪄 **Analogy:** Aapka ghar ka pata — courier wahin aata hai

CONCEPT 02

Test vs Production URL

Test URL sirf "Listen" mode mein; production URL active workflow par.

🪄 **Analogy:** Rehearsal vs real show

CONCEPT 03

Respond to Webhook

Caller ko apna custom jawab bhejo — n8n ek API ban gaya.

🪄 **Analogy:** Courier ko signature dena

CONCEPT 04

OAuth2

Bina password diye app ko permission dena (Google, Microsoft).

🪄 **Analogy:** Valet parking key — sirf gaadi chalane ki permission

🔑 Aaj ka main idea

Authentication = "aap kaun ho" proof (API key, token, OAuth). Webhook = n8n ka public pata jahan apps data bhejte hain. Respond to Webhook se n8n wapas jawab deta hai — yaani n8n khud ek API ban jaata hai.

- API key = gym membership card
- OAuth = "Google se login karo" button
- Webhook = Swiggy restaurant ko order notification

📖 Ek kahani se samjho: Society gate aur security guard

1 🏠 **Ghar ka pata diya** = Webhook URL

2 💂 **Guard ID check karta hai** = Header Auth / HMAC

3 🗝️ **Valet ko sirf gaadi ki chaabi** = OAuth2 (limited permission)

4 📋 **Visitor register** = Google Sheets

5 ✅ **Guard bola "andar aao"** = Respond to Webhook

🪄 Ek line mein: “Tumhare ghar ka pata (webhook) sabko pata hai, par andar sirf woh aa sakta hai jiske paas pass (auth) hai.”

AdifySkills
DIGITAL MARKETING INSTITUTE
+91 83838 91716

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 Webhook URL

📖 **Kya hai:** Webhook URL aapke workflow ka "ghar ka pata" hai. Koi website, app ya payment gateway is URL par data bhejta (POST) hai, aur workflow usi second chal jaata hai.

⚙️ **Andar kaise:** n8n URL banata hai: https://aapka-n8n.com/webhook/<path>. Request aate hi Webhook node ek item banata hai jisme headers (kaun bhej raha, kis format mein), params, query (URL ke ? wale) aur body (asli data) hote hain. Isliye form ka naam $json.body.name se milta hai, $json.name se nahi.

✅ **Kab use karein**
Real-time events: website form submit, payment success, naya order, chatbot message, kisi doosre tool (Zapier, Make, Pabbly) se data.

⛔ **Kab nahi**
Jis app mein webhook bhejne ka option hi nahi, wahan Schedule + API se har 5 minute check karna padega (polling).

🧪 **Example:** Website ka form fetch("https://n8n.adifyskills.com/webhook/lead", { method: "POST", body: JSON.stringify(data) }) karta hai → n8n mein lead aa gaya.

⚠️ **Common galti:** $json.name likh kar sochna data nahi aaya — data body ke andar hai: $json.body.name. Output panel mein structure dekho.

🪄 **Webhook = ghar ka pata. Data hamesha $json.body mein.**

02 Test vs Production URL

📖 **Kya hai:** Har Webhook ke do URL hote hain. Test URL (/webhook-test/...) sirf tab chalta hai jab aapne "Listen for test event" dabaya ho. Production URL (/webhook/...) tab chalta hai jab workflow Active ho.

⚙️ **Andar kaise:** Test URL ek baar ka data pakadta hai aur editor mein dikha deta hai — banane aur debug karne ke liye. Production URL hamesha sunta rehta hai; uske executions "Executions" list mein jaate hain, editor mein live nahi dikhte.

✅ **Kab use karein**
Banate waqt: Test URL + Listen. Website/app par lagate waqt: Production URL + workflow Active.

⛔ **Kab nahi**
Test URL kabhi website par mat lagao — aapke editor band karte hi har form submit 404 dega.

🧪 **Example:** Test: http://localhost:5678/webhook-test/lead · Production: https://n8n.adifyskills.com/webhook/lead

⚠️ **Common galti:** Website par production URL laga diya par workflow Active nahi kiya → "The requested webhook is not registered" (404).

🪄 **Test = rehearsal (Listen dabao). Production = asli show (Active karo).**

03 Respond to Webhook

📖 **Kya hai:** Is node se aap bhejne wale ko apni marzi ka jawab dete ho — status code (200, 400…) aur JSON. Isse n8n ek chhota API backend ban jaata hai.

⚙️ **Andar kaise:** Webhook node ki setting "Respond" ko "Using 'Respond to Webhook' Node" par rakhna padta hai. Fir caller tab tak rukta hai jab tak workflow kisi Respond to Webhook node tak na pahunche. Har branch (valid/invalid) ka apna Respond node ho sakta hai, alag code ke saath.

✅ **Kab use karein**
Website ko "Thank you" ya error dikhana ho, mobile app ko data lautana ho, ya koi doosra system n8n se calculation maange.

⛔ **Kab nahi**
Lamba kaam (AI, 2 minute ki processing) ke baad jawab mat do — caller timeout ho jaayega. Pehle turant 200 lautao, kaam baad mein karo.

🧪 **Example:** Valid → {"ok": true, "message": "Lead saved"} (200). Invalid → {"ok": false, "error": "name aur valid email zaroori hai"} (400).

⚠️ **Common galti:** Respond to Webhook node lagaya par Webhook ki "Respond" setting "Immediately" hi chhod di — error: "Unused Respond to Webhook node found".

🪄 **Respond node = caller ko jawab. Webhook ka Respond setting badalna mat bhoolo.**

04 OAuth2

📖 **Kya hai:** OAuth2 ek tareeka hai jisme aap apna password diye bina kisi app (n8n) ko apne Google/Microsoft account ka limited access de dete ho.

⚙️ **Andar kaise:** Aap n8n mein "Sign in with Google" dabate ho → Google poochta hai "n8n ko Gmail bhejne ki permission doge?" → haan karne par Google n8n ko ek token deta hai. Token mein sirf wahi permissions hoti hain jo aapne di (scopes). Token expire hota rehta hai, n8n refresh token se khud naya le leta hai. Self-hosted par Google Cloud mein apna Client ID/Secret banana padta hai.

✅ **Kab use karein**
Google (Gmail, Sheets, Drive, Calendar), Microsoft 365, Slack, LinkedIn, HubSpot — jahan bhi "Connect account" button aata hai.

⛔ **Kab nahi**
Simple APIs jo sirf API key leti hain, wahan OAuth ki zaroorat nahi — Header Auth kaafi hai.


🧪 **Example:** Credentials → New → Google Sheets OAuth2 API → Sign in with Google → Allow → ho gaya. Ab har Sheets node yeh credential use kar sakta hai.


⚠️ **Common galti:** Google Cloud mein OAuth app "Testing" mode mein chhod dena — token 7 din mein expire ho jaata hai aur workflows fail hone lagte hain. Production ke liye app publish karo.

🪄 **OAuth2 = valet key. Password nahi, sirf limited permission.**

🗺️ Aaj ka workflow: Website Form → Webhook Lead API

Data left se right chalta hai. Har dabba ek n8n node hai.





📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Website owners, agencies (form → API → CRM) — aam taur par **₹8,000 – ₹20,000**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1 ⚡ **Webhook**
POST /lead, Authentication: Header Auth (x-api-key)

2 🔀 **IF**
name, phone, email present hain?

3 📊 **Google Sheets**
Valid lead append

4 📧 **Gmail**
Lead ko auto-reply

5 ⚡ **Respond to Webhook**
200 { ok: true, id } ya 400 { error }

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- [ ] Connect: **Google Sheets (Google OAuth)**
- [ ] Connect: **Gmail (Google OAuth)**
- [ ] Sheet mein "Website Leads" tab banao (headers: name, email, phone, message, received_at)
- [ ] Production mein Webhook par Header Auth lagao (Authentication → Header Auth)

✅ Test kaise karein

1. Webhook → "Listen for test event"
2. Neeche curl chalao — valid aur invalid dono body se
3. Response code 200/400 check karo

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 🔧 POST /lead

Website ka data body mein aaya. Headers mein content-type aur bhejne wale ki info.


```
{
  "headers": {
    "content-type": "application/json",
    "user-agent": "curl/8.5.0"
  },
  "params": {},
  "query": {},
  "body": {
    "name": "Anjali Singh",
    "email": "anjali@example.com",
    "phone": "9876501234",
    "message": "Mujhe WhatsApp automation chahiye"
  }
}
```


2 🔧 Valid?

Naam hai aur email sahi hai → true branch. False branch (Respond 400) nahi chala.


```
{
  "true (1 item)": "Anjali Singh · anjali@example.com",
  "false (0)": "—"
}
```


3 🔧 Pick Lead Fields

Body ke andar se 5 saaf fields bahar nikaale — ab Sheet ke columns se seedha match honge.


```
{
  "name": "Anjali Singh",
  "email": "anjali@example.com",
  "phone": "9876501234",
  "message": "Mujhe WhatsApp automation chahiye",
  "received_at": "2026-12-02 11:20"
}
```


4 🔧 Save Lead

"Website Leads" tab mein nayi row.


```
{
  "name": "Anjali Singh",
  "email": "anjali@example.com",
  "phone": "9876501234",
  "message": "Mujhe WhatsApp automation chahiye",
  "received_at": "2026-12-02 11:20"
}
```

5 🔧 Auto Reply

Customer ko email gaya. Naam/email $("POST /lead") se liye.


```
{
  "id": "18c6b2e1a9f04d33",
  "threadId": "18c6b2e1a9f04d33",
  "labelIds": [
    "SENT"
  ]
}
```


6 ↩️ Respond 200

Website (ya curl) ko yeh jawab mila — HTTP 200.


```
{
  "ok": true,
  "message": "Lead saved"
}
```



AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

⚡ Webhook — API mode

Website form ka data leta hai aur jawab Respond node se deta hai.




📸 Asli n8n: Webhook — API mode

Setting	Kya karti hai	Aaj ki value	Kab badlein
HTTP Method	POST	`POST`	Form data hamesha POST
Path	URL ka aakhri hissa	`lead`	Readable rakho: /lead, /payment-success
Authentication	Kaun bhej sakta hai	`None (test)`	Live par Header Auth: x-api-key = lamba secret
Respond	Jawab kaun dega	`Using 'Respond to Webhook' Node`	Immediately rakha to Respond nodes kaam nahi karenge
Options → Allowed Origins (CORS)	Kaunsi website browser se call kar sakti hai	`*`	Live par apna domain: https://adifyskills.com

🔀 IF — 2 conditions

Name bhara hai AUR email sahi hai — tabhi aage.




📸 Asli n8n: IF — 2 conditions

Setting	Kya karti hai	Aaj ki value	Kab badlein
Condition 1	{{ $json.body.name }} → String → is not empty	`not empty`	Khaali ya sirf space wale naam rokta hai
Condition 2	{{ ($json.body.email || "").isEmail() }} → Boolean → is true	`is true`	|| "" se email missing ho to bhi error nahi
Combinator	AND — dono sach hon	`AND`	OR rakha to sirf naam se bhi pass ho jaayega
false output	Galat data → Respond 400	`Respond 400`	Galat data ko kabhi chupchaap mat girao

⚡ Respond to Webhook — success

Website ko batata hai "lead save ho gaya".




📸 Asli n8n: Respond to Webhook — success

Setting	Kya karti hai	Aaj ki value	Kab badlein
Respond With	JSON, Text, All Incoming Items, First Incoming Item, Binary, Redirect, No Data	`JSON`	Thank-you page par bhejna ho to Redirect
Response Body	Bhejne wala JSON (expression bhi chalta hai)	`{ "ok": true, "message": "Lead saved" }`	Lead ID bhi bhejo taaki website dikha sake
Options → Response Code	Default 200	`200`	—

⚡ Respond to Webhook — error

Galat data par saaf error.



📸 Asli n8n: Respond to Webhook — error

Setting	Kya karti hai	Aaj ki value	Kab badlein
Respond With	JSON	`JSON`	—
Response Body	Kya galat hai, insaan ki bhasha mein	`{ "ok": false, "error": "name aur valid email zaroori hai" }`	Website yahi message user ko dikha sakti hai
Options → Response Code	400 = bhejne wale ki galti	`400`	401 = auth galat, 409 = duplicate, 500 = humari galti
Options → Response Headers	Extra headers	–	CORS ke liye Access-Control-Allow-Origin

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😩 Pehle (manual)

Website form email mein aata	5 min
Manually Sheet mein	5 min
Customer ko reply	5 min
	15 min

⚡ Ab (n8n)

Webhook → validate → Sheet → auto-reply → response

0 min

⏱ Har submission par 15 min bache, apna mini API ready.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo 📋 Select karke copy karo

```
curl -X POST https://your-n8n.com/webhook/lead \
  -H "x-api-key: SECRET" -H "Content-Type: application/json" \
  -d '{"name":"Priya","phone":"9123456780"}'
```

📦 Sample data — input se output tak

📥 Input 📋 Select karke copy karo

```
{
  "name": "Priya",
  "phone": "9123456780",
  "email": "priya@mail.com"
}
```

📤 Output 📋 Select karke copy karo

```
{
  "ok": true,
  "id": "lead_1043"
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Build it with ChatGPT / Claude 📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Apna mini API: website form POST karta hai, n8n validate karta hai, Sheet mein save karta hai,
customer ko auto-reply bhejta hai aur website ko JSON response deta hai (200 ya 400).

Flow: Webhook (POST /lead) → IF (Name + valid email?) → Edit Fields (Body se saaf fields) → Google Sheets
(Save) → Gmail (Auto-reply) → Respond to Webhook (200 / 400 JSON)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to
test it and the 3 most common errors beginners hit.
```

💬 Debug helper prompt 📋 Select karke copy karo

```
I'm building the n8n workflow "Website Form → Webhook Lead API" (nodes: POST /lead, Valid?, Pick Lead
Fields, Save Lead, Auto Reply, Respond 200, Respond 400).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

Workflow JSON
7 nodes · ready to import
`adifyskills.com/workflows/day-08-webhook-lead-api.json`

Lesson page
Copy buttons, quiz aur video links
`adifyskills.com/day/8`

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Google Sheets (Google OAuth)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Gmail (Google OAuth)" connect karo.
Webhook/Form test par kuch nahi ho raha?	"Listen for test event" / Test URL use karo aur 2 minute ke andar request bhejo. Production URL sirf Active workflow par chalta hai.
"Sheet not found" / column khaali?	Sheet ID aur tab ka naam (capital/small bhi) check karo. Pehli row mein headers hone chahiye.

⚠️ Yeh galtiyan sabse common hain

- ! Test URL website par laga dena (workflow band hote hi fail)
- ! Respond to Webhook add kiya par Webhook ka "Respond" setting change nahi kiya
- ! Webhook ko bina auth public chhod dena

⭐ Pro tips — time bachane wali tricks

- ★ Postman / Hoppscotch se webhook test karo
- ★ HMAC signature verify ke liye Crypto node
- ★ Webhook path readable rakho: /lead, /payment-success

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

🏋️ Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Website form → n8n Webhook → validation → Sheet + auto-reply → JSON response.

📝 Homework

Google OAuth2 credential setup karo aur ek private Google Sheet read karo.

- [ ] Homework ho gaya

BEGINNER

Webhook se data Sheet mein

- [ ]

INTERMEDIATE

Validation errors ki list return karo

- [ ]

ADVANCED

Razorpay-style HMAC signature verify

- [ ]

🧩 Aaj ka challenge — pehle khud try karo

🎯 Webhook ko secure karo: bina sahi header ke request aaye to reject ho.

💡 Hint 1

Webhook node ki settings mein "Authentication" option hai.

💡 Hint 2

Header Auth chuno, credential mein Name: x-api-key, Value: koi secret.

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

Adify DIGITAL MARKETING INSTITUTE +91 83838 91716

Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Body se naam

```
{"body":{"name":"Anjali Singh"}}
```

Mera jawab: _____

2. Email khaali ho to bhi safe check

```
{"body":{}}
```

Mera jawab: _____

3. Header se API key padho

```
{"headers":{"x-api-key":"SECRET123"}}
```

Mera jawab: _____

4. Query mein source na ho to "direct"

```
{"query":{}}
```

Mera jawab: _____

5. Response body expression se

```
{"body":{"name":"Anjali"}}
```

Mera jawab: _____

2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Website par kaunsa URL lagana chahiye?

- (A) Test URL
- (B) Production URL
- (C) Koi bhi
- (D) Editor URL

Q2. Caller ko custom JSON dene ka node?

- (A) Code
- (B) HTTP Request
- (C) Respond to Webhook
- (D) Set

Q3. Google login ke liye auth type?

- (A) None
- (B) Header
- (C) Basic
- (D) OAuth2

Q4. Webhook secure karne ka simple tareeka?

- (A) Long path
- (B) Kuch nahi
- (C) Capital letters
- (D) Header Auth

📖 Aaj ke naye shabd

Workflow
Steps ki ek chain jo apne aap chalti hai — jaise recipe ke steps.

Node
Workflow ka ek dabba/step. Har node ek kaam karta hai (email bhejna, data laana…).

Webhook
Ek URL jis par koi doosra app data bhejta hai aur aapka workflow turant chal padta hai.

API
Do apps ke baat karne ka tareeka. Ek app sawaal bhejta hai, doosra jawab (data) deta hai.

Credential
Kisi app ka login/API key jo n8n safe tareeke se yaad rakhta hai.

OAuth
Login ka safe tareeka — "Sign in with Google" jaisa, password share kiye bina.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

👨‍🏫 Mentor notes — class kaise lein

Yeh page sirf aapki copy mein hai. Students ki PDF mein nahi jaata.

- [ ] Postman se live POST karke n8n canvas mein data aate dikhao
- [ ] Students apna "mini API" banayein aur ek doosre ka call karein
- [ ] OAuth ko valet key analogy se

🗣️ Har block ke liye mentor tip

10m — Recap

2 students se homework screen share karwao. Galti wala homework bhi dikhao — sabse zyada seekh wahin se aati hai.

Class se poochho: Kal wale workflow mein sabse mushkil step kaunsa laga? · Homework mein kahan error aaya aur kaise theek kiya? · Kal ka ek node naam batao aur woh kya karta hai?

35m — Concept: Auth & Webhooks

Pehle real-life example se shuru karo, phir n8n screen dikhao. Har concept ke baad 1 student se apne shabdon mein dobara bulwao.

Class se poochho: Website par test URL ya production URL? · Google login ke liye kaunsa auth? · Webhook secure kaise karein?

45m — Live Build

Har 10 minute par poocho "sabka green tick aaya?". Jaan-boojh ke ek galti live hone do aur use debug karke dikhao.

Class se poochho: Is node ka output agle node mein kaise ja raha hai? · Agar yeh node fail ho to kya hoga? · Isko apne kaam/business mein kahan use kar sakte ho?

20m — Challenge

Pehle 5 minute akele try karne do, phir hint do. Jo solve kare use screen share karwao.

Class se poochho: Website par kaunsa URL lagana chahiye? · Caller ko custom JSON dene ka node? · Google login ke liye auth type?

10m — Q&A + Homework

Chat se top 3 doubts live solve karo. Homework ka pehla step class mein hi karwa do, taaki koi blank na baithe.

Class se poochho: Aaj ka sabse useful node kaunsa laga? · Homework mein pehla step kya hoga? · Aaj ki class 1 line mein summarize karo.

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 9

Google Workspace & Messaging Automation

"Gmail, Sheets, Drive, Calendar + WhatsApp, Telegram, Slack."

☐ **Day 8 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → B
Production URL

Q2 → C
Respond to Webhook

Q3 → D
OAuth2

Q4 → D
Header Auth

✅ Challenge ka solution

Webhook → Authentication: Header Auth → credential (x-api-key = mySecret123). curl mein -H "x-api-key: mySecret123" bhejo.

🧪 Expression sheet ke jawab

1. `{{ $json.body.name }}` → **Anjali Singh**
2. `{{ ($json.body.email || "").isEmail() }}` → **false**
3. `{{ $json.headers["x-api-key"] }}` → **SECRET123**
4. `{{ $json.query.source ?? "direct" }}` → **direct**
5. `{{ JSON.stringify({ ok: true, name: $json.body.name }) }}` → **{"ok":true,"name":"Anjali"}**

📚 Official docs

- Credentials ↗
- Webhook node ↗
- Respond to Webhook ↗
- Google OAuth setup ↗
- HTTP Request credentials ↗

▶ Videos

- n8n webhook tutorial ↗
- n8n respond to webhook api ↗

💬 Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716 ↗

🌐 Day 8 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/8 ↗

📞 +91 83838 91716
Call / WhatsApp — Adify Skills