AdifySkills

n8n Automation Mastery
+91 83838 91716

📚 COMPLETE NOTES

25 din · 50 ghante · 8 modules

n8n Automation Mastery

"Zero se AI Automation Expert — 25 Live Classes mein"

- 🧭 Automation Foundations
- 🧩 Core Nodes & Data Mastery
- 🔌 APIs, Webhooks & Integrations
- 💼 Business Automation Playbooks
- 🤖 AI Automation & Agents
- 🛡️ Production-Grade Engineering
- 🏗️ Real-World Project Sprints
- 🚀 Career, Freelancing & Capstone

Naam: _____ Batch: _____

📚 Course index — 25 din, ek jagah

Har din ka title aur module. Kisi bhi din par seedha jaane ke liye click karo.

🧭 Module 1 · Automation Foundations

Day 01 Automation Mindset & Welcome to n8n
Day 02 Triggers, Nodes & Executions Deep-Dive
Day 03 n8n Data Model: Items, JSON & Binary

🧩 Module 2 · Core Nodes & Data Mastery

Day 04 Expressions & Data Transformation
Day 05 Logic & Flow Control: IF, Switch, Merge, Loop
Day 06 Code Node: JavaScript for Automators

🔌 Module 3 · APIs, Webhooks & Integrations

Day 07 HTTP Request & REST APIs Mastery
Day 08 Authentication, Credentials & Webhooks
Day 09 Google Workspace & Messaging Automation
Day 10 Databases: Postgres, Supabase, Airtable & Notion

💼 Module 4 · Business Automation Playbooks

Day 11 Lead Generation & CRM Automation
Day 12 Marketing & Social Media Automation
Day 13 E-commerce, Finance & Reporting Automation

🤖 Module 5 · AI Automation & Agents

Day 14 AI in n8n: LLMs & Prompt Engineering
Day 15 AI Agents: Tools, Memory & Reasoning
Day 16 RAG: Chat With Your Own Data
Day 17 Document AI, Vision & Voice Automation

🛡️ Module 6 · Production-Grade Engineering

Day 18 Error Handling, Sub-Workflows & Reliability
Day 19 Self-Hosting n8n: Docker, VPS & Domains
Day 20 Scaling, Security & Workflow DevOps

🏗️ Module 7 · Real-World Project Sprints

Day 21 Project Sprint 1: AI Customer Support Desk
Day 22 Project Sprint 2: AI Content & Marketing Engine
Day 23 Project Sprint 3: Finance & Operations Autopilot

🚀 Module 8 · Career, Freelancing & Capstone

Day 24	Freelancing, Agency & Client Delivery
Day 25	Capstone Demo Day & Graduation

AdifySkills
DIGITAL MARKETING INSTITUTE
+91 83838 91716

DAY 01

Automation Mindset & Welcome to n8n

"Aaj aap apna pehla workflow live chalaoge — sirf 2 ghante mein."

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

Automation ka asli matlab hai: jo kaam aap roz same tareeke se karte ho, woh computer khud kare. Aaj student ko "aha moment" milna chahiye — ek workflow jo khud chalta hai.

🎯 Aaj ke baad aap yeh kar paoge

01 Automation kya hai & businesses kyun pay karte hain

🌍 Ek coaching owner roz 2 ghante students ko fee reminder WhatsApp karta hai — yahi kaam automation 0 minute mein karta hai, isliye businesses pay karte hain.
⚙️ Schedule Trigger + Google Sheets + WhatsApp: har mahine 5 tareekh ko pending fees walon ko reminder.

02 n8n vs Zapier vs Make — kab kya use karein

🌍 Zapier = ready-made tiffin (easy, mehenga), Make = restaurant thali (visual), n8n = apni kitchen (thodi mehnat, poora control, sasta).
⚙️ Simple 2-step zap → Zapier theek; AI agent + 20 steps + self-host → n8n.

03 n8n Cloud account setup + local install (npx)

🌍 Cloud = rent ka ghar (turant shift), self-host = apna ghar (setup lagta hai, par kiraya nahi).
⚙️ n8n.io par trial account ya terminal mein: npx n8n → localhost:5678

04 Editor tour: canvas, nodes, connections, executions

🌍 Canvas ek whiteboard hai, nodes us par chipke sticky notes, connections unke beech ki lines.
⚙️ Canvas par "+" dabao → node add, drag karke connect, "Executions" tab mein history.

05 Trigger vs action nodes

🌍 Doorbell (trigger) bajti hai → aap darwaza kholte ho (action).
⚙️ Schedule Trigger (trigger) → Gmail "Send" (action).

06 Pehla workflow: Schedule → HTTP → Email

🌍 Subah ka akhbaar: hawker roz 6 baje (schedule) laata hai (HTTP), darwaze par daal deta hai (email).
⚙️ Schedule Trigger → HTTP Request (quote API) → Gmail.

⏱ Class ka plan (2 ghante)

15m	30m	45m	20m	10m

`0:00-0:15` **Kickoff & Orientation**

Course roadmap, community join, tools checklist

🪄 Jaise school ke pehle din pata chalta hai saal bhar kya padhenge aur bag mein kya laana hai. Bag = tools, syllabus = roadmap.

`0:15-0:45` **Concept: Automation Thinking**

Process mapping — trigger, steps, output

🪄 Beta, subah alarm bajta hai to tum uthte ho, brush karte ho, nahate ho, school jaate ho. Alarm = trigger, baaki sab = steps. Agar ek robot yeh sab tumhare liye kar de — wahi automation hai.

0:45-1:30 **Live Build**
Daily motivational quote email workflow
🪄 Aaj ki kahani yaad hai — 'Gaadi aur automation — same soch'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.

1:30-1:50 **Your Turn**
Workflow ko apne naam/email ke saath customize karo
🪄 Board par drawing ban gayi, ab apni copy mein apne rang bharo.

1:50-2:00 **Q&A + Homework**
Doubts, homework brief
🪄 Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01
Workflow
Nodes ki ek chain jo ek kaam poora karti hai. Jaise recipe — steps ek ke baad ek.

🪄 **Analogy:** Chai banana: paani → patti → doodh → cheeni = workflow

CONCEPT 02
Trigger vs Action
Trigger batata hai KAB chalna hai, actions batate hain KYA karna hai.

🪄 **Analogy:** Alarm (trigger) bajta hai → aap uthte ho (action)

CONCEPT 03
Execution
Workflow ka ek run. Har execution ka log n8n save karta hai.

🪄 **Analogy:** Bank statement ki ek entry

CONCEPT 04
Cloud vs Self-hosted
n8n Cloud = ready-made, monthly fee. Self-hosted = apna server, unlimited, thoda setup.

🪄 **Analogy:** Rent ka ghar vs apna ghar

🔑 Aaj ka main idea

Automation thinking ka matlab hai har kaam ko 3 hisson mein todna: KAB shuru hota hai (trigger), KYA-KYA steps hote hain (actions), aur END mein kya milta hai (output). Jo kaam roz same tareeke se hota hai, woh automate ho sakta hai.

- Washing machine: button dabaya (trigger) → paani, wash, rinse, spin (actions) → saaf kapde (output)
- School bell: 8 baje (trigger) → ghanti bajti hai (action) → class shuru (output)
- Dukaan: customer ne UPI kiya (trigger) → "₹500 received" bolne wala speaker (action)

📖 Ek kahani se samjho: Gaadi aur automation — same soch

1 🔑 **Chaabi ghumayi** = Trigger (kab shuru ho)

2 ⚙️ **Engine chalu hua** = Action node

3 🛣️ **Gaadi road par chali** = Data flow (connections)

4 🚦 **Signal laal hai? Ruk jao** = IF node (decision)

5 🏁 **Manzil par pahunche** = Output (email/message)

🪄 Ek line mein: “Beta, subah alarm bajta hai to tum uthte ho, brush karte ho, nahate ho, school jaate ho. Alarm = trigger, baaki sab = steps. Agar ek robot yeh sab tumhare liye kar de — wahi automation hai.”

AdifySkills
DIGITAL MARKETING INSTITUTE
+91 83838 91716

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 Workflow

📖 **Kya hai:** Workflow ek recipe hai jo n8n ke andar save rehti hai. Usme boxes hote hain jinhe "nodes" kehte hain, aur unke beech lines ("connections") hoti hain. Har node ek chhota kaam karta hai — data laana, data badalna ya kahin bhejna. Saare nodes milkar ek poora kaam karte hain, jaise "har subah quote email karna".

⚙️ **Andar kaise:** Jab workflow chalta hai, n8n sabse pehle trigger node chalata hai. Trigger jo data deta hai, woh connection ke through agle node mein jaata hai. Har node apna kaam karke naya data aage bhejta hai. Data hamesha left se right flow karta hai — ek node ka output = agle node ka input.

✅ **Kab use karein**
Jab koi kaam baar-baar, ek hi tareeke se hota hai: roz ki report, har naya lead, har form submit, har naya email.

⛔ **Kab nahi**
Jo kaam sirf ek baar karna hai, ya jisme har baar insaan ka faisla chahiye (jaise "yeh design achha lag raha hai ya nahi"), usko automate karne mein time waste hoga.

🧪 **Example:** Daily Quote Mailer = 4 nodes ki chain: Schedule Trigger (8 baje) → HTTP Request (quote laao) → Edit Fields (quote + author alag karo) → Gmail (email bhejo).

⚠️ **Common galti:** Naye log ek hi workflow mein 30–40 nodes daal dete hain. Fir error dhoondhna mushkil ho jaata hai. Fix: ek workflow = ek kaam. Bada kaam ho to chhote workflows banao aur unhe jodo (Day 18 mein seekhenge).

🪄 **Workflow = trigger + steps + result. Data left se right chalta hai.**

02 Trigger vs Action

📖 **Kya hai:** Trigger node batata hai workflow KAB chalega. Action node batata hai KYA karna hai. Har workflow mein kam se kam ek trigger hona zaroori hai, warna woh apne aap kabhi nahi chalega.

⚙️ **Andar kaise:** Trigger nodes canvas par sabse left mein hote hain aur unke paas ⚡ icon hota hai. Workflow "Active" hone par n8n trigger ko sunta rehta hai — time ka (Schedule), URL ka (Webhook/Form) ya kisi app ka (naya Gmail, naya Sheet row). Trigger fire hote hi ek naya "execution" shuru hota hai aur baaki action nodes ek-ek karke chalte hain.

✅ **Kab use karein**
Time par chalana hai → Schedule Trigger. Koi form bhare → Form Trigger. Koi app data bheje → Webhook. Khud test karna hai → Manual Trigger ("Execute workflow" button).

⛔ **Kab nahi**
Ek workflow mein bina wajah 2–3 alag triggers mat lagao. Har trigger alag execution banata hai aur data mix ho sakta hai.

🧪 **Example:** Schedule Trigger "roz 8 baje" fire hota hai → HTTP Request, Edit Fields aur Gmail actions chalte hain.

⚠️ **Common galti:** Workflow banaya, test bhi ho gaya, par "Active" toggle on karna bhool gaye — fir subah 8 baje kuch nahi hua. Trigger sirf Active workflow mein apne aap chalta hai.

🪄 **Trigger = KAB (alarm). Action = KYA (kaam). Active toggle ON karna mat bhoolna.**

03 Execution

📖 **Kya hai:** Workflow ka ek run = ek execution. Workflow roz 8 baje chalta hai to mahine mein 30 executions banenge. n8n har execution ka record rakhta hai — kab chala, kitna time laga, success hua ya error aaya.

⚙️ **Andar kaise:** Har execution mein n8n har node ka input aur output save karta hai. "Executions" tab (left menu ya workflow ke upar) mein kisi bhi purane run ko kholo to poora workflow us waqt ke data ke saath dikhta hai — har node par click karke dekh sakte ho ki kya data aaya tha.

✅ **Kab use karein**
Kuch galat hua ho, client complain kare, ya check karna ho ki subah wala run chala ya nahi — sabse pehle Executions tab kholo.

⛔ **Kab nahi**
Har test run ko production samajh kar mat ghabrao. Test executions alag dikhte hain aur unse kuch kharab nahi hota (bas email/message sach mein jaata hai, dhyan rakho).

🧪 **Example:** Kal subah email nahi aaya → Executions kholo → laal (error) execution dikha → Gmail node par click → "Credential expired" likha tha → reconnect kiya → fixed.

⚠️ **Common galti:** Error aane par workflow dobara-dobara chalana, bina Executions mein asli error message padhe. Pehle error padho — 80% baar wahi jawab bata deta hai.

🪄 **Execution = ek run ki poori history. Error aaye to pehle Executions tab.**

04 Cloud vs Self-hosted

📖 **Kya hai:** n8n do tareeke se chala sakte ho. n8n Cloud: n8n company ka server, login karo aur shuru — monthly fee lagti hai. Self-hosted: n8n ko apne computer ya VPS server par install karo — software free (Community Edition), bas server ka kharcha.

⚙️ **Andar kaise:** Dono mein editor, nodes aur workflows same hain. Farak sirf yeh hai ki server kaun sambhalta hai: Cloud mein updates, backup aur uptime n8n sambhalta hai; self-hosted mein yeh sab aapki zimmedari hai (Day 19 mein Docker se seekhenge).

✅ **Kab use karein**
Seekhne aur pehle clients ke liye Cloud (ya local install) aasaan hai. Bahut zyada executions, data apne server par rakhna ho, ya kharcha kam karna ho to self-hosted.

⛔ **Kab nahi**
Pehle hi din VPS aur Docker mein mat uljho. Pehle workflows banana seekho, server baad mein.

🧪 **Example:** Class ke liye: n8n Cloud free trial ya laptop par "npx n8n". Client ke production ke liye: ₹500–800/month ka VPS + Docker.

⚠️ **Common galti:** Local laptop par bana workflow client ko de diya — laptop band, workflow band. Production hamesha 24×7 chalne wale server (Cloud ya VPS) par.

🪄 **Cloud = rent ka ghar (aasaan). Self-hosted = apna ghar (control + zimmedari).**

🗺️ Aaj ka workflow: Daily Quote Mailer

Data left se right chalta hai. Har dabba ek n8n node hai.





📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Coaches, schools, gyms (daily motivation / tips email) — aam taur par **₹2,000 – ₹5,000 setup**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1 ⚡ **Schedule Trigger**
Trigger Interval: Days, Hour: 8 — roz subah 8 baje

2 🌐 **HTTP Request**
GET https://zenquotes.io/api/random — free quote API

3 ✏️ **Edit Fields (Set)**
quote = {{ $json.q }}, author = {{ $json.a }} (n8n API ki list ko khud items mein tod deta hai)

4 📧 **Gmail**
To: apna email, Subject: "Aaj ka quote ☀️", Message: quote + author

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- ☐ Connect: **Gmail (Google OAuth)**
- ☐ Gmail node mein "your-email@gmail.com" ki jagah apna email likho

✅ Test kaise karein

1. Workflow open karke "Test workflow" dabao
2. Inbox check karo — quote aaya?
3. Sab theek ho to upar "Active" toggle on karo

🚚 Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 🔧 Every Day 8 AM

Schedule Trigger time ki details deta hai. Aage ke nodes is data ko use nahi karte — yeh sirf "chalo" ka signal hai.


```
{
  "timestamp": "2026-12-01T08:00:00.000+05:30",
  "Readable date": "December 1st 2026, 8:00:00 am",
  "Day of week": "Tuesday",
  "Hour": "08",
  "Timezone": "Asia/Kolkata (UTC+05:30)"
}
```


2 🔧 Get Random Quote

API ne array [{...}] bheja. n8n array ko khol kar har cheez ko alag ITEM bana deta hai — isliye aage $json.q likhte hain, $json[0].q nahi.


```
{
  "q": "The best way to get started is to quit talking and begin doing.",
  "a": "Walt Disney",
  "h": "<blockquote>…</blockquote>"
}
```


3 🔧 Pick Quote + Author

Sirf kaam ke 2 fields bache, saaf naamon ke saath. "h" (HTML) field hat gaya kyunki Include Other Fields off hai.


```
{
  "quote": "The best way to get started is to quit talking and begin doing.",
  "author": "Walt Disney"
}
```


4 📧 Send Quote Email

Gmail ne email bhej diya aur uski ID wapas di. labelIds mein SENT = email chala gaya.


```
{
  "id": "18c4f2a9b7e1d3c0",
  "threadId": "18c4f2a9b7e1d3c0",
  "labelIds": [
    "SENT"
  ]
}
```

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

⚡ Schedule Trigger

Workflow ko tay time par apne aap chalata hai.



📸 Asli n8n: Schedule Trigger

Setting	Kya karti hai	Aaj ki value	Kab badlein
Trigger Interval	Kitne gap par chalna hai: Seconds, Minutes, Hours, Days, Weeks, Months ya Custom (Cron)	`Days`	Roz ke kaam ke liye Days; har 15 min check ke liye Minutes
Days Between Triggers	Kitne din chhod kar chalega	`1`	2 likho to ek din chhod kar chalega
Trigger at Hour	Din ka kaunsa ghanta (24-hour)	`8am`	Shaam 6 baje ke liye 6pm
Trigger at Minute	Us ghante ka kaunsa minute	`0`	8:30 ke liye 30
Timezone (workflow Settings)	Time kis desh ke hisaab se gina jaaye	`Asia/Kolkata`	Cloud par default timezone alag ho sakta hai — hamesha check karo

🌐 HTTP Request

Kisi bhi website/API se data laata ya bhejta hai. "Har app se baat karne wala node".



📸 Asli n8n: HTTP Request

Setting	Kya karti hai	Aaj ki value	Kab badlein
Method	Kya karna hai: GET (data lo), POST (data bhejo), PUT/PATCH (update), DELETE	`GET`	Form data bhejna ho to POST
URL	API ka address	`https://zenquotes.io/api/random`	API ke docs se copy karo
Authentication	API key / login kaise dena hai	`None`	Paid APIs mein "Generic Credential → Header Auth"
Send Query Parameters	URL ke ? ke baad wale filters	`Off`	Jaise ?city=Delhi&limit=10
Send Headers	Extra info jaise API key ya content type	`Off`	Authorization: Bearer xxx
Send Body	POST mein bhejne wala data (JSON/Form)	`Off`	Lead create karte waqt name/phone
Options → Response Format	Jawab ko kaise padhna hai: Autodetect, JSON, Text, File	`Autodetect`	CSV/PDF download ke liye File
Options → Timeout	Kitni der jawab ka intezaar	`default`	Slow API ke liye 30000 ms

✏️ Edit Fields (Set)

Data ko saaf karta hai: naye fields banana, naam badalna, sirf kaam ke fields rakhna.



📸 Asli n8n: Edit Fields (Set)

Setting	Kya karti hai	Aaj ki value	Kab badlein
Mode	Manual Mapping (form jaisa) ya JSON (khud likho)	`Manual Mapping`	Bahut saare fields hon to JSON
Fields to Set → Name	Naye field ka naam	`quote`	Chhota, saaf naam rakho (space ki jagah _)
Fields to Set → Type	String, Number, Boolean, Array, Object	`String`	Amount ke liye Number, warna jodna galat hoga
Fields to Set → Value	Fixed value ya expression {{ }}	`{{ $json.q }}`	Pichhle node ke field ko drag karke daal sakte ho
Include Other Input Fields	Purane fields bhi saath rakhne hain ya sirf naye	`Off`	Sab data aage chahiye to On

📧 Gmail (Send)

Aapke Gmail account se email bhejta hai.



📸 Asli n8n: Gmail (Send)

Setting	Kya karti hai	Aaj ki value	Kab badlein
Credential	Kaunse Gmail account se bhejna hai	`Gmail account (OAuth)`	Ek baar connect karo, har workflow mein reuse
Resource / Operation	Message → Send	`Message, Send`	Reply ke liye Operation: Reply
To	Kisko bhejna hai (comma se kai log)	`your-email@gmail.com`	{{ $json.email }} se har lead ko alag
Subject	Email ka subject — expressions bhi chalte hain	`☀️ Aaj ka quote — {{ $now.format("dd LLL yyyy") }}`	Date daalne se har email unique lagta hai
Email Type	Text (simple) ya HTML (design wala)	`Text`	Table/colors ke liye HTML
Message	Email ki body	`"{{ $json.quote }}" — {{ $json.author }}`	Line break ke liye Enter dabao
Options → Append n8n Attribution	Neeche "sent by n8n" line	`On (default)`	Client ke liye Off kar do

Pehle vs Ab — farak dekho

⚖️ Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😩 Pehle (manual)	
Roz quote website kholna	5 min
Quote copy karna	2 min
Gmail kholke email likhna	5 min
Bhejna aur yaad rakhna kal bhi karna hai	3 min
	15 min

➜

⚡ Ab (n8n)	
n8n khud 8 baje chalta hai	
Quote fetch + email automatic	
Aap sirf inbox mein padhte ho	1 min
	1 min

⏱ Roz 15 minute → 1 minute. Saal mein ~85 ghante bache.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo — 📋 Select karke copy karo

```
{{ $json.q }} — {{ $json.a }}
```

📦 Sample data — input se output tak

📥 Input — 📋 Select karke copy karo

```
[
  {
    "q": "The best way to get started is to quit talking and begin doing.",
    "a": "Walt Disney"
  }
]
```

📤 Output — 📋 Select karke copy karo

```
{
  "quote": "The best way to get started is to quit talking and begin doing.",
  "author": "Walt Disney",
  "sent": true
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Build it with ChatGPT / Claude — 📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Har subah 8 baje internet se ek motivational quote laata hai aur aapko email kar deta hai. Pehla real automation — trigger, API, data set karna aur email.

Flow: Schedule Trigger (Roz 8:00 AM) → HTTP Request (zenquotes.io se quote) → Edit Fields (quote + author nikaalo) → Gmail (Email bhejo)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 **Debug helper prompt** 📋 Select karke copy karo

```
I'm building the n8n workflow "Daily Quote Mailer" (nodes: Every Day 8 AM, Get Random Quote, Pick Quote + Author, Send Quote Email).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ **Workflow JSON**
4 nodes · ready to import
`adifyskills.com/workflows/day-01-daily-quote-mailer.json` ↗

🌐 **Lesson page**
Copy buttons, quiz aur video links
`adifyskills.com/day/1` ↗

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Gmail (Google OAuth)" connect karo.
Time par apne aap nahi chala?	"Active" toggle on hai? Settings mein timezone Asia/Kolkata check karo.

⚠️ Yeh galtiyan sabse common hain

- ! Workflow ko "Active" karna bhool jaana — tab Schedule chalega hi nahi
- ! Test URL aur production run mein confusion
- ! Gmail credential mein galat Google account select karna

⭐ Pro tips — time bachane wali tricks

- ★ Har node ke baad "Execute step" dabake output check karo
- ★ Workflow ka naam clear rakho: "Daily – Quote Mailer"
- ★ Sticky note se workflow ka purpose likho

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

🏋️ Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Daily Quote Mailer — har subah 8 baje ek quote API se fetch karke email bhejna.

📝 Homework

Apne kaam/business ke 5 repetitive tasks list karo aur unka trigger-action map banao.

- [ ] Homework ho gaya

BEGINNER

Quote ki jagah daily joke API use karo

- [ ]

INTERMEDIATE

Email ke saath Telegram par bhi bhejo

- [ ]

ADVANCED

Sirf weekdays (Mon–Fri) par chalao using cron expression

- [ ]

🧩 Aaj ka challenge — pehle khud try karo

🎯 Quote email sirf Monday se Friday subah 8 baje aaye, weekend par nahi.

💡 Hint 1

Schedule Trigger mein "Days" ki jagah "Custom (Cron)" mode dekho.

💡 Hint 2

Cron mein 5 hisse hote hain: minute hour day month weekday. Weekday 1-5 = Mon-Fri.

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

Adify DIGITAL MARKETING INSTITUTE +91 83838 91716

Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Quote ka text nikaalo

```
{"q":"Dream big.","a":"Anon"}
```

Mera jawab: _____

2. Author ka naam CAPITAL mein

```
{"q":"Dream big.","a":"Anon"}
```

Mera jawab: _____

3. Quote aur author ek line mein jodo

```
{"q":"Dream big.","a":"Anon"}
```

Mera jawab: _____

4. Aaj ki date "01 Dec 2026" format mein

Input ki zaroorat nahi

Mera jawab: _____

5. Quote kitne characters ka hai?

```
{"q":"Dream big.","a":"Anon"}
```

Mera jawab: _____

2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Workflow kab start hoga, yeh kaun decide karta hai?

- (A) Trigger node
- (B) Credential
- (C) Sticky note
- (D) Action node

Q2. Schedule Trigger ke liye workflow ko kya karna zaroori hai?

- (A) Delete
- (B) Duplicate
- (C) Activate (publish)
- (D) Export

Q3. n8n ka self-hosted version kaisa hai?

(A) Sirf Windows
(B) Sirf paid
(C) Free Community Edition available
(D) Sirf mobile

Q4. Ek workflow run ko kya kehte hain?

(A) Node
(B) Pin
(C) Execution
(D) Credential

📖 Aaj ke naye shabd

Workflow
Steps ki ek chain jo apne aap chalti hai — jaise recipe ke steps.

Trigger
Jo workflow ko START karta hai — jaise alarm, naya email, ya form submit.

API
Do apps ke baat karne ka tareeka. Ek app sawaal bhejta hai, doosra jawab (data) deta hai.

JSON
Data likhne ka format: { "naam": "Ravi", "city": "Delhi" } — key aur value ke jode.

Execution
Workflow ka ek baar chalna. Har run ka record Executions tab mein dikhta hai.

HTTP Request
Node jo kisi bhi API ko call kar sakta hai — n8n ka universal connector.

Schedule
Fixed time par workflow chalana — roz, har ghante, har Monday.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 2

Triggers, Nodes & Executions Deep-Dive

"Workflow kab start ho — yeh control aapke haath mein."

☐ **Day 1 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → A
Trigger node
Trigger node hi workflow ko start karta hai.

Q2 → C
Activate (publish)
Inactive workflow automatic nahi chalta.

Q3 → C
Free Community Edition available
Community Edition self-host karne ke liye free hai.

Q4 → C
Execution
Har run = ek execution.

✅ Challenge ka solution

Schedule Trigger → Trigger interval: Custom (Cron) → Expression: 0 8 * * 1-5

🧪 Expression sheet ke jawab

1. `{{ $json.q }}` → **Dream big.**
2. `{{ $json.a.toUpperCase() }}` → **ANON**
3. `"{{ $json.q }}" — {{ $json.a }}` → **"Dream big." — Anon**
4. `{{ $now.format("dd LLL yyyy") }}` → **01 Dec 2026**
5. `{{ $json.q.length }}` → **10**

📚 Official docs

- n8n Quickstart ↗
- Editor UI guide ↗
- Install via npm ↗
- n8n Level One course ↗
- Workflows overview ↗
- Keyboard shortcuts ↗
- n8n Glossary ↗

▶ Videos

- n8n beginner tutorial first workflow ↗
- n8n schedule trigger tutorial ↗

💬 Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716 ↗

🌐 Day 1 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/1 ↗

📞 +91 83838 91716
Call / WhatsApp — Adify Skills

DAY 02

Triggers, Nodes & Executions Deep-Dive

"Workflow kab start ho — yeh control aapke haath mein."

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

Triggers samajh liye to automation ka 50% ho gaya. Galat trigger = workflow ya to chalega nahi ya bar-bar chalega.

🎯 Aaj ke baad aap yeh kar paoge

01 Trigger types: Manual, Schedule (cron), Webhook, App triggers

🌍 Alarm (schedule), doorbell (webhook), light switch (manual), WhatsApp notification (app trigger).
⚙️ "0 9 * * 1-5" cron = weekdays 9 AM; Webhook URL = form ka pata.

02 Node parameters, credentials & settings

🌍 TV ke settings: volume, channel (parameters), parental lock password (credential).
⚙️ Gmail node: To/Subject (parameters), Google account (credential), Retry on fail (settings).

03 Execution modes: manual vs production (active)

🌍 Rehearsal vs real show — rehearsal mein galti chalti hai, show mein nahi.
⚙️ "Test workflow" = manual run; Active/Publish = production mein khud chalega.

04 Execution history, pinning data & debugging

🌍 CCTV recording — kya hua, kab hua, wapas dekh sakte ho.
⚙️ Executions tab → failed run kholo → kaunsa node laal hai dekho → Retry.

05 Sticky notes & workflow documentation

🌍 Fridge par chipki note: "Doodh khatam, laana hai".
⚙️ Canvas par Sticky Note: "Yeh workflow leads ko Sheet mein daalta hai".

06 Workflow naming + folder conventions

🌍 Almirah mein labelled folders — "Bills 2026", "School".
⚙️ Naam: "Leads – Form to Sheet", folder: "Client – ABC Gym".

⏱ Class ka plan (2 ghante)

10m	35m	45m	20m	10m

`0:00-0:10` **Recap Day 1**

Homework review — 2 student maps

🪄 Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.

`0:10-0:45` **Concept: Triggers**

Cron expressions, polling vs push

🪄 Mummy ka alarm subah 6 baje bajta hai (schedule), doorbell kisi ke aane par (event), aur TV remote tum dabate ho (manual).

0:45-1:30 **Live Build**
Form submission → Google Sheet + Telegram alert
🪄 Aaj ki kahani yaad hai — 'Doorbell vs baar-baar darwaza kholna'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.

1:30-1:50 **Debug Lab**
Broken workflow fix challenge
🪄 Practice match — jitna yahan girenge, utna asli match mein kam girenge.

1:50-2:00 **Q&A + Homework**
🪄 Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01
Polling vs Push
Polling: n8n har X minute check karta hai. Push (webhook): app khud turant batata hai.
🪄 **Analogy:** Baar-baar darwaza kholna vs doorbell

CONCEPT 02
Cron expression
5 fields: minute hour day month weekday. "0 9 * * 1-5" = weekdays 9 AM.
🪄 **Analogy:** Alarm clock ki advanced setting

CONCEPT 03
Credentials
Apps ka secure login — ek baar save, har workflow mein reuse.
🪄 **Analogy:** Password manager

CONCEPT 04
Pinned data
Node ka output freeze karna taaki testing mein baar-baar API call na ho.
🪄 **Analogy:** Exam ki rough copy

🔑 Aaj ka main idea
Trigger 3 tarah ke hote hain: Manual (aap button dabao), Schedule (time par — roz 9 baje), Event/Webhook (kuch hua tab — form bhara, payment aaya). Sahi trigger chunna = workflow sahi time par chalna.

- Manual: microwave ka start button
- Schedule: roz raat 10 baje street lights on
- Event: koi aaya to motion-sensor light on

📖 Ek kahani se samjho: Doorbell vs baar-baar darwaza kholna

1 🚪 **Har 5 min darwaza kholke dekhna** = Polling trigger (Schedule)

2 🔔 **Doorbell lagwa li** = Webhook (push)

3 📦 **Courier aaya, ghanti baji** = Event aaya → workflow chalu

4 📝 **Register mein entry** = Google Sheets append

5 📱 **Papa ko message** = Telegram notification

🪄 Ek line mein: “Mummy ka alarm subah 6 baje bajta hai (schedule), doorbell kisi ke aane par (event), aur TV remote

tum dabate ho (manual).”

AdifySkills
DIGITAL MARKETING INSTITUTE
+91 83838 91716

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 Polling vs Push

📖 **Kya hai:** Kisi app mein naya data aaya, yeh n8n ko do tareeke se pata chalta hai. Polling: n8n khud har kuch minute mein jaakar poochta hai "kuch naya aaya?". Push: app khud n8n ko turant message bhejta hai (webhook).

⚙️ **Andar kaise:** Polling triggers (jaise Gmail Trigger, Google Sheets Trigger) ke andar ek "Poll Times" setting hoti hai — har minute/ghante check. Har check ek chhota request hai, chahe kuch naya na ho. Push mein n8n ek URL deta hai (webhook/form URL); app event hote hi us URL par data POST karta hai aur workflow usi second chal jaata hai.

✅ **Kab use karein**
Push (Webhook/Form) jab turant reaction chahiye — naya lead, payment, order. Polling jab app webhook support nahi karta, ya 5–15 minute ki deri chal jaati hai.

⛔ **Kab nahi**
Polling ko "har minute" par bina zaroorat mat lagao — n8n Cloud par executions/limits jaldi khatam hote hain aur API rate limit bhi lag sakti hai.

🧪 **Example:** Aaj ka Lead Form = push: form submit hote hi workflow chalta hai. Gmail Trigger (Day 9) = polling: har minute inbox check karta hai.

⚠️ **Common galti:** Test URL aur Production URL mix karna. Test URL sirf "Listen for test event" ke 2 minute tak chalta hai; website/app mein hamesha Production URL lagao aur workflow Active karo.

🪄 **Polling = baar-baar darwaza kholna. Push = doorbell. Turant chahiye to push.**

02 Cron expression

📖 **Kya hai:** Cron ek chhoti si line hai jo time-table batati hai. Isme 5 hisse hote hain: minute, hour, din (date), mahina, hafte ka din. Jaise "0 9 * * 1-5" = Monday se Friday subah 9:00.

⚙️ **Andar kaise:** Schedule Trigger mein "Custom (Cron)" chuno to yeh line likhni padti hai. * ka matlab "har", 1-5 ka matlab range, */15 ka matlab "har 15", aur 1,15 ka matlab list. n8n workflow ke timezone ke hisaab se cron padhta hai.

✅ **Kab use karein**
Jab simple options (Days/Hours) se kaam na chale: sirf weekdays, mahine ki 1 tareekh, har 15 minute office hours mein, waghera.

⛔ **Kab nahi**
Simple "roz 8 baje" ke liye cron likhne ki zaroorat nahi — normal Days option zyada saaf hai aur galti kam hoti hai.

🧪 **Example:** "*/15 9-18 * * 1-6" = Mon-Sat, 9 se 6 baje tak, har 15 minute. "0 10 1 * *" = har mahine ki 1 tareekh, subah 10 baje (invoice reminder).

⚠️ **Common galti:** Order ulta likh dena (hour pehle, minute baad). Yaad rakho: Minute Hour Date Month Weekday. Shaq ho to crontab.guru par check karo.

🪄 **M H D M W — "Mera Har Din Mast Wala".**

03 Credentials

📖 **Kya hai:** Credential = kisi app ka login/permission jo n8n mein ek baar safe save hota hai. Gmail, Google Sheets, Telegram, OpenAI — sabke liye credential chahiye.

⚙️ **Andar kaise:** n8n credentials ko encrypt (lock) karke database mein rakhta hai. Workflow JSON mein password kabhi nahi jaata, sirf credential ka naam/ID jaata hai. Isliye jab aap workflow export ya share karte ho, doosre ko apna credential khud connect karna padta hai.

✅ **Kab use karein**
Jab bhi koi node aapke account ka data padhe ya likhe. Google ke liye "Sign in with Google" (OAuth), Telegram ke liye bot token, OpenAI ke liye API key.

⛔ **Kab nahi**
API key ko kabhi bhi node ke text field ya Code node mein seedha paste mat karo — workflow share karte hi key leak ho jaayegi.

🧪 **Example:** Aaj do credentials: Google Sheets (OAuth) aur Telegram (BotFather se mila token). Dono ek baar bane, ab har workflow mein dropdown se chun lo.

⚠️ **Common galti:** Workflow import kiya, node par laal ⚠️ triangle aaya aur log ghabra gaye. Matlab sirf itna: credential select nahi hua. Node kholo → Credential → apna account chuno.

🪄 **Credential = app ki chaabi. Ek baar banao, har jagah use karo, kabhi share mat karo.**

04 Pinned data

📖 **Kya hai:** Pin karna = kisi node ka output "freeze" kar dena. Uske baad test karte waqt woh node dobara nahi chalta, n8n wahi purana data use karta hai.

⚙️ **Andar kaise:** Node ke output panel mein 📌 (Pin) button dabate hi data workflow ke saath save ho jaata hai. Manual test run mein pinned node skip hota hai aur saved data aage jaata hai. Production (Active) runs pinned data ko ignore karte hain — wahan hamesha asli data aata hai.

✅ **Kab use karein**
Form ya webhook ko baar-baar bharna na pade; paid API (OpenAI) par har test mein paise na lagein; slow API ka intezaar na karna pade.

⛔ **Kab nahi**
Pin karke bhool jaana. Naye fields aane wale hon to purana pinned data galat result dega — kaam khatam hone par Unpin karo.

🧪 **Example:** Form ek baar bharo → Form Trigger ka output pin karo → ab Sheets aur Telegram nodes ko 10 baar test karo bina form dobara bhare.

⚠️ **Common galti:** "Mera data update kyun nahi ho raha?" — kyunki node pinned hai (output panel par purple pin dikhega). Unpin karo aur dobara chalao.

🪄 **Pin = rough copy. Testing ke liye best, kaam ke baad hata do.**

🗺️ Aaj ka workflow: Lead Form → Google Sheet + Telegram Alert

Data left se right chalta hai. Har dabba ek n8n node hai.





📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Coaching institutes, clinics, real estate agents (lead form + alert) — aam taur par **₹3,000 – ₹8,000**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1. ⚡ **n8n Form Trigger**
   Fields: Name, Phone, Email, Course interest (dropdown)

2. ✏️ **Edit Fields (Set)**
   submittedAt = {{ $now.toISO() }}, source = "website-form"

3. 📊 **Google Sheets**
   Operation: Append row → "Leads" sheet, map columns

4. ✈️ **Telegram**
   Owner ko: "🔥 Nayi lead: {{ $json.Name }} – {{ $json.Phone }}"

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- [ ] Connect: **Google Sheets (Google OAuth)**
- [ ] Connect: **Telegram bot token (BotFather se)**
- [ ] Google Sheet banao jisme "Leads" tab ho aur headers: Name, Email, Phone, Interest, submitted_at, source
- [ ] Sheet ID (URL ke /d/ ke baad wala hissa) "Save to Sheet" mein paste karo
- [ ] Telegram chat ID ke liye @userinfobot ko message karo

✅ Test kaise karein

1. Form Trigger node kholo → "Test URL" copy karke browser mein kholo
2. Form bharo → Sheet mein row aur Telegram par message check karo

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 ⚡ Lead Form

Form bharte hi har Field Label ek JSON key ban gaya. n8n khud submittedAt aur formMode jodta hai.


```
{
  "Name": "Ravi Kumar",
  "Email": "ravi@gmail.com",
  "Phone": "9876543210",
  "Interest": "Freelancing",
  "submittedAt": "2026-12-01T19:42:10.123+05:30",
  "formMode": "production"
}
```


2 🔧 Add Time + Source

Include Other Fields ON hai, isliye purane fields bache aur 2 naye judd gaye.


```
{
  "Name": "Ravi Kumar",
  "Email": "ravi@gmail.com",
  "Phone": "9876543210",
  "Interest": "Freelancing",
  "submittedAt": "2026-12-01T19:42:10.123+05:30",
  "formMode": "production",
  "submitted_at": "2026-12-01 19:42",
  "source": "n8n form"
}
```


3 🔧 Save to Sheet

Sheet mein jo row judi, wahi data wapas aata hai. Jis field ka column Sheet mein nahi tha (jaise formMode), woh Sheet mein nahi gaya.


```
{
  "Name": "Ravi Kumar",
  "Email": "ravi@gmail.com",
  "Phone": "9876543210",
  "Interest": "Freelancing",
  "submitted_at": "2026-12-01 19:42",
  "source": "n8n form"
}
```

4 🔧 Alert Owner

Telegram ne message bhejne ki confirmation di. ok: true = message pahunch gaya.


```
{
  "ok": true,
  "result": {
    "message_id": 512,
    "chat": {
      "id": 123456789,
      "type": "private"
    },
    "date": 1764598330,
    "text": "🔔 Naya lead!\n👤 Ravi Kumar\n📞 9876543210"
  }
}
```


AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

n8n Form Trigger

n8n khud ek web form bana deta hai. Form submit = workflow start.



📸 Asli n8n: n8n Form Trigger

Setting	Kya karti hai	Aaj ki value	Kab badlein
Authentication	Form par password lagana hai ya nahi	`None`	Internal team form ke liye Basic Auth
Form Title / Description	Form ke upar dikhne wala heading aur text	`Free Demo Class Registration`	Seedha fayda batao: "2 min mein bharo"
Form Elements → Field Label	Sawal ka naam — yahi output mein field ka naam banta hai	`Name, Email, Phone, Interest`	Label wahi rakho jo Sheet ke column ka naam hai
Form Elements → Element Type	Text, Email, Number, Dropdown, Date, File, Textarea…	`Email (Email field ke liye)`	Email type galat email ko rokta hai
Form Elements → Required	Bina bhare submit na ho	`On (Name, Email, Phone)`	Zaroori fields hi required rakho
Respond When	User ko jawab kab mile	`Form Is Submitted`	"Workflow Finishes" jab result dikhana ho
Test URL vs Production URL	Test = sirf testing ke waqt; Production = Active workflow par hamesha	`Production URL website par`	Form ka link WhatsApp/Instagram bio mein daal sakte ho

✏️ Edit Fields — Include Other Fields

Aaj Edit Fields ka naya setting: purane form fields + naye fields dono aage bhejo.



📸 Asli n8n: Edit Fields — Include Other Fields

Setting	Kya karti hai	Aaj ki value	Kab badlein
submitted_at	Abhi ka time saaf format mein	`{{ $now.toFormat("yyyy-MM-dd HH:mm") }}`	Sheet mein sort karna aasaan
source	Lead kahan se aaya	`n8n form`	Instagram/Website alag-alag likho
Include Other Input Fields	Name, Email, Phone bhi saath jaayein	`On`	Off hota to sirf 2 naye fields bachte

📊 Google Sheets (Append Row)

Sheet ke end mein nayi row jodta hai — sabse common "database".



📸 Asli n8n: Google Sheets (Append Row)

Setting	Kya karti hai	Aaj ki value	Kab badlein
Credential	Google account (OAuth)	`Google Sheets account`	Wahi account jisme Sheet hai
Resource / Operation	Sheet Within Document → Append Row	`Append Row`	Duplicate rokne ke liye "Append or Update Row"
Document	Kaunsi Google Sheet (By ID / URL / list se)	`PASTE_YOUR_GOOGLE_SHEET_ID`	ID = URL mein /d/ ke baad wala hissa
Sheet	Kaunsa tab	`Leads`	Naam bilkul same (capital/small bhi)
Mapping Column Mode	Map Automatically: field naam = column naam; ya Map Each Column Manually	`Map Automatically`	Naam alag hon to Manually
Header row	Sheet ki pehli row mein column naam hone chahiye	`Name | Email | Phone | Interest | submitted_at | source`	Pehle headers banao, fir workflow chalao

✈️ Telegram (Send Message)

Aapke Telegram bot se kisi chat/group mein message bhejta hai.



📸 Asli n8n: Telegram (Send Message)

Setting	Kya karti hai	Aaj ki value	Kab badlein
Credential	BotFather se mila bot token	`Telegram bot`	@BotFather → /newbot
Chat ID	Message kis chat mein jaaye	`YOUR_TELEGRAM_CHAT_ID`	Apna ID @userinfobot se pata karo; pehle bot ko /start bhejo
Text	Message — expressions ke saath	`🔔 Naya lead! 👤 {{ $json.Name }}`	Emoji se message jaldi padha jaata hai
Additional Fields → Parse Mode	HTML/Markdown formatting	`none`	bold ke liye HTML

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😫 Pehle (manual)

Form responses check karna	10 min
Sheet mein copy-paste	10 min
Owner ko call/WhatsApp	5 min
	25 min

⚡ Ab (n8n)

Form submit → Sheet auto	
Owner ko Telegram auto	
	0 min

⏱️ Har lead par 25 min bache, aur koi lead miss nahi.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo — 📋 Select karke copy karo

```
0 9 * * 1-5   // cron: Mon-Fri subah 9 baje
```

📦 Sample data — input se output tak

📥 Input 📋 Select karke copy karo

```
{
  "Name": "Aman Verma",
  "Phone": "9876543210",
  "Email": "aman@gmail.com",
  "Course interest": "n8n"
}
```

📤 Output 📋 Select karke copy karo

```
{
  "row_number": 42,
  "telegram": "message sent ✓"
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Build it with ChatGPT / Claude 📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Ek n8n Form banata hai. Koi form bhare to uski details Google Sheet mein save hoti hain aur owner ko turant Telegram par alert jaata hai.

Flow: n8n Form Trigger (Name, email, phone, interest) → Edit Fields (Time + source add) → Google Sheets (Row append) → Telegram (Owner ko alert)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 Debug helper prompt 📋 Select karke copy karo

```
I'm building the n8n workflow "Lead Form → Google Sheet + Telegram Alert" (nodes: Lead Form, Add Time + Source, Save to Sheet, Alert Owner).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ Workflow JSON
4 nodes · ready to import
`adifyskills.com/workflows/day-02-form-to-sheet-telegram.json`

🌐 Lesson page
Copy buttons, quiz aur video links
`adifyskills.com/day/2`

Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Google Sheets (Google OAuth)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Telegram bot token (BotFather se)" connect karo.
Webhook/Form test par kuch nahi ho raha?	"Listen for test event" / Test URL use karo aur 2 minute ke andar request bhejo. Production URL sirf Active workflow par chalta hai.
"Sheet not found" / column khaali?	Sheet ID aur tab ka naam (capital/small bhi) check karo. Pehli row mein headers hone chahiye.

⚠️ Yeh galtiyan sabse common hain

- ! Form Trigger ka test URL production mein share kar dena
- ! Sheet ke column names aur mapping mismatch
- ! Telegram bot ko /start kiye bina chat ID dhoondhna

⭐ Pro tips — time bachane wali tricks

- ★ Executions tab mein "Retry" se failed run dobara chalao
- ★ Pin data karke Sheets/Telegram ko bina form bhare test karo
- ★ Folders/tags se workflows organize karo

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

n8n Form Trigger → Google Sheets row + Telegram notification to owner.

📝 Homework

3 alag triggers wale mini workflows banao aur execution screenshots share karo.

- ☐ Homework ho gaya

BEGINNER
Form mein "City" field add karo ☐

INTERMEDIATE
Duplicate phone par Telegram mat bhejo ☐

ADVANCED
Form submit ke baad custom thank-you page dikhao ☐

🧩 Aaj ka challenge — pehle khud try karo

🎯 Form mein "City" field add karo aur Telegram alert mein city bhi dikhao.

💡 Hint 1
Form Trigger ke "Form Elements" mein naya field add hota hai.

💡 Hint 2
Telegram text mein naya field {{ $json.City }} se aayega — naam bilkul same likhna (capital C).

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

🧪 Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Lead ka pehla naam (first name) nikaalo

```
{"Name":"Ravi Kumar"}
```

Mera jawab: _____

2. Phone ke aage +91 lagao

```
{"Phone":"9876543210"}
```

Mera jawab: _____

3. Abhi ka time "2026-12-01 19:42" format mein

Input ki zaroorat nahi

Mera jawab: _____

4. Email ko small letters mein (duplicate rokne ke liye)

```
{"Email":"Ravi@Gmail.com"}
```

Mera jawab: _____

5. Interest "Freelancing" hai? true/false

```
{"Interest":"Freelancing"}
```

Mera jawab: _____

🎯 2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Webhook kis type ka trigger hai?

- (A) Manual
- (B) Scheduled
- (C) Polling
- (D) Push

Q2. "0 9 * * 1-5" kab chalega?

- (A) Weekdays 9 AM
- (B) Har ghante
- (C) Sirf Sunday
- (D) Roz 9 PM

Q3. Pinned data ka fayda?

- (A) Speed badhaana
- (B) Testing mein baar-baar trigger na karna
- (C) Data delete
- (D) Security

Q4. Credentials kahan store hote hain?

- (A) Browser
- (B) Har node mein alag
- (C) n8n credential manager (encrypted)
- (D) Sheet mein

📖 Aaj ke naye shabd

Workflow
Steps ki ek chain jo apne aap chalti hai — jaise recipe ke steps.

Node
Workflow ka ek dabba/step. Har node ek kaam karta hai (email bhejna, data laana…).

Trigger
Jo workflow ko START karta hai — jaise alarm, naya email, ya form submit.

Webhook
Ek URL jis par koi doosra app data bhejta hai aur aapka workflow turant chal padta hai.

API
Do apps ke baat karne ka tareeka. Ek app sawaal bhejta hai, doosra jawab (data) deta hai.

JSON
Data likhne ka format: { "naam": "Ravi", "city": "Delhi" } — key aur value ke jode.

Expression
{{ }} ke andar likha chhota code jo data ko jagah par bhar deta hai, jaise {{ $json.name }}.

Execution
Workflow ka ek baar chalna. Har run ka record Executions tab mein dikhta hai.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 3

n8n Data Model: Items, JSON & Binary

"Jo data samajh gaya, woh n8n samajh gaya."

☐ **Day 2 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → D
Push
App khud data push karta hai.

Q2 → A
Weekdays 9 AM
Minute 0, hour 9, Mon–Fri.

Q3 → B
Testing mein baar-baar trigger na karna

Q4 → C
n8n credential manager (encrypted)

✅ Challenge ka solution

Form Trigger → Add Form Element → Label "City". Telegram text mein: 🏙 {{ $json.City }}. Sheet mein bhi "City" column banao.

🧪 Expression sheet ke jawab

1. `{{ $json.Name.split(" ")[0] }}` → **Ravi**
2. `+91{{ $json.Phone }}` → **+919876543210**
3. `{{ $now.toFormat("yyyy-MM-dd HH:mm") }}` → **2026-12-01 19:42**
4. `{{ $json.Email.toLowerCase() }}` → **ravi@gmail.com**
5. `{{ $json.Interest === "Freelancing" }}` → **true**

📚 Official docs

- Trigger nodes ↗
- Schedule Trigger ↗
- n8n Form Trigger ↗
- Executions ↗
- Credentials ↗
- crontab.guru (cron helper) ↗

▶ Videos

- n8n form trigger google sheets ↗
- n8n telegram bot notification ↗

💬 Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716 ↗

🌐 Day 2 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/2 ↗

📞 +91 83838 91716
Call / WhatsApp — Adify Skills

DAY 03

n8n Data Model: Items, JSON & Binary

"Jo data samajh gaya, woh n8n samajh gaya."

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

n8n mein sab kuch "items" hai. Jo student items ko samajh gaya, usse koi bhi workflow mushkil nahi lagega.

🎯 Aaj ke baad aap yeh kar paoge

01 JSON basics: objects, arrays, nesting

🌍 Visiting card: Naam, Phone, Email — har field ka ek label aur value.
⚙️ {"name": "Aman", "phones": ["98...", "99..."], "address": {"city": "Pune"}}

02 n8n items — har node items ki list process karta hai

🌍 Conveyor belt par 10 boxes — machine har box par same kaam karti hai.
⚙️ HTTP se 10 users aaye → Edit Fields har user par chala → 10 output items.

03 Item linking & paired items

🌍 Order slip aur uska bill — dono ek doosre se jude hain.
⚙️ Paired items se pata rehta hai ki output item kis input item se bana.

04 Binary data: files, images, PDFs

🌍 Courier mein letter (JSON) + parcel attached (binary).
⚙️ Gmail attachment → binary.data → Extract from File → text.

05 Split Out, Aggregate & Summarize nodes

🌍 Mithai ka dabba kholna (split), wapas bharna (aggregate), ginti karna (summarize).
⚙️ Order ke line items Split Out → Summarize by product → Aggregate into one email.

06 Data pinning & mock data for testing

🌍 Rough copy par practice — final copy kharab nahi hoti.
⚙️ API ka output pin karo → aage ke nodes bina API call ke test karo.

⏱ Class ka plan (2 ghante)

10m	40m	40m	20m	10m

0:00-0:10 Recap

🪄 Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.

0:10-0:50 Concept: Data Structure

Visual walkthrough of items flow

🪄 Teacher ke paas 30 copies hain. Woh har copy par same kaam karti hai — check karna, marks dena. n8n bhi har item par wahi karta hai.

0:50-1:30 Live Build

CSV upload → clean → split → aggregate report

🪄 Aaj ki kahani yaad hai — 'Tiffin factory ki assembly line'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.

1:30-1:50 **Quiz + Challenge**
Module 1 quiz (15 questions)
🪄 *Practice match — jitna yahan girenge, utna asli match mein kam girenge.*

1:50-2:00 **Q&A + Homework**
🪄 *Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?*

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01
JSON
Data likhne ka format: { "key": "value" }. Objects {} aur arrays [].
🪄 **Analogy:** Form ke fields aur unke jawab

CONCEPT 02
Items
Har node items ki LIST leta hai aur har item par kaam karta hai.
🪄 **Analogy:** Assembly line par boxes

CONCEPT 03
Split Out vs Aggregate
Split Out: 1 item ki list → kai items. Aggregate: kai items → 1 list.
🪄 **Analogy:** Packet kholna vs packet bharna

CONCEPT 04
Binary data
Files (PDF, image) JSON ke saath "binary" property mein chalti hain.
🪄 **Analogy:** Courier ke saath attached parcel

🔑 Aaj ka main idea
n8n mein data "items" ki list ke roop mein chalta hai. Har item ek JSON object hai — jaise ek form ka ek jawab. Agar 10 items aaye, to agla node 10 baar chalega. Yeh samajh aa gaya to n8n 50% aa gaya.

- Attendance register: har line = ek student = ek item
- Shopping list: har cheez = ek item
- WhatsApp group ke 20 messages = 20 items

📖 Ek kahani se samjho: Tiffin factory ki assembly line

1 📦 **Ek bada dabba aaya (CSV)**
= Extract from File

2 📤 **Dabba khola, 50 tiffin nikle**
= Split Out → 50 items

3 🧹 **Toote tiffin hataye**
= Filter

4 🏙️ **City-wise ginti**
= Summarize

5 🚚 **Report bhej di**
= Gmail

🪄 Ek line mein: “Teacher ke paas 30 copies hain. Woh har copy par same kaam karti hai — check karna, marks dena. n8n bhi har item par wahi karta hai.”

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 JSON

📖 **Kya hai:** JSON data likhne ka ek format hai jo har app samajhta hai. Isme "key": value ke jode hote hain. { } ke andar ek cheez (object) hoti hai, [ ] ke andar list (array).

⚙️ **Andar kaise:** n8n mein har node ka data JSON hi hota hai. Output panel mein teen view milte hain: Table, JSON aur Schema. Kisi field tak pahunchne ke liye expression mein raasta likhte hain: $json.city, nested ho to $json.customer.name, list ho to $json.items[0].

✅ **Kab use karein**
Har jagah — API se data aata hai JSON mein, Sheets ki row JSON banti hai, form ka jawab JSON hai. JSON padhna aana = n8n ka 50% samajh aana.

⛔ **Kab nahi**
JSON khud haath se likhte waqt last comma ya quote bhoolna sabse common galti hai — JSON mein comments (//) bhi allowed nahi hote.

🧪 **Example:** { "city": "Delhi", "amount": 1200, "paid": true, "tags": ["new", "upi"] } — city text hai, amount number, paid true/false, tags list.

⚠️ **Common galti:** "1200" (quotes mein = text) aur 1200 (number) ko same samajhna. Text ko jodoge to "1200" + "300" = "1200300" banega. Number() se convert karo.

🪄 **{ } = ek cheez, [ ] = list, "key": value. Quotes wala number = text.**

02 Items

📖 **Kya hai:** n8n mein data hamesha ITEMS ki list mein chalta hai. Ek item = ek JSON object (jaise ek row, ek lead, ek email). Node ko 20 items mile to woh by default har item par alag-alag kaam karta hai.

⚙️ **Andar kaise:** Output panel ke upar likha hota hai "20 items". Gmail node ko 20 items mile to 20 emails jaayenge — yeh n8n ka built-in loop hai, alag se Loop lagane ki zaroorat nahi. Code node mein $input.all() se saare items milte hain, aur $json se current item.

✅ **Kab use karein**
Har us jagah jahan "har ek ke liye" kaam ho: har row ke liye email, har lead ke liye message, har file ke liye upload.

⛔ **Kab nahi**
Jab aapko 20 alag messages nahi, 1 summary chahiye — tab items ko pehle Aggregate/Summarize/Code se ek item mein jodo, warna 20 emails chale jaayenge.

🧪 **Example:** CSV ki 20 rows → Read CSV ke baad 20 items. City-wise Total (Code) ne unhe 5 items (5 cities) banaya. HTML Table ne 5 ko 1 item banaya → 1 email.

⚠️ **Common galti:** Report ek bhejni thi, par 20 emails chale gaye — kyunki last node se pehle items ek nahi kiye. Hamesha Gmail se pehle output panel mein "1 item" check karo.

🪄 **Node har item par alag chalta hai. 1 result chahiye to pehle items jodo.**

03 Split Out vs Aggregate

📖 **Kya hai:** Split Out: ek item ke andar ki list ko kholkar alag-alag items banata hai. Aggregate: kai items ko jodkar ek item (list) banata hai. Dono ek-doosre ke ulte hain.

⚙️ **Andar kaise:** API aksar ek item mein { orders: [10 orders] } bhejti hai — Split Out "orders" field ko 10 items mein tod deta hai taaki har order par alag kaam ho. Summarize node group by + sum/count karta hai; Code node mein yahi kaam JavaScript se karte hain (jaisa aaj ke build mein).

✅ **Kab use karein**
Split Out: list ke har element par kaam karna ho. Aggregate/Summarize: report, total, ek message mein sab kuch.

⛔ **Kab nahi**
Har baar Code node mat likho — simple group/sum ke liye Summarize node kaafi hai aur galti kam hoti hai. Code tab jab logic zyada ho.

🧪 **Example:** Aaj: 20 sales rows → Code (group by city) → 5 items → Code (HTML table) → 1 item. Same kaam Summarize node se: Group by "city", Sum "amount", Count rows.

⚠️ **Common galti:** Split Out mein galat field naam dena (jaise "Orders" jabki field "orders" hai) — output khaali aata hai. Field naam drag karke daalo.

🪄 **Split Out = packet kholna (1 → many). Aggregate = packet bharna (many → 1).**

04 Binary data

📖 **Kya hai:** Files (CSV, PDF, image, audio) ko n8n "binary data" kehta hai. Yeh JSON se alag, item ke saath ek attachment ki tarah chalti hain.

⚙️ **Andar kaise:** Har item ke do hisse ho sakte hain: json (text data) aur binary (files). Output panel mein "Binary" tab dikhta hai jisme file ka naam, type aur size hota hai. Binary field ka ek naam hota hai (jaise "sales_csv" ya "data") — Extract from File, Gmail attachment, Drive upload sab isi naam se file uthate hain.

✅ **Kab use karein**
File upload/download, PDF se text nikaalna, image AI ko bhejna, email attachment, Drive par save karna.

⛔ **Kab nahi**
Badi files (100MB+) ko baar-baar workflow mein ghumaana memory khatam kar sakta hai. Zaroorat ho to pehle Drive/S3 par rakho aur link aage bhejo.

🧪 **Example:** Form par CSV upload → binary field "sales_csv" → Extract from File (Input Binary Field: sales_csv) → har row JSON item ban gayi.

⚠️ **Common galti:** Extract from File mein binary field ka naam galat ("data" likha, jabki file "sales_csv" naam se aayi) → error "No binary data found". Pichhle node ke Binary tab mein asli naam dekho.

🪄 **json = baat, binary = parcel. Parcel ka naam (binary field) sahi likho.**

🗺️ Aaj ka workflow: CSV Sales → City-wise Report Email

Data left se right chalta hai. Har dabba ek n8n node hai.



📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Distributors, D2C brands (daily/weekly sales report) — aam taur par **₹5,000 – ₹12,000**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1. ⚡ **Manual Trigger**
   Testing ke liye
2. 🌐 **HTTP Request**
   CSV file URL se download (Response: File)
3. 📄 **Extract from File**
   Operation: Extract from CSV → har row ek item
4. 🔀 **Filter**
   amount > 0 (khaali/galat rows hatao)
5. 📈 **Summarize**
   Group by: city, Sum: amount, Count: orders
6. 📧 **Gmail**
   City-wise summary table email

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

🔑 Setup (import ke baad)

- [ ] Connect: **Gmail (Google OAuth)**
- [ ] Sample CSV download karo (neeche link) — columns: order_id, city, amount

✅ Test kaise karein

1. Form ka Test URL kholo → sample-sales.csv upload karo
2. Har node ka output dekho: items kaise group hue
3. Email mein table check karo

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

🚚 Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 🔧 Upload Sales CSV

Form se file aayi. JSON mein sirf submit ki info hai; asli file "Binary" tab mein sales_csv naam se hai.

```
{
  "submittedAt": "2026-12-02T20:05:00+05:30",
  "formMode": "test",
  "[binary] sales_csv": {
    "fileName": "sample-sales.csv",
    "mimeType": "text/csv",
    "fileSize": "1.1 kB"
  }
}
```

2 🔧 Read CSV

File ki har row ek alag ITEM ban gayi (20 items). Dhyan do: amount abhi text ("698") hai.

```
{
  "order_id": "ORD-1001",
  "date": "2026-11-02",
  "city": "Bengaluru",
  "product": "Mug",
  "amount": "698",
  "…": "(+19 aur items)"
}
```

3 🔧 City-wise Total

Code ne 20 items ko city ke hisaab se joda → 5 items (5 cities). Number() se amount ko number banaya, isliye sahi total aaya.

```
{
  "city": "Bengaluru",
  "orders": 4,
  "sales": 7092,
  "…": "(+4 aur cities)"
}
```

4 🧾 Build HTML Table

5 items ek item mein jud gaye: html (table) + grand (kul total). Ab sirf 1 email jaayega.

```
{
  "html": "<h2>City-wise Sales Report</h2><table>…</table>",
  "grand": 29109
}
```

5 📧 Email Report

Ek HTML email chala gaya.


```
{
  "id": "18c5a1f0c2b9e7d4",
  "threadId": "18c5a1f0c2b9e7d4",
  "labelIds": [
    "SENT"
  ]
}
```


AdifySkills
DIGITAL MARKETING INSTITUTE
+91 83838 91716

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

⚡ n8n Form Trigger (File field)

Aaj form se file upload karwaayi.



📸 Asli n8n: n8n Form Trigger (File field)

Setting	Kya karti hai	Aaj ki value	Kab badlein
Element Type	File	`File`	Image/PDF/CSV sab chalti hain
Field Label	Yahi binary field ka naam banta hai	`sales_csv`	Space mat rakho, _ use karo
Accepted File Types	Sirf yeh extensions allowed	`.csv`	PDF ke liye .pdf; kai ho to .jpg,.png
Multiple Files	Ek se zyada file	`Off`	On karoge to sales_csv_0, sales_csv_1 banenge

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Extract from File

File ke andar ka data padhkar JSON items banata hai.



📸 Asli n8n: Extract from File

Setting	Kya karti hai	Aaj ki value	Kab badlein
Operation	File ka type: Extract From CSV, XLSX, PDF, JSON, HTML, Text…	`Extract From CSV`	Excel ke liye XLSX, invoice ke liye PDF
Input Binary Field	Kaunsi file padhni hai (binary field ka naam)	`sales_csv`	Default "data" hota hai — badalna mat bhoolo
Options → Header Row	Pehli row column naam hai?	`On (default)`	Headers na hon to Off
Options → Delimiter	Columns kisse alag hain	`, (comma)`	Kuch files mein ; hota hai
Options → Max Rows	Kitni rows padhni hain	`sab`	Testing mein 10 rakh lo

Code (JavaScript)

Jab koi ready node kaam na kare, wahan apna logic likho.



📸 Asli n8n: Code (JavaScript)

Setting	Kya karti hai	Aaj ki value	Kab badlein
Mode	Run Once for All Items (saare items ek saath) ya Run Once for Each Item	`Run Once for All Items`	Total/group ke liye All Items
Language	JavaScript ya Python	`JavaScript`	n8n ke examples zyada JS mein
$input.all()	Saare input items ki list	`for (const item of $input.all())`	Har item ka data item.json mein
return	Hamesha items ki list lautao: [{ json: {...} }]	`return [{ json: { html, grand } }]`	Galat format = "Code doesn't return items" error

📧 Gmail — HTML email

Aaj Gmail ka naya use: design wali HTML table.



📸 Asli n8n: Gmail — HTML email

Setting	Kya karti hai	Aaj ki value	Kab badlein
Email Type	HTML	`HTML`	Table, bold, colors ke liye zaroori
Message	HTML code expression se	`{{ $json.html }}`	Pehle node mein HTML banao, yahan sirf daalo
Subject	Total ke saath	`📊 Sales report — ₹{{ $json.grand }}`	Subject mein main number = email jaldi khulta hai

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😫 Pehle (manual)

Excel kholna	2 min
City-wise filter + total	20 min
Summary type karna	10 min
Email bhejna	3 min
	35 min

⚡ Ab (n8n)

CSV aate hi summary email

0 min

⏱ Har report par 35 min bache, calculation galti zero.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo — 📋 Select karke copy karo

```
{{ $input.all().length }}  // kitne items aaye
```

📦 Sample data — input se output tak

📥 Input 📋 Select karke copy karo

```
[
  {
    "city": "Delhi",
    "amount": 1200
  },
  {
    "city": "Pune",
    "amount": 800
  },
  {
    "city": "Delhi",
    "amount": 500
  }
]
```

📤 Output 📋 Select karke copy karo

```
[
  {
    "city": "Delhi",
    "sum_amount": 1700,
    "count": 2
  },
  {
    "city": "Pune",
    "sum_amount": 800,
    "count": 1
  }
]
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Build it with ChatGPT / Claude 📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Form par sales ki CSV file upload karo. Workflow file padhta hai, city-wise total nikaalta hai aur ek saaf HTML table email karta hai.

Flow: Form (file upload) (sales.csv) → Extract from File (CSV → items) → Code (City-wise sum) → Code (HTML table) → Gmail (Report email)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 Debug helper prompt 📋 Select karke copy karo

```
I'm building the n8n workflow "CSV Sales → City-wise Report Email" (nodes: Upload Sales CSV, Read CSV, City-wise Total, Build HTML Table, Email Report).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ **Workflow JSON**
5 nodes · ready to import
`adifyskills.com/workflows/day-03-csv-city-sales-report.json`

🌐 **Lesson page**
Copy buttons, quiz aur video links
`adifyskills.com/day/3`

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Gmail (Google OAuth)" connect karo.
Webhook/Form test par kuch nahi ho raha?	"Listen for test event" / Test URL use karo aur 2 minute ke andar request bhejo. Production URL sirf Active workflow par chalta hai.

⚠️ Yeh galtiyan sabse common hain

- ! Ek item expect karna jab 50 items aa rahe hon (har email 50 baar jayega!)
- ! Nested array ko bina Split Out ke process karna
- ! Binary property ka naam galat dena (data vs file)

⭐ Pro tips — time bachane wali tricks

- ★ Output panel mein Table / JSON / Schema views badal ke dekho
- ★ Item count node ke upar dikhta hai — hamesha check karo
- ★ Aggregate se pehle Sort karo agar order matter karta hai

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

🏋️ Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

CSV sales file ko process karke city-wise summary nikaalna aur email karna.

📝 Homework

Public API (e.g. JSONPlaceholder) se data laake usse Split Out + Aggregate se transform karo.

- ☐ Homework ho gaya

BEGINNER
Sirf Delhi ke orders filter karo

INTERMEDIATE
Top 3 cities sort + limit

ADVANCED
Summary ko Excel file bana ke attach karo

🧩 Aaj ka challenge — pehle khud try karo

🎯 Report mein sirf woh cities dikhao jinki sales ₹5,000 se zyada hai.

💡 Hint 1
Code node ke baad ek naya node lagao jo items ko chhaant de.

💡 Hint 2
Filter node mein condition: sales (number) "is greater than" 5000.

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

🧪 Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Kitne items aaye? (Code/expression)

```
{"note":"20 rows"}
```

Mera jawab: _____

2. Text amount ko number banao

```
{"amount":"1200"}
```

Mera jawab: _____

3. Nested field: customer ka naam

```
{"customer":{"name":"Asha","city":"Pune"}}
```

Mera jawab: _____

4. List ka pehla tag

```
{"tags":["new","upi"]}
```

Mera jawab: _____

5. Amount ko ₹ format mein (Indian commas)

```
{"amount":125000}
```

Mera jawab: _____

🎯 2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. 10 items ek Gmail node mein jaayein to kitne emails?

(A) Error
(B) 1
(C) 10
(D) 0

Q2. Kai items ko ek list banane ka node?

(A) Filter
(B) IF
(C) Split Out
(D) Aggregate

Q3. PDF file n8n mein kahan hoti hai?

(A) binary
(B) headers
(C) credentials
(D) json

Q4. JSON mein list kis bracket mein?

(A) {}
(B) []
(C) ()
(D) <>

📖 Aaj ke naye shabd

Workflow
Steps ki ek chain jo apne aap chalti hai — jaise recipe ke steps.

Node
Workflow ka ek dabba/step. Har node ek kaam karta hai (email bhejna, data laana…).

Trigger
Jo workflow ko START karta hai — jaise alarm, naya email, ya form submit.

JSON
Data likhne ka format: { "naam": "Ravi", "city": "Delhi" } — key aur value ke jode.

Item
Data ki ek row/record. n8n mein data items ki list ki tarah flow karta hai.

Binary
File wala data — PDF, image, CSV. Text se alag hota hai.

HTTP Request
Node jo kisi bhi API ko call kar sakta hai — n8n ka universal connector.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 4

Expressions & Data Transformation

"{{ }} — n8n ki asli superpower."

☐ **Day 3 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → C
10
Har item ke liye node ek baar chalta hai.

Q2 → D
Aggregate

Q3 → A
binary

Q4 → B
[]

✅ Challenge ka solution

City-wise Total ke baad Filter node: {{ $json.sales }} → Number → is greater than → 5000. Phir Build HTML Table.

🧪 Expression sheet ke jawab

1. `{{ $input.all().length }}` → **20**
2. `{{ Number($json.amount) }}` → **1200**
3. `{{ $json.customer.name }}` → **Asha**
4. `{{ $json.tags[0] }}` → **new**
5. ₹`{{ $json.amount.toLocaleString("en-IN") }}` → **₹1,25,000**

📚 Official docs

- Data structure ↗
- Binary data ↗
- Data pinning ↗
- Data mapping ↗
- Item linking ↗

▶ Videos

- n8n items data structure explained ↗
- n8n split out aggregate ↗

Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716

Day 3 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/3

+91 83838 91716
Call / WhatsApp — Adify Skills

DAY 04

Expressions & Data Transformation

"{{}} — n8n ki asli superpower."

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

Expressions se workflow "smart" banta hai — har item ke data ke hisaab se alag message, alag date, alag value.

🎯 Aaj ke baad aap yeh kar paoge

01 Expression editor & $json, $input, $node

🌍 Form ka "Naam" box — har form mein alag value.
⚙️ {{ $json.email }} → current item ka email.

02 Referencing previous nodes: $("Node").item

🌍 Pichhle page par wapas jaake dekhna kisne bheja tha.
⚙️ {{ $("Webhook").item.json.body.phone }}

03 String, number, array & date functions

🌍 Calculator: plus, minus, uppercase, ginti.
⚙️ {{ $json.price * 1.18 }}, {{ $json.tags.join(", ") }}, {{ $json.name.toUpperCase() }}

04 Luxon for dates ($now, $today, formats, timezones)

🌍 Calendar mein "aaj se 7 din baad" dekhna.
⚙️ {{ $now.plus({days: 7}).toFormat("dd LLL yyyy") }} → "08 Dec 2026"

05 Edit Fields (Set) node — mapping & renaming

🌍 Form ke columns ka naam badalna: "Mob No" → "phone".
⚙️ Edit Fields: phone = {{ $json["Mob No"] }}, source = "website"

06 Drag-and-drop mapping best practices

🌍 Puzzle piece ko sahi jagah drag karna.
⚙️ Input panel se field ko parameter box mein drag → expression khud ban jaata hai.

⏱ Class ka plan (2 ghante)

10m	35m	45m	20m	10m

`0:00-0:10` **Recap + Quiz results**

🪄 Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.

`0:10-0:45` **Concept: Expressions**

20 must-know expressions

🪄 Mad-libs game jaisa — sentence mein khaali jagah hai, har baar alag word bharo, alag sentence ban jaata hai.

`0:45-1:30` **Live Build**

Lead data cleaner — name/phone/email normalize

🪄 Aaj ki kahani yaad hai — 'Shaadi ke card par naam bharna'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.

1:30-1:50 **Expression Gym**
10 rapid challenges
🪄 *Practice match — jitna yahan girenge, utna asli match mein kam girenge.*

1:50-2:00 **Q&A + Homework**
🪄 *Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?*

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01
{{ }} Expression
Double curly braces ke andar JavaScript chalti hai.
🪄 **Analogy:** Mail-merge ke placeholders

CONCEPT 02
$json
Current item ka data. $json.email = is item ka email.
🪄 **Analogy:** "Yeh wala form"

CONCEPT 03
$("Node Name")
Kisi bhi pichhle node ka data access.
🪄 **Analogy:** Pichhle page par wapas dekhna

CONCEPT 04
Luxon ($now, $today)
Dates ke liye: $now.plus({days:3}).toFormat("dd LLL")
🪄 **Analogy:** Calendar calculator

🔑 Aaj ka main idea

Expression {{ }} ek "khaali jagah" hai jo har item ke data se bhar jaati hai. $json = current item, $("Node") = kisi pichhle node ka data, $now = abhi ka time. Isse ek hi workflow har customer ke liye alag message bana deta hai.

- Bank SMS: "Dear {{name}}, ₹{{amount}} debited"
- School report card: "{{student}} ne {{marks}} laaye"
- Birthday wish: "Happy birthday {{name}}, aaj aap {{age}} saal ke ho gaye!"

📖 Ek kahani se samjho: Shaadi ke card par naam bharna

1 💌 **Ek hi card design** = Template (message)

2 ✍️ **Har card par alag naam** = {{ $json.name }}

3 📅 **Date likhna** = {{ $now.toFormat() }}

4 🔤 **Naam ka spelling theek** = .toTitleCase()

5 📮 **100 card ready** = 100 personalised items

🪄 Ek line mein: “Mad-libs game jaisa — sentence mein khaali jagah hai, har baar alag word bharo, alag sentence ban jaata hai.”

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 {{ }} Expression

📖 **Kya hai:** Expression ek chhota sa formula hai jo n8n field ki value ko har item ke hisaab se badal deta hai. {{ aur }} ke beech jo likhte ho, woh JavaScript ki tarah chalta hai aur uska jawab us field mein chala jaata hai.

⚙️ **Andar kaise:** Har field ke upar "Fixed / Expression" ka switch hota hai. Expression mode mein n8n har item ke liye {{ }} ke andar ka code alag se chalata hai. 4 items aaye to formula 4 baar chalega aur 4 alag jawab banenge. Neeche "Result" mein live preview dikhta hai — wahi asli jawab hai jo node bhejega.

✅ **Kab use karein**
Jab value har baar badalni chahiye: customer ka naam, aaj ki date, total amount, kisi pichhle node ka data.

⛔ **Kab nahi**
Jo value kabhi nahi badalti (jaise apna email address ya sheet ka naam), usko Fixed hi rakho. Bina wajah expression lagane se padhna mushkil hota hai.

🧪 **Example:** Clean Fields mein phone field: {{ "+91" + $json.phone.replace(/\D/g, "").slice(-10) }} → "98765-43210" ban gaya "+919876543210".

⚠️ **Common galti:** Expression mode on kiye bina {{ $json.name }} likh dena. Tab n8n usko normal text samajhta hai aur email mein literally "{{ $json.name }}" chala jaata hai. Field ka border/label dekho — Expression mode mein woh alag rang ka hota hai.

🪄 **{{ }} = har item ke liye chalne wala formula. Result preview hamesha dekho.**

02 $json

📖 **Kya hai:** $json ka matlab hai "jo item abhi process ho raha hai, uska data". Pichhle node se jo fields aaye, woh sab $json.fieldName se milte hain.

⚙️ **Andar kaise:** Node jab 4 items par chalta hai, to pehli baar $json = pehla item, doosri baar = doosra item, aur aage aise hi. Isliye ek hi formula sabke liye sahi kaam karta hai. Nested data ke liye dot lagate jao: $json.customer.city. Field ke naam mein space ho to brackets: $json["First Name"].

✅ **Kab use karein**
Lagbhag har expression mein — 90% kaam sirf $json se ho jaata hai.

⛔ **Kab nahi**
Jab data seedha pichhle node ka nahi, kisi aur purane node ka chahiye — tab $("Node Name") use karo (agla concept).

🧪 **Example:** Input panel se "email" field ko drag karke Value box mein chhodo — n8n khud {{ $json.email }} likh deta hai.

⚠️ **Common galti:** Field khaali (null) ho aur uspar .toLowerCase() lagao to error aata hai: "Cannot read properties of undefined". Fix: {{ ($json.email ?? "").toLowerCase() }} ya optional chaining $json.email?.toLowerCase().

🪄 **$json = abhi wala item. Khaali field ke liye ?? "default".**

03 $("Node Name")

📖 **Kya hai:** Isse aap workflow ke kisi bhi pichhle node ka data utha sakte ho, sirf just-pehle wale ka nahi. Jaise purane page par wapas jaakar kuch dekh lena.

⚙️ **Andar kaise:** $("Sample Messy Leads").item.json.name likhne par n8n "paired item" ka use karta hai — woh yaad rakhta hai ki yeh item kis purane item se bana tha, aur usi ka data deta hai. .first() pehla item deta hai, .all() saare items, .item matching item.

✅ **Kab use karein**
Beech ke node ne data badal diya ya hata diya, aur aapko original value chahiye. Jaise IF ke baad Sheet mein clean naam ke saath original naam bhi save karna.

⛔ **Kab nahi**
Har jagah $("...") mat lagao. Jab pichhle node mein hi data hai to $json seedha aur tez hai.

🧪 **Example:** Practice: Save for Review se pehle ek Edit Fields lagao aur likho {{ $("Sample Messy Leads").item.json.email }} → asli galat email "neha@@gmail.com" save hogi, taaki team dekh sake kya galat tha.

⚠️ **Common galti:** Node ka naam badal diya ("Clean Fields" → "Cleaner") — purane expressions jo $("Clean Fields") use karte the, sab toot gaye. n8n naya naam khud update karta hai jab rename editor se karo, par copy-paste kiye workflows mein dhyan rakho.

🪄 **$("Naam").item.json = kisi bhi purane node ka matching data.**

04 Luxon ($now, $today)

📖 **Kya hai:** Dates ke liye n8n mein Luxon library built-in hai. $now = abhi ka date-time, $today = aaj raat 12 baje. Inpar plus, minus aur format ke functions lagte hain.

⚙️ **Andar kaise:** $now ek DateTime object hai, text nahi. .plus({ days: 3 }) 3 din aage le jaata hai, .minus({ hours: 2 }) peeche. .toFormat("dd LLL yyyy") usse text banata hai: dd = din, LLL = mahine ka chhota naam, yyyy = saal, HH:mm = 24-ghante ka time. Text date ko DateTime banana ho to DateTime.fromISO("2026-12-01") ya "2026-12-01".toDateTime().

✅ **Kab use karein**
Follow-up dates, "kal ki report", invoice date, due date, "pichhle 7 din ka data", subject line mein aaj ki date.

⛔ **Kab nahi**
Server/workflow ka timezone galat ho to har date galat aayegi. Pehle Settings → Timezone = Asia/Kolkata check karo.

🧪 **Example:** {{ $now.plus({ days: 3 }).toFormat("dd LLL yyyy") }} → "04 Dec 2026" (agar aaj 01 Dec hai).

⚠️ **Common galti:** mm (minute) aur MM (month) mix kar dena. "dd-mm-yyyy" likha to month ki jagah minute aayega! Month ke liye hamesha MM ya LLL.

🪄 **$now = abhi. plus/minus = date hilao. toFormat = sundar text. MM = month, mm = minute.**

🗺️ Aaj ka workflow: Messy Lead List Cleaner

Data left se right chalta hai. Har dabba ek n8n node hai.



📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Agencies, telecallers (lead list cleaning) — aam taur par **₹3,000 – ₹10,000 per project**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1 ⚡ **Manual Trigger**
Test

2 👨‍💻 **Code**
Sample messy leads (5 items) generate

3 ✏️ **Edit Fields (Set)**
name → toLowerCase().toTitleCase(), phone → +91 format, email → lowercase trim

4 🔀 **IF**
Email valid hai? {{ $json.email.isEmail() }}

5 📊 **Google Sheets**
Valid → "Clean Leads", invalid → "Review" sheet

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- ☐ Connect: **Google Sheets (Google OAuth)**
- ☐ Sheet mein 2 tabs banao: "Clean Leads" aur "Review" (headers: name, phone, email, email_valid)

✅ Test kaise karein

1. "Test workflow" dabao
2. "Clean Fields" ka output dekho — before/after compare karo
3. IF ke true/false dono branches mein kitne items gaye?

🚚 Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 ⚡ Run Manually

"Execute workflow" dabane par 1 khaali item nikla — bas shuru karne ka signal.

```
{}
```

2 🔧 Sample Messy Leads

4 gande leads aaye (4 items). Spaces, ulta case, phone mein dash/space, galat emails.

```
{
  "name": "  rahul SHARMA ",
  "phone": "98765-43210",
  "email": "Rahul@Gmail.com ",
  "…": "(+3 aur items)"
}
```

3 🔧 Clean Fields

Har item par expressions chale. Include Other Fields OFF hai, isliye sirf yeh 4 fields bache. Type Boolean hone se email_valid asli true/false hai.

```
{
  "name": "Rahul Sharma",
  "phone": "+919876543210",
  "email": "rahul@gmail.com",
  "email_valid": true,
  "…": "(+3 aur items)"
}
```

4 📧 Email Valid?

IF ne 4 items ko baanta: true branch mein 2 (Rahul, Amit), false branch mein 2 (priya.verma@yahoo — .com missing; neha@@gmail.com — do @).

```
{
  "true (2 items)": [
    "rahul@gmail.com",
    "amit.k@outlook.com"
  ],
  "false (2 items)": [
    "priya.verma@yahoo",
    "neha@@gmail.com"
  ]
}
```

5 🔧 Save Clean Leads

Sheet ke "Clean Leads" tab mein 2 nayi rows judi. Wahi data wapas output mein aata hai.

```
{
  "name": "Rahul Sharma",
  "phone": "+919876543210",
  "email": "rahul@gmail.com",
  "email_valid": true,
  "…": "(+1 aur item)"
}
```

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

Edit Fields (Set) — expressions

Aaj ka main node: har field ko expression se saaf kiya.



📸 Asli n8n: Edit Fields (Set) — expressions

Setting	Kya karti hai	Aaj ki value	Kab badlein
Mode	Manual Mapping	`Manual Mapping`	Har field alag row mein — padhna aasaan
name → Value	Spaces hatao, sab small, fir har shabd ka pehla letter capital	`{{ $json.name.trim().toLowerCase().toTitleCase() }}`	Sirf toTitleCase() "SHARMA" ko nahi badalta — pehle toLowerCase() zaroori
phone → Value	Sirf digits rakho, last 10 lo, aage +91	`{{ "+91" + $json.phone.replace(/\D/g, "").slice(-10) }}`	\D = jo digit nahi hai; /g = saare
email → Value	Spaces hatao + small letters	`{{ $json.email.trim().toLowerCase() }}`	Duplicate check ke liye email hamesha lowercase
email_valid → Type	Boolean (true/false), String nahi	`Boolean`	Type String rakha to IF mein "true" text aayega, true nahi
Include Other Input Fields	Purane fields saath bhejo?	`Off`	Off = sirf yeh 4 saaf fields aage jaayenge

IF

Ek sawaal poochta hai aur items ko 2 raaston mein baant deta hai: true / false.



📸 Asli n8n: IF

Setting	Kya karti hai	Aaj ki value	Kab badlein
Conditions → Value 1	Kya check karna hai	`{{ $json.email_valid }}`	Drag karke daalo
Conditions → Operator	Kis type ka check: String, Number, Date, Boolean, Array…	`Boolean → is true`	Number ke liye "is greater than" etc.
Add condition + AND/OR	Ek se zyada shart	`ek hi`	AND = sab sach; OR = koi ek sach
Convert types where required	Text "10" ko number 10 maan lo	`On (loose)`	Strict rakha to type mismatch par error aayega
Outputs	true (upar) aur false (neeche) — dono ko alag node se jodo	`true → Clean, false → Review`	False branch khaali chhodi to galat items chupchaap gum

👨‍💻 Code — test data

Asli Sheet ke bina practice ke liye nakli (sample) data banata hai.



📸 Asli n8n: Code — test data

Setting	Kya karti hai	Aaj ki value	Kab badlein
Mode	Run Once for All Items	`Run Once for All Items`	Ek baar chalke saari list deta hai
return [...].map(j => ({json: j}))	Har object ko {json: ...} mein lapeto — n8n ka item format	`4 items`	Format galat = "Code doesn't return items properly"
Baad mein replace	Asli project mein is node ki jagah Google Sheets → Get Rows	–	Baaki workflow same rahega

📊 Google Sheets — Append

Har item ko Sheet ki nayi row bana deta hai.



📸 Asli n8n: Google Sheets — Append

Setting	Kya karti hai	Aaj ki value	Kab badlein
Credential	Google account (OAuth2)	`Google Sheets account`	Ek baar connect, har workflow mein reuse
Resource / Operation	Sheet Within Document → Append Row	`Append Row`	Purani row badalni ho to Update / Append or Update
Document	Kaunsi Google Sheet: list, URL ya ID	`By ID`	URL paste karna sabse aasaan
Sheet	Kaunsa tab	`Clean Leads`	Tab ka naam exact same (space bhi)
Mapping Column Mode	Map Automatically = field naam = column naam	`Map Automatically`	Naam alag hon to "Map Each Column Manually"

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😫 Pehle (manual)

Har lead ka naam/phone manually theek karna	30 min
Invalid emails dhoondhna	15 min
	45 min

➜

⚡ Ab (n8n)

Expressions se sab auto-clean	
Invalid alag sheet mein	
	0 min

⏱ 100 leads par 45 min → 0, aur data hamesha clean.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo 📋 Select karke copy karo

```
{{ "+91" + $json.phone.replace(/\D/g, "").slice(-10) }}
```

📦 Sample data — input se output tak

📥 Input 📋 Select karke copy karo

```
{
  "name": "  rAHUL sharma ",
  "phone": "98765-43210",
  "email": " Rahul@GMAIL.com "
}
```

📤 Output 📋 Select karke copy karo

```
{
  "name": "Rahul Sharma",
  "phone": "+919876543210",
  "email": "rahul@gmail.com",
  "valid": true
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Build it with ChatGPT / Claude 📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Gande data ko saaf karta hai: naam proper case mein, phone +91 format mein, aur galat emails alag. Saaf leads ek tab mein, galat wale "Review" tab mein.

Flow: Manual Trigger (Test run) → Code (Sample messy leads) → Edit Fields (Expressions se clean) → IF (Email valid?) → Google Sheets (Clean / Review)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 Debug helper prompt 📋 Select karke copy karo

```
I'm building the n8n workflow "Messy Lead List Cleaner" (nodes: Run Manually, Sample Messy Leads, Clean Fields, Email Valid?, Save Clean Leads, Save for Review).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

Workflow JSON
6 nodes · ready to import
`adifyskills.com/workflows/day-04-messy-lead-cleaner.json`

Lesson page
Copy buttons, quiz aur video links
`adifyskills.com/day/4`

Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Google Sheets (Google OAuth)" connect karo.
"Sheet not found" / column khaali?	Sheet ID aur tab ka naam (capital/small bhi) check karo. Pehli row mein headers hone chahiye.

⚠️ Yeh galtiyan sabse common hain

- ! Expression mode (fx) on karna bhool jaana — text literally chala jaata hai
- ! Node ka naam badalne par $("Old Name") toot jaana
- ! Null field par .toLowerCase() → error (use ?. ya default)

⭐ Pro tips — time bachane wali tricks

- ★ Drag-and-drop mapping se expressions automatic bante hain
- ★ Expression editor mein live preview hamesha dekho
- ★ $json.field ?? "default" se null-safe raho

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Messy lead list ko clean karna: proper case names, +91 phone format, invalid emails flag.

📝 Homework

Expressions cheat sheet se 15 expressions practise karke apni notebook workflow banao.

- ☐ Homework ho gaya

BEGINNER
Greeting: "Good morning, {{name}}"

INTERMEDIATE
Age calculate from DOB

ADVANCED
Indian festival ke hisaab se dynamic subject line

🧩 Aaj ka challenge — pehle khud try karo

🎯 Email ka domain (gmail.com, yahoo.com) alag column mein nikaalo.

💡 **Hint 1**
n8n mein strings ke liye ready-made functions hain — email ke liye bhi.

💡 **Hint 2**
Expression: {{ $json.email.extractDomain() }} try karo.

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

🧪 Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Naam ko proper case mein (spaces bhi hatao)

```
{"name":"  rAHUL sharma "}
```

Mera jawab: _____

2. Phone ko +91 format mein

```
{"phone":"98765-43210"}
```

Mera jawab: _____

3. 3 din baad ki date (aaj 01 Dec 2026)

Input ki zaroorat nahi

Mera jawab: _____

4. City khaali ho to "Unknown"

```
{"name":"Asha"}
```

Mera jawab: _____

5. Pichhle node ka original naam

```
{"note":"Sample Messy Leads ka data"}
```

Mera jawab: _____

🎯 2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Current item ka data kaise access karte hain?

- (A) $item
- (B) $json
- (C) $data
- (D) $this

Q2. 3 din baad ki date?

- (A) date+3
- (B) $now + 3
- (C) $now.plus({days: 3})
- (D) $today(3)

Q3. Expression kis syntax mein likhte hain?

- (A) <% %>
- (B) (( ))
- (C) [[ ]]
- (D) {{ }}

Q4. Kisi pichhle node "Webhook" ka data?

- (A) $("Webhook").item.json
- (B) $prev
- (C) $webhook
- (D) $node.Webhook

📖 Aaj ke naye shabd

Workflow
Steps ki ek chain jo apne aap chalti hai — jaise recipe ke steps.

Node
Workflow ka ek dabba/step. Har node ek kaam karta hai (email bhejna, data laana…).

Trigger
Jo workflow ko START karta hai — jaise alarm, naya email, ya form submit.

JSON
Data likhne ka format: { "naam": "Ravi", "city": "Delhi" } — key aur value ke jode.

Expression
{{ }} ke andar likha chhota code jo data ko jagah par bhar deta hai, jaise {{ $json.name }}.

Item
Data ki ek row/record. n8n mein data items ki list ki tarah flow karta hai.

Merge
Do raaston ka data wapas ek jagah jodna.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 5

Logic & Flow Control: IF, Switch, Merge, Loop

"Workflows jo khud decision lete hain."

☐ **Day 4 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → B
$json

Q2 → C
$now.plus({days: 3})
Luxon syntax.

Q3 → D
{{ }}

Q4 → A
$("Webhook").item.json

✅ Challenge ka solution

Clean Fields mein naya field: domain = {{ $json.email.trim().toLowerCase().extractDomain() }}

🧪 Expression sheet ke jawab

1. `{{ $json.name.trim().toLowerCase().toTitleCase() }}` → **Rahul Sharma**
2. `{{ "+91" + $json.phone.replace(/\D/g, "").slice(-10) }}` → **+919876543210**
3. `{{ $now.plus({ days: 3 }).toFormat("dd LLL yyyy") }}` → **04 Dec 2026**
4. `{{ $json.city ?? "Unknown" }}` → **Unknown**
5. `{{ $("Sample Messy Leads").item.json.name }}` → **rahul SHARMA**

📚 Official docs

- Expressions ↗
- Built-in methods ↗
- Luxon dates ↗
- Edit Fields (Set) ↗

▶ Videos

- n8n expressions tutorial ↗
- n8n luxon date expressions ↗

Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716

Day 4 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/4

+91 83838 91716
Call / WhatsApp — Adify Skills

DAY 05

Logic & Flow Control: IF, Switch, Merge, Loop

"Workflows jo khud decision lete hain."

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

Real business processes seedhe nahi hote — "agar yeh, to woh". Flow control se n8n decisions leta hai.

🎯 Aaj ke baad aap yeh kar paoge

01 IF node & conditions (AND/OR)

🌍 Paise hain AUR dukaan khuli hai → shopping. (AND); chai YA coffee → kuch bhi chalega (OR).
⚙️ IF: {{ $json.paid }} is true AND amount > 0 → invoice branch.

02 Switch node — multi-route routing

🌍 Post office sorting: har letter pin code ke hisaab se alag bag mein.
⚙️ Switch on city: Delhi → rep A, Mumbai → rep B, fallback → manager.

03 Merge node modes: append, combine, by key

🌍 Do registers ko roll number se milana.
⚙️ Merge (matching fields: email) → CRM data + Sheet data ek item mein.

04 Loop Over Items (batching) & rate limits

🌍 Lift mein ek baar 8 log — baaki agli baar.
⚙️ Loop Over Items batch 50 + Wait 1s → API rate limit safe.

05 Wait node — delays & resume on webhook

🌍 Doctor: "3 din baad wapas aana".
⚙️ Wait 3 days → follow-up email; ya Wait "on webhook" → approval ke baad aage.

06 Filter, Remove Duplicates, Sort & Limit

🌍 Chhalni se kankad nikaalna, duplicate photos delete, marks ke hisaab se rank, top 10.
⚙️ Filter (city = Pune) → Remove Duplicates (email) → Sort (score desc) → Limit 10.

⏱ Class ka plan (2 ghante)

10m	35m	45m	20m	10m

`0:00-0:10` **Recap**

🪄 Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.

`0:10-0:45` **Concept: Flow Control**

Flowchart → n8n mapping

🪄 Traffic police: green to chalo, red to ruko (IF). Chauraha: left, right, seedha (Switch).

`0:45-1:30` **Live Build**

Smart lead router: hot/warm/cold → different actions

🪄 Aaj ki kahani yaad hai — 'Railway junction — kaun si train kis platform'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.

1:30-1:50 **Challenge**
Batch 500 records with rate limit
🪄 Practice match — jitna yahan girenge, utna asli match mein kam girenge.

1:50-2:00 **Q&A + Homework**
🪄 Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01
IF
2 raaste: true / false.
🪄 **Analogy:** Traffic signal: green ya red

CONCEPT 02
Switch
3+ raaste, value ke hisaab se.
🪄 **Analogy:** Railway junction

CONCEPT 03
Merge
Alag branches ka data wapas jodna.
🪄 **Analogy:** Do nadiyan milkar ek

CONCEPT 04
Loop Over Items
Batch-by-batch processing — API rate limit ke liye.
🪄 **Analogy:** Ek baar mein 10 log lift mein

🔑 Aaj ka main idea

Flow control = workflow ka dimaag. IF 2 raaste banata hai (haan/naa), Switch kai raaste, Merge raaston ko wapas jodta hai, Loop bade data ko chhote batches mein chalata hai, Wait ruk ke baad mein chalata hai.

- IF: baarish ho rahi hai? → chhata lo, warna nahi
- Switch: marks 90+ A, 75+ B, baaki C
- Wait: chai ubalne tak 3 minute ruko

📖 Ek kahani se samjho: Railway junction — kaun si train kis platform

1 🚆 **Train aayi (lead)** = Webhook

2 🧮 **Ticket check (score)** = Code / Set

3 🔀 **Junction: 3 raaste** = Switch

4 🔥 **Express → Platform 1** = HOT → Slack sales

5 🐢 **Passenger → Platform 3** = COLD → archive

🪄 Ek line mein: “Traffic police: green to chalo, red to ruko (IF). Chauraha: left, right, seedha (Switch).”

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 IF

📖 **Kya hai:** IF node ek haan/na wala sawaal poochta hai — "kya budget 30,000 se zyada hai?". Jawab haan to item upar wale (true) raaste par, na to neeche wale (false) raaste par.

⚙️ **Andar kaise:** IF har item ko alag check karta hai. 10 items mein se 6 true aur 4 false ho sakte hain — dono branches ek hi execution mein chalti hain. Conditions mein pehle data type chuno (String, Number, Boolean, Date, Array) fir operator (equals, contains, greater than, is empty…). Kai conditions ko AND ya OR se jod sakte ho.

✅ **Kab use karein**
Jab sirf 2 raaste hon: valid/invalid, paid/unpaid, India/abroad, naya/purana customer.

⛔ **Kab nahi**
3 ya zyada categories hon to IF ke andar IF ke andar IF mat banao (tree uljh jaata hai) — Switch use karo.

🧪 **Example:** Budget > 30000 AND timeline = "this week" → true → sales team ko call ka task.

⚠️ **Common galti:** Number ko String condition se compare karna: "9000" > "30000" text mein TRUE aata hai (kyunki "9" > "3")! Number check ke liye operator type Number chuno.

🪄 **IF = 2 raaste. Number ka check Number operator se.**

02 Switch

📖 **Kya hai:** Switch ek junction hai jahan se 3, 4 ya zyada raaste nikalte hain. Har raaste ka ek rule hota hai, aur item us raaste jaata hai jiska rule match kare.

⚙️ **Andar kaise:** Switch rules ko upar se neeche check karta hai aur PEHLA match milte hi item wahan bhej deta hai (jab tak "Send data to all matching outputs" off hai). Isliye order zaroori hai: score 85 ≥ 70 bhi hai aur ≥ 40 bhi — "hot" upar hai, to hot mein jaayega. "Rename Output" se raaston ke naam (hot/warm/cold) canvas par dikhte hain. "Fallback Output" un items ke liye hai jo kisi rule se match nahi hue.

✅ **Kab use karein**
Category ke hisaab se routing: lead score, ticket type (billing/technical/sales), city, language, product.

⛔ **Kab nahi**
Sirf 2 raaste hon to IF zyada simple hai. Aur agar har category ka kaam same hai, sirf ek value alag hai, to Switch ki jagah ek expression ya lookup kaafi hai.

🧪 **Example:** Route by Score: hot (≥70) → Slack, warm (≥40) → nurture email, cold (<40) → archive sheet.

⚠️ **Common galti:** Rules ka order ulta rakhna (pehle ≥40, fir ≥70) — tab sab hot leads bhi warm mein chali jaayengi. Bada number pehle.

🪄 **Switch = junction. Pehla match jeetta hai. Fallback on rakho.**

03 Merge

📖 **Kya hai:** Merge do raaston (inputs) ka data wapas ek mein jodta hai. Jaise do nadiyan milkar ek nadi.

⚙️ **Andar kaise:** Merge ke modes: Append (pehle input 1 ke saare items, fir input 2 ke), Combine → Matching Fields (dono taraf ek common field, jaise email, se jodo — SQL join jaisa), Combine → By Position (1st ke saath 1st), Combine → All Possible Combinations, aur Choose Branch (sirf ek input ka data aage). Merge dono inputs ka intezaar karta hai.

✅ **Kab use karein**
IF/Switch ke baad sab branches ko ek report mein jodna; do alag sources (CRM + payments) ko customer ID se milana.

⛔ **Kab nahi**
Agar ek branch kabhi chalti hi nahi (0 items), to "Combine" modes kuch output nahi denge. Aise case mein Append ya "Always Output Data" setting socho.

🧪 **Example:** Input 1: leads (email, name). Input 2: payments (email, amount). Matching Fields "email" → har lead ke saath uska payment.

⚠️ **Common galti:** "All Possible Combinations" galti se chun lena — 10 × 10 = 100 items ban jaate hain, duplicates ki baarish.

🪄 **Merge = jodna. Common field se jodna ho to Matching Fields.**

04 Loop Over Items

📖 **Kya hai:** Loop Over Items (Split in Batches) items ko chhote-chhote batches mein chalata hai — jaise lift mein ek baar mein 10 log.

⚙️ **Andar kaise:** Normally n8n saare items ek saath agle node ko de deta hai. Loop Over Items mein "Batch Size" (jaise 10) set karo — node 10 items "loop" output par bhejta hai, aap unpar kaam karte ho, aur aakhri node ko wapas Loop node se jodte ho. Saare batches khatam hone par items "done" output se nikalte hain. Beech mein Wait node lagakar API ko saans lene ka time dete hain.

✅ **Kab use karein**
API ki rate limit ho (jaise 1 second mein 10 requests), 1000+ items hon, ya har batch ke baad kuch rukna ho.

⛔ **Kab nahi**
Har normal kaam ke liye loop mat lagao — n8n waise bhi har item par node chalata hai. Loop tab jab batch ya rukna zaroori ho.

🧪 **Example:** 500 contacts ko WhatsApp: Loop (Batch 50) → HTTP Request → Wait 2 sec → wapas Loop. "done" → Telegram "500 bhej diye".

⚠️ **Common galti:** Loop ke aakhri node ko wapas Loop Over Items ke input se jodna bhool jaana — sirf pehla batch chalta hai aur workflow ruk jaata hai.

🪄 **Loop = batch-batch kaam. Aakhri node wapas loop se jodo. "done" = sab khatam.**

🗺️ Aaj ka workflow: Lead Scoring + Smart Routing

Data left se right chalta hai. Har dabba ek n8n node hai.



📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Sales teams, B2B companies (lead scoring + routing) — aam taur par **₹10,000 – ₹25,000**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1. ⚡ **Webhook**
   Lead aata hai: budget, timeline, source
2. 👨‍💻 **Code**
   Score calculate: budget + urgency + source points
3. 🔀 **Switch**
   score ≥ 70 HOT, 40–69 WARM, baaki COLD
4. 💼 **Slack**
   HOT → #sales channel turant
5. 📧 **Gmail**
   WARM → nurture email sequence
6. 📊 **Google Sheets**
   COLD → archive sheet

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- [ ] Connect: **Slack (OAuth / bot token)**
- [ ] Connect: **Gmail (Google OAuth)**
- [ ] Connect: **Google Sheets (Google OAuth)**
- [ ] Slack mein #sales channel banao (ya Slack node ko Telegram se replace karo)

✅ Test kaise karein

1. Webhook node → "Listen for test event" dabao
2. Neeche wala curl command chalao (ya Postman / Hoppscotch se bhejo)
3. Budget badal-badal ke teeno routes test karo

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 ⚡ Lead Webhook

Webhook ne poori request di. Kaam ka data "body" ke andar hai; headers, query bhi saath aaye.


```
{
  "headers": {
    "host": "localhost:5678",
    "content-type": "application/json"
  },
  "params": {},
  "query": {},
  "body": {
    "name": "Ravi Mehta",
    "email": "ravi@example.com",
    "phone": "+919876543210",
    "budget": 60000,
    "urgency": "this week",
    "source": "referral",
    "company": "Mehta Traders"
  },
  "webhookUrl": "http://localhost:5678/webhook-test/score-lead",
  "executionMode": "test"
}
```


2 🔧 Score Lead

Code ne body ko bahar nikaala aur score joda: budget 40 + this week 30 + referral 20 + company 10 = 100.


```
{
  "name": "Ravi Mehta",
  "email": "ravi@example.com",
  "phone": "+919876543210",
  "budget": 60000,
  "urgency": "this week",
  "source": "referral",
  "company": "Mehta Traders",
  "score": 100
}
```


3 🔧 Route by Score

Score 100 ≥ 70 → "hot" output par 1 item. warm aur cold outputs par 0 items — woh nodes chale hi nahi.


```
{
  "hot (1 item)": "Ravi Mehta · 100",
  "warm (0)": "—",
  "cold (0)": "—"
}
```

4 💼 Hot → Slack Sales

Slack ne message post karke confirmation lautaya.


```
{
  "ok": true,
  "channel": "C07SALES01",
  "message": {
    "text": "🔥 HOT lead (100): Ravi Mehta · ₹60000 · +919876543210",
    "ts": "1764601234.000200"
  }
}
```


AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

⚡ Webhook

Bahar ki duniya (website form, Zapier, koi app) n8n ko data bhej sake, iske liye ek URL banata hai.



📸 Asli n8n: Webhook

Setting	Kya karti hai	Aaj ki value	Kab badlein
HTTP Method	Kaunsa request accept karna hai	`POST`	Form/app data bheje to POST; link click ke liye GET
Path	URL ka aakhri hissa	`score-lead`	Chhota aur yaad rehne wala; har workflow ka alag
Test URL vs Production URL	Test URL sirf "Listen for test event" ke waqt; Production URL workflow Active hone par	`Test se shuru`	Website par hamesha Production URL lagao
Authentication	Koi bhi bhej sake ya sirf password/header wala	`None`	Live par Header Auth lagao (Day 8)
Respond	Jawab kab dena: Immediately, When Last Node Finishes, ya Respond to Webhook node se	`Immediately`	Jawab mein data lautana ho to Respond to Webhook

👨‍💻 Code — scoring

Kai shartein jodkar ek number (score) banata hai.



📸 Asli n8n: Code — scoring

Setting	Kya karti hai	Aaj ki value	Kab badlein
item.json.body || item.json	Webhook ka data body ke andar aata hai	`const b = item.json.body || item.json`	Isse test aur doosre triggers dono chalte hain
Number(b.budget) || 0	Text budget ko number banao; khaali ho to 0	`60000`	Bina Number() ke "9000" > 15000 galat nikal sakta hai
score += …	Har shart ke points jodo	`budget 40 + urgency 30 + referral 20 + company 10`	Points ko Sheet mein rakh do to bina code badle tweak kar sakte ho
Math.min(score, 100)	Score 100 se upar na jaaye	`100`	Report/graph saaf dikhta hai
return { json: { ...b, score } }	...b = purane saare fields + naya score	`name, email, …, score`	...b bhoola to sirf score bachega

Switch

Score ke hisaab se 3 raaste.



📸 Asli n8n: Switch

Setting	Kya karti hai	Aaj ki value	Kab badlein
Mode	Rules (har output ka rule) ya Expression (formula se output number)	`Rules`	Bahut saare outputs ho to Expression
Routing Rule 1	{{ $json.score }} Number ≥ 70	`hot`	Sabse bada pehle
Routing Rule 2	{{ $json.score }} Number ≥ 40	`warm`	Hot wale yahan nahi aayenge (pehla match jeetta hai)
Routing Rule 3	{{ $json.score }} Number < 40	`cold`	—
Rename Output	Output ka naam canvas par	`On (hot/warm /cold)`	Workflow padhna aasaan
Options → Fallback Output	Koi rule match na ho to kahan	`None`	"Extra Output" chuno aur alert lagao
Options → Send data to all matching outputs	Ek item kai raaston par	`Off`	On kiya to score 85 hot AUR warm dono mein jaayega

Slack — Send Message

Team ke channel mein turant message.



📸 Asli n8n: Slack — Send Message

Setting	Kya karti hai	Aaj ki value	Kab badlein
Credential	Slack app (OAuth2 ya Bot token)	`Slack account`	Bot ko channel mein invite karna zaroori
Resource / Operation	Message → Send	`Send`	—
Send Message To	Channel ya User	`Channel`	Kisi ek salesperson ko DM ke liye User
Channel	By name, ID ya list se	`#sales`	Naam badalta hai, ID nahi — live par ID behtar
Message Text	Expression ke saath	`🔥 HOT lead ({{ $json.score }}): {{ $json.name }} · ₹{{ $json.budget }}`	Phone number daalo taaki seedha call ho sake

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😩 Pehle (manual)

Har lead padh ke decide karna	5 min
Sahi insaan ko forward	3 min
Follow-up yaad rakhna	5 min
	13 min

➜

⚡ Ab (n8n)

Score + routing auto	
Follow-up Wait node se	
	0 min

⏱ Har lead par 13 min bache, hot lead 1 minute mein sales tak.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo — 📋 Select karke copy karo

```
const s = ($json.budget > 30000 ? 40 : 10) + ($json.timeline === "this week" ? 30 : 5);
return { ...$json, score: s };
```

📦 Sample data — input se output tak

📥 Input — 📋 Select karke copy karo

```
{
  "name": "Neha",
  "budget": 50000,
  "timeline": "this week",
  "source": "referral"
}
```

📤 Output — 📋 Select karke copy karo

```
{
  "name": "Neha",
  "score": 85,
  "label": "HOT",
  "routedTo": "slack#sales"
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Build it with ChatGPT / Claude — 📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Webhook par lead aata hai, Code node score banata hai (budget, urgency, source), aur Switch hot lead ko Slack, warm ko nurture email, cold ko archive sheet mein bhejta hai.

Flow: Webhook (POST /score-lead) → Code (Score 0-100) → Switch (Hot / Warm / Cold) → Slack · Gmail · Sheets (Route karo)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 **Debug helper prompt** 📋 Select karke copy karo

```
I'm building the n8n workflow "Lead Scoring + Smart Routing" (nodes: Lead Webhook, Score Lead, Route by Score, Hot → Slack Sales, Warm → Nurture Email, Cold → Archive).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ **Workflow JSON**
6 nodes · ready to import
`adifyskills.com/workflows/day-05-lead-scoring-router.json`

🌐 **Lesson page**
Copy buttons, quiz aur video links
`adifyskills.com/day/5`

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Slack (OAuth / bot token)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Gmail (Google OAuth)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Google Sheets (Google OAuth)" connect karo.
Webhook/Form test par kuch nahi ho raha?	"Listen for test event" / Test URL use karo aur 2 minute ke andar request bhejo. Production URL sirf Active workflow par chalta hai.
"Sheet not found" / column khaali?	Sheet ID aur tab ka naam (capital/small bhi) check karo. Pehli row mein headers hone chahiye.

⚠️ Yeh galtiyan sabse common hain

- ! Merge node ka galat mode — data duplicate ho jaata hai
- ! IF mein string "10" vs number 10 compare karna
- ! Loop ke andar "done" output ko connect na karna

⭐ Pro tips — time bachane wali tricks

- Switch mein "Fallback output" on rakho — unexpected values ke liye
- Wait node se "3 din baad" follow-up — server restart par bhi resume hota hai
- Remove Duplicates (past executions) se same lead dobara process na ho

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

🏋️ Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Lead scoring + routing workflow: score ke hisaab se Sales Slack, nurture email ya archive.

📝 Homework

Do data sources ko Merge (by key) karke unified customer list banao.

- [ ] Homework ho gaya

BEGINNER
Budget 0 wale leads filter karo

INTERMEDIATE
Round-robin: leads 3 sales reps mein baanto

ADVANCED
Wait node + approval link se manager approval flow

🧩 Aaj ka challenge — pehle khud try karo

🎯 Agar lead ka source "referral" hai to score ke bawajood hamesha hot maano.

💡 Hint 1
Yeh logic Code node mein ek extra line se ho sakta hai.

💡 Hint 2
return se pehle: agar source referral hai to score ko 70 ya usse upar kar do.

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

🧪 Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Score 70 ya upar to "HOT"

```
{"score":85}
```

Mera jawab: _____

2. Text budget ko number maan kar check

```
{"budget":"60000"}
```

Mera jawab: _____

3. Source in dono mein se ek hai?

```
{"source":"referral"}
```

Mera jawab: _____

4. Do shartein ek saath (AND)

```
{"urgency":"this week","budget":50000}
```

Mera jawab: _____

5. 3 labels ek expression mein

```
{"score":55}
```

Mera jawab: _____

🎯 2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. 5 alag categories ke liye best node?

- (A) Switch
- (B) Merge
- (C) Wait
- (D) IF

Q2. API 1 sec mein sirf 10 requests leti hai — kya use karein?

- (A) Loop Over Items + Wait
- (B) IF
- (C) Merge
- (D) Sort

Q3. Do sources ko customer ID se jodna?

(A) Filter
(B) Merge (by key/matching fields)
(C) Aggregate
(D) Split Out

Q4. IF node ke kitne outputs?

(A) 3
(B) Unlimited
(C) 1
(D) 2

📖 Aaj ke naye shabd

Node
Workflow ka ek dabba/step. Har node ek kaam karta hai (email bhejna, data laana…).

Webhook
Ek URL jis par koi doosra app data bhejta hai aur aapka workflow turant chal padta hai.

API
Do apps ke baat karne ka tareeka. Ek app sawaal bhejta hai, doosra jawab (data) deta hai.

IF Node
Haan/naa wala decision — condition sahi to ek raasta, galat to doosra.

Switch
Kai raaston mein se ek chunna — jaise traffic police kisi gaadi ko alag lane mein bhejta hai.

Merge
Do raaston ka data wapas ek jagah jodna.

Rate Limit
API ki speed limit — ek minute mein kitni requests allowed hain.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 6

Code Node: JavaScript for Automators

"Jahan node khatam, wahan Code node shuru."

☐ **Day 5 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → A
Switch

Q2 → A
Loop Over Items + Wait

Q3 → B
Merge (by key/matching fields)

Q4 → D
2

✅ Challenge ka solution

Score Lead code mein: if (b.source === 'referral') score = Math.max(score, 70);

🧪 Expression sheet ke jawab

1. `{{ $json.score >= 70 ? "HOT" : "NOT HOT" }}` → **HOT**
2. `{{ Number($json.budget) >= 50000 }}` → **true**
3. `{{ ["referral", "website"].includes($json.source) }}` → **true**
4. `{{ $json.urgency === "this week" && $json.budget > 30000 }}` → **true**
5. `{{ $json.score >= 70 ? "HOT" : $json.score >= 40 ? "WARM" : "COLD" }}` → **WARM**

📚 Official docs

- Flow logic ↗
- Merging data ↗
- Looping ↗
- Splitting with conditionals ↗

▶ Videos

- n8n if switch merge tutorial ↗
- n8n loop over items batching ↗

Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716

Day 5 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/5

+91 83838 91716
Call / WhatsApp — Adify Skills

DAY 06

Code Node: JavaScript for Automators

"Jahan node khatam, wahan Code node shuru."

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

Code node se student "no-code ki limit" tod deta hai. Thodi si JavaScript = unlimited power. AI se code likhwana bhi sikhaate hain.

🎯 Aaj ke baad aap yeh kar paoge

01 JavaScript essentials for n8n (no CS degree needed)

🌍 Recipe mein ingredients (variables), "agar namak kam ho to daalo" (if), "5 baar hilao" (loop).
⚙️ const total = $json.price * $json.qty; if (total > 1000) { … }

02 Run once for all items vs each item

🌍 Poori class ki copies ek saath check vs har bachche ko alag bulana.
⚙️ All items: $input.all() · Each item: $json

03 Return format: [{ json: {...} }]

🌍 Courier ka fixed packing format — galat packing = reject.
⚙️ return [{ json: { total: 500 } }];

04 Array methods: map, filter, reduce

🌍 map = har aam ko kaatna, filter = kharab aam hatana, reduce = sabka juice ek glass mein.
⚙️ items.map(i => i.price), items.filter(i => i.qty > 0), items.reduce((s, i) => s + i.price, 0)

05 Using AI to write & debug Code node

🌍 Tuition teacher se homework samajhna — copy nahi, samajh ke likhna.
⚙️ Code node mein "Ask AI": "GST 18% add karo aur 2 decimal mein round karo".

06 Python in Code node — basics

🌍 Hindi aur English — dono se baat ho sakti hai.
⚙️ Python mode: for item in _input.all(): item.json["x"] = 1

⏱ Class ka plan (2 ghante)

10m	40m	40m	20m	10m

`0:00-0:10` **Recap**

🪄 Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.

`0:10-0:50` **Concept: JS Crash Course**

Variables, objects, loops — n8n context

🪄 Recipe likhna jaisa hai: pehle ingredients lo, phir step-by-step karo, end mein plate mein serve karo — yahi return hai.

0:50-1:30 **Live Build**
Invoice line-item calculator + GST
🪄 Aaj ki kahani yaad hai — 'Dukaan ka hisaab — calculator wala munshi'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.

1:30-1:50 **Quiz + Challenge**
Module 2 quiz
🪄 Practice match — jitna yahan girenge, utna asli match mein kam girenge.

1:50-2:00 **Q&A + Homework**
🪄 Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01
Run once for all items
Saare items ek saath milte hain: $input.all()
🪄 **Analogy:** Poori class ki attendance ek baar mein

CONCEPT 02
Run once for each item
Har item par alag chalta hai: $json
🪄 **Analogy:** Har student se alag baat

CONCEPT 03
Return format
Hamesha array of {json: {...}} return karo.
🪄 **Analogy:** Packing format fixed hai

CONCEPT 04
map / filter / reduce
Arrays ke 3 superpowers — transform, chhaanto, jodo.
🪄 **Analogy:** Factory machines

🔑 Aaj ka main idea

Code node mein thoda JavaScript likh ke woh kaam karo jo 5–6 nodes mein hota. Bas 3 cheezein yaad rakho: data $input/$json se lo, map/filter/reduce se badlo, aur [{json: {...}}] return karo. AI se code likhwana bhi allowed hai — samajhna zaroori hai.

- map: har item ka price double karna
- filter: sirf 18+ age wale
- reduce: saare amounts ka total

📖 Ek kahani se samjho: Dukaan ka hisaab — calculator wala munshi

1 🧾 **Order list aayi** = Webhook
2 👩‍💻 **Munshi ne hisaab lagaya** = Code node
3 ➕ **Total + GST + discount** = reduce() / math
4 🏷️ **Bill number diya** = Edit Fields
5 ↩️ **Customer ko bill** = Respond to Webhook

🪄 Ek line mein: “Recipe likhna jaisa hai: pehle ingredients lo, phir step-by-step karo, end mein plate mein serve karo — yahi return hai.”

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 Run once for all items

📖 **Kya hai:** Code node ka yeh mode saare items ek saath, ek list mein deta hai. Code sirf ek baar chalta hai aur aap poori list par kuch bhi kar sakte ho — total, group, sort, duplicate hatana.

⚙️ **Andar kaise:** $input.all() = saare items ki list; har item ke andar .json mein data. $input.first() = pehla item. Aap jitne chahe utne items lauta sakte ho — 20 aaye aur 1 lautaya (total), ya 1 aaya aur 50 lautaye (split).

✅ **Kab use karein**

Jab ek item ka jawab doosre items par depend kare: total, average, rank, group by, duplicate hatana, sabse bada dhoondhna.

⛔ **Kab nahi**

Jab har item ka kaam alag aur simple ho (jaise sirf naam badalna) — tab Edit Fields ya "each item" mode zyada saaf hai.

🧪 **Example:** Calculate Invoice: $input.all().map(({ json: o }) => …) — har order ka poora invoice ek saath.

⚠️ **Common galti:** Is mode mein $json likhna — yahan $json kaam nahi karta (koi "current item" hota hi nahi). $input.all() ya $input.first().json use karo.

🪄 **All Items = poori class ek saath. $input.all() se list lo.**

02 Run once for each item

📖 **Kya hai:** Is mode mein Code node har item ke liye alag chalta hai. 10 items = 10 baar. Har baar $json mein bas wahi ek item hota hai.

⚙️ **Andar kaise:** Aap ek object lautate ho: return { json: { ... } } — ya seedha return { ...$json, naya: 1 }. n8n khud saare jawabon ko list bana deta hai. Paired item (kaunsa output kis input se bana) apne aap sahi rehta hai, isliye aage $("Node").item theek kaam karta hai.

✅ **Kab use karein**

Har item par same chhota calculation: GST, age from DOB, URL banana, text saaf karna.

⛔ **Kab nahi**

Total ya group jaisa kaam — kyunki ek baar mein sirf ek item dikhta hai, baaki nahi.

🧪 **Example:** return { json: { ...$json, gst: +($json.price * 0.18).toFixed(2) } } → har product par GST juda.

⚠️ **Common galti:** "Each item" mode mein $input.all() se loop chala dena — 10 items × 10 = 100 items nikal aate hain.

🪄 **Each Item = har student se alag baat. $json se current item.**

03 Return format

📖 **Kya hai:** Code node se data lautane ka ek fixed format hai: items ki list, jahan har item { json: { ...fields } } hota hai. Files ho to { json, binary }.

⚙️ **Andar kaise:** n8n ko pata hona chahiye ki kitne items hain aur har item ka data kahan hai. Isliye [{ json: {...} }, { json: {...} }]. Nayi versions plain objects ki list ([{ a: 1 }]) bhi khud lapet deti hain, par { json } likhna sabse safe aur saaf hai. Kuch na lautana ho to return [].

✅ **Kab use karein**
Har Code node ke aakhir mein. Debug karte waqt output panel mein "N items" dekho — wahi aapka return hai.

⛔ **Kab nahi**
Date objects, functions ya undefined values lautane se bacho — JSON mein badal kar ajeeb dikhte hain. Date ho to .toISOString() ya Luxon toFormat().

🧪 **Example:** return [{ json: { invoice_no: "INV-1042", grand_total: 2886 } }];

⚠️ **Common galti:** return { total: 500 } (bina list) all-items mode mein — error: "Code doesn't return items properly". List [ ] mein lapeto.

🪄 **Hamesha [{ json: {...} }]. Packing ka format fixed hai.**

04 map / filter / reduce

📖 **Kya hai:** JavaScript lists (arrays) ke teen superpowers. map = har element ko badlo. filter = sirf kuch rakho. reduce = sabko jodkar ek value banao.

⚙️ **Andar kaise:** map(fn) utne hi elements lautata hai jitne mile (har ek badla hua). filter(fn) sirf woh rakhta hai jinke liye fn true de. reduce((total, x) => total + x, 0) shuru 0 se karke ek-ek jodta hai. Teeno original list ko nahi chhedte — nayi list dete hain.

✅ **Kab use karein**
Order ke line items ka total, sirf paid orders chunna, naamon ki comma wali list banana, items ko n8n format mein lapetna.

⛔ **Kab nahi**
Bahut lambe chained map().filter().map() — padhna mushkil. 2–3 steps tak theek; zyada ho to variables mein todo.

🧪 **Example:** const subtotal = o.items.reduce((s, i) => s + i.price * i.qty, 0); // 799×2 + 349×1 + 299×3 = 2844

⚠️ **Common galti:** reduce mein shuru ki value (0) bhool jaana — khaali list par error aata hai aur objects ki list par ajeeb "[object Object]" jud jaata hai.

🪄 **map = badlo, filter = chhaanto, reduce = jodo (0 se shuru).**

🗺️ Aaj ka workflow: GST Invoice Calculator (Code Node)

Data left se right chalta hai. Har dabba ek n8n node hai.



📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Shops, small manufacturers (GST invoice calculator) — aam taur par **₹5,000 – ₹15,000**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1. ⚡ **Webhook**
   Order aata hai with line items
2. 👨‍💻 **Code**
   Har item ka subtotal, discount, 18% GST, grand total
3. ✏️ **Edit Fields (Set)**
   invoiceNo = "INV-" + $now.toFormat("yyMMdd") + random
4. ⚡ **Respond to Webhook**
   Calculated invoice JSON return

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- ☐ Koi setup nahi — seedha Test karo!

✅ Test kaise karein

1. "Test workflow" dabao
2. "Calculate Invoice" output mein har line ka GST check karo
3. Last node mein "Download" se invoice.json lo

Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 ⚡ Run Manually

Start signal — 1 khaali item.

```
{}
```

2 🔧 Sample Order

1 item = 1 order. Andar customer object aur 3 line items ki list.

```
{
  "order_id": "ORD-1042",
  "customer": {
    "name": "Sneha Kapoor",
    "state": "Delhi",
    "email": "sneha@example.com"
  },
  "coupon": "NEW10",
  "items": [
    {
      "sku": "TSHIRT-BLK",
      "name": "Black T-shirt",
      "qty": 2,
      "price": 799,
      "gst": 12
    },
    {
      "sku": "MUG-01",
      "qty": 1,
      "price": 349,
      "gst": 18
    },
    {
      "sku": "CAP-RED",
      "qty": 3,
      "price": 299,
      "gst": 12
    }
  ]
}
```

3 🔧 Calculate Invoice

NEW10 coupon = 10% off. Har line ka GST alag laga, fir sab joda. 2885.6 round hokar 2886.


```
{
  "invoice_no": "INV-1042",
  "date": "2026-12-03",
  "lines": [
    {
      "name": "Black T-shirt",
      "base": 1598,
      "discount": 159.8,
      "taxable": 1438.2,
      "cgst": 86.29,
      "sgst": 86.29,
      "total": 1610.78
    },
    "…(+2 lines)"
  ],
  "subtotal": 2844,
  "discount": 284.4,
  "cgst": 163,
  "sgst": 163,
  "grand_total": 2886
}
```


4 🔧 Make invoice.json

Data ab ek file ban gaya — Binary tab mein INV-1042.json. Wahan se Download karo ya aage Gmail/Drive ko do.


```
{
  "[binary] data": {
    "fileName": "INV-1042.json",
    "mimeType": "application/json",
    "fileExtension": "json"
  }
}
```


DIGITAL MARKETING INSTITUTE
+91 83838 91716

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

Code — sample order

Ek nested order banata hai — customer object aur items ki list ke saath.



📸 Asli n8n: Code — sample order

Setting	Kya karti hai	Aaj ki value	Kab badlein
Mode	Run Once for All Items	`Run Once for All Items`	—
customer: { … }	Object ke andar object (nested)	`customer.name, customer.state`	Expression mein $json.customer.state
items: […]	Ek item ke andar line items ki list	`3 products`	Har product ka apna gst % (12 ya 18)
return [{ json: {…} }]	1 item = 1 order	`1 item`	Asli project mein Webhook / Shopify se aayega

Code — calculation

Aaj ka hero: discount, CGST/SGST aur grand total JavaScript se.



📸 Asli n8n: Code — calculation

Setting	Kya karti hai	Aaj ki value	Kab badlein
round = n => Math.round(n*100)/100	Paise tak (2 decimal) round	`86.292 → 86.29`	Paiso ka hisaab hamesha round karo
$input.all().map(({ json: o }) => …)	Har order par kaam; o = order ka data	`1 order`	Kai orders aaye to kai invoices
o.items.map(it => …)	Har line: base, discount, taxable, cgst, sgst, total	`3 lines`	GST ko 2 hisson mein: CGST + SGST (same state)
sum = k => lines.reduce(…)	Kisi bhi column ka total ek chhote function se	`sum("cgst") = 163`	Ek function, kai jagah use
grand_total: Math.round(…)	Final amount poore rupaye mein	`2885.6 → 2886`	Invoice par rounding line dikhana achha practice

Convert to File

JSON data ko ek downloadable file bana deta hai.



📸 Asli n8n: Convert to File

Setting	Kya karti hai	Aaj ki value	Kab badlein
Operation	Kis format mein: CSV, XLSX, JSON, HTML, Text, ICS, Base64…	`Convert to JSON`	Accountant ke liye XLSX
Mode	Each Item = har item ki alag file; All Items = sab ek file mein	`Each Item`	Report ke liye All Items
Options → File Name	File ka naam expression se	`{{ $json.invoice_no }}.json`	Naam mein date daalo: INV-1042-2026-12-03.json
Put Output File in Field	Binary field ka naam	`data (default)`	Gmail attachment / Drive upload mein yahi naam

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😩 Pehle (manual)

Calculator se har item jodna	10 min
GST alag nikaalna	5 min
Galti dobara check	5 min
	20 min

➜

⚡ Ab (n8n)

Code node 1 second mein

0 min

⏱ Har bill par 20 min bache, calculation galti zero.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo — 📋 Select karke copy karo

```
const o = $input.first().json;
const subtotal = o.items.reduce((s, i) => s + i.price * i.qty, 0);
const discount = subtotal * (o.discount / 100);
const gst = (subtotal - discount) * 0.18;
return [{ json: { subtotal, discount, gst: +gst.toFixed(2), total: +(subtotal - discount +
gst).toFixed(2) } }];
```

📦 Sample data — input se output tak

📥 Input — 📋 Select karke copy karo

```
{
  "items": [
    {
      "name": "Course",
      "price": 9999,
      "qty": 1
    },
    {
      "name": "Templates",
      "price": 1999,
      "qty": 2
    }
  ],
  "discount": 10
}
```

📤 Output — 📋 Select karke copy karo

```
{
  "subtotal": 13997,
  "discount": 1399.7,
  "gst": 2267.51,
  "total": 14864.81
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Build it with ChatGPT / Claude

📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Order ke items se subtotal, discount, GST (CGST+SGST) aur grand total JavaScript se calculate karke ek formatted invoice JSON file banata hai.

Flow: Manual Trigger (Test run) → Code (Sample order) → Code (GST + discount + total) → Convert to File (invoice.json)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 Debug helper prompt

📋 Select karke copy karo

```
I'm building the n8n workflow "GST Invoice Calculator (Code Node)" (nodes: Run Manually, Sample Order, Calculate Invoice, Make invoice.json).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ Workflow JSON
4 nodes · ready to import
`adifyskills.com/workflows/day-06-gst-invoice-calculator.json`

🌐 Lesson page
Copy buttons, quiz aur video links
`adifyskills.com/day/6`

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo

⚠️ Yeh galtiyan sabse common hain

- ! Object return karna array ki jagah
- ! "each item" mode mein $input.all() use karna
- ! Floating point rounding bhool jaana (toFixed)

⭐ Pro tips — time bachane wali tricks

- Code node mein "Ask AI" se code generate karwao, phir samjho
- console.log() output browser console mein dikhta hai
- Complex logic ke liye pehle 5–6 nodes se banao, phir Code mein compress

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

🏋️ Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Order items se GST, discount aur total calculate karke formatted invoice JSON banana.

📝 Homework

3 tasks jo pehle 4–5 nodes mein hote the, unhe ek Code node mein likho.

- [ ] Homework ho gaya

BEGINNER

Naam ko uppercase karo Code se

- [ ]

INTERMEDIATE

Duplicate emails Code se hatao

- [ ]

ADVANCED

Indian number format (1,00,000) function likho

- [ ]

🧩 Aaj ka challenge — pehle khud try karo

🎯 Agar subtotal ₹2,000 se upar ho to free shipping, warna ₹99 shipping jodo.

💡 Hint 1
Grand total ke calculation mein ek naya variable banao.

💡 Hint 2
const shipping = subtotal > 2000 ? 0 : 99; — yeh ternary operator hai.

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

🧪 Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Order mein kitne products?

```
{"items":[{"name":"Black T-shirt"},{"name":"Coffee Mug"},{"name":"Red Cap"}]}
```

Mera jawab: _____

2. Saare product naam ek line mein (map)

```
{"items":[{"name":"Black T-shirt"},{"name":"Coffee Mug"},{"name":"Red Cap"}]}
```

Mera jawab: _____

3. Subtotal (reduce)

```
{"items":[{"price":799,"qty":2},{"price":349,"qty":1}]}
```

Mera jawab: _____

4. 12% GST wale kitne products? (filter)

```
{"items":[{"gst":12},{"gst":18},{"gst":12}]}
```

Mera jawab: _____

5. CGST (6%) 2 decimal tak

```
{"taxable":1438.2}
```

Mera jawab: _____

🎯 2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Code node ka sahi return?

- (A) "a"
- (B) true
- (C) {a:1}
- (D) [{json:{a:1}}]

Q2. Saare items kaise milte hain?

- (A) $input.all()
- (B) $items
- (C) $all
- (D) $json

Q3. Sum nikaalne ke liye array method?

- (A) map
- (B) filter
- (C) reduce
- (D) sort

Q4. Code node kin languages mein?

- (A) PHP
- (B) Sirf JS
- (C) JS + Python
- (D) Sirf Python

📖 Aaj ke naye shabd

Node
Workflow ka ek dabba/step. Har node ek kaam karta hai (email bhejna, data laana…).

Webhook
Ek URL jis par koi doosra app data bhejta hai aur aapka workflow turant chal padta hai.

JSON
Data likhne ka format: { "naam": "Ravi", "city": "Delhi" } — key aur value ke jode.

Item
Data ki ek row/record. n8n mein data items ki list ki tarah flow karta hai.

Code Node
Jahan aap JavaScript likh ke apna custom logic chala sakte ho.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 7

HTTP Request & REST APIs Mastery

"Agar API hai, toh n8n se connect ho sakta hai."

☐ **Day 6 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → D
[{ json: { a: 1 } }]

Q2 → A
$input.all()

Q3 → C
reduce

Q4 → C
JS + Python

✅ Challenge ka solution

Calculate Invoice mein: const shipping = sum('base') > 2000 ? 0 : 99; aur grand_total mein + shipping, output mein shipping field bhi do.

🧪 Expression sheet ke jawab

1. `{{ $json.items.length }}` → **3**
2. `{{ $json.items.map(i => i.name).join(", ") }}` → **Black T-shirt, Coffee Mug, Red Cap**
3. `{{ $json.items.reduce((s, i) => s + i.price * i.qty, 0) }}` → **1947**
4. `{{ $json.items.filter(i => i.gst === 12).length }}` → **2**
5. `{{ ($json.taxable * 0.06).toFixed(2) }}` → **86.29**

📚 Official docs

- Code node ↗
- Cookbook ↗
- MDN JS Guide ↗
- Cookbook: Code node ↗
- AI coding in Code node ↗
- MDN: Array.reduce ↗

▶ Videos

- n8n code node javascript tutorial ↗
- n8n code node python ↗

Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716

Day 6 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/6

+91 83838 91716
Call / WhatsApp — Adify Skills

DAY 07

HTTP Request & REST APIs Mastery

"Agar API hai, toh n8n se connect ho sakta hai."

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

HTTP Request node n8n ka "master key" hai. Jis app ka ready node nahi, uski API se bhi connect ho jaate hain.

🎯 Aaj ke baad aap yeh kar paoge

01 REST basics: GET, POST, PUT, DELETE

🌍 Library: kitaab lena (GET), nayi kitaab dena (POST), update (PUT), wapas karna (DELETE).
⚙️ GET /users, POST /leads, PUT /leads/12, DELETE /leads/12

02 Headers, query params, body (JSON/form)

🌍 Courier: lifafe par pata (URL), stamp (header), andar chitthi (body).
⚙️ Header: Authorization: Bearer KEY · Query: ?city=Pune · Body: { "name": "Aman" }

03 Reading API docs like a pro

🌍 Naye phone ka manual — pehle "Getting started", phir features.
⚙️ Docs mein dhoondho: Base URL, Authentication, Endpoints, Example request.

04 cURL import in HTTP Request node

🌍 Recipe ka photo bhej do, cook khud bana dega.
⚙️ Docs se cURL copy → HTTP node → "Import cURL" → sab fields bhar gayi.

05 Pagination & rate-limit handling

🌍 Kitaab ke 10 pages — ek-ek palatna; ek din mein limit.
⚙️ Pagination: page=1,2,3… · 429 aaye to Wait + retry.

06 Response parsing & error codes

🌍 Doctor ki report: normal (200), "mila nahi" (404), "pass nahi hai" (401).
⚙️ 200 OK · 400 bad input · 401 auth · 404 not found · 429 rate limit · 500 server

⏱ Class ka plan (2 ghante)

10m	35m	45m	20m	10m

`0:00-0:10` **Recap**

🪄 Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.

`0:10-0:45` **Concept: APIs**

Restaurant waiter analogy + live Postman demo

🪄 Restaurant mein tum kitchen mein nahi jaate — waiter jaata hai. API waiter hai, n8n customer hai.

`0:45-1:30` **Live Build**

Weather + news morning briefing bot

🪄 Aaj ki kahani yaad hai — 'Restaurant ka waiter = API'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.

1:30-1:50 **API Hunt**
Students pick a public API & integrate
🪄 *Practice match — jitna yahan girenge, utna asli match mein kam girenge.*

1:50-2:00 **Q&A + Homework**
🪄 *Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?*

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01
API
Do software ke beech baat karne ka tareeka.
🪄 **Analogy:** Restaurant ka waiter — aap order dete ho, kitchen se khana laata hai

CONCEPT 02
HTTP methods
GET (lao), POST (banao), PUT/PATCH (update), DELETE (hatao).
🪄 **Analogy:** CRUD = Create Read Update Delete

CONCEPT 03
Headers & Auth
Request ke saath extra info — API key, content type.
🪄 **Analogy:** Building entry pass

CONCEPT 04
Pagination
API data pages mein deti hai — sab pages laane padte hain.
🪄 **Analogy:** Kitaab ke page palatna

🔑 Aaj ka main idea
API do software ke beech baat karne ka tareeka hai. Aap request bhejte ho (method + URL + headers + body), server response deta hai (JSON + status code). HTTP Request node se n8n kisi bhi API se baat kar sakta hai.

- Zomato app restaurant ki API se menu laata hai
- Weather app mausam ki API se temperature
- UPI app bank ki API se payment

📖 Ek kahani se samjho: Restaurant ka waiter = API

1 🧑 **Aap order dete ho** = HTTP Request (GET/POST)

2 👨‍🍳 **Waiter kitchen jaata hai** = API server

3 📜 **Menu card padha** = API docs

4 🍛 **Khana aaya** = JSON response

5 🤦 **"Aaj khatam" bola** = Error code (404/429)

🪄 Ek line mein: “Restaurant mein tum kitchen mein nahi jaate — waiter jaata hai. API waiter hai, n8n customer hai.”

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 API

📖 **Kya hai:** API ek darwaza hai jisse ek software doosre software se data maang sakta hai ya bhej sakta hai. Aap URL par request bhejte ho, aur woh JSON mein jawab deta hai.

⚙️ **Andar kaise:** Har request ke 4 hisse hote hain: URL (kahan), Method (kya karna), Headers (extra info jaise API key) aur Body (bhejne wala data). Jawab mein ek status code aata hai — 200 matlab sab theek, 400 tumhari galti, 401 login/API key galat, 404 cheez nahi mili, 429 bahut zyada requests, 500 unke server ki galti — aur saath mein data.

✅ **Kab use karein**
Jab kisi app ka ready-made n8n node nahi hai, ya node mein woh feature nahi jo aapko chahiye. Lagbhag har modern app (Razorpay, Shiprocket, Interakt, Zoho) ki API hoti hai.

⛔ **Kab nahi**
Jis app ka official n8n node hai aur woh aapka kaam kar deta hai, wahan pehle node use karo — auth aur pagination woh khud sambhalta hai.

🧪 **Example:** Open-Meteo: GET https://api.open-meteo.com/v1/forecast?latitude=28.61&longitude=77.21&current=temperature_2m → {current: {temperature_2m: 14.2}}

⚠️ **Common galti:** Status code padhe bina "API kaam nahi kar rahi" kehna. Error message mein code dekho: 401 = key ka masla, 429 = dheere chalao, 500 = unka server — baad mein retry.

🪄 **API = waiter. Request bhejo, JSON jawab lo. Status code pehle padho.**

02 HTTP methods

📖 **Kya hai:** Method batata hai ki aap API ke saath kya karna chahte ho. GET = data padho, POST = naya banao, PUT/PATCH = badlo, DELETE = hatao.

⚙️ **Andar kaise:** GET mein body nahi hoti — filters URL ke ? ke baad query parameters mein jaate hain (?city=Delhi&limit=10). POST/PUT/PATCH mein data body mein JSON ki tarah jaata hai. PUT poori cheez replace karta hai, PATCH sirf diye hue fields badalta hai. API docs har endpoint ka method batate hain.

✅ **Kab use karein**
GET: weather, rates, list of orders. POST: lead create, message bhejna, payment link banana. PATCH: order status update. DELETE: purana record hatana.

⛔ **Kab nahi**
Testing ke waqt asli production API par DELETE/POST mat chalao — pehle test/sandbox account ya ek dummy record par.

🧪 **Example:** Aaj teeno HTTP calls GET hain: Weather, Currency (open.er-api.com/v6/latest/USD). Kal (Day 8) hum khud POST receive karenge.

⚠️ **Common galti:** GET request mein body bhejna ya POST ke data ko query parameters mein daal dena — API 400 Bad Request deti hai. Docs mein dekho data kahan jaata hai.

🪄 **GET lao, POST banao, PATCH badlo, DELETE hatao.**

03 Headers & Auth

📖 **Kya hai:** Headers request ke saath jaane wali extra jaankari hain — jaise "main JSON bhej raha hoon" ya "yeh rahi meri API key". Zyaadatar paid APIs bina key ke jawab nahi deti.

⚙️ **Andar kaise:** Auth ke common tareeke: API key header mein (x-api-key: ...), Bearer token (Authorization: Bearer ...), Basic Auth (username:password), query param mein key (?apikey=...), aur OAuth2 (Google jaise). n8n mein inhe "Credentials" mein save karte hain — key ek baar daalo, workflow JSON mein dikhti nahi, aur share karne par leak nahi hoti.

✅ **Kab use karein**
Har us API ke saath jo key ya token maangti hai. Docs ka "Authentication" section pehle padho.

⛔ **Kab nahi**
Key ko URL ya Code node mein seedha mat likho. Workflow export/share karte hi key sabke paas pahunch jaati hai.

🧪 **Example:** HTTP Request → Authentication: Generic Credential Type → Header Auth → Name: Authorization, Value: Bearer sk_live_xxx.

⚠️ **Common galti:** "Bearer" aur token ke beech space bhool jaana, ya galat header naam (X-API-KEY vs x-api-key kuch APIs mein farak padta hai) — 401 Unauthorized.

🪄 **Key = entry pass. Hamesha Credentials mein rakho, URL mein kabhi nahi.**

04 Pagination

📖 **Kya hai:** Bahut saara data ho to API ek baar mein sab nahi deti — 50 ya 100 records ka ek "page" deti hai. Baaki ke liye agla page maangna padta hai.

⚙️ **Andar kaise:** Teen common tareeke: page number (?page=2), offset (?offset=100&limit=100), aur cursor/next link (jawab mein next_cursor ya next URL). HTTP Request node ke Options → Pagination mein yeh rule set karte ho — n8n khud page-by-page tab tak maangta hai jab tak data khatam na ho, aur sab items jod deta hai.

✅ **Kab use karein**
Saare orders, saare contacts, poori product list — jab bhi "total" 100 se zyada ho sakta hai.

⛔ **Kab nahi**
Sirf latest 10 chahiye to pagination mat lagao — limit=10 kaafi hai. Bina wajah 50 pages kheenchna API limit khatam kar dega.

🧪 **Example:** Pagination Mode: Update a Parameter in Each Request → Query: page = {{ $pageCount + 1 }}; Complete When: Response Is Empty.

⚠️ **Common galti:** Sirf pehla page laakar sochna ki "saare 100 customers aa gaye", jabki asli mein 2,340 the. Hamesha docs mein "total" ya "has_more" field dekho.

🪄 **API = kitaab ke pages. Pagination option se n8n khud palatta hai.**

🗺️ Aaj ka workflow: Morning Briefing Bot (Weather + News + Currency)

Data left se right chalta hai. Har dabba ek n8n node hai.





📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Founders, traders (morning briefing bot) — aam taur par **₹3,000 – ₹8,000 + ₹500/mahina**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1 ⚡ **Schedule Trigger**
Roz 7 AM

2 🌐 **HTTP Request**
Weather API (Open-Meteo, bina key) — city ke coordinates

3 🌐 **HTTP Request**
News API — top headlines

4 🔗 **Merge**
Weather + news combine

5 👨‍💻 **Code**
Sundar formatted message banao

6 ✈️ **Telegram**
Morning briefing bhejo

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- ☐ Connect: **Telegram bot token (BotFather se)**
- ☐ Apne shehar ke liye Weather URL mein latitude/longitude badlo

✅ Test kaise karein

1. "Test workflow" → Telegram check karo
2. Har HTTP node ka raw JSON dekho — data kahan se aa raha hai

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 🔧 Every Day 7 AM

Schedule ne 7 baje fire kiya — 1 item with time info.


```
{
  "timestamp": "2026-12-01T07:00:00.012+05:30",
  "Readable date": "December 1st 2026, 7:00:00 am",
  "Day of week": "Tuesday",
  "Timezone": "Asia/Kolkata (UTC+05:30)"
}
```


2 🔧 Weather

Open-Meteo ka JSON. Kaam ka data "current" ke andar hai.


```
{
  "latitude": 28.625,
  "longitude": 77.25,
  "timezone": "Asia/Kolkata",
  "current": {
    "time": "2026-12-01T07:00",
    "temperature_2m": 14.2,
    "relative_humidity_2m": 78,
    "wind_speed_10m": 5.4
  }
}
```


3 🔧 Currency

Weather ka 1 item aaya tha, isliye yeh 1 baar chala. Saari currencies "rates" mein.


```
{
  "result": "success",
  "base_code": "USD",
  "time_last_update_utc": "Tue, 01 Dec 2026 00:02:31 +0000",
  "rates": {
    "USD": 1,
    "INR": 84.6214,
    "EUR": 0.9431,
    "…": "160+ aur"
  }
}
```


4 🔧 Top News

Feed ke saare articles — har article ek item (yahan 34).


```
{
  "title": "RBI keeps repo rate unchanged at 6.5% - The Hindu",
  "link": "https://news.google.com/rss/articles/…",
  "pubDate": "Tue, 01 Dec 2026 01:30:00 GMT",
  "…": "(+33 aur items)"
}
```

5 🔧 Top 3

34 mein se pehle 3 bache.


```
{
  "title": "RBI keeps repo rate unchanged at 6.5% - The Hindu",
  "…": "(+2 aur items)"
}
```


6 🔧 Build Message

3 nodes ka data ek text mein jud gaya.


```
{
  "text": "☀️ Good morning!\n\n🌡 Delhi: 14.2°C, humidity 78%, wind 5.4 km/h\n💱 1 USD = ₹84.62\n\n📰 Top news:\n1. RBI keeps repo rate…\n2. …\n3. …"
}
```


7 🔧 Send Briefing

Telegram ne message bhej diya.


```
{
  "ok": true,
  "result": {
    "message_id": 731,
    "chat": {
      "id": 123456789,
      "type": "private"
    },
    "date": 1764552601
  }
}
```


Adify DIGITAL MARKETING INSTITUTE +91 83838 91716

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

HTTP Request — public API

Bina API key ke Open-Meteo se mausam laata hai.



📸 Asli n8n: HTTP Request — public API

Setting	Kya karti hai	Aaj ki value	Kab badlein
Method	GET	`GET`	Sirf data padhna hai
URL	Query parameters seedhe URL mein	`…/forecast?latitude=28.61&longitude=77.21&current=…`	Lambe URLs ke liye "Send Query Parameters" mein ek-ek field
Authentication	None	`None`	Open-Meteo free hai; doosri APIs mein Header Auth
Import cURL (upar button)	Docs se curl copy karke paste — saari settings khud bhar jaati hain	—	Naya API try karne ka sabse tez tareeka
Settings → Retry On Fail	Fail ho to dobara try	`On (3 tries, 1000 ms)`	Free APIs kabhi-kabhi slow hoti hain
Options → Pagination	Kai pages laane ke liye	`Off`	Saare orders/contacts laane ho to On

RSS Read

Kisi bhi website ka RSS feed padh kar har article ko ek item bana deta hai.



📸 Asli n8n: RSS Read

Setting	Kya karti hai	Aaj ki value	Kab badlein
URL	Feed ka address	`news.google.com/rss?hl=en-IN&gl=IN&ceid=IN:en`	Topic ke liye: news.google.com/rss/search?q=AI
Output	Har article = 1 item: title, link, pubDate, content	`30+ items`	Blog, YouTube channel, job portals — sabke feeds hote hain
Options → Ignore SSL Issues	Purani websites ke certificate errors ignore	`Off`	Sirf trusted feeds ke liye on karo

Limit

Itne hi items aage jaane do — baaki chhod do.



📸 Asli n8n: Limit

Setting	Kya karti hai	Aaj ki value	Kab badlein
Max Items	Kitne items rakhne hain	`3`	Top 5 ke liye 5
Keep	First Items ya Last Items	`First Items`	Sabse naye neeche hon to Last

👨‍💻 Code — teen sources jodna

Teen alag nodes ka data ek message mein.



📸 Asli n8n: Code — teen sources jodna

Setting	Kya karti hai	Aaj ki value	Kab badlein
$("Weather").first().json.current	Pichhle-pichhle node ka data naam se	`temperature_2m: 14.2`	Merge node ke bina data jodne ka tareeka
$("Currency").first().json.rates.INR	Currency node ka INR rate	`84.62`	.toFixed(2) se 2 decimal
$input.all().map(…).join("\n")	Top 3 news ko numbered list	`1. … 2. … 3. …`	join("\n") = har item nayi line
return [{ json: { text } }]	1 item = 1 message	`1 item`	Kai items lautaoge to kai messages jaayenge

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😫 Pehle (manual)

Weather app kholna	2 min
News app kholna	5 min
Family group par likhna	5 min
	12 min

⚡ Ab (n8n)

7 AM briefing Telegram par auto

0 min

⏱ Roz 12 min bache, family ko daily update.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo — 📋 Select karke copy karo

```
curl "https://api.open-meteo.com/v1/forecast?latitude=28.61&longitude=77.21&current=temperature_2m"
```

📦 Sample data — input se output tak

📥 Input — 📋 Select karke copy karo

```
{
  "current": {
    "temperature_2m": 24.3,
    "wind_speed_10m": 8
  }
}
```

📤 Output — 📋 Select karke copy karo

```
{
  "message": "☀️ Good morning! Delhi: 24°C\n📰 Top 3 news…"
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Build it with ChatGPT / Claude

📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Har subah 7 baje teen free APIs se data laata hai — Delhi ka mausam, top 3 news, USD→INR rate — aur ek saaf Telegram message bhejta hai. Koi API key nahi chahiye.

Flow: Schedule (7:00 AM) → HTTP (Open-Meteo weather) → HTTP (USD → INR) → RSS Read (Google News India) → Code (Message banao) → Telegram (Bhejo)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 Debug helper prompt

📋 Select karke copy karo

```
I'm building the n8n workflow "Morning Briefing Bot (Weather + News + Currency)" (nodes: Every Day 7 AM, Weather, Currency, Top News, Top 3, Build Message, Send Briefing).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ **Workflow JSON**
7 nodes · ready to import
`adifyskills.com/workflows/day-07-morning-briefing-telegram.json`

🌐 **Lesson page**
Copy buttons, quiz aur video links
`adifyskills.com/day/7`

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Telegram bot token (BotFather se)" connect karo.
Time par apne aap nahi chala?	"Active" toggle on hai? Settings mein timezone Asia/Kolkata check karo.

⚠️ Yeh galtiyan sabse common hain

! API key ko URL mein hardcode karna (credential use karo)
! 429 Too Many Requests ko ignore karna
! Response "file" hai aur JSON expect karna

⭐ Pro tips — time bachane wali tricks

★ API docs se cURL copy karo → HTTP node mein "Import cURL"
★ Settings → Retry on fail + wait 5s
★ Pagination option se automatic next pages

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Morning briefing: weather + top news + currency rate → ek formatted Telegram message.

📝 Homework

Koi bhi 2 public APIs integrate karo with pagination.

☐ Homework ho gaya

BEGINNER
Random joke API se joke laao
☐

INTERMEDIATE
Paginated API ke saare pages laao
☐

ADVANCED
Retry + exponential backoff Code se
☐

🧩 Aaj ka challenge — pehle khud try karo

🎯 Briefing mein Delhi ki jagah apne shehar ka mausam dikhao aur ek "☔ Chhata le jao" line jodo agar baarish ho.

💡 Hint 1
Open-Meteo URL mein latitude/longitude badalte hain; Google par "<city> latitude longitude" search karo.

💡 Hint 2
URL mein &current= ke saath precipitation bhi maango, phir Code mein check karo > 0.

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Temperature nikaalo

```
{"current":{"temperature_2m":14.2}}
```

Mera jawab: _____

2. Round karke °C lagao

```
{"current":{"temperature_2m":14.2}}
```

Mera jawab: _____

3. INR rate 2 decimal tak

```
{"rates":{"INR":84.6214}}
```

Mera jawab: _____

4. News title se source hatao

```
{"title":"RBI keeps repo rate unchanged - The Hindu"}
```

Mera jawab: _____

5. Doosre node (Weather) ka wind speed

```
{"note":"Weather node: current.wind_speed_10m = 5.4"}
```

Mera jawab: _____

2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Data sirf padhne ke liye method?

- (A) PUT
- (B) POST
- (C) GET
- (D) DELETE

Q2. 429 error ka matlab?

- (A) Server down
- (B) Unauthorized
- (C) Not found
- (D) Rate limit exceeded

Q3. API docs se fastest setup?

- (A) Import cURL
- (B) Screenshot
- (C) Code node
- (D) Manually type

Q4. 401 error?

- (A) Auth problem
- (B) Success
- (C) Redirect
- (D) Timeout

📖 Aaj ke naye shabd

Node
Workflow ka ek dabba/step. Har node ek kaam karta hai (email bhejna, data laana…).

Trigger
Jo workflow ko START karta hai — jaise alarm, naya email, ya form submit.

API
Do apps ke baat karne ka tareeka. Ek app sawaal bhejta hai, doosra jawab (data) deta hai.

JSON
Data likhne ka format: { "naam": "Ravi", "city": "Delhi" } — key aur value ke jode.

Merge
Do raaston ka data wapas ek jagah jodna.

HTTP Request
Node jo kisi bhi API ko call kar sakta hai — n8n ka universal connector.

Schedule
Fixed time par workflow chalana — roz, har ghante, har Monday.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 8

Authentication, Credentials & Webhooks

"Real-time apps banane ka secret: webhooks."

☐ **Day 7 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → C
GET

Q2 → D
Rate limit exceeded

Q3 → A
Import cURL

Q4 → A
Auth problem

✅ Challenge ka solution

URL: ...&current=temperature_2m,precipitation... Code: const rain = w.precipitation > 0 ? "\n☔ Chhata le jao!" : ""; text mein jod do.

🧪 Expression sheet ke jawab

1. `{{ $json.current.temperature_2m }}` → **14.2**
2. `{{ Math.round($json.current.temperature_2m) }}°C` → **14°C**
3. `{{ $json.rates.INR.toFixed(2) }}` → **84.62**
4. `{{ $json.title.split(" - ")[0] }}` → **RBI keeps repo rate unchanged**
5. `{{ $("Weather").first().json.current.wind_speed_10m }}` → **5.4**

📚 Official docs

- HTTP Request node ↗
- Pagination ↗
- Public APIs list ↗
- Rate limits ↗

▶ Videos

- n8n http request node tutorial ↗
- n8n api pagination ↗

Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716 ↗

Day 7 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/7 ↗

+91 83838 91716
Call / WhatsApp — Adify Skills

DAY 08

Authentication, Credentials & Webhooks

"Real-time apps banane ka secret: webhooks."

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

Webhooks se n8n ek "backend" ban jaata hai — website, app, payment gateway sab real-time mein n8n ko data bhej sakte hain.

🎯 Aaj ke baad aap yeh kar paoge

01 API keys, Bearer tokens, Basic auth

🌍 Gym card (API key), movie ticket (bearer token), ghar ki chaabi (basic auth: user+password).
⚙️ HTTP Request → Authentication: Header Auth → x-api-key: ••••

02 OAuth2 flow — Google, Microsoft, social apps

🌍 Valet parking key — gaadi chala sakta hai, dikki nahi khol sakta.
⚙️ Google OAuth2 credential → sirf Sheets scope.

03 n8n credential manager & sharing

🌍 Ghar ki chaabiyon ka ek locked box — family ko share.
⚙️ Credentials → New → ek baar banao, har workflow mein select.

04 Webhook node: test vs production URLs

🌍 Rehearsal ka stage vs asli show ka stage.
⚙️ /webhook-test/lead (sirf Listen mode) vs /webhook/lead (active).

05 Respond to Webhook — build your own API

🌍 Courier ko receipt dena.
⚙️ Respond to Webhook: 200 { "ok": true, "id": "lead_12" }

06 Webhook security: auth headers, HMAC verify

🌍 Note par watermark — asli hai ya nakli.
⚙️ Crypto node: HMAC-SHA256(body, secret) === header signature?

⏱ Class ka plan (2 ghante)

10m	35m	45m	20m	10m

`0:00-0:10` **Recap**

🪄 *Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.*

`0:10-0:45` **Concept: Auth & Webhooks**

Push vs pull

🪄 *Tumhare ghar ka pata (webhook) sabko pata hai, par andar sirf woh aa sakta hai jiske paas pass (auth) hai.*

`0:45-1:30` **Live Build**

Apna mini REST API: /lead endpoint with validation

🪄 *Aaj ki kahani yaad hai — 'Society gate aur security guard'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.*

1:30-1:50 **Challenge**
Secure the webhook with header auth
🪄 *Practice match — jitna yahan girenge, utna asli match mein kam girenge.*

1:50-2:00 **Q&A + Homework**
🪄 *Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?*

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01
Webhook URL
Ek unique address jahan data POST hota hai.
🪄 **Analogy:** Aapka ghar ka pata — courier wahin aata hai

CONCEPT 02
Test vs Production URL
Test URL sirf "Listen" mode mein; production URL active workflow par.
🪄 **Analogy:** Rehearsal vs real show

CONCEPT 03
Respond to Webhook
Caller ko apna custom jawab bhejo — n8n ek API ban gaya.
🪄 **Analogy:** Courier ko signature dena

CONCEPT 04
OAuth2
Bina password diye app ko permission dena (Google, Microsoft).
🪄 **Analogy:** Valet parking key — sirf gaadi chalane ki permission

🔑 Aaj ka main idea
Authentication = "aap kaun ho" proof (API key, token, OAuth). Webhook = n8n ka public pata jahan apps data bhejte hain. Respond to Webhook se n8n wapas jawab deta hai — yaani n8n khud ek API ban jaata hai.

- API key = gym membership card
- OAuth = "Google se login karo" button
- Webhook = Swiggy restaurant ko order notification

📖 Ek kahani se samjho: Society gate aur security guard

1 🏠 **Ghar ka pata diya** = Webhook URL

2 💂 **Guard ID check karta hai** = Header Auth / HMAC

3 🗝️ **Valet ko sirf gaadi ki chaabi** = OAuth2 (limited permission)

4 📋 **Visitor register** = Google Sheets

5 ✅ **Guard bola "andar aao"** = Respond to Webhook

🪄 Ek line mein: “Tumhare ghar ka pata (webhook) sabko pata hai, par andar sirf woh aa sakta hai jiske paas pass (auth) hai.”

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 Webhook URL

📖 **Kya hai:** Webhook URL aapke workflow ka "ghar ka pata" hai. Koi website, app ya payment gateway is URL par data bhejta (POST) hai, aur workflow usi second chal jaata hai.

⚙️ **Andar kaise:** n8n URL banata hai: https://aapka-n8n.com/webhook/<path>. Request aate hi Webhook node ek item banata hai jisme headers (kaun bhej raha, kis format mein), params, query (URL ke ? wale) aur body (asli data) hote hain. Isliye form ka naam $json.body.name se milta hai, $json.name se nahi.

✅ **Kab use karein**
Real-time events: website form submit, payment success, naya order, chatbot message, kisi doosre tool (Zapier, Make, Pabbly) se data.

⛔ **Kab nahi**
Jis app mein webhook bhejne ka option hi nahi, wahan Schedule + API se har 5 minute check karna padega (polling).

🧪 **Example:** Website ka form fetch("https://n8n.adifyskills.com/webhook/lead", { method: "POST", body: JSON.stringify(data) }) karta hai → n8n mein lead aa gaya.

⚠️ **Common galti:** $json.name likh kar sochna data nahi aaya — data body ke andar hai: $json.body.name. Output panel mein structure dekho.

🪄 **Webhook = ghar ka pata. Data hamesha $json.body mein.**

02 Test vs Production URL

📖 **Kya hai:** Har Webhook ke do URL hote hain. Test URL (/webhook-test/...) sirf tab chalta hai jab aapne "Listen for test event" dabaya ho. Production URL (/webhook/...) tab chalta hai jab workflow Active ho.

⚙️ **Andar kaise:** Test URL ek baar ka data pakadta hai aur editor mein dikha deta hai — banane aur debug karne ke liye. Production URL hamesha sunta rehta hai; uske executions "Executions" list mein jaate hain, editor mein live nahi dikhte.

✅ **Kab use karein**
Banate waqt: Test URL + Listen. Website/app par lagate waqt: Production URL + workflow Active.

⛔ **Kab nahi**
Test URL kabhi website par mat lagao — aapke editor band karte hi har form submit 404 dega.

🧪 **Example:** Test: http://localhost:5678/webhook-test/lead · Production: https://n8n.adifyskills.com/webhook/lead

⚠️ **Common galti:** Website par production URL laga diya par workflow Active nahi kiya → "The requested webhook is not registered" (404).

🪄 **Test = rehearsal (Listen dabao). Production = asli show (Active karo).**

03 Respond to Webhook

📖 **Kya hai:** Is node se aap bhejne wale ko apni marzi ka jawab dete ho — status code (200, 400…) aur JSON. Isse n8n ek chhota API backend ban jaata hai.

⚙️ **Andar kaise:** Webhook node ki setting "Respond" ko "Using 'Respond to Webhook' Node" par rakhna padta hai. Fir caller tab tak rukta hai jab tak workflow kisi Respond to Webhook node tak na pahunche. Har branch (valid/invalid) ka apna Respond node ho sakta hai, alag code ke saath.

✅ **Kab use karein**
Website ko "Thank you" ya error dikhana ho, mobile app ko data lautana ho, ya koi doosra system n8n se calculation maange.

⛔ **Kab nahi**
Lamba kaam (AI, 2 minute ki processing) ke baad jawab mat do — caller timeout ho jaayega. Pehle turant 200 lautao, kaam baad mein karo.

🧪 **Example:** Valid → {"ok": true, "message": "Lead saved"} (200). Invalid → {"ok": false, "error": "name aur valid email zaroori hai"} (400).

⚠️ **Common galti:** Respond to Webhook node lagaya par Webhook ki "Respond" setting "Immediately" hi chhod di — error: "Unused Respond to Webhook node found".

🪄 **Respond node = caller ko jawab. Webhook ka Respond setting badalna mat bhoolo.**

04 OAuth2

📖 **Kya hai:** OAuth2 ek tareeka hai jisme aap apna password diye bina kisi app (n8n) ko apne Google/Microsoft account ka limited access de dete ho.

⚙️ **Andar kaise:** Aap n8n mein "Sign in with Google" dabate ho → Google poochta hai "n8n ko Gmail bhejne ki permission doge?" → haan karne par Google n8n ko ek token deta hai. Token mein sirf wahi permissions hoti hain jo aapne di (scopes). Token expire hota rehta hai, n8n refresh token se khud naya le leta hai. Self-hosted par Google Cloud mein apna Client ID/Secret banana padta hai.

✅ **Kab use karein**
Google (Gmail, Sheets, Drive, Calendar), Microsoft 365, Slack, LinkedIn, HubSpot — jahan bhi "Connect account" button aata hai.

⛔ **Kab nahi**
Simple APIs jo sirf API key leti hain, wahan OAuth ki zaroorat nahi — Header Auth kaafi hai.

🧪 **Example:** Credentials → New → Google Sheets OAuth2 API → Sign in with Google → Allow → ho gaya. Ab har Sheets node yeh credential use kar sakta hai.

⚠️ **Common galti:** Google Cloud mein OAuth app "Testing" mode mein chhod dena — token 7 din mein expire ho jaata hai aur workflows fail hone lagte hain. Production ke liye app publish karo.

🪄 **OAuth2 = valet key. Password nahi, sirf limited permission.**

Aaj ka workflow: Website Form → Webhook Lead API

Data left se right chalta hai. Har dabba ek n8n node hai.





📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Website owners, agencies (form → API → CRM) — aam taur par **₹8,000 – ₹20,000**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1 ⚡ **Webhook**
POST /lead, Authentication: Header Auth (x-api-key)

2 🔀 **IF**
name, phone, email present hain?

3 📊 **Google Sheets**
Valid lead append

4 📧 **Gmail**
Lead ko auto-reply

5 ⚡ **Respond to Webhook**
200 { ok: true, id } ya 400 { error }

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- [ ] Connect: **Google Sheets (Google OAuth)**
- [ ] Connect: **Gmail (Google OAuth)**
- [ ] Sheet mein "Website Leads" tab banao (headers: name, email, phone, message, received_at)
- [ ] Production mein Webhook par Header Auth lagao (Authentication → Header Auth)

✅ Test kaise karein

1. Webhook → "Listen for test event"
2. Neeche curl chalao — valid aur invalid dono body se
3. Response code 200/400 check karo

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 🔧 POST /lead

Website ka data body mein aaya. Headers mein content-type aur bhejne wale ki info.


```
{
  "headers": {
    "content-type": "application/json",
    "user-agent": "curl/8.5.0"
  },
  "params": {},
  "query": {},
  "body": {
    "name": "Anjali Singh",
    "email": "anjali@example.com",
    "phone": "9876501234",
    "message": "Mujhe WhatsApp automation chahiye"
  }
}
```


2 🔧 Valid?

Naam hai aur email sahi hai → true branch. False branch (Respond 400) nahi chala.


```
{
  "true (1 item)": "Anjali Singh · anjali@example.com",
  "false (0)": "—"
}
```


3 🔧 Pick Lead Fields

Body ke andar se 5 saaf fields bahar nikaale — ab Sheet ke columns se seedha match honge.


```
{
  "name": "Anjali Singh",
  "email": "anjali@example.com",
  "phone": "9876501234",
  "message": "Mujhe WhatsApp automation chahiye",
  "received_at": "2026-12-02 11:20"
}
```


4 🔧 Save Lead

"Website Leads" tab mein nayi row.


```
{
  "name": "Anjali Singh",
  "email": "anjali@example.com",
  "phone": "9876501234",
  "message": "Mujhe WhatsApp automation chahiye",
  "received_at": "2026-12-02 11:20"
}
```

5 🔧 Auto Reply

Customer ko email gaya. Naam/email $("POST /lead") se liye.


```
{
  "id": "18c6b2e1a9f04d33",
  "threadId": "18c6b2e1a9f04d33",
  "labelIds": [
    "SENT"
  ]
}
```


6 ↩️ Respond 200

Website (ya curl) ko yeh jawab mila — HTTP 200.


```
{
  "ok": true,
  "message": "Lead saved"
}
```


AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

⚡ Webhook — API mode

Website form ka data leta hai aur jawab Respond node se deta hai.



📸 Asli n8n: Webhook — API mode

Setting	Kya karti hai	Aaj ki value	Kab badlein
HTTP Method	POST	`POST`	Form data hamesha POST
Path	URL ka aakhri hissa	`lead`	Readable rakho: /lead, /payment-success
Authentication	Kaun bhej sakta hai	`None (test)`	Live par Header Auth: x-api-key = lamba secret
Respond	Jawab kaun dega	`Using 'Respond to Webhook' Node`	Immediately rakha to Respond nodes kaam nahi karenge
Options → Allowed Origins (CORS)	Kaunsi website browser se call kar sakti hai	`*`	Live par apna domain: https://adifyskills.com

🔀 IF — 2 conditions

Name bhara hai AUR email sahi hai — tabhi aage.



📸 Asli n8n: IF — 2 conditions

Setting	Kya karti hai	Aaj ki value	Kab badlein
Condition 1	{{ $json.body.name }} → String → is not empty	`not empty`	Khaali ya sirf space wale naam rokta hai
Condition 2	{{ ($json.body.email || "").isEmail() }} → Boolean → is true	`is true`	|| "" se email missing ho to bhi error nahi
Combinator	AND — dono sach hon	`AND`	OR rakha to sirf naam se bhi pass ho jaayega
false output	Galat data → Respond 400	`Respond 400`	Galat data ko kabhi chupchaap mat girao

⚡ Respond to Webhook — success

Website ko batata hai "lead save ho gaya".



📸 Asli n8n: Respond to Webhook — success

Setting	Kya karti hai	Aaj ki value	Kab badlein
Respond With	JSON, Text, All Incoming Items, First Incoming Item, Binary, Redirect, No Data	`JSON`	Thank-you page par bhejna ho to Redirect
Response Body	Bhejne wala JSON (expression bhi chalta hai)	`{ "ok": true, "message": "Lead saved" }`	Lead ID bhi bhejo taaki website dikha sake
Options → Response Code	Default 200	`200`	—

⚡ Respond to Webhook — error

Galat data par saaf error.



📸 Asli n8n: Respond to Webhook — error

Setting	Kya karti hai	Aaj ki value	Kab badlein
Respond With	JSON	`JSON`	—
Response Body	Kya galat hai, insaan ki bhasha mein	`{ "ok": false, "error": "name aur valid email zaroori hai" }`	Website yahi message user ko dikha sakti hai
Options → Response Code	400 = bhejne wale ki galti	`400`	401 = auth galat, 409 = duplicate, 500 = humari galti
Options → Response Headers	Extra headers	–	CORS ke liye Access-Control-Allow-Origin

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😩 Pehle (manual)

Website form email mein aata	5 min
Manually Sheet mein	5 min
Customer ko reply	5 min
	15 min

⚡ Ab (n8n)

Webhook → validate → Sheet → auto-reply → response

0 min

⏱ Har submission par 15 min bache, apna mini API ready.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo 📋 Select karke copy karo

```
curl -X POST https://your-n8n.com/webhook/lead \
  -H "x-api-key: SECRET" -H "Content-Type: application/json" \
  -d '{"name":"Priya","phone":"9123456780"}'
```

📦 Sample data — input se output tak

📥 Input 📋 Select karke copy karo

```
{
  "name": "Priya",
  "phone": "9123456780",
  "email": "priya@mail.com"
}
```

📤 Output 📋 Select karke copy karo

```
{
  "ok": true,
  "id": "lead_1043"
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Build it with ChatGPT / Claude 📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Apna mini API: website form POST karta hai, n8n validate karta hai, Sheet mein save karta hai,
customer ko auto-reply bhejta hai aur website ko JSON response deta hai (200 ya 400).

Flow: Webhook (POST /lead) → IF (Name + valid email?) → Edit Fields (Body se saaf fields) → Google Sheets
(Save) → Gmail (Auto-reply) → Respond to Webhook (200 / 400 JSON)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to
test it and the 3 most common errors beginners hit.
```

💬 Debug helper prompt 📋 Select karke copy karo

```
I'm building the n8n workflow "Website Form → Webhook Lead API" (nodes: POST /lead, Valid?, Pick Lead
Fields, Save Lead, Auto Reply, Respond 200, Respond 400).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ **Workflow JSON**
7 nodes · ready to import
`adifyskills.com/workflows/day-08-webhook-lead-api.json`

🌐 **Lesson page**
Copy buttons, quiz aur video links
`adifyskills.com/day/8`

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Google Sheets (Google OAuth)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Gmail (Google OAuth)" connect karo.
Webhook/Form test par kuch nahi ho raha?	"Listen for test event" / Test URL use karo aur 2 minute ke andar request bhejo. Production URL sirf Active workflow par chalta hai.
"Sheet not found" / column khaali?	Sheet ID aur tab ka naam (capital/small bhi) check karo. Pehli row mein headers hone chahiye.

⚠️ Yeh galtiyan sabse common hain

- ! Test URL website par laga dena (workflow band hote hi fail)
- ! Respond to Webhook add kiya par Webhook ka "Respond" setting change nahi kiya
- ! Webhook ko bina auth public chhod dena

⭐ Pro tips — time bachane wali tricks

- ★ Postman / Hoppscotch se webhook test karo
- ★ HMAC signature verify ke liye Crypto node
- ★ Webhook path readable rakho: /lead, /payment-success

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Website form → n8n Webhook → validation → Sheet + auto-reply → JSON response.

📝 Homework

Google OAuth2 credential setup karo aur ek private Google Sheet read karo.

- [ ] Homework ho gaya

BEGINNER

Webhook se data Sheet mein

- [ ]

INTERMEDIATE

Validation errors ki list return karo

- [ ]

ADVANCED

Razorpay-style HMAC signature verify

- [ ]

🧩 Aaj ka challenge — pehle khud try karo

🎯 Webhook ko secure karo: bina sahi header ke request aaye to reject ho.

💡 Hint 1

Webhook node ki settings mein "Authentication" option hai.

💡 Hint 2

Header Auth chuno, credential mein Name: x-api-key, Value: koi secret.

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

Adify DIGITAL MARKETING INSTITUTE +91 83838 91716

Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Body se naam

```
{"body":{"name":"Anjali Singh"}}
```

Mera jawab: _____

2. Email khaali ho to bhi safe check

```
{"body":{}}
```

Mera jawab: _____

3. Header se API key padho

```
{"headers":{"x-api-key":"SECRET123"}}
```

Mera jawab: _____

4. Query mein source na ho to "direct"

```
{"query":{}}
```

Mera jawab: _____

5. Response body expression se

```
{"body":{"name":"Anjali"}}
```

Mera jawab: _____

2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Website par kaunsa URL lagana chahiye?

- (A) Test URL
- (B) Production URL
- (C) Koi bhi
- (D) Editor URL

Q2. Caller ko custom JSON dene ka node?

- (A) Code
- (B) HTTP Request
- (C) Respond to Webhook
- (D) Set

Q3. Google login ke liye auth type?

- (A) None
- (B) Header
- (C) Basic
- (D) OAuth2

Q4. Webhook secure karne ka simple tareeka?

- (A) Long path
- (B) Kuch nahi
- (C) Capital letters
- (D) Header Auth

📖 Aaj ke naye shabd

Workflow
Steps ki ek chain jo apne aap chalti hai — jaise recipe ke steps.

Node
Workflow ka ek dabba/step. Har node ek kaam karta hai (email bhejna, data laana…).

Webhook
Ek URL jis par koi doosra app data bhejta hai aur aapka workflow turant chal padta hai.

API
Do apps ke baat karne ka tareeka. Ek app sawaal bhejta hai, doosra jawab (data) deta hai.

Credential
Kisi app ka login/API key jo n8n safe tareeke se yaad rakhta hai.

OAuth
Login ka safe tareeka — "Sign in with Google" jaisa, password share kiye bina.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 9

Google Workspace & Messaging Automation

"Gmail, Sheets, Drive, Calendar + WhatsApp, Telegram, Slack."

☐ **Day 8 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → B
Production URL

Q2 → C
Respond to Webhook

Q3 → D
OAuth2

Q4 → D
Header Auth

✅ Challenge ka solution

Webhook → Authentication: Header Auth → credential (x-api-key = mySecret123). curl mein -H "x-api-key: mySecret123" bhejo.

🧪 Expression sheet ke jawab

1. `{{ $json.body.name }}` → **Anjali Singh**
2. `{{ ($json.body.email || "").isEmail() }}` → **false**
3. `{{ $json.headers["x-api-key"] }}` → **SECRET123**
4. `{{ $json.query.source ?? "direct" }}` → **direct**
5. `{{ JSON.stringify({ ok: true, name: $json.body.name }) }}` → **{"ok":true,"name":"Anjali"}**

📚 Official docs

- Credentials ↗
- Webhook node ↗
- Respond to Webhook ↗
- Google OAuth setup ↗
- HTTP Request credentials ↗

▶ Videos

- n8n webhook tutorial ↗
- n8n respond to webhook api ↗

Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716

Day 8 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/8

+91 83838 91716
Call / WhatsApp — Adify Skills

DAY 09

Google Workspace & Messaging Automation

"Gmail, Sheets, Drive, Calendar + WhatsApp, Telegram, Slack."

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

Indian businesses Google Workspace + WhatsApp/Telegram par chalte hain. Yeh class sabse zyada "turant paisa" wali skills deti hai.

🎯 Aaj ke baad aap yeh kar paoge

01 Google Sheets as a database: lookup, upsert

🌍 Attendance register: naam dhoondho (lookup), hai to tick, nahi to naya naam (upsert).
⚙️ Sheets → "Append or Update Row", match column = phone.

02 Gmail: read, label, auto-reply, attachments

🌍 Personal assistant jo inbox padhe, label lagaye, jawab de.
⚙️ Gmail Trigger (has:attachment) → label "Invoices" → reply.

03 Google Drive & Docs: file automation

🌍 Office almirah mein month-wise files.
⚙️ Drive: folder "Invoices/2026-12" create → file upload.

04 Google Calendar: booking automation

🌍 Doctor ki appointment diary.
⚙️ Calendar: Get availability → Create event (start, end, attendee).

05 Telegram bot from scratch

🌍 Apna chhota employee jo chat par jawab de.
⚙️ @BotFather → token → Telegram Trigger + Telegram Send.

06 Slack & WhatsApp Business (Cloud API) messaging

🌍 Office group (Slack) aur customer ka official WhatsApp.
⚙️ Slack #sales message · WhatsApp template "order_confirmed".

⏱ Class ka plan (2 ghante)

10m	30m	50m	20m	10m

`0:00-0:10` **Recap**

🪄 Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.

`0:10-0:40` **Concept: Workspace APIs**

Scopes & quotas

🪄 Socho tumhare paas ek robot hai jo tumhari diary (Calendar), register (Sheet), aur phone (Telegram) sab sambhaal leta hai.

0:40-1:30 **Live Build**
Appointment booking bot: Telegram → Calendar → Sheet → reminder
🪄 Aaj ki kahani yaad hai — 'Clinic ka smart receptionist bot'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.

1:30-1:50 **Challenge**
Gmail attachment → Drive auto-sorter
🪄 Practice match — jitna yahan girenge, utna asli match mein kam girenge.

1:50-2:00 **Q&A + Homework**
🪄 Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01
Sheets as database
Lookup, append, update, upsert (row match karke update ya naya).
🪄 **Analogy:** Register book

CONCEPT 02
Gmail automation
Read, label, reply, attachments download.
🪄 **Analogy:** Personal assistant jo inbox sambhaale

CONCEPT 03
Telegram Bot
@BotFather se token, phir n8n se messages/buttons.
🪄 **Analogy:** Apna khud ka chatbot employee

CONCEPT 04
WhatsApp Cloud API
Meta Business se — template messages, 24-hr window rule.
🪄 **Analogy:** Official business WhatsApp

🔑 Aaj ka main idea
Google Workspace (Sheets, Gmail, Drive, Calendar) aur messaging apps (Telegram, WhatsApp, Slack) — yahi Indian businesses ke daily tools hain. In sab ke n8n nodes ready hain; bas credential connect karo aur operation chuno.

- Sheets = digital register
- Gmail labels = almirah ke folders
- Telegram bot = 24×7 receptionist

📖 Ek kahani se samjho: Clinic ka smart receptionist bot

1 📱 **Patient ne Telegram kiya "/book"**
= Telegram Trigger

2 📅 **Free slots check**
= Google Calendar

3 🔘 **Buttons mein slots bheje**
= Telegram (inline keyboard)

4 ✅ **Slot book**
= Calendar create event

5 ⏰ **1 ghanta pehle reminder**
= Wait + Telegram

🪄 Ek line mein: “Socho tumhare paas ek robot hai jo tumhari diary (Calendar), register (Sheet), aur phone (Telegram) sab sambhaal leta hai.”

AdifySkills
DIGITAL MARKETING INSTITUTE
+91 83838 91716

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 Sheets as database

📖 **Kya hai:** Google Sheet ko chhote database ki tarah use kar sakte ho: rows padhna (Get Rows), nayi row (Append), purani row badalna (Update), aur "hai to update, nahi to naya" (Append or Update).

⚙️ **Andar kaise:** n8n pehli row ko headers (column naam) maanta hai. Har row ek item banti hai jisme row_number bhi hota hai. Update/Upsert ke liye ek "Column to match on" chahiye (jaise email ya order_id) — n8n usi se sahi row dhoondhta hai. Filters se sirf matching rows la sakte ho.

✅ **Kab use karein**
Chhote business, 10,000 rows tak, jahan client ko data khud dekhna/edit karna ho.

⛔ **Kab nahi**
10,000+ rows, kai log ek saath likh rahe hon, ya fast search chahiye — tab database (Day 10). Sheets API ki per-minute limit bhi hoti hai.

🧪 **Example:** Booking log: Append Row. Customer list mein status badalna: Update Row (match on: phone).

⚠️ **Common galti:** Headers ke naam mein extra space ("Email " vs "Email") — data us column mein nahi jaata. Headers saaf aur chhote rakho.

🪄 **Pehli row = column naam. Duplicate rokne ke liye Append or Update.**

02 Gmail automation

📖 **Kya hai:** n8n Gmail mein naya email aane par trigger ho sakta hai, email padh sakta hai, label laga sakta hai, reply kar sakta hai aur attachments utha sakta hai.

⚙️ **Andar kaise:** Gmail Trigger har X minute check karta hai (polling) aur naye emails deta hai. Filters mein Gmail ka search syntax chalta hai: from:razorpay.com has:attachment subject:invoice. "Download Attachments" on karne se files binary mein aati hain (attachment_0, attachment_1…).

✅ **Kab use karein**
Invoice emails se PDF Drive mein, support emails par auto-reply, lead emails ko Sheet mein, important senders ka Telegram alert.

⛔ **Kab nahi**
Har minute poora inbox scan mat karo — filter lagao. Bulk marketing emails Gmail se mat bhejo (limit ~500/din, account block ho sakta hai) — uske liye Brevo/Mailchimp.

🧪 **Example:** Gmail Trigger (from:noreply@razorpay.com has:attachment) → Google Drive upload → Sheet log.

⚠️ **Common galti:** "Simplify" on rehne par email ka poora HTML body nahi aata, sirf snippet. Poora text chahiye to Simplify off.

🪄 **Gmail search syntax = smart filter. Attachments binary mein aate hain.**

03 Telegram Bot

📖 **Kya hai:** Telegram bot aapka khud ka chatbot hai. @BotFather se 1 minute mein ban jaata hai aur ek token milta hai — wahi n8n ka credential hai.

⚙️ **Andar kaise:** Telegram Trigger ek webhook lagata hai: koi bhi user bot ko message bheje to n8n ko update milta hai — message.text (kya likha), message.chat.id (kahan reply karna), message.from (kaun hai). Reply ke liye Telegram node mein wahi chat.id daalte hain. Ek bot par ek hi webhook chal sakta hai — isliye ek bot ko do workflows mein trigger mat banao.

✅ Kab use karein
Owner alerts, booking bot, order status bot, internal team bot, daily reports — India mein free aur sabse aasaan messaging.

⛔ Kab nahi
Customer ko pehle message aap nahi bhej sakte jab tak usne bot ko /start na kiya ho.

🧪 **Example:** User: "book 2026-12-05 16:00" → n8n: "✅ Booked! 2026-12-05 16:00 par aapki 30 min call pakki hai."

⚠️ **Common galti:** Test aur Active dono ek saath — Telegram Trigger ka test webhook production webhook ko hata deta hai. Test ke baad workflow ko dobara Active (off/on) karo.

🪄 **BotFather = token. chat.id = reply ka pata.**

04 WhatsApp Cloud API

📖 **Kya hai:** Meta ki official WhatsApp Business API, jisse n8n se WhatsApp messages bhej aur receive kar sakte ho. n8n mein WhatsApp Business Cloud node hai.

⚙️ **Andar kaise:** Meta Business account → app → WhatsApp number → permanent access token. Niyam: customer ne pichhle 24 ghante mein message kiya ho to free-text reply bhej sakte ho; uske baad sirf pehle se approved "template" messages. Har conversation ka chhota charge lagta hai (category ke hisaab se).

✅ Kab use karein
Order confirmation, OTP, appointment reminder, payment link — Indian customers WhatsApp sabse zyada dekhte hain.

⛔ Kab nahi
Unofficial WhatsApp tools (QR scan wale) client ke liye mat use karo — number ban ho sakta hai. Bulk promotional bina opt-in ke bhi nahi.

🧪 **Example:** Template "order_confirmed": "Hi {{1}}, aapka order {{2}} confirm ho gaya." → n8n variables bharta hai.

⚠️ **Common galti:** 24 ghante ke baad free-text bhejna — API error 131047 ("Re-engagement message"). Template use karo.

🪄 **24 ghante = free reply. Uske baad sirf template.**

🗺️ Aaj ka workflow: Telegram Appointment Booking Bot

Data left se right chalta hai. Har dabba ek n8n node hai.





📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Doctors, salons, consultants (appointment bot) — aam taur par **₹10,000 – ₹30,000**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1 ⚡ **Telegram Trigger**
User likhta hai "/book"

2 📅 **Google Calendar**
Agle 3 din ke free slots check

3 ✈️ **Telegram**
Slots ko inline buttons mein bhejo

4 📅 **Google Calendar**
Selected slot par event create

5 📊 **Google Sheets**
Booking log

6 ⏳ **Wait**
1 ghanta pehle tak ruko → reminder bhejo

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- [ ] Connect: **Telegram bot token (BotFather se)**
- [ ] Connect: **Google Calendar (Google OAuth)**
- [ ] @BotFather se naya bot banao aur token Telegram credential mein daalo
- [ ] Workflow Active karo (Telegram trigger ko public URL chahiye)

✅ Test kaise karein

1. Bot ko "hi" bhejo → help message aana chahiye
2. "book <kal ki date> 16:00" bhejo → Calendar check karo
3. Same slot dobara book karo → busy reply

Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 ✈️ Telegram Message

User ka message aaya. chat.id se hi reply jaayega.


```
{
  "update_id": 90311245,
  "message": {
    "message_id": 58,
    "from": {
      "id": 55501,
      "first_name": "Rohit",
      "language_code": "en"
    },
    "chat": {
      "id": 55501,
      "first_name": "Rohit",
      "type": "private"
    },
    "date": 1764850000,
    "text": "book 2026-12-05 16:00"
  }
}
```


2 🔧 Parse Request

Regex ne date-time nikaala. Dhyan do: start UTC mein hai (10:30Z = 16:00 IST).


```
{
  "valid": true,
  "chat_id": 55501,
  "name": "Rohit",
  "start": "2026-12-05T10:30:00.000Z",
  "end": "2026-12-05T11:00:00.000Z",
  "label": "2026-12-05 16:00"
}
```


3 ⚡ Format OK?

valid = true → upar wala raasta.


```
{
  "true (1 item)": "Rohit · 2026-12-05 16:00",
  "false (0)": "—"
}
```


4 🔧 Check Slot

Us samay koi event nahi mila. Always Output Data ON hai, isliye 1 khaali item aaya.


```
{}
```

5 🔧 Slot Free?

$json.id exist nahi karta → slot khaali → true.


```
{
  "true (1 item)": "{}",
  "false (0)": "—"
}
```


6 🔧 Book Meeting

Calendar mein event ban gaya.


```
{
  "id": "6qk3b0m4p1t2c8",
  "status": "confirmed",
  "summary": "Call with Rohit (Telegram)",
  "start": {
    "dateTime": "2026-12-05T16:00:00+05:30"
  },
  "end": {
    "dateTime": "2026-12-05T16:30:00+05:30"
  },
  "htmlLink": "https://www.google.com/calendar/event?eid=…"
}
```


7 🔧 Confirm

User ko Telegram par confirmation gaya.


```
{
  "ok": true,
  "result": {
    "message_id": 59,
    "chat": {
      "id": 55501
    },
    "text": "✅ Booked! 2026-12-05 16:00 par aapki 30 min call pakki hai."
  }
}
```

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

⚡ Telegram Trigger

Bot ko koi bhi message aaye to workflow chalta hai.



📸 Asli n8n: Telegram Trigger

Setting	Kya karti hai	Aaj ki value	Kab badlein
Credential	@BotFather wala token	`Telegram account`	Token kisi se share mat karo
Trigger On	Kis tarah ke updates: message, callback_query (button click), edited_message…	`message`	Inline buttons ke liye callback_query bhi
Additional Fields → Download Images/Files	User ki bheji photo/file binary mein	`Off`	Receipt/photo bot ke liye On
Webhook	n8n khud Telegram par set karta hai	`auto`	Self-hosted par HTTPS domain zaroori

👩‍💻 Code — text parse karna

"book 2026-12-05 16:00" jaise text se date aur time nikaalta hai.



📸 Asli n8n: Code — text parse karna

Setting	Kya karti hai	Aaj ki value	Kab badlein
Regex	/book\s+(\d{4}-\d{2}-\d{2})\s+(\d{1,2}:\d{2})/i	`m[1] = date, m[2] = time`	/i = capital/small dono chalega
Match nahi hua	valid: false lautao (error mat phenko)	`{ valid: false, chat_id }`	Isse IF se user ko help message ja sakta hai
+05:30	Time ko India timezone mein samjho	`…T16:00:00+05:30`	Bina offset ke server ka timezone lag jaata hai
toISOString()	Standard format (UTC mein, Z ke saath)	`2026-12-05T10:30:00.000Z`	16:00 IST = 10:30 UTC — dono same pal

Google Calendar — Get Many

Us time par pehle se koi meeting hai ya nahi.



📸 Asli n8n: Google Calendar — Get Many

Setting	Kya karti hai	Aaj ki value	Kab badlein
Operation	Event → Get Many	`Get Many`	—
Calendar	Kaunsa calendar	`primary`	Team ke liye shared calendar ka ID
Options → After / Before (timeMin/timeMax)	Is samay ke beech ke events	`start → end`	Dono ISO format mein
Options → Single Events	Repeat wali meetings ko alag-alag dikhao	`On`	Off rakha to weekly meeting miss ho sakti hai
Settings → Always Output Data	Koi event na mile to bhi 1 khaali item do	`On`	Iske bina khaali slot par workflow yahin ruk jaata!

Google Calendar — Create

Khaali slot par meeting bana deta hai.



📸 Asli n8n: Google Calendar — Create

Setting	Kya karti hai	Aaj ki value	Kab badlein
Operation	Event → Create	`Create`	—
Start / End	Parse Request se	`{{ $("Parse Request").item.json.start }}`	$() isliye kyunki beech mein Check Slot ne data badal diya
Additional Fields → Summary	Meeting ka title	`Call with {{ … .name }} (Telegram)`	Source likho — baad mein report aasaan
Additional Fields → Attendees	Guest emails	–	Email maang lo to invite bhi chala jaayega
Additional Fields → Conference Data	Google Meet link	–	Online call ke liye on karo

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😩 Pehle (manual)

Phone uthana, slots dekhna	5 min
Diary mein likhna	2 min
Reminder call	3 min
	10 min

⚡ Ab (n8n)

Bot 24×7 booking + reminder

0 min

⏱ Har appointment par 10 min, aur no-shows kam.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo — 📋 Select karke copy karo

```
{{ $json.message.chat.id }}  // Telegram reply ke liye chat ID
```

📦 Sample data — input se output tak

📥 Input — 📋 Select karke copy karo

```
{
  "message": {
    "chat": {
      "id": 55501
    },
    "text": "/book"
  }
}
```

📤 Output — 📋 Select karke copy karo

```
{
  "booked": "2026-12-03T17:00:00+05:30",
  "reminder": "scheduled"
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Build it with ChatGPT / Claude — 📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Customer Telegram par likhta hai "book 2026-12-05 16:00". Bot Google Calendar mein slot check karta hai — khaali ho to 30 min ki meeting book karke confirm karta hai, warna busy bata deta hai.

Flow: Telegram Trigger (Message aaya) → Code (Date/time parse) → Google Calendar (Slot check) → IF (Free?) → Calendar + Telegram (Book + confirm)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 **Debug helper prompt** 📋 Select karke copy karo

```
I'm building the n8n workflow "Telegram Appointment Booking Bot" (nodes: Telegram Message, Parse Request, Format OK?, Check Slot, Slot Free?, Book Meeting, Confirm, Busy Reply, Help Reply).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ **Workflow JSON**
9 nodes · ready to import
`adifyskills.com/workflows/day-09-telegram-appointment-bot.json`

🌐 **Lesson page**
Copy buttons, quiz aur video links
`adifyskills.com/day/9`

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Telegram bot token (BotFather se)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Google Calendar (Google OAuth)" connect karo.
Time par apne aap nahi chala?	"Active" toggle on hai? Settings mein timezone Asia/Kolkata check karo.

⚠️ Yeh galtiyan sabse common hain

- ! Google Sheet ka "Range" galat — header row ignore ho jaata hai
- ! WhatsApp par 24 ghante ke baad free-text bhejna (template chahiye)
- ! Calendar timezone set na karna

⭐ Pro tips — time bachane wali tricks

- ★ Sheets mein "Append or Update" se duplicates se bacho
- ★ Gmail filters (from:, has:attachment) trigger mein lagao
- ★ Telegram mein Markdown/HTML parse mode se formatting

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

🏋️ Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Telegram appointment bot jo slots check kare, Calendar mein book kare aur reminder bheje.

📝 Homework

Gmail inbox ke invoices ko automatically Drive folder (month-wise) mein save karo.

- [ ] Homework ho gaya

BEGINNER
Gmail attachment → Drive

INTERMEDIATE
Telegram se Sheet mein expense log

ADVANCED
WhatsApp template + button reply flow

🧩 Aaj ka challenge — pehle khud try karo

🎯 Booking confirm hone ke baad meeting se 1 ghanta pehle reminder bhejo.

💡 Hint 1
Ek node hai jo kisi specific time tak ruk sakta hai.

💡 Hint 2
Wait node → Resume: "At Specified Time" → meeting start se 1 ghanta pehle ka time.

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Reply ke liye chat ID

```
{"message":{"chat":{"id":55501}}}
```

Mera jawab: _____

2. Message "book" se shuru hota hai?

```
{"message":{"text":"book 2026-12-05 16:00"}}
```

Mera jawab: _____

3. Message se sirf date

```
{"message":{"text":"book 2026-12-05 16:00"}}
```

Mera jawab: _____

4. 30 min baad ka time

Input ki zaroorat nahi

Mera jawab: _____

5. User ka pehla naam

```
{"message":{"from":{"first_name":"Rohit"}}}
```

Mera jawab: _____

2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Telegram bot token kahan se?

- (A) @BotFather
- (B) n8n
- (C) Meta
- (D) Google

Q2. Row exist kare to update, warna add?

- (A) Append
- (B) Append or Update (upsert)
- (C) Delete
- (D) Clear

Q3. WhatsApp par 24 hr baad message?

- (A) Email
- (B) Free text
- (C) Approved template
- (D) Nahi ho sakta

Q4. Gmail attachments ka data?

- (A) headers
- (B) labels
- (C) json
- (D) binary

📖 Aaj ke naye shabd

Trigger
Jo workflow ko START karta hai — jaise alarm, naya email, ya form submit.

API
Do apps ke baat karne ka tareeka. Ek app sawaal bhejta hai, doosra jawab (data) deta hai.

Token
AI ke liye text ka chhota tukda. AI ka bill tokens se banta hai.

AdifySkills
DIGITAL MARKETING INSTITUTE
+91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 10

Databases: Postgres, Supabase, Airtable & Notion

"Sheets se aage — real databases ke saath scale karo."

☐ **Day 9 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → A
@BotFather

Q2 → B
Append or Update (upsert)

Q3 → C
Approved template

Q4 → D
binary

✅ Challenge ka solution

Confirm ke baad Wait (At Specified Time): {{ DateTime.fromISO($('Parse Request').item.json.start).minus({ hours: 1 }).toISO() }} → Telegram reminder.

🧪 Expression sheet ke jawab

1. `{{ $json.message.chat.id }}` → **55501**
2. `{{ $json.message.text.startsWith("book") }}` → **true**
3. `{{ $json.message.text.split(" ")[1] }}` → **2026-12-05**
4. `{{ DateTime.fromISO("2026-12-05T16:00", { zone: "Asia/Kolkata" }).plus({ minutes: 30 }).toFormat("HH:mm") }}` → **16:30**
5. `{{ $json.message.from.first_name }}` → **Rohit**

📚 Official docs

- Google Sheets node ↗
- Gmail node ↗
- Telegram node ↗
- WhatsApp credentials ↗

▶ Videos

- n8n telegram bot tutorial ↗
- n8n whatsapp cloud api ↗
- n8n google sheets tutorial ↗

💬 Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716 ↗

🌐 Day 9 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/9 ↗

📞 +91 83838 91716
Call / WhatsApp — Adify Skills

DAY 10

Databases: Postgres, Supabase, Airtable & Notion

"Sheets se aage — real databases ke saath scale karo."

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

Sheets 10,000 rows ke baad slow ho jaati hain. Real clients ko real database chahiye — Postgres/Supabase.

🎯 Aaj ke baad aap yeh kar paoge

01 SQL basics: SELECT, INSERT, UPDATE, JOIN

🌍 Librarian se: "Delhi wale saare students do" (SELECT), "naya student jodo" (INSERT).
⚙️ SELECT name, phone FROM leads WHERE city = 'Delhi';

02 Postgres/MySQL nodes & Supabase

🌍 Bank ka main computer system.
⚙️ Postgres node → Execute Query / Insert / Upsert; Supabase node → rows CRUD.

03 Airtable & Notion as no-code databases

🌍 Sundar register (Airtable), digital diary (Notion).
⚙️ Airtable → Create record; Notion → Database page create.

04 Upsert patterns & deduplication

🌍 Contact list mein same number do baar save na ho.
⚙️ ON CONFLICT (email) DO UPDATE … / Remove Duplicates node.

05 n8n Data Tables (built-in storage)

🌍 Ghar mein chhota locker — bahar jaane ki zarurat nahi.
⚙️ n8n Data Tables: chhote projects ka built-in storage.

06 Choosing the right DB for a client

🌍 Chhote kaam ke liye cycle, bade ke liye truck.
⚙️ < 5k rows + non-tech → Airtable; app backend / scale → Postgres/Supabase.

⏱ Class ka plan (2 ghante)

10m	35m	45m	20m	10m

`0:00-0:10` **Recap**

🪄 Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.

`0:10-0:45` **Concept: Databases**

Sheets vs Airtable vs Postgres

🪄 Notebook mein 10 naam dhoondhna easy, 10,000 mein mushkil. Database ek super-fast librarian hai.

`0:45-1:30` **Live Build**

Mini CRM on Supabase with n8n API layer

🪄 Aaj ki kahani yaad hai — 'Library aur smart librarian'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.

1:30-1:50 **Quiz + Challenge**
Module 3 quiz
🪄 *Practice match — jitna yahan girenge, utna asli match mein kam girenge.*

1:50-2:00 **Q&A + Homework**
🪄 *Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?*

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01
Table, row, column
Database = Excel jaisa par fast aur reliable.
🪄 **Analogy:** Library ki almirah aur shelves

CONCEPT 02
SQL basics
SELECT * FROM leads WHERE city = 'Delhi'
🪄 **Analogy:** Librarian se sawaal poochna

CONCEPT 03
Upsert
Unique key (email) match → update, warna insert.
🪄 **Analogy:** Attendance: naam hai to tick, nahi to naya naam

CONCEPT 04
No-code DBs
Airtable/Notion — non-tech clients ke liye easy UI.
🪄 **Analogy:** Ready-made furniture

🔑 Aaj ka main idea
Jab data bada ho jaata hai (hazaaron rows), Sheets slow aur risky ho jaati hain. Database (Postgres/Supabase) fast, safe aur multi-user hai. Airtable/Notion beech ka raasta hain — non-tech client ke liye easy UI.

- Sheets = notebook, Database = bank ka ledger system
- Airtable = sundar register jismein filters
- Upsert = attendance: naam hai to tick, nahi to add

📖 Ek kahani se samjho: Library aur smart librarian

1 📚 **Library = database** = Postgres / Supabase

2 🗂️ **Almirah = table** = leads table

3 📖 **Kitaab = row** = Ek lead record

4 🙋 **Librarian se sawaal** = SQL SELECT

5 🔁 **Kitaab hai to update, nahi to nayi** = Upsert

🪄 Ek line mein: “Notebook mein 10 naam dhoondhna easy, 10,000 mein mushkil. Database ek super-fast librarian hai.”

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 Table, row, column

📖 **Kya hai:** Database ek bahut tez aur reliable Excel jaisa hai. Table = ek sheet (jaise "leads"), column = ek field (name, email), row = ek record (ek lead).

⚙️ **Andar kaise:** Sheet se farak: har column ka type fix hota hai (text, number, date, boolean) — galat type ka data andar hi nahi jaata. Primary key (id) har row ko unique pehchaan deta hai. Unique constraint (jaise email par) duplicate rokta hai. Index se lakhon rows mein bhi search milliseconds mein hoti hai.

✅ **Kab use karein**
Data 10,000+ rows ka ho, kai workflows ek saath likhein, data ko apps/websites se bhi padhna ho, ya relations hon (customer → orders).

⛔ **Kab nahi**
Client ko sirf ek list dekhni hai aur 500 rows hain — Sheet ya n8n Data Table kaafi hai. Database setup bina zaroorat complexity hai.

🧪 **Example:** Supabase table "leads": id (int8, auto), created_at (timestamp), name (text), email (text, unique), status (text, default "new").

⚠️ **Common galti:** Number ko text column mein rakhna (amount = "1200") — fir SUM/ORDER BY galat. Shuru mein hi sahi type chuno.

🪄 **Table = sheet, row = record, column = field (fixed type).**

02 SQL basics

📖 **Kya hai:** SQL database se baat karne ki bhasha hai. 4 shabd 80% kaam kar dete hain: SELECT (padho), INSERT (daalo), UPDATE (badlo), DELETE (hatao).

⚙️ **Andar kaise:** SELECT name, phone FROM leads WHERE city = 'Jaipur' ORDER BY created_at DESC LIMIT 20; — kaunse columns, kaunsi table, kaunsi shart, kis order mein, kitne. Postgres node mein "Execute Query" se SQL likhte ho aur values $1, $2 parameters se dete ho — kabhi bhi user ka text seedha query mein mat jodo.

✅ **Kab use karein**
Custom reports, complex filters, joins (leads + orders), bulk updates. Supabase node ke simple operations kaafi na hon tab.

⛔ **Kab nahi**
Simple create/update ke liye SQL likhne ki zaroorat nahi — Supabase/Postgres node ke ready operations use karo, galti kam hogi.

🧪 **Example:** Postgres → Execute Query: SELECT name, phone FROM leads WHERE city = $1 · Query Parameters: {{ $json.query.city }}

⚠️ **Common galti:** WHERE city = '{{ $json.city }}' likhna — koi user city mein "'; DROP TABLE leads; --" bhej de to poori table ud sakti hai (SQL injection). Hamesha $1 parameters.

🪄 **SELECT padho, INSERT daalo, UPDATE badlo. User input hamesha $1 se.**

03 Upsert

📖 **Kya hai:** Upsert = Update + Insert. Record pehle se hai (jaise same email) to update karo, nahi hai to naya banao. Duplicate kabhi nahi banta.

⚙️ **Andar kaise:** Database ko batana padta hai ki "same" ka matlab kya hai — ek unique column (email, phone, order_id). Postgres mein: INSERT … ON CONFLICT (email) DO UPDATE SET … . n8n mein: Postgres node → Insert or Update; Google Sheets → Append or Update Row (Column to match on); Airtable → Upsert.

✅ **Kab use karein**
Same lead do baar form bhare, webhook retry ho jaaye, roz ka sync — har jagah jahan same data dobara aa sakta hai.

⛔ **Kab nahi**
Jab aapko history chahiye (har payment ki alag row), wahan upsert mat karo — har event ko Insert karo.

🧪 **Example:** Karan ne do baar form bhara → pehli baar INSERT (status new), doosri baar UPDATE (naam theek ho gaya), table mein ek hi row.

⚠️ **Common galti:** Unique constraint lagaye bina ON CONFLICT likhna → error: "there is no unique or exclusion constraint matching the ON CONFLICT specification".

🪄 **Hai to badlo, nahi to banao. Unique column zaroori.**

04 No-code DBs

📖 **Kya hai:** Airtable aur Notion jaise tools database ki taakat ko ek sundar, aasaan screen mein dete hain — non-technical client khud data dekh/edit kar sakta hai.

⚙️ **Andar kaise:** Airtable: base → tables → fields (types: single select, attachment, link to another record). Notion: database pages with properties. Dono ke n8n nodes hain (create, update, search, upsert). Limits: Airtable free plan mein 1,000 records/base aur API rate limit 5 requests/second.

✅ **Kab use karein**
Client ka CRM, content calendar, inventory list — jahan client ko views, filters aur kanban board chahiye.

⛔ **Kab nahi**
Lakhon rows ya bahut tez API calls — Airtable rate limit lagti hai. Wahan Supabase/Postgres + upar se Airtable/Softr interface.

🧪 **Example:** Supabase mein asli data, aur client ke liye Airtable mein ek "Hot leads" view jo n8n har ghante sync karta hai.

⚠️ **Common galti:** Airtable ka field naam badal diya — n8n mein mapping toot gayi. Live hone ke baad field naam lock rakho.

🪄 **Supabase = engine, Airtable/Notion = sundar dashboard.**

🗺️ Aaj ka workflow: Supabase Leads API (Create / Update / Search)

Data left se right chalta hai. Har dabba ek n8n node hai.



📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Startups (mini backend / leads API) — aam taur par **₹15,000 – ₹40,000**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1. ⚡ **Webhook**
   POST /crm/lead
2. 🗄 **Supabase**
   Upsert into leads (email unique)
3. ⚡ **Webhook**
   GET /crm/search?city=
4. 🗄 **Postgres**
   SELECT name, phone FROM leads WHERE city = $1
5. ⚡ **Respond to Webhook**
   Results JSON

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- [ ] Connect: **Supabase (project URL + service key)**
- [ ] Supabase SQL editor mein yeh chalao: create table leads (id bigint generated always as identity primary key, name text, email text unique, status text default 'new', created_at timestamptz default now());

✅ Test kaise karein

1. curl se action=create bhejo, phir search, phir update
2. Supabase Table Editor mein data dekho

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

🚚 Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 🌐 POST /leads-api

Body mein action batata hai kya karna hai.

```
{
  "headers": {
    "content-type": "application/json"
  },
  "body": {
    "action": "create",
    "name": "Karan Patel",
    "email": "karan@example.com"
  }
}
```

2 🔧 Which Action?

action = "create" → pehla output. Update/Search branches nahi chali.

```
{
  "create (1 item)": "Karan Patel",
  "update (0)": "—",
  "search (0)": "—"
}
```

3 🔧 Create Lead

Supabase ne nayi row banakar poori row lautayi — id aur created_at database ne khud bhare.

```
{
  "id": 17,
  "created_at": "2026-12-04T09:15:00.512+00:00",
  "name": "Karan Patel",
  "email": "karan@example.com",
  "status": "new"
}
```

4 ↩️ Respond

Caller ko JSON array mila (All Incoming Items).

```
[
  {
    "id": 17,
    "created_at": "2026-12-04T09:15:00.512+00:00",
    "name": "Karan Patel",
    "email": "karan@example.com",
    "status": "new"
  }
]
```

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

Supabase — Create

Table mein nayi row daalta hai.



📸 Asli n8n: Supabase — Create

Setting	Kya karti hai	Aaj ki value	Kab badlein
Credential	Supabase project URL + service_role key	`Supabase account`	service_role key sirf server (n8n) par — website par kabhi nahi
Operation	Create, Delete, Get, Get Many, Update	`Create`	—
Table Name or ID	Kaunsi table	`leads`	List se chuno — spelling galti nahi hogi
Data to Send	Define Below (ek-ek field) ya Auto-map	`Define Below`	Auto-map tab jab input fields = columns
Fields	name, email, status	`{{ $json.body.name }} …, status = new`	Default value database mein bhi set kar sakte ho

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Supabase — Update

Email se row dhoondh kar status badalta hai.



📸 Asli n8n: Supabase — Update

Setting	Kya karti hai	Aaj ki value	Kab badlein
Operation	Update	`Update`	—
Select Conditions	Kaunsi row(s): column + condition + value	`email · Equals · {{ $json.body.email }}`	Shart nahi di to SAARI rows badal sakti hain — dhyan!
Fields to Update	Sirf yeh columns badlenge	`status = {{ $json.body.status }}`	Baaki columns jaise the waise

Supabase — Get Many (search)

Naam ke hisse se leads dhoondhta hai.



📸 Asli n8n: Supabase — Get Many (search)

Setting	Kya karti hai	Aaj ki value	Kab badlein
Operation	Get Many	`Get Many`	—
Return All / Limit	Kitni rows	`Limit 20`	API mein hamesha limit — warna lakhon rows aa sakti hain
Filter → String	PostgREST filter syntax	`name=ilike.*{{ $json.body.q }}*`	ilike = case-insensitive LIKE; * = kuch bhi
Settings → Always Output Data	Kuch na mile to bhi aage chalo	`On`	Taaki Respond node khaali [] lauta sake

⚡ Respond to Webhook — all items

Jo bhi branch chali, uska result JSON mein lautata hai.



📸 Asli n8n: Respond to Webhook — all items

Setting	Kya karti hai	Aaj ki value	Kab badlein
Respond With	All Incoming Items = saare items JSON array	`All Incoming Items`	Ek hi object chahiye to First Incoming Item
3 branches → 1 Respond	Create/Update/Search teeno isi node se jude	–	Ek execution mein sirf ek branch chalti hai, isliye ek hi jawab
Options → Response Code	200 default	`200`	Create par 201 dena REST ka standard hai

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😫 Pehle (manual)

10,000 rows ki slow Sheet — 10 min

Duplicate dhoondhna — 20 min

30 min

⚡ Ab (n8n)

DB mein fast search + auto dedupe

0 min

⏱ Search seconds mein, duplicates automatic band.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo — 📋 Select karke copy karo

```
INSERT INTO leads (email, name, city) VALUES ($1, $2, $3)
ON CONFLICT (email) DO UPDATE SET name = EXCLUDED.name, city = EXCLUDED.city;
```

📦 Sample data — input se output tak

📥 Input — 📋 Select karke copy karo

```
{
  "email": "raj@mail.com",
  "name": "Raj",
  "city": "Jaipur"
}
```

📤 Output — 📋 Select karke copy karo

```
[
  {
    "name": "Raj",
    "phone": "9000011111",
    "city": "Jaipur"
  }
]
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Build it with ChatGPT / Claude — 📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Ek hi webhook se teen kaam: action = create, update ya search. Data Supabase (Postgres) table mein jaata hai aur API JSON lautati hai — apna chhota backend bina server ke.

Flow: Webhook (POST /leads-api) → Switch (action?) → Supabase (create / update / search) → Respond (JSON result)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 Debug helper prompt — 📋 Select karke copy karo

```
I'm building the n8n workflow "Supabase Leads API (Create / Update / Search)" (nodes: POST /leads-api, Which Action?, Create Lead, Update Status, Search Leads, Respond).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ Workflow JSON
6 nodes · ready to import
`adifyskills.com/workflows/day-10-supabase-leads-api.json`

🌐 Lesson page
Copy buttons, quiz aur video links
`adifyskills.com/day/10`

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Supabase (project URL + service key)" connect karo.
Webhook/Form test par kuch nahi ho raha?	"Listen for test event" / Test URL use karo aur 2 minute ke andar request bhejo. Production URL sirf Active workflow par chalta hai.

⚠️ Yeh galtiyan sabse common hain

! SQL mein user input seedha jodna (SQL injection) — query parameters use karo
! Unique constraint ke bina upsert
! Supabase service key ko frontend mein expose karna

⭐ Pro tips — time bachane wali tricks

★ n8n Data Tables chhote projects ke liye built-in storage
★ Index lagao frequently searched columns par
★ Client ke liye Airtable interface bana do — woh khud data dekh sake

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

🏋️ Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Supabase mein leads table + n8n se create/update/search endpoints.

📝 Homework

Notion content calendar ko Airtable ke saath 2-way sync karo.

☐ Homework ho gaya

BEGINNER
Airtable mein record add ☐

INTERMEDIATE
Notion ↔ Airtable sync ☐

ADVANCED
Paginated search API with LIMIT/OFFSET ☐

🧩 Aaj ka challenge — pehle khud try karo

🎯 Same email se dobara "create" aaye to error ki jagah "already exists" message lautao.

💡 Hint 1
Pehle search karo, phir decide karo create karna hai ya nahi.

💡 Hint 2
Create se pehle Supabase getAll (filter email=eq.X) + IF "item mila?"

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Kaunsa action?

```
{"body":{"action":"create"}}
```

Mera jawab: _____

2. Email saaf karke (match ke liye)

```
{"body":{"email":" Karan@Example.com"}}
```

Mera jawab: _____

3. Action valid hai?

```
{"body":{"action":"delete"}}
```

Mera jawab: _____

4. Search filter string banao

```
{"body":{"q":"kar"}}
```

Mera jawab: _____

5. created_at ko padhne layak

```
{"created_at":"2026-12-04T09:15:00+05:30"}
```

Mera jawab: _____

2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Data padhne ka SQL command?

- (A) DROP
- (B) UPDATE
- (C) INSERT
- (D) SELECT

Q2. SQL injection se bachne ke liye?

- (A) Capital letters
- (B) Long query
- (C) Comments
- (D) Query parameters

Q3. Non-tech client ke liye easy DB?

- (A) Postgres CLI
- (B) Airtable
- (C) Redis
- (D) MongoDB shell

Q4. Upsert ka matlab?

- (A) Backup
- (B) Delete+insert
- (C) Update ya insert
- (D) Sirf insert

📖 Aaj ke naye shabd

Webhook
Ek URL jis par koi doosra app data bhejta hai aur aapka workflow turant chal padta hai.

JSON
Data likhne ka format: { "naam": "Ravi", "city": "Delhi" } — key aur value ke jode.

CRM
Customers aur leads ka record rakhne ka system.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 11

Lead Generation & CRM Automation

"Har lead, har baar, 60 seconds ke andar follow-up."

☐ **Day 10 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → D
SELECT

Q2 → D
Query parameters

Q3 → B
Airtable

Q4 → C
Update ya insert

✅ Challenge ka solution

Which Action? (create) → Supabase getAll (email=eq.{{ $json.body.email }}, Always Output Data on) → IF {{ $json.id }} exists → Respond "already exists", warna Create Lead.

🧪 Expression sheet ke jawab

1. `{{ $json.body.action }}` → **create**
2. `{{ $json.body.email.trim().toLowerCase() }}` → **karan@example.com**
3. `{{ ["create", "update", "search"].includes($json.body.action) }}` → **false**
4. `name=ilike.*{{ $json.body.q }}*` → **name=ilike.*kar***
5. `{{ $json.created_at.toDateTime().toFormat("dd LLL, HH:mm") }}` → **04 Dec, 09:15**

📚 Official docs

- Postgres node ↗
- Supabase node ↗
- Notion node ↗
- Airtable node ↗

▶ Videos

- n8n supabase tutorial ↗
- n8n postgres node ↗

Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716 ↗

Day 10 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/10 ↗

+91 83838 91716
Call / WhatsApp — Adify Skills

DAY 11

Lead Generation & CRM Automation

"Har lead, har baar, 60 seconds ke andar follow-up."

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

Research kehti hai: 5 minute ke andar contact = kai guna zyada conversion. Lead engine sabse zyada bikne wali automation hai.

🎯 Aaj ke baad aap yeh kar paoge

01 Lead sources: forms, Meta lead ads, website, WhatsApp

🌍 Dukaan mein customer 4 darwazon se aate hain — ad, website, WhatsApp, referral.
⚙️ Facebook Lead Ads Trigger, Webhook, n8n Form, WhatsApp Trigger.

02 Enrichment: company, LinkedIn, email verification

🌍 Visiting card ke peeche notes: company, designation.
⚙️ HTTP → enrichment/verify API → company_size, email_valid.

03 CRM sync: HubSpot, Zoho, Pipedrive

🌍 Customer ki file ek almirah (CRM) mein.
⚙️ HubSpot: Create or update contact (email) + deal stage "New".

04 Lead scoring & assignment (round-robin)

🌍 Exam marks se rank; kaam 3 salesmen mein barabar.
⚙️ Score = budget + urgency; round-robin: index % 3.

05 Automated follow-up sequences

🌍 Dheere-dheere paani dena (drip irrigation).
⚙️ Day 0 WhatsApp → Wait 1d → email → Wait 2d → WhatsApp.

06 Speed-to-lead dashboards

🌍 Dukaan ka scoreboard: aaj kitne customer, kitne jaldi attend.
⚙️ Sheet mein lead_time aur reply_time → daily average report.

⏱ Class ka plan (2 ghante)

10m	30m	50m	20m	10m

`0:00-0:10` **Recap**

🪄 Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.

`0:10-0:40` **Concept: Sales Funnel Automation**

🪄 Do dukaan: ek turant chai deti hai, doosri 1 ghanta baad. Customer kahan jaayega? Automation tumhe pehli dukaan banata hai.

`0:40-1:30` **Live Build**

Meta Lead Ad → enrich → CRM → WhatsApp + email follow-up

🪄 Aaj ki kahani yaad hai — 'Garam samose ki dukaan — speed sab kuch'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.

1:30-1:50 **Client Simulation**
Requirement call role-play
🪄 *Practice match — jitna yahan girenge, utna asli match mein kam girenge.*

1:50-2:00 **Q&A + Homework**
🪄 *Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?*

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01
Speed-to-lead
Lead aate hi seconds mein response.
🪄 **Analogy:** Garam roti turant serve karna

CONCEPT 02
Enrichment
Email/company se extra info (company size, LinkedIn).
🪄 **Analogy:** Visiting card ke peeche notes

CONCEPT 03
Lead scoring
Points system se priority.
🪄 **Analogy:** Exam marks

CONCEPT 04
Drip sequence
Day 0, 1, 3, 7 par automatic follow-ups.
🪄 **Analogy:** Dheere-dheere paani dena (drip irrigation)

🔑 Aaj ka main idea

Sales funnel = Lead aaya → saaf kiya → jaankari badhayi → score diya → CRM mein → turant contact → follow-ups. Jo business pehle reply karta hai, wahi jeet-ta hai. Automation yeh speed deta hai.

- Gym enquiry par 1 min mein WhatsApp vs agle din call
- Real estate lead ko site-visit link turant
- Coaching enquiry → demo class booking link

📖 Ek kahani se samjho: Garam samose ki dukaan — speed sab kuch

1 📣 **Ad dekh ke customer aaya**
= Facebook Lead Ads Trigger

2 🧽 **Naam-number saaf kiya**
= Edit Fields

3 🔍 **Customer ki jaankari**
= Enrichment (HTTP)

4 🖨️ **Register mein entry**
= HubSpot CRM

5 💬 **Turant "Namaste!" WhatsApp**
= WhatsApp Cloud

6 📅 **1 aur 3 din baad yaad dilaya**
= Wait + follow-ups

🪄 Ek line mein: “Do dukaan: ek turant chai deti hai, doosri 1 ghanta baad. Customer kahan jaayega? Automation tumhe pehli dukaan banata hai.”

AdifySkills
DIGITAL MARKETING INSTITUTE
+91 83838 91716

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 Speed-to-lead

📖 **Kya hai:** Speed-to-lead ka matlab hai lead aane ke kitni der baad aapne usse contact kiya. Jitna jaldi, utna zyada chance ki woh customer banega.

⚙️ **Andar kaise:** Lead jab form bharta hai, us waqt uska interest sabse garam hota hai. 1 ghante baad woh 3 aur companies se baat kar chuka hota hai. Automation se pehla touch (WhatsApp/email) seconds mein ho jaata hai, aur sales team ko alert bhi turant — insaan ka kaam sirf baat karna reh jaata hai.

✅ **Kab use karein**
Har business jo leads leta hai: coaching, real estate, clinics, agencies, SaaS. Yeh sabse aasaani se bikne wali automation hai kyunki fayda turant dikhta hai.

⛔ **Kab nahi**
Raat 2 baje WhatsApp "call karein?" bhejna ulta asar karta hai. Instant ho, par samajhdaar: raat mein sirf "mil gaya, kal subah baat karte hain".

🧪 **Example:** Form submit → 5 second mein WhatsApp "Hi Karan 👋 Audit request mil gayi!" + email + CRM entry.

⚠️ **Common galti:** Sirf auto-reply laga dena aur sales team ko alert na dena — customer ko lagta hai bot ne jawab diya, insaan ne kabhi nahi.

🪄 **Garam roti turant serve. Pehla touch seconds mein, insaan ka call minutes mein.**

02 Enrichment

📖 **Kya hai:** Enrichment matlab lead ke paas jo thoda sa data hai (email, company), usse aur jaankari jodna — company size, website, LinkedIn, industry, email sahi hai ya nahi.

⚙️ **Andar kaise:** HTTP Request se enrichment APIs (Hunter, Apollo, Clearbit jaise, ya email verification APIs) ko email bhejo → woh JSON mein extra fields lautate hain → Edit Fields se CRM ke columns mein jodo. Free tareeka: email ke domain (@startup.in) se company website khol kar AI se summary.

✅ **Kab use karein**
B2B leads jahan company size se priority tay hoti hai, ya fake/galat emails ko CRM mein aane se rokna ho.

⛔ **Kab nahi**
B2C (students, patients) mein company data hota hi nahi — wahan enrichment par paisa mat lagao. Har API call ka paisa lagta hai, isliye pehle duplicate check, fir enrich.

🧪 **Example:** karan@startup.in → domain startup.in → website title "Startup Labs — SaaS for clinics" → industry: healthcare SaaS.

⚠️ **Common galti:** Gmail/Yahoo jaise free emails ko bhi company enrichment API par bhejna — paisa gaya, data kuch nahi aaya. Pehle IF: domain gmail.com nahi hai.

🪄 **Enrichment = visiting card ke peeche notes. Pehle dedupe, fir enrich.**

03 Lead scoring

📖 **Kya hai:** Har lead ko points dekar ek score dena — taaki team sabse garam leads ko pehle call kare.

⚙️ **Andar kaise:** Points do tarah ke: fit (budget, company, city — kya yeh humara customer ho sakta hai?) aur intent (urgency, pricing page dekha, demo maanga — kya abhi khareedna chahta hai?). Score ke hisaab se "stage" lagta hai: hot → turant call, nurture → drip emails. Score aur stage CRM mein save hote hain taaki baad mein dekh sako kaunse scores asli mein bikte hain.

✅ **Kab use karein**
Jab leads itni hon ki team sabko turant call nahi kar sakti (din mein 20+).

⛔ **Kab nahi**
Sirf 3-4 leads/din ho to scoring overkill hai — sabko call karo. Score pehle din se perfect nahi hota, mahine baad tweak karo.

🧪 **Example:** budget ≥ 50000 → 50, ≥ 15000 → 30, warna 10; company diya → +20. Karan: 50 + 20 = 70 → hot.

⚠️ **Common galti:** Score ke points code mein chhupa dena aur kabhi review na karna. Points ko Sheet/config mein rakho taaki sales head khud badal sake.

🪄 **Fit + intent = score. Score se stage, stage se action.**

04 Drip sequence

📖 **Kya hai:** Drip = pehle se tay emails/messages jo dheere-dheere, tay dinon par jaate hain: Day 0 welcome, Day 1 case study, Day 3 call ka invitation.

⚙️ **Andar kaise:** n8n mein Wait node workflow ko "pause" karta hai — execution database mein save ho jaata hai aur 1 din baad wahi se chalta hai, server restart ke baad bhi. Lambe drips (30 din) ke liye behtar tareeka: CRM mein next_followup date rakho aur roz ek Schedule workflow due leads ko email bheje.

✅ **Kab use karein**
Jo leads turant nahi khareedte (nurture) — unhe yaad dilate rehna, value dena, trust banana.

⛔ **Kab nahi**
Lead ne reply kar diya ya khareed liya — tab bhi drip chalta raha to bura lagta hai. Har email se pehle CRM mein status check karo (IF stage = "replied" → ruko).

🧪 **Example:** Day 0 Email → Wait 1 Day → Day 1 Email → Wait 2 Days → Day 3 Email.

⚠️ **Common galti:** Testing mein Wait 1 day rakh kar intezaar karna. Test ke liye unit = minutes rakho, live se pehle days karo.

🪄 **Drip = drip irrigation. Wait se pause; reply aaye to ruko.**

🗺️ Aaj ka workflow: Complete Lead Engine + 3-Day Drip

Data left se right chalta hai. Har dabba ek n8n node hai.



📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Real estate, education, insurance (lead engine + drip) — aam taur par **₹20,000 – ₹60,000**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1 ⚡ **Facebook Lead Ads Trigger**
Naya lead form submission

2 ✏️ **Edit Fields (Set)**
Clean name/phone, source = meta-ads

3 🌐 **HTTP Request**
Email verification / enrichment API

4 📇 **HubSpot**
Contact create/update + deal stage

5 💬 **WhatsApp Business Cloud**
Instant template message

6 ⏳ **Wait**
1 din → follow-up email, 3 din → second follow-up

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- [ ] Connect: **Google Sheets (Google OAuth)**
- [ ] Connect: **WhatsApp Business Cloud (Meta token)**
- [ ] Connect: **Gmail (Google OAuth)**
- [ ] "CRM" tab headers: name, email, phone, company, budget, score, stage, created
- [ ] WhatsApp Cloud API ka Phone Number ID Meta developer dashboard se lo (ya WhatsApp node hata ke Telegram lagao)
- [ ] Testing ke liye Wait ko 1 minute kar lo

✅ Test kaise karein

1. Form bharo → CRM row + WhatsApp + Day 0 email check karo
2. Executions mein "Waiting" status dekho

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 ⚡ Lead Form

Form ke 5 fields + submit time. budget number field hai.


```
{
  "name": "Karan Mehta",
  "email": "karan@startup.in",
  "phone": "919812345678",
  "company": "Startup Labs",
  "budget": 60000,
  "submittedAt": "2026-12-04T10:12:10.000+05:30",
  "formMode": "production"
}
```


2 🔧 Score

50 (budget ≥ 50000) + 20 (company) = 70 → hot.


```
{
  "name": "Karan Mehta",
  "email": "karan@startup.in",
  "phone": "919812345678",
  "company": "Startup Labs",
  "budget": 60000,
  "score": 70,
  "stage": "hot",
  "created": "2026-12-04T04:42:10.000Z"
}
```


3 📇 CRM Sheet

Email pehle se nahi tha → nayi row. Doosri baar aata to wahi row update hoti.


```
{
  "name": "Karan Mehta",
  "email": "karan@startup.in",
  "phone": "919812345678",
  "company": "Startup Labs",
  "budget": 60000,
  "score": 70,
  "stage": "hot"
}
```

4 💬 WhatsApp Hello

Meta ne message accept kiya — wamid = message ka ID.


```
{
  "messaging_product": "whatsapp",
  "contacts": [
    {
      "input": "919812345678",
      "wa_id": "919812345678"
    }
  ],
  "messages": [
    {
      "id": "wamid.HBgMOTE5ODEyMzQ1Njc4FQIAERgS…"
    }
  ]
}
```


5 📧 Day 0 Email

Welcome email gaya.


```
{
  "id": "18c7d0a2f1e3b9c4",
  "labelIds": [
    "SENT"
  ]
}
```


6 ⏳ Wait 1 Day

Execution "Waiting" ho gaya. Kal isi waqt Day 1 Email se aage chalega — data wahi rahega.


```
{
  "status": "waiting",
  "resumeAt": "2026-12-05T10:12:15+05:30"
}
```


DIGITAL MARKETING
+91 83838 91716

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

Code — score + stage

Budget aur company se score, aur score se stage.



📸 Asli n8n: Code — score + stage

Setting	Kya karti hai	Aaj ki value	Kab badlein
Number(i.json.budget) || 0	Form ka budget number mein; khaali ho to 0	`60000`	—
Ternary chain	b >= 50000 ? 50 : b >= 15000 ? 30 : 10	`50`	Bada number pehle check karo
stage	score >= 50 ? "hot" : "nurture"	`hot`	CRM mein filter/sort isi se
created	new Date().toISOString()	`2026-12-04T04:42:10.000Z`	Speed-to-lead naapne ke liye zaroori

Google Sheets — Append or Update

Same email dobara aaye to nayi row nahi, purani update.



📸 Asli n8n: Google Sheets — Append or Update

Setting	Kya karti hai	Aaj ki value	Kab badlein
Operation	Append or Update Row	`Append or Update Row`	Duplicates rokne ka sabse aasaan tareeka
Sheet	CRM tab	`CRM`	—
Column to match on	Kis column se "same lead" pehchaanein	`email`	Phone bhi chalega — par ek hi unique cheez chuno
Mapping Column Mode	Map Automatically	`Map Automatically`	Columns: name, email, phone, company, budget, score, stage, created

Adify Skills DIGITAL MARKETING INSTITUTE +91 83838 91716

💬 WhatsApp Business Cloud

Lead ko seconds mein WhatsApp.



📸 Asli n8n: WhatsApp Business Cloud

Setting	Kya karti hai	Aaj ki value	Kab badlein
Credential	Meta permanent access token	`WhatsApp account`	Temporary token 24 ghante mein expire hota hai
Operation	Send	`Send`	Template ke liye "Send Template"
Sender Phone Number (ID)	Meta dashboard ka Phone Number ID (number nahi!)	`YOUR_WHATSAPP_PHONE_NUMBER_ID`	Yeh ek lamba ID hota hai, jaise 1098…
Recipient Phone Number	Country code ke saath, bina + ke	`{{ $("Score").item.json.phone }}`	919812345678 format
Text Body	Free text (sirf 24-ghante window mein)	`Hi {{ … name }} 👋 Audit request mil gayi!`	Pehla message business se ho to approved template chahiye

⏳ Wait

Workflow ko 1 din ke liye rok deta hai, fir wahi se aage.



📸 Asli n8n: Wait

Setting	Kya karti hai	Aaj ki value	Kab badlein
Resume	After Time Interval, At Specified Time, On Webhook Call, On Form Submitted	`After Time Interval`	Approval ke liye On Webhook Call (Day 12 idea)
Amount	Kitna	`1`	Test mein 1 minute
Unit	Seconds, Minutes, Hours, Days	`Days`	—
Execution status	Ruke hue execution "Waiting" dikhte hain	`Waiting`	Executions list mein filter karke dekh sakte ho

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😫 Pehle (manual)

Leads Excel download	10 min
Har lead ko call/WhatsApp	60 min
Follow-up bhool jaana	
	70 min

➜

⚡ Ab (n8n)

60 second mein WhatsApp + CRM

Drip auto

0 min

⏱ Roz 70 min bache, conversion badha kyunki reply turant.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo 📋 Select karke copy karo

```
{{ $json.phone_number.replace(/\D/g, "").slice(-10) }}
```

📦 Sample data — input se output tak

📥 Input 📋 Select karke copy karo

```
{
  "full_name": "Karan Mehta",
  "phone_number": "+919812345678",
  "email": "karan@startup.in",
  "city": "Indore"
}
```

📤 Output 📋 Select karke copy karo

```
{
  "hubspotId": 88123,
  "whatsapp": "sent",
  "drip": "day1 scheduled"
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Build it with ChatGPT / Claude 📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Form se lead aata hai → score banta hai → Google Sheet CRM mein add/update → turant WhatsApp → Day 0, Day 1, Day 3 par follow-up emails. Speed-to-lead + nurture ek saath.

Flow: Form (Lead capture) → Code (Score) → Sheets CRM (Add / update) → WhatsApp (Instant hello) → Gmail + Wait (Day 0 → 1 → 3 drip)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 Debug helper prompt 📋 Select karke copy karo

```
I'm building the n8n workflow "Complete Lead Engine + 3-Day Drip" (nodes: Lead Form, Score, CRM Sheet, WhatsApp Hello, Day 0 Email, Wait 1 Day, Day 1 Email, Wait 2 Days, Day 3 Email).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ **Workflow JSON**
9 nodes · ready to import
`adifyskills.com/workflows/day-11-lead-engine-drip.json`

🌐 **Lesson page**
Copy buttons, quiz aur video links
`adifyskills.com/day/11`

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Google Sheets (Google OAuth)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "WhatsApp Business Cloud (Meta token)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Gmail (Google OAuth)" connect karo.
Webhook/Form test par kuch nahi ho raha?	"Listen for test event" / Test URL use karo aur 2 minute ke andar request bhejo. Production URL sirf Active workflow par chalta hai.
"Sheet not found" / column khaali?	Sheet ID aur tab ka naam (capital/small bhi) check karo. Pehli row mein headers hone chahiye.

⚠️ Yeh galtiyan sabse common hain

- ! Lead ka consent/opt-out ignore karna
- ! Duplicate contacts CRM mein
- ! Follow-up tab bhi chalna jab lead already reply kar chuka ho

⭐ Pro tips — time bachane wali tricks

- ★ Drip ke har step se pehle CRM status check karo
- ★ Sales rep ko Slack/Telegram par lead card bhejo
- ★ Har lead par source + campaign UTM save karo

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

🏋️ Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Complete lead engine: capture → enrich → score → CRM → instant WhatsApp → 3-day email drip.

📝 Homework

Apne local business (gym/clinic/coaching) ke liye lead workflow design + build karo.

- [ ] Homework ho gaya

BEGINNER

Form → Sheet → WhatsApp

- [ ]

INTERMEDIATE

Round-robin sales assignment

- [ ]

ADVANCED

Reply aane par drip stop (webhook from WhatsApp)

- [ ]

🧩 Aaj ka challenge — pehle khud try karo

🎯 Agar lead ka stage "hot" hai to drip emails mat bhejo, seedha sales team ko Slack/Telegram karo.

💡 Hint 1

CRM Sheet ke baad ek decision node chahiye.

💡 Hint 2

IF {{ $json.stage }} equals hot → true branch Telegram, false branch Day 0 Email.

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

Adify DIGITAL MARKETING INSTITUTE +91 83838 91716

Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Phone ke sirf last 10 digits

```
{"phone":"+91 98123-45678"}
```

Mera jawab: _____

2. WhatsApp format (91 + 10 digits)

```
{"phone":"+91 98123-45678"}
```

Mera jawab: _____

3. Score se stage

```
{"score":70}
```

Mera jawab: _____

4. Email mein sirf pehla naam

```
{"name":"Karan Mehta"}
```

Mera jawab: _____

5. Day 3 follow-up ki date (aaj 01 Dec)

Input ki zaroorat nahi

Mera jawab: _____

2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Lead ko extra info se bharna kya kehlaata hai?

- (A) Parsing
- (B) Scoring
- (C) Enrichment
- (D) Routing

Q2. Follow-up delay ke liye node?

- (A) Merge
- (B) Sort
- (C) Wait
- (D) IF

Q3. Duplicate contacts se bachne ke liye?

- (A) Har baar create
- (B) Delete all
- (C) Kuch nahi
- (D) Upsert by email/phone

Q4. Speed-to-lead kyun zaroori?

- (A) Fun ke liye
- (B) Conversion badhta hai
- (C) Cost badhta hai
- (D) Rule hai

📖 Aaj ke naye shabd

Trigger
Jo workflow ko START karta hai — jaise alarm, naya email, ya form submit.

API
Do apps ke baat karne ka tareeka. Ek app sawaal bhejta hai, doosra jawab (data) deta hai.

CRM
Customers aur leads ka record rakhne ka system.

HTTP Request
Node jo kisi bhi API ko call kar sakta hai — n8n ka universal connector.

AdifySkills
DIGITAL MARKETING INSTITUTE
+91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 12

Marketing & Social Media Automation

"Ek baar likho, har platform par publish."

☐ **Day 11 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → C
Enrichment

Q2 → C
Wait

Q3 → D
Upsert by email/phone

Q4 → B
Conversion badhta hai

✅ Challenge ka solution

CRM Sheet → IF (stage = hot) → true: Telegram 'Hot lead!' / false: Day 0 Email → Wait... (purana flow).

🧪 Expression sheet ke jawab

1. `{{ $json.phone.replace(/\D/g, "").slice(-10) }}` → **9812345678**
2. `{{ "91" + $json.phone.replace(/\D/g, "").slice(-10) }}` → **919812345678**
3. `{{ $json.score >= 50 ? "hot" : "nurture" }}` → **hot**
4. `{{ $json.name.split(" ")[0] }}` → **Karan**
5. `{{ $now.plus({ days: 3 }).toFormat("cccc, dd LLL") }}` → **Friday, 04 Dec**

📚 Official docs

- HubSpot node ↗
- Facebook Lead Ads trigger ↗
- n8n workflow templates ↗
- Wait node ↗
- Lead templates ↗

▶ Videos

- n8n lead generation automation ↗
- n8n hubspot crm automation ↗

Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716

Day 11 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/11

+91 83838 91716
Call / WhatsApp — Adify Skills

DAY 12

Marketing & Social Media Automation

"Ek baar likho, har platform par publish."

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

Har brand ko roz content chahiye. Ek content pipeline = agency ka recurring retainer.

🎯 Aaj ke baad aap yeh kar paoge

01 Content repurposing pipelines

🌍 Ek kahani — dost ko short, dadi ko detail mein.
⚙️ RSS → AI (JSON: linkedin, thread, newsletter) → har platform.

02 Auto-posting: LinkedIn, X, Instagram, Facebook

🌍 Ek letter kai logon ko post karna.
⚙️ LinkedIn node, X node, Facebook Graph API — schedule time ke saath.

03 YouTube & RSS monitoring

🌍 Favourite channel ki bell icon.
⚙️ YouTube RSS feed → naya video → caption draft.

04 Email marketing: Mailchimp, Brevo

🌍 Society ka notice board — sabko ek saath message.
⚙️ Mailchimp/Brevo: add subscriber + tag, campaign send.

05 UTM tracking & campaign reports

🌍 Customer se poochna "humare baare mein kahan se suna?"
⚙️ Link? utm_source=linkedin&utm_campaign=dec_launch → Sheet report.

06 Competitor & keyword monitoring

🌍 Padosi dukaan ke offers par nazar.
⚙️ Competitor RSS/website HTML → naya offer → Telegram alert.

⏱️ Class ka plan (2 ghante)

10m	30m	50m	20m	10m

`0:00-0:10` **Recap**

🪄 *Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.*

`0:10-0:40` **Concept: Content Ops**

🪄 *Ek kahani ko tum dost ko short mein, dadi ko detail mein, aur teacher ko formally sunaate ho — yahi repurposing hai.*

`0:40-1:30` **Live Build**

Blog RSS → AI summary → LinkedIn + X + newsletter

🪄 *Aaj ki kahani yaad hai — 'Ek dal se paanch dishes'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.*

1:30-1:50 **Challenge**

YouTube new video → Instagram caption draft

🪄 *Practice match — jitna yahan girenge, utna asli match mein kam girenge.*

1:50-2:00 **Q&A + Homework**

🪄 *Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?*

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01

Repurposing

Ek content → kai formats (post, thread, reel script).

🪄 **Analogy:** Ek dal se 5 dishes

CONCEPT 02

Brand voice prompt

AI ko brand ka tone sikhaana.

🪄 **Analogy:** Naye employee ki training

CONCEPT 03

Approval loop

Publish se pehle human approve kare.

🪄 **Analogy:** Editor ki final sign-off

CONCEPT 04

UTM tracking

Har link par source/medium/campaign tag.

🪄 **Analogy:** Kaunse darwaze se customer aaya

🔑 Aaj ka main idea

Content ops = content banana, alag formats mein badalna, approve karna, publish karna aur performance track karna — ek pipeline mein. AI drafts banata hai, insaan approve karta hai.

- YouTube video → reel script + blog + tweet
- Product launch → email + WhatsApp + Instagram
- Weekly newsletter auto from best posts

📖 Ek kahani se samjho: Ek dal se paanch dishes

1

Naya blog post aaya
= RSS Feed Trigger

2

Dal = original content
= HTTP (full article)

3

Chef ne 5 dishes banayi
= AI: LinkedIn, X, newsletter…

4

Maalik ne taste kiya
= Slack approval

5

Serve kiya
= Publish + schedule

🪄 Ek line mein: “Ek kahani ko tum dost ko short mein, dadi ko detail mein, aur teacher ko formally sunaate ho — yahi repurposing hai.”

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 Repurposing

📖 **Kya hai:** Ek baar bana content (blog, video) ko kai platforms ke format mein badalna — LinkedIn post, X thread, Instagram caption, newsletter, WhatsApp message.

⚙️ **Andar kaise:** Har platform ke apne niyam hain: LinkedIn par lamba, hook wala post; X par 280 characters ke tukde; Instagram par caption + hashtags; WhatsApp par 2 line + link. AI ko ek hi baar mein saare rules dekar JSON mein 5 outputs maangte hain — fir n8n har output ko alag column/platform mein bhejta hai.

✅ **Kab use karein**
Har brand jo blog/YouTube banata hai par social par regular nahi hai. Agency ke liye monthly retainer service.

⛔ **Kab nahi**
Har platform par word-to-word same text chipkana — reach girti hai. Repurpose = format badalna, copy-paste nahi.

🧪 **Example:** Ek blog "5 automations every clinic needs" → LinkedIn (150 words), 4 tweets, IG caption, newsletter para, WhatsApp blurb.

⚠️ **Common galti:** AI ka output bina padhe publish — galat facts ya brand ke against baat chali jaati hai. Isliye aaj status "pending approval".

🪄 **Ek dal, paanch dishes. Format badlo, message wahi.**

02 Brand voice prompt

📖 **Kya hai:** AI ko brand ki "awaaz" sikhaana — tone (friendly/formal), bhasha (Hinglish/English), kya bolna hai aur kya nahi, emojis kitne.

⚙️ **Andar kaise:** Prompt ke hisse: Role ("Tum ek senior social media writer ho"), Context (blog ka title/summary/link), Rules (har format ki length, structure), Tone, aur Output format (JSON schema). Jitne saaf rules, utna consistent output. 2–3 purane achhe posts examples ke taur par dene se AI style copy kar leta hai.

✅ **Kab use karein**
Har AI content workflow mein — brand voice ek baar likho, har prompt mein reuse karo (Edit Fields ya Sheet mein rakh do).

⛔ **Kab nahi**
Prompt mein 50 rules thoosna — AI aadhe bhool jaata hai. 5–8 sabse zaroori rules rakho.

🧪 **Example:** "Tone: friendly, simple Hinglish, emojis kam. linkedin: 120–180 words, hook line se shuru, 3 bullet takeaways, end mein sawaal."

⚠️ **Common galti:** "Achha post likho" jaisa vague prompt — har baar alag style, alag length. Number aur structure do.

🪄 **Role + Context + Rules + Tone + Format = brand voice prompt.**

03 Approval loop

📖 **Kya hai:** Publish se pehle ek insaan (client/editor) content dekhe aur Approve/Reject kare. AI draft banata hai, insaan final sign-off deta hai.

⚙️ **Andar kaise:** Aasaan tareeka (aaj): Sheet mein status = "pending approval"; client column mein "approved" likhe; ek alag Schedule workflow approved rows publish kare. Advanced: Slack/Telegram par Approve/Reject buttons → Wait node (Resume: On Webhook Call) → button click par workflow wahi se aage.

✅ **Kab use karein**
Brand ke naam se jo bhi public jaaye — posts, emails, ads. Khaaskar shuru ke 1-2 mahine jab tak AI par bharosa na ban jaaye.

⛔ **Kab nahi**
Internal notifications (team alert, report) par approval lagana bekaar delay hai.

🧪 **Example:** Content Queue sheet: title | linkedin | x_thread | … | status = pending approval → client "approved" likhta hai → publish workflow.

⚠️ **Common galti:** Approval ke baad bhi purana draft publish ho jaana kyunki client ne Sheet mein edit kiya par workflow ne pehle wala copy uthaya. Publish ke waqt Sheet se latest text padho.

🪄 **AI likhe, insaan approve kare, tab publish.**

04 UTM tracking

📖 **Kya hai:** UTM tags link ke end mein lagne wale labels hain jo batate hain visitor kahan se aaya: ?utm_source=linkedin&utm_medium=social&utm_campaign=clinic-blog.

⚙️ **Andar kaise:** Google Analytics (aur zyaadatar tools) in tags ko padhkar report banate hain — kitne log LinkedIn se aaye, kitne WhatsApp se, kis campaign se sale hui. n8n mein har platform ke link par alag utm_source expression se jod do — haath se bhoolne ka chance khatam.

✅ **Kab use karein**
Har link jo aap social/email/WhatsApp par share karte ho — tabhi pata chalega kaunsa channel kaam kar raha hai.

⛔ **Kab nahi**
Apni hi website ke andar ke links (menu, buttons) par UTM mat lagao — analytics ka data kharab hota hai.

🧪 **Example:** {{ $json.link }}?utm_source=whatsapp&utm_medium=broadcast&utm_campaign={{ slug }}

⚠️ **Common galti:** Link mein pehle se ? ho (…?id=5) aur fir se ?utm… jodna — link toot jaata hai. Pehle se ? ho to & lagao.

🪄 **UTM = kaunse darwaze se aaya. source = platform, medium = type, campaign = kaunsa post.**

🗺️ Aaj ka workflow: AI Content Repurposing Engine

Data left se right chalta hai. Har dabba ek n8n node hai.



📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Creators, marketing agencies (content repurposing) — aam taur par **₹10,000 – ₹30,000 + retainer**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1. ⚡ **RSS Feed Trigger**
   Apne blog ka naya post
2. 🌐 **HTTP Request**
   Post ka full content fetch
3. 🧠 **Basic LLM Chain**
   LinkedIn post + X thread + newsletter blurb (JSON output)
4. 💼 **Slack**
   Approval message with Approve/Reject
5. ⏳ **Wait**
   Approval webhook tak ruko
6. 💼 **LinkedIn**
   Approved post publish

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

🔑 Setup (import ke baad)

- [ ] Connect: **OpenAI API key**
- [ ] Connect: **Google Sheets (Google OAuth)**
- [ ] RSS URL ko apne blog ke feed se badlo
- [ ] "Content Queue" tab headers: title, link, linkedin, x_thread, instagram, newsletter, whatsapp, status

✅ Test kaise karein

1. RSS trigger par "Fetch test event" dabao
2. AI output JSON check karo
3. Sheet mein row aayi?

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 🔧 New Blog Post

Naya post mila — title, link aur chhota summary.

```
{
  "title": "n8n 2.0: faster editor and AI agents",
  "link": "https://blog.n8n.io/n8n-2-0/",
  "contentSnippet": "n8n 2.0 brings a faster editor, better AI agents and…",
  "pubDate": "Thu, 03 Dec 2026 09:00:00 GMT",
  "creator": "n8n team"
}
```

2 🔧 Repurpose with AI

Model ne prompt padha, parser ne jawab ko JSON mein dhaala. Sab "output" ke andar.

```
{
  "output": {
    "linkedin": "🚀 n8n 2.0 aa gaya — aur automation ab aur tez hai.\n\nTeen badi baatein:\n• …\n\nAap pehle
kya try karoge?",
    "x_thread": [
      "1/ n8n 2.0 is here 🚀 …",
      "2/ …",
      "3/ …",
      "4/ …"
    ],
    "instagram": "Automation ka naya level 🔥 … #n8n #automation …",
    "newsletter": "Is hafte n8n 2.0 launch hua…",
    "whatsapp": "n8n 2.0 aa gaya! 2 min mein padho 👉 https://blog.n8n.io/n8n-2-0/"
  }
}
```

3 🔧 Queue Row

Har format ek column. x_thread ki list ko join karke text banaya. status = pending approval.

```
{
  "title": "n8n 2.0: faster editor and AI agents",
  "link": "https://blog.n8n.io/n8n-2-0/",
  "linkedin": "🚀 n8n 2.0 aa gaya…",
  "x_thread": "1/ n8n 2.0 is here 🚀 …\n\n2/ …",
  "instagram": "…",
  "newsletter": "…",
  "whatsapp": "…",
  "status": "pending approval"
}
```

4 🔧 Content Queue

Sheet mein nayi row — ab client approve karega.

```
{
  "title": "n8n 2.0: faster editor and AI agents",
  "status": "pending approval",
  "…": "(baaki columns)"
}
```

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

RSS Feed Trigger

Blog par naya post aate hi workflow chalta hai.



📸 Asli n8n: RSS Feed Trigger

Setting	Kya karti hai	Aaj ki value	Kab badlein
Poll Times	Kitni der mein check kare	`Every Hour`	Roz 1 post ho to Every Day bhi theek
Feed URL	Blog ka RSS address	`https://blog.n8n.io/rss/`	WordPress: site.com/feed · YouTube: channel ka RSS
Naya kya hai?	n8n pichhli baar dekhe items yaad rakhta hai, sirf naye deta hai	–	Pehli activation par purane items nahi aate
Output fields	title, link, contentSnippet, pubDate, creator	–	Prompt mein title + contentSnippet + link

Basic LLM Chain

Ek prompt → AI → jawab. Sabse simple AI node.



📸 Asli n8n: Basic LLM Chain

Setting	Kya karti hai	Aaj ki value	Kab badlein
Source for Prompt	Connected Chat Trigger Node ya Define below	`Define below`	Chat workflows mein Chat Trigger
Prompt (User Message)	Role + blog data + rules (expressions ke saath)	`Tum ek senior social media writer ho…`	Rules ko numbered list mein likho
Require Specific Output Format	Output Parser jodne ke liye	`On`	JSON chahiye to hamesha On
Model (neeche wala connector)	Kaunsa AI model	`OpenAI Model`	Gemini/Claude/Groq bhi jod sakte ho

OpenAI Chat Model

Chain ko "dimaag" deta hai.



📸 Asli n8n: OpenAI Chat Model

Setting	Kya karti hai	Aaj ki value	Kab badlein
Credential	OpenAI API key	`OpenAI account`	Billing mein credit hona chahiye
Model	Kaunsa model	`gpt-4o-mini`	Sasta aur content ke liye kaafi
Options → Sampling Temperature	0 = same jawab, 1 = creative	`default (0.7)`	Content ke liye 0.7; data nikaalne ke liye 0
Options → Maximum Number of Tokens	Jawab ki max lambai	`default`	5 formats ke liye kam se kam 1500

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

🔧 Structured Output Parser

AI ka jawab fixed JSON shape mein — taaki har field alag column mein jaaye.



📸 Asli n8n: Structured Output Parser

Setting	Kya karti hai	Aaj ki value	Kab badlein
Schema Type	Generate From JSON Example ya Define using JSON Schema	`From JSON Example`	Example sabse aasaan
JSON Example	Jaisa output chahiye waisa namoona	`{ "linkedin": "...", "x_thread": ["…"], … }`	Array chahiye to example mein array do
Output	Chain ke output mein $json.output.linkedin, $json.output.x_thread…	–	Parser fail ho to "Auto-fix" option wala parser

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😫 Pehle (manual)

Blog padh ke har platform ka post likhna	90 min
Har jagah post karna	20 min
	110 min

⚡ Ab (n8n)

AI drafts + 1-click approve	5 min
	5 min

⏱ Har post par ~1.5 ghante bache.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo — 📋 Select karke copy karo

```
You are {{brand}}'s social media writer. Tone: friendly Hinglish. Return JSON {"linkedin":"","thread":[],"newsletter":""}
```

📦 Sample data — input se output tak

📥 Input — 📋 Select karke copy karo

```
{
  "title": "5 automations every clinic needs",
  "link": "https://blog.example.com/clinic-automation"
}
```

📤 Output — 📋 Select karke copy karo

```
{
  "linkedin": "🏥 Clinic owners, 5 automations…",
  "thread": [
    "1/ …",
    "2/ …"
  ],
  "status": "published"
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Repurposing prompt (workflow ke andar)

📋 Select karke copy karo

```
Tum ek senior social media writer ho. Neeche diye blog post ko 5 formats mein badlo. Tone: friendly,
simple Hinglish, emojis kam.

Title: {{title}}
Summary: {{summary}}
Link: {{link}}

Rules:
- linkedin: 120-180 words, hook line se shuru, 3 bullet takeaways, end mein sawaal
- x_thread: 4 tweets ka array, har tweet 260 characters se kam
- instagram: caption + 8 hashtags
- newsletter: 80 words ka para + CTA
- whatsapp: 2 line + link

Sirf JSON lautao: {"linkedin","x_thread","instagram","newsletter","whatsapp"}
```

💬 Build it with ChatGPT / Claude

📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Naya blog post RSS par aate hi AI usse 5 platform-specific posts banata hai (LinkedIn, X thread,
Instagram caption, newsletter, WhatsApp) aur approval ke liye "Content Queue" sheet mein daal deta hai.

Flow: RSS Feed Trigger (Naya blog post) → Basic LLM Chain (5 formats (JSON)) → Edit Fields (Status:
pending) → Google Sheets (Content Queue)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to
test it and the 3 most common errors beginners hit.
```

💬 Debug helper prompt

📋 Select karke copy karo

```
I'm building the n8n workflow "AI Content Repurposing Engine" (nodes: New Blog Post, Repurpose with AI,
OpenAI Model, JSON Format, Queue Row, Content Queue).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ **Workflow JSON**
6 nodes · ready to import
`adifyskills.com/workflows/day-12-ai-content-repurposer.json`

🌐 **Lesson page**
Copy buttons, quiz aur video links
`adifyskills.com/day/12`

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "OpenAI API key" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Google Sheets (Google OAuth)" connect karo.
Time par apne aap nahi chala?	"Active" toggle on hai? Settings mein timezone Asia/Kolkata check karo.
AI node par 401 / 429 error?	401 = API key galat. 429 = credit khatam ya bahut jaldi requests. OpenAI billing page check karo.
"Sheet not found" / column khaali?	Sheet ID aur tab ka naam (capital/small bhi) check karo. Pehli row mein headers hone chahiye.

⚠️ Yeh galtiyan sabse common hain

- ! Bina approval auto-publish (brand risk)
- ! Platform character limits ignore karna
- ! Har post par same hashtags

⭐ Pro tips — time bachane wali tricks

- ★ Wait node ka "On webhook call" approval ke liye perfect
- ★ Image ke liye Edit Image node se logo watermark
- ★ Weekly analytics wapas Sheet mein → AI se insights

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

🏋️ Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Content repurposing engine: ek blog post se 5 platform-specific posts + scheduling.

📝 Homework

Weekly social media performance report auto-generate karke email karo.

- [ ] Homework ho gaya

BEGINNER

RSS → Telegram channel

- [ ]

INTERMEDIATE

YouTube video → Instagram caption draft

- [ ]

ADVANCED

Weekly performance report with AI insights

- [ ]

🧩 Aaj ka challenge — pehle khud try karo

🎯 AI se har post ke liye ek catchy title aur best posting time bhi maango.

💡 Hint 1

JSON Format (output parser) ke example mein naye fields jodo.

💡 Hint 2

Prompt mein bhi likho kya chahiye, aur Queue Row mein naye fields map karo.

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

Adify DIGITAL MARKETING INSTITUTE +91 83838 91716

Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Thread mein kitne tweets?

```
{"output":{"x_thread":["1/ …","2/ …","3/ …","4/ …"]}}
```

Mera jawab: _____

2. Har tweet 280 se chhota?

```
{"output":{"x_thread":["short tweet","another one"]}}
```

Mera jawab: _____

3. Title se campaign slug

```
{"title":"5 Automations Every Clinic Needs"}
```

Mera jawab: _____

4. Link par UTM lagao

```
{"link":"https://blog.example.com/clinic"}
```

Mera jawab: _____

5. Summary mein kitne words?

```
{"contentSnippet":"n8n 2.0 brings faster editor and AI agents"}
```

Mera jawab: _____

2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Publish se pehle human check ko kya kehte hain?

- (A) Scraping
- (B) Approval loop
- (C) Routing
- (D) Parsing

Q2. Naya blog post detect karne ka trigger?

- (A) Form
- (B) RSS Feed Trigger
- (C) Manual
- (D) Error Trigger

Q3. AI se fixed JSON output ke liye?

- (A) Sort
- (B) Wait
- (C) Structured Output Parser
- (D) Merge

Q4. Campaign tracking ke liye?

- (A) Cookies only
- (B) Emoji
- (C) Hashtags
- (D) UTM parameters

📖 Aaj ke naye shabd

Trigger
Jo workflow ko START karta hai — jaise alarm, naya email, ya form submit.

Webhook
Ek URL jis par koi doosra app data bhejta hai aur aapka workflow turant chal padta hai.

JSON
Data likhne ka format: { "naam": "Ravi", "city": "Delhi" } — key aur value ke jode.

LLM
Large Language Model — ChatGPT/Claude jaisa AI jo text samajhta aur likhta hai.

Prompt
AI ko diya gaya instruction/sawaal.

HTTP Request
Node jo kisi bhi API ko call kar sakta hai — n8n ka universal connector.

Retainer
Har mahine fixed fees par client ka kaam/maintenance karna.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 13

E-commerce, Finance & Reporting Automation

"Orders, payments, invoices — sab autopilot par."

☐ **Day 12 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → B
Approval loop

Q2 → B
RSS Feed Trigger

Q3 → C
Structured Output Parser

Q4 → D
UTM parameters

✅ Challenge ka solution

Parser example mein "title": "...", "best_time": "Tue 9 AM" jodo. Prompt rules mein likho. Queue Row: title_ai = {{ $json.output.title }}, best_time = {{ $json.output.best_time }}.

🧪 Expression sheet ke jawab

1. `{{ $json.output.x_thread.length }}` → **4**
2. `{{ $json.output.x_thread.every(t => t.length <= 280) }}` → **true**
3. `{{ $json.title.toLowerCase().replace(/[^a-z0-9]+/g, "-") }}` → **5-automations-every-clinic-needs**
4. `{{ $json.link + "?utm_source=linkedin&utm_medium=social" }}` → **https://blog.example.com/clinic?utm_source=linkedin&utm_medium=social**
5. `{{ $json.contentSnippet.split(" ").length }}` → **8**

📚 Official docs

- LinkedIn node ↗
- RSS Read ↗
- Mailchimp node ↗
- Slack node ↗
- Content templates ↗

▶ Videos

- n8n content repurposing ai ↗
- n8n linkedin auto post ↗

Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716 ↗

Day 12 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/12 ↗

+91 83838 91716
Call / WhatsApp — Adify Skills

DAY 13

E-commerce, Finance & Reporting Automation

"Orders, payments, invoices — sab autopilot par."

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

Paisa jahan hai, wahan automation ki demand sabse zyada — orders, payments, invoices, reports.

🎯 Aaj ke baad aap yeh kar paoge

01 Shopify/WooCommerce order workflows

🌍 Dukaan mein order aaya → packing → delivery boy.
⚙️ Shopify Trigger (orders/create) → Sheet + WhatsApp confirmation.

02 Payments: Razorpay & Stripe webhooks

🌍 Paisa aate hi "ting" ki awaaz (UPI speaker).
⚙️ Razorpay webhook payment.captured → verify signature → aage badho.

03 Auto-invoice PDF generation

🌍 Kacchi parchi ki jagah printed bill.
⚙️ HTML template → PDF (Gotenberg/API) → Gmail attachment.

04 Inventory alerts & supplier emails

🌍 Ration khatam hone se pehle mummy list banati hain.
⚙️ Schedule daily → stock < 5 → supplier ko email.

05 Daily/weekly KPI reports (Sheets → charts → email)

🌍 Report card har mahine.
⚙️ Schedule Mon 9am → Sheets se sum → chart URL → email.

06 Abandoned cart recovery

🌍 Customer trolley chhod ke chala gaya — yaad dilao.
⚙️ Checkout created, order nahi → Wait 1h → WhatsApp coupon.

⏱ Class ka plan (2 ghante)

10m	30m	50m	20m	10m

`0:00-0:10` **Recap**

🪄 Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.

`0:10-0:40` **Concept: Ops Automation**

🪄 Jaise hi tum piggy bank mein sikka daalte ho, ek robot diary mein likh deta hai kitne paise ho gaye — tumhe ginna nahi padta.

`0:40-1:30` **Live Build**

Razorpay payment → invoice PDF → email → accounting sheet

🪄 Aaj ki kahani yaad hai — 'Kiraana dukaan ka smart galla'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.

1:30-1:50 **Quiz + Challenge**
Module 4 quiz
🪄 *Practice match — jitna yahan girenge, utna asli match mein kam girenge.*

1:50-2:00 **Q&A + Homework**
🪄 *Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?*

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01
Payment webhook
Razorpay/Stripe payment success par n8n ko event bhejte hain.
🪄 **Analogy:** Bank ka SMS alert

CONCEPT 02
Signature verification
Event asli gateway se aaya hai — HMAC se check.
🪄 **Analogy:** Note ka watermark check

CONCEPT 03
PDF invoice
HTML template → PDF (API/Gotenberg) → email.
🪄 **Analogy:** Printed bill

CONCEPT 04
KPI report
Daily numbers: sales, orders, AOV.
🪄 **Analogy:** Dukaan ka roz ka hisaab

🔑 Aaj ka main idea
Ops automation = business ke roz ke repeat kaam (orders, payments, invoices, stock, reports) ko event ke saath jod dena. Paisa aaya → baaki sab apne aap.

- Shopify order → WhatsApp confirmation + packing slip
- Razorpay payment → GST invoice → accountant ko copy
- Har Monday subah sales report email

📖 Ek kahani se samjho: Kiraana dukaan ka smart galla

1 💳 **Customer ne UPI se pay kiya**
= Razorpay webhook

2 🧾 **Bill apne aap chhapa**
= Invoice PDF node

3 ✉️ **Customer ko bill mila**
= Gmail send

4 📒 **Hisaab ki kitaab update**
= Google Sheets append

5 📦 **Stock kam? Supplier ko call**
= IF stock < 5 → email

🪄 Ek line mein: "Jaise hi tum piggy bank mein sikka daalte ho, ek robot diary mein likh deta hai kitne paise ho gaye — tumhe ginna nahi padta."

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 Payment webhook

📖 **Kya hai:** Payment gateway (Razorpay, Stripe, Cashfree) payment hote hi aapke webhook URL par ek event bhejta hai — "payment.captured", "payment.failed", "refund.created".

⚙️ **Andar kaise:** Gateway dashboard mein webhook URL aur events chunte ho. Har event ka JSON ek fixed structure mein aata hai: event (kya hua) aur payload (poori detail). Razorpay mein amount PAISE mein hota hai (118000 = ₹1180). Gateway ko 2xx jawab jaldi chahiye, warna woh event dobara bhejta hai (retry) — isliye same event do baar aa sakta hai.

✅ **Kab use karein**
Payment ke baad ka sab kaam: invoice, access dena (course/membership), WhatsApp confirmation, accounting entry, failed payment par follow-up.

⛔ **Kab nahi**
Payment "success" page (thank-you page) par bharosa karke kaam mat karo — user page band kar de to event miss. Webhook hi source of truth hai.

🧪 **Example:** {"event": "payment.captured", "payload": {"payment": {"entity": {"id": "pay_TEST123", "amount": 118000, "email": "customer@example.com"}}}}

⚠️ **Common galti:** Paise ko rupaye samajhna — ₹1,18,000 ka invoice ban gaya ₹1,180 ki jagah! Hamesha amount / 100.

🪄 **Webhook = bank ka SMS alert. Amount paise mein — /100 karo.**

02 Signature verification

📖 **Kya hai:** Kaise pata ki event sach mein Razorpay se aaya, kisi hacker ne nakli "payment.captured" nahi bheja? Gateway har request ke saath ek signature header bhejta hai — use verify karna hota hai.

⚙️ **Andar kaise:** Razorpay request body ko aapke webhook secret se HMAC-SHA256 karke X-Razorpay-Signature header mein bhejta hai. n8n mein Crypto node (Action: Hmac, Type: SHA256, Secret: webhook secret) se wahi body hash karo aur IF se compare karo — match = asli, warna 401. Webhook node mein "Raw Body" option on rakho, kyunki body ka ek space badla to hash badal jaata hai.

✅ **Kab use karein**
Har payment/finance webhook par, bina exception. Jahan bhi webhook ke basis par paisa, access ya maal diya jaata hai.

⛔ **Kab nahi**
Sirf testing/sandbox mein shuru mein skip kar sakte ho — live jaane se pehle zaroor lagao.

🧪 **Example:** Crypto (HMAC SHA256 of raw body, secret) → IF {{ $json.hash }} equals {{ $("Razorpay Webhook").item.json.headers["x-razorpay-signature"] }}.

⚠️ **Common galti:** Parsed JSON ko dobara stringify karke hash karna — keys ka order/spaces badal jaate hain aur asli events bhi fail. Raw body hash karo.

🪄 **Signature = note ka watermark. Raw body + secret + HMAC = match?**

03 PDF invoice

📖 **Kya hai:** Invoice ko HTML template se banakar PDF mein badalna aur customer ko email/WhatsApp karna.

⚙️ **Andar kaise:** Step 1: Code/HTML node mein HTML banao (table, GST breakup, logo). Step 2: HTML → PDF: koi PDF API (HTTP Request se), ya self-hosted Gotenberg/Puppeteer. Step 3: PDF binary ko Gmail attachment ya Drive upload. Aaj ka build HTML email bhejta hai — PDF wala step practice/challenge hai. GST: inclusive price ho to taxable = total / 1.18; same state mein CGST 9% + SGST 9%, doosre state mein IGST 18%.

✅ **Kab use karein**
Har online sale, course enrollment, service payment — GST invoice dena kaanooni zaroorat bhi hai.

⛔ **Kab nahi**
Invoice number random/time se banana chhote business mein chalta hai, par CA ko sequential number chahiye hota hai (INV-0001, 0002) — tab counter Sheet/DB mein rakho.

🧪 **Example:** Total ₹1180 (GST inclusive) → taxable ₹1000, CGST ₹90, SGST ₹90.

⚠️ **Common galti:** Floating point: 1180/1.18 = 999.9999… dikhna. Hamesha Math.round(x * 100) / 100.

🪄 **HTML → PDF → attach. Inclusive price: taxable = total / 1.18.**

04 KPI report

📖 **Kya hai:** KPI (Key Performance Indicator) = business ke sabse zaroori numbers: aaj ki sales, orders, average order value (AOV), refunds. Automation roz subah yeh report bhej deta hai.

⚙️ **Andar kaise:** Schedule (roz 9 baje) → Sheet/DB se kal ke payments → Summarize/Code se total, count, AOV (total ÷ orders) → kal se/pichhle hafte se compare (% change) → Telegram/email par saaf message. Finance sheet jo aaj ka workflow bhar raha hai, wahi is report ka data source banti hai.

✅ **Kab use karein**
Har owner jo roz "aaj kitna hua?" poochta hai. Agency ke liye easy upsell: "aapki daily report bhi set kar dete hain".

⛔ **Kab nahi**
20 numbers wali report koi nahi padhta. 3–5 KPIs, aur jo badla ho uspar emoji/arrow.

🧪 **Example:** 📊 Kal: ₹48,200 · 37 orders · AOV ₹1,303 · ⬆️ 12% vs pichhla Thursday.

⚠️ **Common galti:** Timezone galat — "kal" UTC ke hisaab se gina gaya aur raat 12–5:30 ke orders galat din mein gaye. Workflow timezone Asia/Kolkata.

🪄 **KPI = dukaan ka roz ka hisaab. 3–5 numbers + comparison.**

🗺️ Aaj ka workflow: Payment Webhook → GST Invoice → Email + Finance Sheet

Data left se right chalta hai. Har dabba ek n8n node hai.



📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

E-commerce / D2C brands (payment → invoice) — aam taur par **₹15,000 – ₹40,000**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1. ⚡ **Webhook**
   Razorpay payment.captured event
2. 🔐 **Crypto**
   HMAC-SHA256 signature verify
3. 👨‍💻 **Code**
   GST breakup + invoice number
4. 🧾 **HTML**
   Invoice HTML template
5. 🌐 **HTTP Request**
   HTML → PDF conversion API
6. 📧 **Gmail**
   Customer ko PDF attach
7. 📊 **Google Sheets**
   Finance sheet entry

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

🔑 Setup (import ke baad)

- [ ] Connect: **Gmail (Google OAuth)**
- [ ] Connect: **Google Sheets (Google OAuth)**
- [ ] Razorpay Dashboard → Settings → Webhooks → URL = production webhook URL, event = payment.captured
- [ ] Production mein webhook signature (X-Razorpay-Signature) verify karna mat bhoolna
- [ ] "Payments" tab headers: payment_id, email, phone, total, taxable, gst, invoice_no, date

✅ Test kaise karein

1. Webhook "Listen for test event" → neeche wala sample body curl se bhejo
2. Email mein invoice aur sheet mein row check karo

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 ⚡ Razorpay Webhook

Event aaya. Kaam ka data teen level andar: body.payload.payment.entity.


```
{
  "headers": {
    "x-razorpay-signature": "a3f5…9c",
    "content-type": "application/json"
  },
  "body": {
    "event": "payment.captured",
    "payload": {
      "payment": {
        "entity": {
          "id": "pay_TEST123",
          "amount": 118000,
          "email": "customer@example.com",
          "contact": "+919876543210"
        }
      }
    }
  }
}
```


2 🔧 Captured?

event = payment.captured → true.


```
{
  "true (1 item)": "pay_TEST123",
  "false (0)": "—"
}
```


3 🔧 Invoice Fields

118000 paise = ₹1180 total; 1180 / 1.18 = ₹1000 taxable.


```
{
  "payment_id": "pay_TEST123",
  "email": "customer@example.com",
  "phone": "+919876543210",
  "total": 1180,
  "taxable": 1000,
  "invoice_no": "INV-20261203-101500",
  "date": "03 Dec 2026"
}
```

4 🧾 HTML Invoice

GST 180 → CGST 90 + SGST 90. HTML ready.


```
{
  "payment_id": "pay_TEST123",
  "total": 1180,
  "taxable": 1000,
  "gst": 180,
  "invoice_no": "INV-20261203-101500",
  "html": "<div style=\"font-family:Arial;max-width:560px\"><h2>Tax Invoice INV-20261203-101500</h2>…</div>"
}
```


5 📧 Email Invoice

Customer ko HTML invoice email.


```
{
  "id": "18c8e1b3a0d2c5f6",
  "labelIds": [
    "SENT"
  ]
}
```


6 🔧 Finance Sheet

Payments tab mein entry (isi parallel branch se).


```
{
  "payment_id": "pay_TEST123",
  "email": "customer@example.com",
  "total": 1180,
  "taxable": 1000,
  "gst": 180,
  "invoice_no": "INV-20261203-101500",
  "date": "03 Dec 2026"
}
```


DIGITAL MARKETING
+91 83838 91716

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

⚡ Webhook — payment gateway

Razorpay ke events yahan aate hain.



📸 Asli n8n: Webhook — payment gateway

Setting	Kya karti hai	Aaj ki value	Kab badlein
HTTP Method / Path	POST · razorpay	`/webhook/razorpay`	Yahi URL Razorpay Dashboard → Webhooks mein
Respond	Immediately	`Immediately`	Gateway ko turant 200 milna chahiye
Options → Raw Body	Body ko original text mein bhi rakho	`Off (aaj)`	Signature verify ke liye On
Razorpay side	Active Events: payment.captured · Secret: lamba random	—	Wahi secret Crypto node mein

🔀 IF — event check

Sirf successful payments par invoice.



📸 Asli n8n: IF — event check

Setting	Kya karti hai	Aaj ki value	Kab badlein
Value	{{ $json.body.event }}	`payment.captured`	—
Operator	String → is equal to	`payment.captured`	Spelling exact — case-sensitive
false branch	Baaki events (failed, refund…)	`khaali`	Practice: payment.failed par recovery WhatsApp

✏️ Edit Fields — paise se rupaye + GST

Gehre nested payload se saaf invoice fields.



📸 Asli n8n: Edit Fields — paise se rupaye + GST

Setting	Kya karti hai	Aaj ki value	Kab badlein
total (Number)	paise / 100	`{{ $json.body.payload.payment.entity.amount / 100 }}`	Type Number — warna aage maths galat
taxable (Number)	GST-inclusive se taxable	`{{ Math.round((… / 100) / 1.18 * 100) / 100 }}`	18% GST maana hai; product ke hisaab se badlo
invoice_no	Unique number	`INV-{{ $now.toFormat("yyyyMMdd-HHmmss") }}`	CA ke liye sequential counter better
payment_id	Razorpay ka ID	`pay_TEST123`	Duplicate check (idempotency) isi se

👨‍💻 Code — HTML invoice

GST breakup ke saath email-ready HTML.



📸 Asli n8n: Code — HTML invoice

Setting	Kya karti hai	Aaj ki value	Kab badlein
gst	total − taxable, 2 decimal	`180`	—
CGST / SGST	gst / 2 har ek	`90.00 / 90.00`	Doosre state ka customer → ek line IGST 18%
Inline styles	style="…" seedha tags mein	`font-family:Arial`	Email apps <style> blocks hata dete hain
return { …j, gst, html }	Purane fields + naye	—	Gmail ko html, Sheet ko baaki fields

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😩 Pehle (manual)

Payment check karna	10 min
Invoice banana	15 min
Email karna + sheet update	10 min
	35 min

➜

⚡ Ab (n8n)

Webhook se sab auto	1 min
	1 min

⏱ Har order par ~34 minute bache. 30 orders/din = 17 ghante/din!

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo — 📋 Select karke copy karo

```
{{ $json.payload.payment.entity.amount / 100 }}  // paise → rupees
```

📦 Sample data — input se output tak

📥 Input — 📋 Select karke copy karo

```
{
  "event": "payment.captured",
  "payload": {
    "payment": {
      "entity": {
        "amount": 999900,
        "email": "student@mail.com"
      }
    }
  }
}
```

📤 Output — 📋 Select karke copy karo

```
{
  "invoice": "INV-261203-17",
  "amount": 9999,
  "gst": 1525.27,
  "emailed": true
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Build it with ChatGPT / Claude — 📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Razorpay se "payment.captured" webhook aata hai → GST ke saath HTML invoice banta hai → customer ko email → finance sheet mein entry. Har order par 30+ minute ka kaam zero.

Flow: Webhook (Razorpay event) → IF (payment.captured?) → Edit Fields (Amount + GST) → Code (HTML invoice) → Gmail + Sheets (Customer + finance)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 **Debug helper prompt** 📋 Select karke copy karo

```
I'm building the n8n workflow "Payment Webhook → GST Invoice → Email + Finance Sheet" (nodes: Razorpay Webhook, Captured?, Invoice Fields, HTML Invoice, Email Invoice, Finance Sheet).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ **Workflow JSON**
6 nodes · ready to import
`adifyskills.com/workflows/day-13-payment-gst-invoice.json`

🌐 **Lesson page**
Copy buttons, quiz aur video links
`adifyskills.com/day/13`

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Gmail (Google OAuth)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Google Sheets (Google OAuth)" connect karo.
Webhook/Form test par kuch nahi ho raha?	"Listen for test event" / Test URL use karo aur 2 minute ke andar request bhejo. Production URL sirf Active workflow par chalta hai.
"Sheet not found" / column khaali?	Sheet ID aur tab ka naam (capital/small bhi) check karo. Pehli row mein headers hone chahiye.

⚠️ Yeh galtiyan sabse common hain

- ! Paise ko rupees samajhna (amount/100)
- ! Signature verify skip karna
- ! Same payment event par do invoices (idempotency)

⭐ Pro tips — time bachane wali tricks

- ★ Payment ID se Remove Duplicates — webhook retry par double invoice nahi
- ★ Invoice number sequence DB/Sheet se lo
- ★ Daily KPI ko chart image (QuickChart) ke saath bhejo

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

🏋️ Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Payment success webhook → GST invoice PDF → customer email → finance sheet update.

📝 Homework

Daily sales KPI report jo har raat 10 baje owner ko WhatsApp par aaye.

- [ ] Homework ho gaya

BEGINNER
Woo order → Telegram alert

INTERMEDIATE
Low stock alert to supplier

ADVANCED
Abandoned cart 3-step recovery

🧩 Aaj ka challenge — pehle khud try karo

🎯 Payment ₹10,000 se upar ho to owner ko Telegram par "Big order! 🎉" alert bhi jaaye.

💡 **Hint 1**
HTML Invoice ke baad ek aur branch bana sakte ho.

💡 **Hint 2**
IF {{ $json.total }} > 10000 → Telegram.

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Paise se rupaye

```
{"body":{"payload":{"payment":{"entity":{"amount":118000}}}}}
```

Mera jawab: _____

2. GST-inclusive total se taxable

```
{"total":1180}
```

Mera jawab: _____

3. CGST (aadha GST)

```
{"total":1180,"taxable":1000}
```

Mera jawab: _____

4. Event check

```
{"body":{"event":"payment.captured"}}
```

Mera jawab: _____

5. ₹ Indian format

```
{"total":118000}
```

Mera jawab: _____

2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Razorpay amount 999900 = ?

(A) ₹9999
(B) ₹99.99
(C) ₹99990
(D) ₹999900

Q2. Webhook asli hai, kaise check?

(A) HMAC signature
(B) IP guess
(C) Email
(D) Kuch nahi

Q3. Double invoice se bachne ke liye?

(A) Limit
(B) Remove Duplicates by payment ID
(C) Wait
(D) Sort

Q4. JSON → Excel file?

(A) HTML
(B) XML
(C) Convert to File
(D) Extract from File

📖 Aaj ke naye shabd

Webhook
Ek URL jis par koi doosra app data bhejta hai aur aapka workflow turant chal padta hai.

API
Do apps ke baat karne ka tareeka. Ek app sawaal bhejta hai, doosra jawab (data) deta hai.

HTTP Request
Node jo kisi bhi API ko call kar sakta hai — n8n ka universal connector.

AdifySkills
DIGITAL MARKETING INSTITUTE
+91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 14

AI in n8n: LLMs & Prompt Engineering

"Workflows ko dimaag do — AI ke saath."

☐ **Day 13 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → A
₹9999
Amount paise mein hota hai.

Q2 → A
HMAC signature

Q3 → B
Remove Duplicates by payment ID

Q4 → C
Convert to File

✅ Challenge ka solution

HTML Invoice → IF (total > 10000) → Telegram "🎉 Big order ₹{{ $json.total }} from {{ $json.email }}".

🧪 Expression sheet ke jawab

1. `{{ $json.body.payload.payment.entity.amount / 100 }}` → **1180**
2. `{{ Math.round($json.total / 1.18 * 100) / 100 }}` → **1000**
3. `{{ ($json.total - $json.taxable) / 2 }}` → **90**
4. `{{ $json.body.event === "payment.captured" }}` → **true**
5. `₹{{ $json.total.toLocaleString("en-IN") }}` → **₹1,18,000**

📚 Official docs

- Shopify node ↗
- Stripe node ↗
- WooCommerce node ↗
- Crypto node ↗
- Convert to File ↗
- Razorpay webhooks docs ↗

▶ Videos

- n8n razorpay webhook ↗
- n8n shopify automation ↗
- n8n invoice pdf ↗

Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716

Day 13 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/13

+91 83838 91716
Call / WhatsApp — Adify Skills

DAY 14

AI in n8n: LLMs & Prompt Engineering

"Workflows ko dimaag do — AI ke saath."

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

AI ab har workflow ka hissa hai. Aaj student seekhega ki AI ko "reliable worker" kaise banaye — random chatbot nahi.

🎯 Aaj ke baad aap yeh kar paoge

01 LLMs explained simply: tokens, context, temperature

🌍 Tote ko jitna yaad, utna hi bolega (context).
⚙️ Token = shabd ka tukda; context window = ek baar mein kitna padh sake.

02 OpenAI, Anthropic Claude, Gemini & open models in n8n

🌍 Alag-alag teacher, alag specialty.
⚙️ OpenAI / Claude / Gemini chat model nodes — credential badlo, model badlo.

03 Basic LLM Chain & chat model nodes

🌍 Sawaal → jawab, seedha.
⚙️ Basic LLM Chain: prompt mein {{ $json.body }} daalo.

04 Prompt engineering frameworks (role, task, format)

🌍 Teacher ko clear instruction: "Tum maths teacher ho, 3 steps mein samjhao."
⚙️ Role + Task + Context + Format + Example.

05 Structured output parsers (JSON)

🌍 Form bharwana, essay nahi.
⚙️ Structured Output Parser: {category, sentiment, reply}.

06 Cost control & model selection

🌍 Chhote kaam ke liye auto, bade ke liye taxi.
⚙️ Classification = mini model; complex reasoning = bada model.

⏱ Class ka plan (2 ghante)

10m	40m	40m	20m	10m

`0:00-0:10` **Recap**

🪄 Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.

`0:10-0:50` **Concept: LLMs & Prompts**

Bad vs good prompt live comparison

🪄 Ek tota hai jisne poori library padh li. Tum jitna saaf sawaal poochoge, utna achha jawab dega.

`0:50-1:30` **Live Build**

AI email classifier + reply drafter

🪄 Aaj ki kahani yaad hai — 'Bahut padha-likha tota'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.

1:30-1:50 **Prompt Battle**
Best prompt wins
🪄 *Practice match — jitna yahan girenge, utna asli match mein kam girenge.*

1:50-2:00 **Q&A + Homework**
🪄 *Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?*

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01
LLM
Bahut saara text padh chuka model jo agla word predict karta hai.
🪄 **Analogy:** Bahut padha-likha intern

CONCEPT 02
Tokens & context
Model ek baar mein kitna text dekh sakta hai; cost tokens par.
🪄 **Analogy:** Exam ki answer sheet ke pages

CONCEPT 03
Temperature
Kam = consistent, zyada = creative.
🪄 **Analogy:** Strict teacher vs creative writer

CONCEPT 04
Prompt framework
Role + Task + Context + Format + Examples.
🪄 **Analogy:** Clear job description

🔑 Aaj ka main idea
LLM ek next-word predict karne wala bada model hai. Hum use prompt dete hain (role + task + format) aur woh text ya JSON lautata hai. n8n mein yeh ek node ki tarah kaam karta hai.

- Email ko sales/support/spam mein baantna
- Review ka sentiment positive/negative
- Lamba document 5 bullet summary mein

📖 Ek kahani se samjho: Bahut padha-likha tota

1 🦜 **Tote ne lakhon kitabein padhi** = LLM (trained model)

2 🗣️ **Tumne sawaal poocha** = Prompt

3 🧩 **Tota shabd-shabd jodta hai** = Tokens

4 🎚️ **Seedha jawab ya creative** = Temperature

5 📋 **Jawab form mein bharo** = Structured output (JSON)

🪄 Ek line mein: “Ek tota hai jisne poori library padh li. Tum jitna saaf sawaal poochoge, utna achha jawab dega.”

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 LLM

📖 **Kya hai:** LLM (Large Language Model) jaise GPT, Gemini, Claude — aisa model jisne internet ka bahut saara text padha hai aur ab aapke text ka matlab samajh kar jawab likh sakta hai.

⚙️ **Andar kaise:** Model asal mein agla shabd (token) predict karta hai — ek-ek karke poora jawab banata hai. Isliye woh bahut achha likhta hai, par facts galat bhi bana sakta hai (hallucination). n8n mein model ek "sub-node" hai jo kisi AI node (Chain, Agent, Classifier) se judta hai — model badalna ho to sirf sub-node badlo, baaki workflow same.

✅ **Kab use karein**
Text samajhna aur likhna: email classify, reply draft, summary, translation, data nikaalna, content.

⛔ **Kab nahi**
Exact calculation (GST, totals) — woh Code/expression se karo. Aur jo cheez 100% sahi honi chahiye (legal, medical), wahan AI ka output insaan check kare.

🧪 **Example:** Text Classifier + gpt-4o-mini: "Mujhe clinic ke liye quote chahiye" → sales.

⚠️ **Common galti:** AI ko maths karwana ("total kitna hua?") — kabhi-kabhi galat jod deta hai. AI se numbers nikalwao, jod Code se karo.

🪄 **LLM = padha-likha intern. Likhne mein tez, hisaab mein Code behtar.**

02 Tokens & context

📖 **Kya hai:** Token text ka chhota tukda hai (lagbhag ¾ English word; Hindi/Hinglish mein zyada tokens lagte hain). Model ka bill aur limit dono tokens mein ginte hain.

⚙️ **Andar kaise:** Context window = model ek baar mein kitne tokens dekh sakta hai (prompt + data + jawab). Input tokens (jo bheja) aur output tokens (jo likha) dono ka paisa lagta hai — output mehenga hota hai. Poora email thread bhejne ki jagah snippet/summary bhejo — tez bhi, sasta bhi.

✅ **Kab use karein**
Har AI workflow banate waqt socho: kitna text bhej raha hoon, kitne emails/din, mahine ka kharcha kitna?

⛔ **Kab nahi**
Har email ka poora HTML (signatures, purane replies) model ko mat bhejo — 90% tokens bekaar.

🧪 **Example:** gpt-4o-mini par 1 email classify ≈ 300 tokens. 1,000 emails/din bhi kuch hi rupaye/din.

⚠️ **Common galti:** 50 page ka PDF seedha prompt mein daal dena — context limit cross ya bahut mehenga. Lambe docs ke liye RAG (Day 16).

🪄 **Token = paisa. Kam aur saaf text bhejo.**

03 Temperature

📖 **Kya hai:** Temperature batata hai model kitna "creative" ho. 0 = har baar lagbhag same, seedha jawab. 1 = zyada variety aur creativity.

⚙️ **Andar kaise:** Model har agle shabd ke liye kai options mein se chunta hai. Kam temperature par sabse sambhav shabd chunta hai; zyada par kam-sambhav shabd bhi chun leta hai. Model sub-node ke Options → Sampling Temperature mein set hota hai.

✅ **Kab use karein**
Classification, data extraction, yes/no faisle → 0 se 0.2. Reply drafts → 0.4–0.7. Social posts, ideas → 0.7–1.

⛔ **Kab nahi**
Classifier par temperature 1 — same email kabhi sales, kabhi support. Faisle wale kaam par kabhi zyada mat rakho.

🧪 **Example:** Classifier Model: 0 · Reply Model: 0.5.

⚠️ **Common galti:** Ek hi model sub-node do kaamon (classify + creative reply) mein share karna. Alag sub-nodes rakho, alag settings.

🪄 **Faisla = 0. Likhna = 0.5. Ideas = 0.8.**

04 Prompt framework

📖 **Kya hai:** Achha prompt ek saaf job description jaisa hota hai: Role (tum kaun ho), Task (kya karna hai), Context (data), Format (jawab kis shape mein), Examples (namoona).

⚙️ **Andar kaise:** n8n mein prompt ke andar expressions se live data jaata hai ({{ $json.Subject }}). Format ke liye Structured Output Parser lagao — AI ka jawab JSON mein aata hai ($json.output.reply). Prompt mein "agar pata na ho to X bolo" jaisa niyam hallucination kam karta hai.

✅ **Kab use karein**
Har AI node. Ek baar achha prompt likho, Sheet/Edit Fields mein rakho, kai workflows mein reuse karo.

⛔ **Kab nahi**
Prompt mein secrets (API keys, passwords) ya customers ka zaroorat se zyada personal data mat daalo.

🧪 **Example:** Role: helpful sales assistant · Task: sentiment + 3 line reply · Context: From/Subject/Email · Format: { "sentiment", "reply" }.

⚠️ **Common galti:** "Reply likho" — itna hi. Na tone, na length, na format → har baar alag. Framework ke 5 hisse bharo.

🪄 **Role + Task + Context + Format + Examples.**

🗺️ Aaj ka workflow: Inbox AI: Classify + Sentiment + Reply Draft

Data left se right chalta hai. Har dabba ek n8n node hai.





📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Agencies, SaaS (AI inbox triage) — aam taur par **₹15,000 – ₹35,000**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1 ⚡ **Gmail Trigger**
Naya email inbox mein

2 🔀 **Text Classifier**
Categories: sales, support, billing, spam

3 🏷️ **Sentiment Analysis**
Positive / neutral / negative

4 🧠 **Basic LLM Chain**
Reply draft (brand tone) + Structured Output Parser

5 📧 **Gmail**
Draft create + label lagao

6 💼 **Slack**
Negative + support → team alert

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- ☐ Connect: **Gmail (Google OAuth)**
- ☐ Connect: **OpenAI API key**
- ☐ Connect: **Telegram bot token (BotFather se)**
- ☐ Pehle ek test Gmail account par chalao

✅ Test kaise karein

1. Apne aap ko 3 email bhejo: price poochne wala, complaint wala, promo wala
2. Gmail Trigger "Fetch test event" → har branch dekho
3. Gmail Drafts folder check karo

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 📧 New Email

Simplify ON — kaam ke fields seedhe mil gaye.


```
{
  "id": "18c9a4f2b7e1d0c3",
  "threadId": "18c9a4f2b7e1d0c3",
  "snippet": "Hi, humein apni clinic ke liye WhatsApp booking automation chahiye. Budget 40k ke aas-paas
hai…",
  "From": "Dr. Mehta <dr.mehta@clinic.in>",
  "To": "hello@adifyskills.com",
  "Subject": "WhatsApp automation quote",
  "labelIds": [
    "INBOX",
    "UNREAD"
  ]
}
```


2 📧 Classify Email

AI ne "sales" chuna → output 0. Item jaisa tha waisa hi aage gaya (sirf raasta chuna).


```
{
  "sales (1 item)": "WhatsApp automation quote",
  "support (0)": "—",
  "spam (0)": "—"
}
```


3 🔧 Draft Sales Reply

Parser ne jawab JSON mein diya — output ke andar.


```
{
  "output": {
    "sentiment": "positive",
    "reply": "Hi Dr. Mehta, thanks for reaching out! WhatsApp booking automation is exactly what we build for
clinics. Would a quick 15-min call this week work to understand your setup?"
  }
}
```


4 📧 Create Gmail Draft

Gmail mein draft ban gaya — owner bas review karke Send karega.


```
{
  "id": "r-48213377150214",
  "message": {
    "id": "18c9a4f9c2d3e4f5",
    "threadId": "18c9a4f9c2d3e4f5",
    "labelIds": [
      "DRAFT"
    ]
  }
}
```

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

Gmail Trigger

Inbox mein naya email aate hi workflow chalata hai.



Asli n8n: Gmail Trigger

Setting	Kya karti hai	Aaj ki value	Kab badlein
Credential	Gmail OAuth2	`Gmail account`	—
Poll Times	Kitni der mein check kare	`Every Minute`	Live par Every 5 Minutes kaafi
Simplify	Chhota output: From, To, Subject, snippet	`On`	Poora body/attachments chahiye to Off
Filters → Label Names or IDs	Kaunse label ke emails	`INBOX`	Search (q) se: from:... -category:promotions

Text Classifier

Har email ko ek category mein daal kar alag raaste bhejta hai.



Asli n8n: Text Classifier

Setting	Kya karti hai	Aaj ki value	Kab badlein
Text to Classify	AI ko kya padhaana	`Subject: {{ $json.Subject }} + snippet`	Poora body mehenga; subject + snippet kaafi
Categories	Naam + description (description hi asli instruction hai)	`sales · support · spam`	Description mein examples do
Options → Allow Multiple Classes To Be True	Ek email kai categories mein	`Off`	Off = har email sirf ek raaste
Options → When No Clear Match	Discard Item ya Output on Extra "Other" Branch	`Discard`	"Other" branch lagao taaki koi email gum na ho
Outputs	Har category ka apna output (upar se neeche)	`0 sales · 1 support · 2 spam`	Category order = output order

🧠 Basic LLM Chain — reply draft

Sentiment + reply ek saath, JSON mein.



📸 Asli n8n: Basic LLM Chain — reply draft

Setting	Kya karti hai	Aaj ki value	Kab badlein
Prompt	Role + 2 tasks + email data	`Tum ek helpful sales assistant ho…`	"koi fake promise nahi" jaisa niyam zaroor
Data kahan se	$("New Email").item.json — kyunki classifier ke baad bhi original chahiye	`From, Subject, snippet`	—
Require Specific Output Format	On + Structured Output Parser	`Reply JSON`	{"sentiment", "reply"}
Model	Alag sub-node (Reply Model)	`gpt-4o-mini`	Temperature 0.5 — thoda natural

📧 Gmail — Create Draft

Seedha bhejne ki jagah draft — insaan dekh kar Send dabaye.



📸 Asli n8n: Gmail — Create Draft

Setting	Kya karti hai	Aaj ki value	Kab badlein
Resource / Operation	Draft → Create	`Create`	Bharosa ban jaaye tab Message → Reply
Subject	Re: + original subject	`Re: {{ $("New Email").item.json.Subject }}`	—
Message	AI ka reply	`{{ $json.output.reply }}`	—
Options → Send To	Draft kisko jaayega	`{{ $("New Email").item.json.From }}`	Thread mein rakhne ke liye Options → Thread ID

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😩 Pehle (manual)

Har email padhna	3 min
Category decide karna	1 min
Reply likhna	6 min
	10 min

⚡ Ab (n8n)

AI classify + draft, insaan bas check kare	1 min
	1 min

⏱ 100 emails/din par ~15 ghante → 2 ghante.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo — 📋 Select karke copy karo

```
ROLE: You are a support lead at {{brand}}.
TASK: Draft a reply.
RULES: Hinglish, max 80 words, never promise refunds.
FORMAT: JSON {"reply":"","needs_human":true|false}
```

📦 Sample data — input se output tak

📥 Input — 📋 Select karke copy karo

```
{
  "from": "customer@mail.com",
  "subject": "Refund chahiye",
  "body": "Mera course access kaam nahi kar raha,
bahut frustrating hai."
}
```

📤 Output — 📋 Select karke copy karo

```
{
  "category": "support",
  "sentiment": "negative",
  "draft": "Hi! Sorry for the trouble 🙏 Humari team
ne aapka access reset kar diya hai…"
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Sales reply prompt (workflow ke andar) — 📋 Select karke copy karo

```
Tum ek helpful sales assistant ho jo ek Indian automation agency ke liye kaam karta hai.
Neeche diye email ko padho aur:
1. sentiment batao (positive / neutral / negative)
2. 3 line ka polite reply draft karo — simple English, koi fake promise nahi, end mein 15-min call ka
offer.

From: {{from}}
Subject: {{subject}}
Email: {{body}}
```

💬 Classifier categories

📋 Select karke copy karo

```
sales: Price, quote, demo, new project ya service ke baare mein poochna
support: Existing customer ki problem, bug, refund, order issue
spam: Promotions, newsletters, cold SEO offers, irrelevant
```

💬 Build it with ChatGPT / Claude

📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Har naya email AI padhta hai aur sales / support / spam mein baant deta hai. Sales email ka sentiment nikaal ke reply draft Gmail mein bana deta hai, support wala team ko Telegram par, spam "read" mark.

Flow: Gmail Trigger (Naya email) → Text Classifier (sales / support / spam) → LLM Chain (Sentiment + reply (JSON)) → Gmail (Draft banao)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 Debug helper prompt

📋 Select karke copy karo

```
I'm building the n8n workflow "Inbox AI: Classify + Sentiment + Reply Draft" (nodes: New Email, Classify Email, Classifier Model, Draft Sales Reply, Reply Model, Reply JSON, Create Gmail Draft, Alert Support Team, Mark Spam Read).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ **Workflow JSON**
9 nodes · ready to import
adifyskills.com/workflows/day-14-inbox-ai-classifier.json

🌐 **Lesson page**
Copy buttons, quiz aur video links
adifyskills.com/day/14

Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Gmail (Google OAuth)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "OpenAI API key" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Telegram bot token (BotFather se)" connect karo.
Time par apne aap nahi chala?	"Active" toggle on hai? Settings mein timezone Asia/Kolkata check karo.
AI node par 401 / 429 error?	401 = API key galat. 429 = credit khatam ya bahut jaldi requests. OpenAI billing page check karo.

⚠️ Yeh galtiyan sabse common hain

- ! Prompt mein format na batana → output parse nahi hota
- ! Temperature high rakhna classification ke liye
- ! Har email par sabse mehenga model

⭐ Pro tips — time bachane wali tricks

- ★ Classification ke liye chhota/sasta model kaafi hai
- ★ Structured Output Parser + "Auto-fix" se reliable JSON
- ★ Prompts ko Sheet mein store karo — bina workflow edit kiye badlo

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Inbox AI: incoming email ko classify (sales/support/spam), sentiment nikaalo aur reply draft banao.

📝 Homework

10 prompts ki apni prompt library banao with structured JSON output.

- ☐ Homework ho gaya

BEGINNER
Review ko positive/negative classify

INTERMEDIATE
Prompt library 10 prompts JSON output ke saath

ADVANCED
Model fallback: OpenAI fail → Gemini

🧩 Aaj ka challenge — pehle khud try karo

🎯 Category mein "partnership" bhi jodo aur aise emails founder ko forward karo.

💡 Hint 1
Text Classifier mein categories ki list editable hai.

💡 Hint 2
Naya category banate hi node ka ek naya output banta hai — wahan Gmail node lagao.

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. From se sirf email

```
{"From":"Dr. Mehta <dr.mehta@clinic.in>"}
```

Mera jawab: _____

2. From se sirf naam

```
{"From":"Dr. Mehta <dr.mehta@clinic.in>"}
```

Mera jawab: _____

3. Reply subject

```
{"Subject":"WhatsApp automation quote"}
```

Mera jawab: _____

4. Negative sentiment hai?

```
{"output":{"sentiment":"negative"}}
```

Mera jawab: _____

5. Alert ke liye chhota preview

```
{"snippet":"Hi, humein apni clinic ke liye WhatsApp booking chahiye"}
```

Mera jawab: _____

2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Consistent output ke liye temperature?

- (A) Random
- (B) Matter nahi karta
- (C) High (1.5)
- (D) Low (0–0.3)

Q2. AI se fixed JSON?

- (A) Merge
- (B) Wait
- (C) IF
- (D) Structured Output Parser

Q3. Email ko categories mein baantne ka node?

- (A) Text Classifier
- (B) Summarize
- (C) Sort
- (D) Limit

Q4. Cost kis par depend karta hai?

- (A) Font
- (B) Tokens
- (C) Colors
- (D) Node count

📖 Aaj ke naye shabd

Workflow
Steps ki ek chain jo apne aap chalti hai — jaise recipe ke steps.

Trigger
Jo workflow ko START karta hai — jaise alarm, naya email, ya form submit.

JSON
Data likhne ka format: { "naam": "Ravi", "city": "Delhi" } — key aur value ke jode.

LLM
Large Language Model — ChatGPT/Claude jaisa AI jo text samajhta aur likhta hai.

Prompt
AI ko diya gaya instruction/sawaal.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 15

AI Agents: Tools, Memory & Reasoning

"Chatbot nahi — ek digital employee banao."

☐ **Day 14 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → D
Low (0–0.3)

Q2 → D
Structured Output Parser

Q3 → A
Text Classifier

Q4 → B
Tokens

✅ Challenge ka solution

Classify Email → Add category "partnership" (collab, partnership, sponsorship requests) → naya output → Gmail send to founder@... with original subject.

🧪 Expression sheet ke jawab

1. `{{ $json.From.match(/<(.+)>/)[1] }}` → **dr.mehta@clinic.in**
2. `{{ $json.From.split("<")[0].trim() }}` → **Dr. Mehta**
3. `{{ "Re: " + $json.Subject }}` → **Re: WhatsApp automation quote**
4. `{{ $json.output.sentiment === "negative" }}` → **true**
5. `{{ $json.snippet.slice(0, 30) + "…" }}` → **Hi, humein apni clinic ke liye…**

📚 Official docs

- Advanced AI in n8n ↗
- LLM Chain ↗
- Output parsers ↗
- Text Classifier ↗

▶ Videos

- n8n ai email classifier ↗
- n8n basic llm chain tutorial ↗

Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716 ↗

Day 14 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/14 ↗

+91 83838 91716
Call / WhatsApp — Adify Skills

DAY 15

AI Agents: Tools, Memory & Reasoning

"Chatbot nahi — ek digital employee banao."

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 **Yeh lesson kyun zaroori hai?**

AI Agent = LLM + tools + memory. Yahi "digital employee" hai jo clients sabse zyada maangte hain.

🎯 Aaj ke baad aap yeh kar paoge

01 AI Agent node: how agents think & act

🌍 Didi pehle sochti hai, phir karti hai.
⚙️ AI Agent: Think → Tool call → Observe → Answer.

02 Tools: HTTP, Calculator, Code, sub-workflow as tool

🌍 Didi ke paas phone, calculator, diary.
⚙️ Tools: HTTP Request, Calculator, Code, Call n8n Workflow.

03 Memory: window buffer, Postgres/Redis chat memory

🌍 Didi ko yaad hai tumhe chai pasand hai.
⚙️ Window Buffer Memory (last 10 msgs), Postgres memory (permanent).

04 System prompts for reliable agents

🌍 Didi ko job description diya.
⚙️ System prompt: role, rules, tools kab use karein, kya nahi karna.

05 Chat Trigger & embedding chat on websites

🌍 Dukaan ke counter par help desk.
⚙️ Chat Trigger → embed widget website par.

06 Agent guardrails & human-in-the-loop

🌍 Bade kharche se pehle papa se poochna.
⚙️ Payment/delete se pehle Slack/Telegram approval.

⏱ Class ka plan (2 ghante)

10m	35m	45m	20m	10m

`0:00-0:10` **Recap**

🪄 Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.

`0:10-0:45` **Concept: Agents**

ReAct loop visual

🪄 Chatbot sirf baat karta hai. Agent ke paas haath bhi hain — woh calendar khol sakta hai, calculator chala sakta hai.

`0:45-1:30` **Live Build**

Personal assistant agent: Calendar + Gmail + Sheets tools

🪄 Aaj ki kahani yaad hai — 'Personal assistant didi'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.

1:30-1:50 **Challenge**
Add a custom tool via sub-workflow
🪄 *Practice match — jitna yahan girenge, utna asli match mein kam girenge.*

1:50-2:00 **Q&A + Homework**
🪄 *Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?*

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01
Agent loop
Socho → tool chuno → result dekho → dobara socho → jawab.
🪄 **Analogy:** Detective jo clues dhoondhta hai

CONCEPT 02
Tools
Agent ke haath-pair: API, calculator, sub-workflow.
🪄 **Analogy:** Mechanic ka toolbox

CONCEPT 03
Memory
Pichhli baatein yaad rakhna (session ID se).
🪄 **Analogy:** Dukaan wala jo regular customer ko pehchaanta hai

CONCEPT 04
System prompt
Agent ki job description + rules + guardrails.
🪄 **Analogy:** Company ki rulebook

🔑 Aaj ka main idea

AI Agent ek LLM hai jise tools diye gaye hain. Woh khud decide karta hai kaunsa tool, kis order mein chalana hai, aur memory se pichhli baat yaad rakhta hai.

- Telegram bot jo expense Sheet mein likhe
- Website chat jo order status bataye
- Sales agent jo CRM se lead info nikaale

📖 Ek kahani se samjho: Personal assistant didi

1 📱 **Tumne message kiya "kal meeting set karo"** = Chat/Telegram Trigger

2 🤔 **Didi ne socha kya karna hai** = AI Agent (reasoning)

3 📅 **Calendar khola** = Tool: Google Calendar

4 🧠 **Pichhli baat yaad rakhi** = Memory

5 ✅ **"Ho gaya, 4 baje set hai"** = Reply

🪄 Ek line mein: "Chatbot sirf baat karta hai. Agent ke paas haath bhi hain — woh calendar khol sakta hai, calculator chala sakta hai."

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 Agent loop

📖 **Kya hai:** AI Agent sirf jawab nahi likhta — woh sochta hai, zaroorat ho to tool chalata hai, result dekhta hai, fir sochta hai, aur aakhir mein jawab deta hai.

⚙️ **Andar kaise:** Har round mein model ko milta hai: system prompt + memory (pichhli baatein) + user ka message + tools ki list (naam + description). Model decide karta hai: "Book Meeting tool chahiye, start = …". n8n tool chalata hai aur result model ko wapas deta hai. Yeh loop tab tak chalta hai jab tak model final jawab na de (ya Max Iterations limit aa jaaye).

✅ **Kab use karein**
Jab har message mein kaam alag ho aur pehle se flow tay na ho sake: personal assistant, support bot jo order status bhi dekhe, sales bot jo meeting bhi book kare.

⛔ **Kab nahi**
Jab steps hamesha same hon (form → sheet → email) — wahan normal workflow sasta, tez aur predictable hai. Agent har baar thoda alag soch sakta hai.

🧪 **Example:** "Kal 4 baje Rahul ke saath meeting aur ₹450 lunch" → Agent: Book Meeting tool → Log Expense tool → jawab.

⚠️ **Common galti:** Har cheez agent se karwana — slow, mehenga, kabhi galat tool. Fixed kaam fixed workflow se, sirf "faisla" agent se.

🪄 **Socho → tool → dekho → socho → jawab.**

02 Tools

📖 **Kya hai:** Tools agent ke haath-pair hain: Calculator, Google Sheets, Calendar, HTTP Request, ya aapka koi bhi sub-workflow. Agent unhe tab use karta hai jab zaroorat ho.

⚙️ **Andar kaise:** Har tool ka naam aur description model ko dikhte hain — isi se woh tool chunta hai. Tool ke fields mein $fromAI("amount", "expense amount in INR", "number") likhne se model khud woh value bharta hai. Tool ka result (JSON) model ko wapas jaata hai taaki woh confirm kar sake.

✅ **Kab use karein**
Jab agent ko data padhna ya kuch karna ho: booking, logging, lookup, calculation.

⛔ **Kab nahi**
Khatarnaak tools (delete, payment, mass email) agent ko mat do — ya do to pehle insaan ka approval lagao.

🧪 **Example:** Log Expense (Sheets tool): amount = $fromAI("amount", …, "number"), category = $fromAI("category", "food, travel, office, other").

⚠️ **Common galti:** Tool ka description khaali/vague — agent galat tool chunta hai ya chunta hi nahi. Description mein likho kab use karna hai.

🪄 **Tool = toolbox. Naam + description saaf, $fromAI se agent value bharta hai.**

03 Memory

📖 **Kya hai:** Memory se agent pichhli baatein yaad rakhta hai — "usko 5 baje kar do" mein "usko" kaun hai, yeh samajh aata hai.

⚙️ **Andar kaise:** Simple Memory (Window Buffer) aakhri N messages yaad rakhta hai, ek session key ke hisaab se. Telegram mein session key = chat.id, taaki har user ki baatchit alag rahe. Simple Memory n8n ke andar rehti hai (restart par saaf); permanent ke liye Postgres/Redis memory.

✅ **Kab use karein**
Har chatbot/assistant jo ek se zyada message ki baatchit karta hai.

⛔ **Kab nahi**
Ek-baar wale kaam (email classify, summary) mein memory bekaar hai — tokens badhte hain.

🧪 **Example:** User: "Kal Rahul ke saath meeting rakho" → Bot: "Kitne baje?" → User: "4 baje" → Memory se pata "Rahul, kal" → book.

⚠️ **Common galti:** Session key fixed rakhna (jaise "1") — saare users ki baatein mix, ek user ko doosre ki info dikh sakti hai! Hamesha user/chat ID.

🪄 **Memory = regular customer ko pehchaanna. Session key = chat.id.**

04 System prompt

📖 **Kya hai:** System prompt agent ki job description aur rulebook hai — woh kaun hai, kya kar sakta hai, kya kabhi nahi karega, kis tone mein baat karega.

⚙️ **Andar kaise:** Har round mein system prompt sabse pehle model ko jaata hai. Isme aaj ki date (expression se) daalna zaroori hai, warna "kal" ka matlab model nahi jaanta. Tools kab use karne hain, default values (meeting 30 min), aur guardrails ("paise bhejna mana") yahin likhte hain.

✅ **Kab use karein**
Har AI Agent mein. Bot ka behaviour badalna ho to pehle system prompt badlo, code nahi.

⛔ **Kab nahi**
System prompt ko 2 page ka essay mat banao — 8-12 saaf lines best.

🧪 **Example:** Aaj ki date: {{ $now.toFormat("yyyy-MM-dd cccc") }}, timezone Asia/Kolkata. Meeting ke liye Calendar tool (default 30 min)...

⚠️ **Common galti:** Date na dena → model "kal" ko 2023 ki koi date samajh leta hai aur galat din meeting ban jaati hai.

🪄 **System prompt = rulebook. Date + tools + guardrails + tone.**

🗺️ Aaj ka workflow: Telegram AI Assistant (Agent + Tools + Memory)

Data left se right chalta hai. Har dabba ek n8n node hai.



📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Busy founders, CA firms (AI personal assistant) — aam taur par **₹15,000 – ₹40,000**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1 ⚡ **Telegram Trigger**
User message

2 🤖 **AI Agent**
System prompt: personal assistant, Hinglish, confirm before booking

3 🧠 **OpenAI Chat Model**
Agent ka model (sub-node)

4 💾 **Simple Memory (Window Buffer)**
Session key = chat ID, last 10 messages

5 🧩 **Call n8n Workflow Tool**
Tools: book_meeting, log_expense, summarize_inbox

6 ✈️ **Telegram**
Agent ka jawab wapas

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

🔑 Setup (import ke baad)

- [ ] Connect: **Telegram bot token (BotFather se)**
- [ ] Connect: **OpenAI API key**
- [ ] Connect: **Google Sheets (Google OAuth)**
- [ ] Connect: **Google Calendar (Google OAuth)**
- [ ] "Expenses" tab headers: date, amount, category, note
- [ ] Workflow Active karo

✅ Test kaise karein

1. "Lunch 450 rupaye" bhejo → Sheet
2. "Kal 4 baje Rahul se call" → Calendar
3. "Aur uska reminder kab hai?" — memory test

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 ✈️ Telegram Message

User ne ek message mein do kaam bole.


```
{
  "message": {
    "chat": {
      "id": 55501
    },
    "from": {
      "first_name": "Rohit"
    },
    "text": "Kal 4 baje Rahul ke saath meeting rakho aur ₹450 lunch expense likho"
  }
}
```


2 🔧 Book Meeting (tool call)

Agent ne pehla tool chuna aur $fromAI fields khud bhare. Aaj Wed 2 Dec hai, isliye kal = 3 Dec.


```
{
  "start": "2026-12-03T16:00:00+05:30",
  "end": "2026-12-03T16:30:00+05:30",
  "title": "Meeting with Rahul"
}
```


3 🔧 Log Expense (tool call)

Doosra tool — amount number mein, category khud samjha.


```
{
  "date": "2026-12-02",
  "amount": 450,
  "category": "food",
  "note": "lunch"
}
```


4 🔧 AI Assistant

Dono tool results dekh kar final jawab likha.


```
{
  "output": "✅ Kal (3 Dec) 4:00 PM Rahul ke saath meeting book ho gayi aur ₹450 lunch expense log kar diya."
}
```

5 🔧 **Reply**

Telegram par user ko jawab gaya.

```
{
  "ok": true,
  "result": {
    "message_id": 812,
    "chat": {
      "id": 55501
    }
  }
}
```

AdifySkills
DIGITAL MARKETING INSTITUTE
+91 83838 91716

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

AI Agent

Dimaag + tools + memory ko jodne wala node.



📸 Asli n8n: AI Agent

Setting	Kya karti hai	Aaj ki value	Kab badlein
Source for Prompt	Define below — user ka message	`{{ $json.message.text }}`	Chat Trigger ho to "Connected Chat Trigger"
Options → System Message	Rulebook (date, tools, tone, guardrails)	`Tum mera personal assistant ho…`	Sabse zyada asar isi ka
Options → Max Iterations	Kitne tool-rounds tak	`10 (default)`	Loop mein phans jaaye to kam karo
Options → Return Intermediate Steps	Kaunse tools chale, output mein dikhao	`Off`	Debug ke liye On
Connectors	Chat Model · Memory · Tool (neeche ke circles)	`1 model, 1 memory, 3 tools`	Model ke bina agent chalega hi nahi

Simple Memory

Har user ki pichhli 10 baatein.



📸 Asli n8n: Simple Memory

Setting	Kya karti hai	Aaj ki value	Kab badlein
Session ID	Define below (custom key)	`customKey`	Chat Trigger ke saath automatic
Key	Har user ka alag	`{{ $("Telegram Message").item.json.message.chat.id }}`	Fixed key = sab users mix!
Context Window Length	Kitne pichhle messages	`10`	Zyada = zyada tokens = mehenga

Google Sheets Tool

Agent jab kharcha sune, Sheet mein row likhe.



📸 Asli n8n: Google Sheets Tool

Setting	Kya karti hai	Aaj ki value	Kab badlein
Operation	Append Row	`Append Row`	—
Sheet	Expenses tab	`Expenses`	Headers: date, amount, category, note
Mapping	Map Each Column Manually	`defineBelow`	Tools mein manual mapping safe
amount	Model khud bharega	`{{ $fromAI("amount", "expense amount in INR", "number") }}`	Type "number" dena zaroori — warna "₹450" text
date	Model nahi, hum bharte hain	`{{ $now.toFormat("yyyy-MM-dd") }}`	Jo pakka pata hai woh AI par mat chhodo

Google Calendar Tool

Agent meeting book kar sake.



📸 Asli n8n: Google Calendar Tool

Setting	Kya karti hai	Aaj ki value	Kab badlein
Operation	Create event	`Create`	—
Start / End	Model ISO date bharega	`{{ $fromAI("start", "ISO datetime with +05:30") }}`	Description mein format + timezone likho
Summary	Meeting ka title	`{{ $fromAI("title", "meeting title") }}`	—
Tool Description (auto)	n8n operation se banata hai; chaaho to apna likho	—	"Use only after user confirms time" jaisa rule

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😩 **Pehle (manual)**

Calendar check, slot dhoondhna, invite bhejna — 10 min

10 min

➜

⚡ **Ab (n8n)**

Telegram par ek line — 1 min

1 min

⏱ Din mein 10 aise kaam = ~1.5 ghante bache.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo — 📋 Select karke copy karo

```
You are Aria, a personal assistant.
- Always confirm date/time before booking.
- Use tools; never invent data.
- Reply in short Hinglish.
```

📦 Sample data — input se output tak

📥 Input — 📋 Select karke copy karo

```
{
  "text": "Kal 5 baje Rohan ke saath meeting book karo
aur aaj ka ₹450 lunch expense log karo"
}
```

📤 Output — 📋 Select karke copy karo

```
{
  "reply": "✅ Kal 5:00 PM Rohan ke saath meeting book
ho gayi. ₹450 lunch expense log kar diya.",
  "toolsUsed": [
    "book_meeting",
    "log_expense"
  ]
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Agent system prompt — 📋 Select karke copy karo

```
Tum mera personal assistant ho. Aaj ki date: {{today}}, timezone Asia/Kolkata.
Rules:
- Meeting ke liye Calendar tool use karo (default 30 min).
- Kharche ke liye Expense tool use karo (amount, category, note).
- Calculation ke liye Calculator tool.
- Jawab chhota, Hinglish mein, emoji 1 max.
- Paise bhejne ya delete karne jaisa kaam kabhi mat karo — mana kar do.
```

💬 Build it with ChatGPT / Claude

📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Ek personal AI assistant Telegram par: "kal 4 baje Rahul ke saath meeting rakho", "₹450 lunch expense likho", "18% GST of 12500?" — agent khud decide karta hai Calendar, Sheet ya Calculator kaunsa tool use kare, aur pichhli baat yaad rakhta hai.

Flow: Telegram Trigger (Message) → AI Agent (Sochta + tool chunta) → Tools (Calendar · Sheet · Calculator) → Memory (Last 10 messages) → Telegram (Reply)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 Debug helper prompt

📋 Select karke copy karo

```
I'm building the n8n workflow "Telegram AI Assistant (Agent + Tools + Memory)" (nodes: Telegram Message, AI Assistant, OpenAI Model, Chat Memory, Calculator, Log Expense, Book Meeting, Reply).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ **Workflow JSON**
8 nodes · ready to import
`adifyskills.com/workflows/day-15-telegram-ai-assistant.json`

🌐 **Lesson page**
Copy buttons, quiz aur video links
`adifyskills.com/day/15`

Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Telegram bot token (BotFather se)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "OpenAI API key" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Google Sheets (Google OAuth)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Google Calendar (Google OAuth)" connect karo.
Time par apne aap nahi chala?	"Active" toggle on hai? Settings mein timezone Asia/Kolkata check karo.
AI node par 401 / 429 error?	401 = API key galat. 429 = credit khatam ya bahut jaldi requests. OpenAI billing page check karo.
"Sheet not found" / column khaali?	Sheet ID aur tab ka naam (capital/small bhi) check karo. Pehli row mein headers hone chahiye.

⚠️ Yeh galtiyan sabse common hain

- ! Tool description vague — agent galat tool chunta hai
- ! Memory session key sabke liye same (sab users ki baatein mix)
- ! Agent ko delete/payment jaise risky tools bina approval

⭐ Pro tips — time bachane wali tricks

- ★ Tool ka naam aur description crystal clear: "book_meeting: books a calendar slot. Input: datetime, person"
- ★ Max iterations set karo — infinite loop se bacho
- ★ Risky actions par human-in-the-loop approval

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Telegram AI assistant jo meetings book kare, emails summarize kare aur expenses log kare.

📝 Homework

Apne niche ke liye ek agent banao jismein kam se kam 3 tools hon.

- ☐ Homework ho gaya

BEGINNER
Calculator tool wala agent

INTERMEDIATE
Sheet lookup tool: "mera order status?"

ADVANCED
Approval step before sending email

🧩 Aaj ka challenge — pehle khud try karo

🎯 Assistant ko ek naya tool do: "aaj ka total kharcha batao".

💡 Hint 1
Google Sheets Tool ko "read" operation ke saath bhi add kar sakte ho.

💡 Hint 2
Tool description saaf likho: "Expenses sheet padhta hai" — agent isi se decide karta hai.

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. System prompt ke liye aaj ki date

Input ki zaroorat nahi

Mera jawab: _____

2. Memory session key

```
{"message":{"chat":{"id":55501}}}
```

Mera jawab: _____

3. Kal 4 baje ka ISO time

Input ki zaroorat nahi

Mera jawab: _____

4. Message mein ₹ hai?

```
{"message":{"text":"₹450 lunch expense likho"}}
```

Mera jawab: _____

5. Message se amount nikaalo

```
{"message":{"text":"₹450 lunch expense likho"}}
```

Mera jawab: _____

2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Agent ko yaaddasht dene wala sub-node?

- (A) Parser
- (B) Memory
- (C) Embeddings
- (D) Splitter

Q2. Agent galat tool chun raha hai — fix?

- (A) Temperature 2
- (B) Kuch nahi
- (C) Tool description improve
- (D) Model delete

Q3. Multi-user bot mein session key?

- (A) Fixed "1"
- (B) Empty
- (C) Date
- (D) Har user ka unique ID

Q4. Workflow ko agent ka tool banane ka node?

- (A) Call n8n Workflow Tool
- (B) Merge
- (C) Wait
- (D) Sort

📖 Aaj ke naye shabd

Workflow
Steps ki ek chain jo apne aap chalti hai — jaise recipe ke steps.

Node
Workflow ka ek dabba/step. Har node ek kaam karta hai (email bhejna, data laana…).

Trigger
Jo workflow ko START karta hai — jaise alarm, naya email, ya form submit.

API
Do apps ke baat karne ka tareeka. Ek app sawaal bhejta hai, doosra jawab (data) deta hai.

LLM
Large Language Model — ChatGPT/Claude jaisa AI jo text samajhta aur likhta hai.

Prompt
AI ko diya gaya instruction/sawaal.

Agent
AI jo khud decide karta hai kaunsa tool use karna hai — sirf baat nahi, kaam bhi karta hai.

Embedding
Text ka "matlab" numbers mein — taaki milte-julte text dhoondhe ja sakein.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 16

RAG: Chat With Your Own Data

"Company ke documents se jawab dene wala AI."

☐ **Day 15 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → B
Memory

Q2 → C
Tool description improve

Q3 → D
Har user ka unique ID

Q4 → A
Call n8n Workflow Tool

✅ Challenge ka solution

Naya Google Sheets Tool: operation Get Rows, sheet Expenses, description "Saare kharche padhta hai, total nikaalne ke liye". System prompt mein: "Total poocha jaaye to yeh tool use karo."

🧪 Expression sheet ke jawab

1. `{{ $now.toFormat("yyyy-MM-dd cccc") }}` → **2026-12-02 Wednesday**
2. `{{ $json.message.chat.id }}` → **55501**
3. `{{ $now.plus({ days: 1 }).set({ hour: 16, minute: 0, second: 0, millisecond: 0 }).toISO({ suppressMilliseconds: true }) }}` → **2026-12-03T16:00:00+05:30**
4. `{{ $json.message.text.includes("₹") }}` → **true**
5. `{{ Number($json.message.text.match(/₹\s?(\d+)/)[1]) }}` → **450**

📚 Official docs

- AI Agent node ↗
- Memory ↗
- Chat Trigger ↗
- Call n8n Workflow Tool ↗
- AI agents explained ↗

▶ Videos

- n8n ai agent tutorial tools memory ↗
- n8n telegram ai agent ↗

💬 Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716 ↗

🌐 Day 15 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/15 ↗

📞 +91 83838 91716
Call / WhatsApp — Adify Skills

DAY 16

RAG: Chat With Your Own Data

"Company ke documents se jawab dene wala AI."

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

ChatGPT aapki company ke documents nahi jaanta. RAG se AI "aapke data" se jawab deta hai — sabse demanded AI project.

🎯 Aaj ke baad aap yeh kar paoge

01 RAG explained: embeddings, chunks, retrieval
🌍 Open-book exam.
⚙️ Query → embed → top-k chunks → prompt mein daalo → answer.

02 Vector stores: Pinecone, Qdrant, Supabase pgvector
🌍 Library ki almari.
⚙️ Pinecone / Qdrant / Supabase vector store nodes.

03 Document loaders & text splitters
🌍 Kitaab ko chapters mein kaatna.
⚙️ Default Data Loader + Recursive Character Splitter (chunk 800, overlap 100).

04 Ingestion pipeline: Drive → chunks → vectors
🌍 Nayi kitaab aayi → almari mein lagao.
⚙️ Drive Trigger (new file) → split → embed → insert.

05 Q&A chain with sources/citations
🌍 Jawab ke saath "page 23 dekho".
⚙️ Metadata mein file name/page → answer mein citation.

06 Evaluating & improving answer quality
🌍 Teacher copy check karti hai.
⚙️ 20 test sawaal ki sheet → answers compare → chunk size/prompt tune.

⏱ Class ka plan (2 ghante)

10m	40m	40m	20m	10m

`0:00-0:10` **Recap**
🪄 Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.

`0:10-0:50` **Concept: RAG**
Library analogy + diagram
🪄 Open-book exam! Ratne ki jagah, sahi page khol ke jawab likho.

`0:50-1:30` **Live Build**
Company FAQ bot on PDFs with citations
🪄 Aaj ki kahani yaad hai — 'Library aur librarian'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.

1:30-1:50 **Challenge**
Auto-update vectors when Drive file changes
🪄 Practice match — jitna yahan girenge, utna asli match mein kam girenge.

1:50-2:00 **Q&A + Homework**
🪄 Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01
Embeddings
Text ka matlab numbers (vector) mein.
🪄 **Analogy:** Har shabd ka GPS coordinate

CONCEPT 02
Chunking
Lambe document ke chhote tukde (500–1000 chars, overlap).
🪄 **Analogy:** Kitaab ke paragraphs

CONCEPT 03
Vector store
Similar meaning wale chunks dhoondhne wala DB.
🪄 **Analogy:** Library ka smart librarian

CONCEPT 04
Retrieval + Generation
Relevant chunks dhoondho → LLM ko do → jawab with sources.
🪄 **Analogy:** Open-book exam

🔑 Aaj ka main idea
RAG = pehle apne documents mein se relevant hissa dhoondho (Retrieval), phir LLM ko woh hissa dekar jawab banwao (Generation). Isse AI apni company ka data bolta hai, guess nahi karta.

- Company policy PDF par HR bot
- Product manual par support bot
- Course notes par student doubt bot

📖 Ek kahani se samjho: Library aur librarian

1 📚 **Saari kitabein library mein** = Documents (Drive PDFs)

2 ✂️ **Har kitaab ke chhote panne** = Text splitter (chunks)

3 🏷️ **Har panne par matlab ka label** = Embeddings

4 🔍 **Librarian sahi panna dhoondhta hai** = Vector store retrieval

5 🗣️ **Panna padh ke jawab** = LLM answer + source

🪄 Ek line mein: “Open-book exam! Ratne ki jagah, sahi page khol ke jawab likho.”

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 Embeddings

📖 **Kya hai:** Embedding text ko numbers ki ek lambi list (vector) mein badal deta hai jo uska MATLAB pakadti hai. Same matlab wale text ke numbers paas-paas hote hain.

⚙️ **Andar kaise:** "Refund kaise milega?" aur "paise wapas ki policy" alag shabd hain par matlab same — dono ke vectors paas-paas honge. Embeddings model (jaise OpenAI text-embedding-3-small) har chunk ko ~1536 numbers deta hai. Search ke waqt sawaal ka bhi vector banta hai aur sabse paas wale chunks milte hain.

✅ **Kab use karein**
Apne documents (policies, FAQs, product info, SOPs) se jawab dene wale bots; similar tickets dhoondhna.

⛔ **Kab nahi**
Exact cheez dhoondhni ho (order ID, phone number) — wahan normal database search behtar hai.

🧪 **Example:** Insert aur search dono mein SAME embeddings model — isliye workflow mein do Embeddings sub-nodes, dono same model.

⚠️ **Common galti:** Insert ek model se, search doosre model se — vectors match hi nahi karte, bot kuch nahi dhoondh paata.

🪄 **Embedding = matlab ka GPS. Insert aur search ka model same.**

02 Chunking

📖 **Kya hai:** Lambe document ko chhote tukdon (chunks) mein kaatna — jaise kitaab ke paragraphs — taaki sirf relevant hissa AI ko bheja jaaye.

⚙️ **Andar kaise:** Recursive Character Text Splitter pehle paragraphs par, fir lines par, fir words par kaatne ki koshish karta hai taaki matlab na toote. Chunk Size = ek tukde ke max characters (800). Overlap = pichhle tukde ke kitne characters agle mein bhi (100) — taaki boundary par aadhi baat na kate.

✅ **Kab use karein**
Har RAG setup mein. FAQ jaise chhote docs: 500–800. Lambe policy docs: 800–1200.

⛔ **Kab nahi**
Bahut chhote chunks (100) — context kho jaata hai. Bahut bade (5000) — search fuzzy aur prompt mehenga.

🧪 **Example:** 10,400 characters ki policy, chunk 800, overlap 100 → lagbhag 15 chunks.

⚠️ **Common galti:** Overlap 0 — "Refund 7 din ke andar… [cut] …sirf pehli 2 classes ke baad" do chunks mein bat gaya aur jawab adhoora.

🪄 **Chunk = paragraph. 800 size, 100 overlap se shuru karo.**

03 Vector store

📖 **Kya hai:** Vector store ek database hai jo chunks aur unke vectors rakhta hai, aur "sabse milte-julte" chunks tez dhoondh deta hai.

⚙️ **Andar kaise:** Do mode: Insert (documents daalo) aur Retrieve (sawaal ke liye top K chunks lao). Aaj In-Memory store use kiya — koi account nahi chahiye, par n8n restart par data saaf. Production mein Supabase (pgvector), Pinecone, Qdrant. Memory Key ("course_kb") se insert aur search ek hi store se jude rehte hain.

✅ **Kab use karein**
Jab documents 1-2 page se zyada hon aur bot ko unme se jawab dena ho.

⛔ **Kab nahi**
In-Memory store client ke live bot ke liye mat use karo — restart = sab gaya. Wahan Supabase/Qdrant.

🧪 **Example:** Insert into Store (memoryKey: course_kb) ← Download PDF. Docs Search Tool (memoryKey: course_kb) → Agent.

⚠️ **Common galti:** Same PDF do baar insert — duplicate chunks, jawab mein same baat do baar. Update par pehle purana data hatao.

🪄 **Vector store = smart librarian. Insert ek baar, search har sawaal par.**

04 Retrieval + Generation

📖 **Kya hai:** RAG = Retrieval (relevant chunks dhoondho) + Augmented Generation (un chunks ke saath AI se jawab likhwao). Open-book exam jaisa.

⚙️ **Andar kaise:** User sawaal → Agent "company_docs" tool chalata hai → top 4 chunks wapas aate hain (text + metadata jaise file naam) → model sirf in chunks ke basis par jawab likhta hai, source ke saath. System prompt mein "sirf documents se bolo, nahi pata to mana karo" zaroori — warna model apni taraf se bana deta hai.

✅ **Kab use karein**
Support bot, HR policy bot, product FAQ, internal SOP assistant, course doubt bot.

⛔ **Kab nahi**
Jab jawab har baar fresh data se chahiye (aaj ka stock, order status) — wahan API/DB tool, RAG nahi.

🧪 **Example:** Q: "Course ki refund policy kya hai?" → chunk: "Pehli 2 live classes ke baad 7 din ke andar full refund" → A: same + (Source: refund-policy.pdf).

⚠️ **Common galti:** Bot ne galat jawab diya to model badalna. 80% baar problem retrieval mein hoti hai — dekho kaunse chunks aaye (intermediate steps).

🪄 **Pehle dhoondho, fir likho. Jawab ke saath source.**

🗺️ Aaj ka workflow: RAG Bot: Chat With Your PDFs

Data left se right chalta hai. Har dabba ek n8n node hai.



📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Any business with FAQs/policies (RAG support bot) — aam taur par **₹25,000 – ₹75,000**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1 ⚡ **Google Drive Trigger**
Folder mein nayi/updated PDF

2 📁 **Google Drive**
File download

3 🧬 **Recursive Character Text Splitter**
Chunk 800, overlap 100

4 🧬 **Supabase Vector Store**
Insert documents + Embeddings OpenAI

5 ⚡ **Chat Trigger**
User question (website widget)

6 🔧 **Question and Answer Chain**
Retriever = Supabase Vector Store, answer with sources

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- [ ] Connect: **Google Drive (Google OAuth)**
- [ ] Connect: **OpenAI API key**
- [ ] Drive par ek PDF (FAQ / policy) upload karo, uski File ID paste karo
- [ ] In-memory store restart par khaali ho jaata hai — production mein Pinecone/Qdrant/Supabase vector store lagao (same wiring)

✅ Test kaise karein

1. Pehle "Load Docs" wala Test chalao
2. Phir Chat button se PDF ke baare mein sawaal pucho
3. Aisa sawaal bhi pucho jo PDF mein nahi hai — bot ko mana karna chahiye

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 📄 Download PDF

Drive se file binary mein aayi.


```
{
  "[binary] data": {
    "fileName": "refund-policy.pdf",
    "mimeType": "application/pdf",
    "fileSize": "86 kB"
  }
}
```


2 🔧 Insert into Store

Loader ne text nikaala, Splitter ne 15 chunks banaye, Embeddings ne har chunk ka vector banaya, sab store mein.


```
{
  "pageContent": "Refund Policy\n\nPehli 2 live classes ke baad 7 din ke andar full refund milta hai…",
  "metadata": {
    "source": "blob",
    "blobType": "application/pdf",
    "loc": {
      "lines": {
        "from": 1,
        "to": 14
      }
    }
  },
  "…": "(+14 aur chunks)"
}
```


3 🔧 Chat

User ne chat window mein sawaal likha.


```
{
  "sessionId": "b7f3c2e0-5a1d-4e8b-9c6f-2d1e0a9b8c7d",
  "action": "sendMessage",
  "chatInput": "Course ki refund policy kya hai?"
}
```


4 📁 Docs Search Tool (tool call)

Agent ne company_docs se search kiya → 4 sabse milte chunks aaye.


```
[
  {
    "pageContent": "Pehli 2 live classes ke baad 7 din ke andar full refund milta hai…",
    "metadata": {
      "loc": {
        "pageNumber": 2
      }
    }
  },
  "…(+3 chunks)"
]
```

5 🤖 Support Agent

Chunks ke basis par jawab, source ke saath.

```
{
  "output": "Pehli 2 live classes ke baad 7 din ke andar full refund milta hai. (Source: refund-policy.pdf, page 2)"
}
```

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

Recursive Character Text Splitter

PDF ke text ko chunks mein kaatta hai.



📸 Asli n8n: Recursive Character Text Splitter

Setting	Kya karti hai	Aaj ki value	Kab badlein
Chunk Size	Ek chunk ke max characters	`800`	FAQ: 500 · lambe docs: 1000
Chunk Overlap	Agle chunk mein pichhle ke kitne characters	`100`	Size ka 10–15%
Kahan juda	PDF Loader ke "Text Splitter" connector se	–	Loader → Splitter → Store

Vector Store — Insert

Chunks + embeddings ko store mein daalta hai.



📸 Asli n8n: Vector Store — Insert

Setting	Kya karti hai	Aaj ki value	Kab badlein
Operation Mode	Insert Documents	`insert`	Search ke liye doosra node (retrieve)
Memory Key	Store ka naam	`course_kb`	Search node mein bhi exact same
Document (connector)	Default Data Loader — PDF binary se text	`PDF Loader (Binary)`	Type of Data: Binary
Embedding (connector)	Embeddings OpenAI	`text-embedding-3-small`	Search wale se same model

Vector Store — as Tool

Agent is tool se documents mein search karta hai.



📸 Asli n8n: Vector Store — as Tool

Setting	Kya karti hai	Aaj ki value	Kab badlein
Operation Mode	Retrieve Documents (As Tool for AI Agent)	`retrieve-as-tool`	—
Name	Tool ka naam (agent ko dikhega)	`company_docs`	Chhota, saaf, underscore wala
Description	Kab use karna hai	`Company ke PDFs (policies, pricing, FAQ) mein search…`	Achha description = sahi time par search
Limit	Kitne chunks laane	`4 (default)`	Jawab adhoora ho to 6-8
Memory Key	Same store	`course_kb`	—

Chat Trigger

Ready-made chat window — website par lagao ya link share karo.



📸 Asli n8n: Chat Trigger

Setting	Kya karti hai	Aaj ki value	Kab badlein
Make Chat Publicly Available	Bina login ke koi bhi chat kar sake	`On`	Workflow Active hone par URL milta hai
Mode	Hosted Chat (n8n ka page) ya Embedded Chat (apni website ka widget)	`Hosted Chat`	Website ke liye Embedded + @n8n/chat script
Initial Message(s)	Chat khulte hi bot ka pehla message	`Namaste! 👋 Course ke documents…`	Default "My name is Nathan" zaroor badlo
Options → Title	Chat window ka title	`Ask our docs 📚`	—
Authentication	None / Basic Auth / n8n user	`None`	Internal bot ke liye Basic Auth

Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😫 Pehle (manual)

Customer sawaal → PDF mein dhoondhna → reply — **12 min**

12 min

⚡ Ab (n8n)

RAG bot turant source ke saath — **0.5 min**

0.5 min

⏱ 50 sawaal/din par ~10 ghante bache.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo 📋 Select karke copy karo

```
Answer ONLY from the context. If not found, say "Mujhe iski jaankari nahi hai, main team se confirm karke batata hoon." Cite the source file.
```

📦 Sample data — input se output tak

📥 Input 📋 Select karke copy karo

```
{
  "chatInput": "Course ki refund policy kya hai?"
}
```

📤 Output 📋 Select karke copy karo

```
{
  "output": "Pehli 2 live classes ke baad 7 din ke andar full refund milta hai. (Source: policy.pdf, page 2)"
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 RAG agent system prompt 📋 Select karke copy karo

```
Tum company ke support assistant ho. Har jawab se pehle "company_docs" tool se search karo. Sirf wahi bolo jo documents mein hai. Agar jawab nahi mila to bolo "Mujhe iska pakka jawab nahi pata, main aapko team se connect karta hoon." Jawab ke end mein source (file/section) likho.
```

💬 Build it with ChatGPT / Claude 📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Do hisse: (1) Google Drive ki PDF ko chunks mein kaat ke vector store mein daalo. (2) Chat widget par sawaal pucho — agent sirf aapke documents se jawab deta hai, source ke saath. In-memory store use kiya hai taaki koi extra account na lage.

Flow: Manual + Drive (PDF download) → Vector Store (insert) (Chunks + embeddings) → Chat Trigger (Sawaal) → AI Agent + Store tool (Docs se jawab)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 **Debug helper prompt** 📋 Select karke copy karo

```
I'm building the n8n workflow "RAG Bot: Chat With Your PDFs" (nodes: Load Docs (run once), Download PDF,
Insert into Store, Embeddings (insert), PDF Loader, Splitter, Chat, Support Agent, Chat Model, Memory,
Docs Search Tool, Embeddings (search)).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ **Workflow JSON**
12 nodes · ready to import
`adifyskills.com/workflows/day-16-rag-support-bot.json`

🌐 **Lesson page**
Copy buttons, quiz aur video links
`adifyskills.com/day/16`

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Google Drive (Google OAuth)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "OpenAI API key" connect karo.
Webhook/Form test par kuch nahi ho raha?	"Listen for test event" / Test URL use karo aur 2 minute ke andar request bhejo. Production URL sirf Active workflow par chalta hai.
AI node par 401 / 429 error?	401 = API key galat. 429 = credit khatam ya bahut jaldi requests. OpenAI billing page check karo.

⚠️ Yeh galtiyan sabse common hain

- ! Chunk size bahut bada/chhota — jawab adhoore
- ! Purane vectors delete kiye bina naye add (duplicate answers)
- ! AI ko context ke bahar jawab dene dena (hallucination)

⭐ Pro tips — time bachane wali tricks

- ★ Metadata (file name, page) save karo — citations ke liye
- ★ File update par pehle us file ke vectors delete
- ★ 20 test questions ki list banao aur har change ke baad test

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Google Drive PDFs ko ingest karke website chat widget par RAG support bot.

📝 Homework

Kisi coaching/clinic ke 5 documents par RAG bot banao aur 20 questions test karo.

- ☐ Homework ho gaya

BEGINNER
In-memory vector store se 1 PDF ☐

INTERMEDIATE
Drive update par auto re-index ☐

ADVANCED
Answer quality eval with test set ☐

🧩 Aaj ka challenge — pehle khud try karo

🎯 Bot har jawab ke end mein "Kya aur kuch poochna hai? 😊" likhe aur jawab 80 words se lamba na ho.

💡 Hint 1
Yeh rules agent ke system prompt mein jaate hain.

💡 Hint 2
System message ke end mein 2 rules aur jodo.

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. User ka sawaal

```
{"chatInput":"Course ki refund policy kya hai?"}
```

Mera jawab: _____

2. Lagbhag kitne chunks banenge?

```
{"chars":10400}
```

Mera jawab: _____

3. Chunk ka source file

```
{"metadata":{"source":"refund-policy.pdf","page":2}}
```

Mera jawab: _____

4. Source line banao

```
{"metadata":{"source":"refund-policy.pdf","page":2}}
```

Mera jawab: _____

5. Chunk kitna lamba hai?

```
{"pageContent":"Pehli 2 live classes ke baad 7 din ke andar full refund."}
```

Mera jawab: _____

2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Text ko vectors mein badalne wala?

- (A) Embeddings
- (B) Parser
- (C) Memory
- (D) Merge

Q2. RAG mein "R"?

- (A) Regex
- (B) Retrieval
- (C) Random
- (D) Reply

Q3. Hallucination kam karne ke liye?

- (A) Bada font
- (B) Kuch nahi
- (C) "Only from context" instruction
- (D) Temperature 2

Q4. Lambe PDF ko todne wala?

- (A) Sort
- (B) Limit
- (C) IF
- (D) Text Splitter

📖 Aaj ke naye shabd

Trigger
Jo workflow ko START karta hai — jaise alarm, naya email, ya form submit.

LLM
Large Language Model — ChatGPT/Claude jaisa AI jo text samajhta aur likhta hai.

RAG
AI ko pehle aapke documents mein se sahi hissa dhoondh ke dena, phir jawab banwana — open-book exam.

Vector Store
Embeddings rakhne ka database — AI ki library.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 17

Document AI, Vision & Voice Automation

"Invoices padho, images samjho, voice notes transcribe karo."

☐ **Day 16 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → A
Embeddings

Q2 → B
Retrieval

Q3 → C
"Only from context" instruction

Q4 → D
Text Splitter

✅ Challenge ka solution

Support Agent → System Message mein jodo: "- Jawab max 80 words. - End mein likho: Kya aur kuch poochna hai? 😊"

🧪 Expression sheet ke jawab

1. `{{ $json.chatInput }}` → **Course ki refund policy kya hai?**
2. `{{ Math.ceil($json.chars / (800 - 100)) }}` → **15**
3. `{{ $json.metadata.source }}` → **refund-policy.pdf**
4. `{{ "Source: " + $json.metadata.source + ", page " + $json.metadata.page }}` → **Source: refund-policy.pdf, page 2**
5. `{{ $json.pageContent.length }}` → **56**

📚 Official docs

- RAG in n8n ↗
- Vector stores ↗
- Embeddings ↗
- Q&A Chain ↗
- Text splitters ↗

▶ Videos

- n8n rag chatbot tutorial ↗
- n8n supabase vector store ↗

💬 Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716 ↗

🌐 Day 16 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/16 ↗

📞 +91 83838 91716
Call / WhatsApp — Adify Skills

DAY 17

Document AI, Vision & Voice Automation

"Invoices padho, images samjho, voice notes transcribe karo."

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

Business ka asli data PDFs, images aur voice notes mein hota hai. Multimodal AI se woh sab automation ke liye usable ban jaata hai.

🎯 Aaj ke baad aap yeh kar paoge

01 PDF & invoice data extraction with AI
🌍 Bill padh ke diary mein likhna.
⚙️ Gmail attachment → Extract from File / AI → {vendor, amount, gst, date}.

02 Image analysis with vision models
🌍 Photo dekh ke batana kya hai.
⚙️ OpenAI Analyze Image: "Is product ka naam, rang, defect?"

03 Voice note transcription (Whisper)
🌍 Dadi ka voice message likh dena.
⚙️ Telegram voice → OpenAI Transcribe (Whisper) → text.

04 AI image generation in workflows
🌍 Drawing book mein poster.
⚙️ Image generate → Drive upload → social post.

05 Multi-agent workflows & orchestration
🌍 Ghar mein sabka kaam alag — ek chef, ek waiter.
⚙️ Manager agent → researcher agent + writer agent (sub-workflows).

06 MCP (Model Context Protocol) with n8n
🌍 Universal charger.
⚙️ MCP Client/Server Trigger: tools ek standard tareeke se share.

⏱ Class ka plan (2 ghante)

10m	30m	50m	20m	10m

`0:00-0:10` **Recap**
🪄 Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.

`0:10-0:40` **Concept: Multimodal AI**
🪄 Pehle robot sirf padh sakta tha. Ab woh dekh sakta hai, sun sakta hai aur drawing bhi bana sakta hai.

`0:40-1:30` **Live Build**
WhatsApp voice note → transcribe → AI answer → voice/text reply
🪄 Aaj ki kahani yaad hai — 'Robot ki aankhein, kaan aur haath'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.

`1:30-1:50` **Quiz + Challenge**
Module 5 quiz
🪄 Practice match — jitna yahan girenge, utna asli match mein kam girenge.

1:50–2:00 **Q&A + Homework**

🪄 Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01

Information extraction

Unstructured text → fixed fields (schema).

🪄 **Analogy:** Form bharne wala clerk

CONCEPT 02

Vision

Image ko samajhna — bill, card, product photo.

🪄 **Analogy:** AI ki aankhen

CONCEPT 03

Transcription

Audio → text (Whisper).

🪄 **Analogy:** Stenographer

CONCEPT 04

MCP

Standard tareeka jisse AI agents external tools use karte hain; n8n MCP server/client dono ban sakta hai.

🪄 **Analogy:** Universal charger

🔑 Aaj ka main idea

Multimodal AI sirf text nahi — image, PDF, audio bhi samajhta hai. n8n mein file (binary) ko AI node mein bhejo aur structured data wapas lo.

- Invoice se vendor, amount, GST nikaalna
- WhatsApp voice note → text → task
- Product photo se description likhna

📖 Ek kahani se samjho: Robot ki aankhein, kaan aur haath

1 👀 **Robot ne bill dekha** = Vision / PDF extract

2 👂 **Voice note suna** = Whisper transcription

3 🎨 **Poster banaya** = Image generation

4 🤝 **Team mein kaam baanta** = Multi-agent

5 🔌 **Har tool ka ek plug** = MCP

🪄 Ek line mein: “Pehle robot sirf padh sakta tha. Ab woh dekh sakta hai, sun sakta hai aur drawing bhi bana sakta hai.”

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 Information extraction

📖 **Kya hai:** Bikhre hue text (email, PDF, chat) se fixed fields nikaalna — vendor, invoice no, date, amount — ek schema ke hisaab se.

⚙️ **Andar kaise:** Information Extractor node ko ek JSON example (ya JSON Schema) do — AI usi shape mein data nikaal kar output ke andar deta hai: $json.output.vendor. System prompt mein niyam: "jo na mile woh null", "amount sirf number", "date YYYY-MM-DD". Temperature 0 rakho.

✅ **Kab use karein**
Invoices, resumes, lead emails, order emails, KYC documents, feedback forms — jahan insaan copy-paste karke Sheet bharta tha.

⛔ **Kab nahi**
Jahan data pehle se structured hai (API JSON, CSV) — AI ki zaroorat nahi, seedha map karo.

🧪 **Example:** "Subtotal 20,000 · GST 18% 3,600 · Total 23,600" → { taxable_amount: 20000, gst_amount: 3600, total: 23600 }

⚠️ **Common galti:** AI ke nikaale numbers par seedha bharosa. Validation lagao: taxable + gst = total? Nahi to "to verify" aur accountant ko alert.

🪄 **Schema do, AI bharega. Fir maths se cross-check.**

02 Vision

📖 **Kya hai:** Vision models image dekh kar samajh sakte hain — bill ki photo, visiting card, product photo, screenshot, handwritten note.

⚙️ **Andar kaise:** Image binary ko OpenAI/Gemini ke "Analyze Image" operation (ya vision-capable chat model) ko bhejo + prompt: "is bill se vendor, date, total nikaalo, JSON mein". Photo saaf ho, seedhi ho, aur zyada badi na ho (resize se tokens bachte hain).

✅ **Kab use karein**
WhatsApp/Telegram par aayi receipt photos, visiting card → CRM, product photo → description, ID verification.

⛔ **Kab nahi**
Jab PDF mein text pehle se selectable hai — Extract from File (sasta, tez, 100% sahi text) pehle try karo.

🧪 **Example:** Telegram photo → Telegram Get File → OpenAI Analyze Image → Information Extractor → Expenses sheet.

⚠️ **Common galti:** Blurry/tedhi photo par galat amount aana aur kisi ko pata na chalna. Confidence/validation step aur insaan ka review rakho.

🪄 **Vision = AI ki aankhen. Text PDF ho to pehle Extract from File.**

03 Transcription

📖 **Kya hai:** Audio (voice note, call recording, meeting) ko text mein badalna — OpenAI Whisper jaise models se.

⚙️ **Andar kaise:** Audio binary → OpenAI node → Audio → Transcribe a Recording → text. Hindi/Hinglish bhi kaafi achha samajhta hai. Text milne ke baad wahi purane tools: summary (LLM), action items (Information Extractor), CRM note.

✅ **Kab use karein**
WhatsApp voice notes se orders/leads, sales call ka summary, meeting minutes, podcast se blog.

⛔ **Kab nahi**
Bahut lambi recordings (1 ghanta+) ek baar mein — file size limit (~25 MB). Pehle tukdon mein kaato.

🧪 **Example:** Telegram voice note "Bhaiya 2 kilo aata aur 1 litre doodh bhej do" → transcribe → extract {items: [...]} → order sheet.

⚠️ **Common galti:** Audio format support na hona (kuch .ogg files) — pehle check karo ya convert karo.

🪄 **Transcription = stenographer. Audio → text → baaki AI tools.**

04 MCP

📖 **Kya hai:** MCP (Model Context Protocol) ek standard "universal charger" hai jisse AI agents bahar ke tools use kar sakte hain. n8n MCP server bhi ban sakta hai (apne workflows ko tools ki tarah dena) aur MCP client bhi (doosre MCP servers ke tools use karna).

⚙️ **Andar kaise:** MCP Server Trigger node: aapke n8n tools (jaise "search_orders") ek URL par expose hote hain — Claude Desktop ya koi bhi MCP-compatible AI unhe use kar sakta hai. MCP Client Tool node: aapka n8n AI Agent kisi aur ke MCP server (GitHub, Notion…) ke tools use kar sakta hai. Har tool ka naam/description waise hi kaam karta hai jaise Day 15 mein.

✅ **Kab use karein**
Jab ek hi tool kai AI apps mein chahiye, ya client apne AI assistant (Claude/ChatGPT) se seedha apna n8n data poochna chahta hai.

⛔ **Kab nahi**
Simple workflows mein MCP lagana overkill — normal AI Agent + tools kaafi hain. MCP URL bina auth ke public mat chhodo.

🧪 **Example:** n8n MCP Server: tool "get_today_sales" → owner Claude Desktop mein poochta hai "aaj kitni sale hui?" → n8n se jawab.

⚠️ **Common galti:** MCP server par delete/payment jaise tools bina approval ke dena — koi bhi connected AI unhe chala sakta hai.

🪄 **MCP = universal charger. Server = tools do, Client = tools lo.**

🗺️ Aaj ka workflow: Invoice Inbox → AI Extraction → Accounting Sheet

Data left se right chalta hai. Har dabba ek n8n node hai.





📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

CA firms, accounts teams (invoice extraction) — aam taur par **₹20,000 – ₹50,000**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1 ⚡ **Gmail Trigger**
Subject mein "invoice", has attachment

2 📄 **Extract from File**
PDF → text

3 ⚡ **Information Extractor**
Schema: vendor, invoice_no, date, subtotal, gst, total

4 🔀 **IF**
total = subtotal + gst? (validation)

5 📊 **Google Sheets**
Accounting sheet append

6 ✈️ **Telegram**
Mismatch par accountant ko alert

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- [ ] Connect: **Gmail (Google OAuth)**
- [ ] Connect: **OpenAI API key**
- [ ] Connect: **Google Sheets (Google OAuth)**
- [ ] "Invoices" tab headers: vendor, invoice_no, invoice_date, gstin, taxable_amount, gst_amount, total, email_from, received, status

✅ Test kaise karein

1. Apne aap ko ek sample invoice PDF email karo (subject mein "invoice")
2. Extractor ka output check karo — har field sahi aaya?

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 📧 Invoice Email

Simplify OFF — from, subject aur PDF attachment_0 mein.


```
{
  "id": "18ca01b2c3d4e5f6",
  "from": {
    "text": "ABC Traders <billing@abctraders.in>"
  },
  "subject": "Invoice INV-2291",
  "[binary] attachment_0": {
    "fileName": "INV-2291.pdf",
    "mimeType": "application/pdf",
    "fileSize": "48 kB"
  }
}
```


2 📄 PDF to Text

PDF ka saara text ek field mein.


```
{
  "numpages": 1,
  "text": "ABC Traders\nGSTIN: 07ABCDE1234F1Z5\nInvoice No: INV-2291\nDate: 02/12/2026\nSubtotal 20,000\nGST 18% 3,600\nTotal 23,600"
}
```


3 📄 Extract Invoice Data

AI ne schema bhara — date YYYY-MM-DD, amounts number. Sab output ke andar.


```
{
  "output": {
    "vendor": "ABC Traders",
    "invoice_no": "INV-2291",
    "invoice_date": "2026-12-02",
    "gstin": "07ABCDE1234F1Z5",
    "taxable_amount": 20000,
    "gst_amount": 3600,
    "total": 23600
  }
}
```

4 🔧 Add Source

Fields bahar aa gaye + source info. Ab Sheet columns se seedha match.

```
{
  "vendor": "ABC Traders",
  "invoice_no": "INV-2291",
  "invoice_date": "2026-12-02",
  "gstin": "07ABCDE1234F1Z5",
  "taxable_amount": 20000,
  "gst_amount": 3600,
  "total": 23600,
  "email_from": "ABC Traders <billing@abctraders.in>",
  "received": "2026-12-02",
  "status": "to verify"
}
```

5 🔧 Accounting Sheet

"Invoices" tab mein row.

```
{
  "vendor": "ABC Traders",
  "invoice_no": "INV-2291",
  "total": 23600,
  "status": "to verify",
  "…": "(baaki columns)"
}
```

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

⚡ Gmail Trigger — attachments

Sirf invoice PDFs wale emails, attachment ke saath.



📸 Asli n8n: Gmail Trigger — attachments

Setting	Kya karti hai	Aaj ki value	Kab badlein
Simplify	Off — poora email + attachments chahiye	`Off`	Off par from.text, subject, text milte hain
Filters → Search	Gmail search syntax	`has:attachment filename:pdf (invoice OR bill)`	from:@vendor.com se aur pakka
Options → Download Attachments	Files binary mein	`On`	Naam: attachment_0, attachment_1…
Poll Times	Kitni der mein check	`Every Minute`	Accounting ke liye har ghante bhi chalega

📄 Extract from File — PDF

PDF ke andar ka text nikaalta hai.



📸 Asli n8n: Extract from File — PDF

Setting	Kya karti hai	Aaj ki value	Kab badlein
Operation	Extract From PDF	`pdf`	Scanned image PDF par text khaali aayega → Vision use karo
Input Binary Field	Kaunsi file	`attachment_0`	Default "data" — badalna zaroori
Output	text + numpages + info	`{{ $json.text }}`	—
Options → Max Pages	Kitne pages padhne	`sab`	Invoice ke liye 2 kaafi

⚡ Information Extractor

Text se invoice fields JSON mein.



📸 Asli n8n: Information Extractor

Setting	Kya karti hai	Aaj ki value	Kab badlein
Text	Kis text se nikaalna	`{{ $json.text }}`	—
Schema Type	From Attribute Descriptions, Generate From JSON Example, Define using JSON Schema	`From JSON Example`	Strict types ke liye JSON Schema
JSON Example	Namoona output	`{ "vendor": "ABC Traders", "total": 11800, … }`	Numbers ko example mein bhi number likho
Options → System Prompt Template	Niyam	`Jo field na mile null… Date YYYY-MM-DD`	Indian formats (dd/mm) ka zikr karo
Output	Sab $json.output ke andar	`$json.output.vendor`	Aage Edit Fields se bahar nikaalo

✏️ Edit Fields — output flatten

output ke andar ke fields bahar + source info — Sheet columns se match.



📸 Asli n8n: Edit Fields — output flatten

Setting	Kya karti hai	Aaj ki value	Kab badlein
vendor … total	$json.output.* se ek-ek field	`{{ $json.output.vendor }}`	Amounts ka Type Number
email_from	Original email se	`{{ $("Invoice Email").item.json.from.text }}`	—
status	Fixed	`to verify`	Accountant check kare to "verified"
Include Other Input Fields	Off	`Off`	On rakha to "output" object Sheet mein jaane ki koshish karega

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😩 Pehle (manual)

Invoice PDF khol ke details type karna — **6 min**

6 min

➜

⚡ Ab (n8n)

AI extraction → Sheet — **0.5 min**

0.5 min

⏱ 200 invoices/mahina = ~18 ghante bache.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo — 📋 Select karke copy karo

```
{ "vendor": "string", "invoice_no": "string", "date": "YYYY-MM-DD", "subtotal": "number", "gst": "number", "total": "number" }
```

📦 Sample data — input se output tak

📥 Input — 📋 Select karke copy karo

```
{
  "text": "ABC Traders\nInvoice No: INV-2291\nDate: 02/12/2026\nSubtotal 20,000\nGST 18% 3,600\nTotal 23,600"
}
```

📤 Output — 📋 Select karke copy karo

```
{
  "vendor": "ABC Traders",
  "invoice_no": "INV-2291",
  "date": "2026-12-02",
  "subtotal": 20000,
  "gst": 3600,
  "total": 23600
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Extractor system prompt — 📋 Select karke copy karo

```
Tum ek accountant ho. Invoice text se sirf maange gaye fields nikaalo. Jo field na mile use null rakho. Amounts sirf number mein (₹ ya comma nahi). Date YYYY-MM-DD.
```

💬 Build it with ChatGPT / Claude — 📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Email mein PDF invoice aate hi n8n attachment nikaalta hai, text padhta hai, AI se vendor, invoice no, date, amount, GST nikalwata hai aur accounting sheet mein row daal deta hai.

Flow: Gmail Trigger (Attachment wala email) → Extract from File (PDF → text) → Information Extractor (Vendor, amount, GST) → Google Sheets (Accounting row)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 **Debug helper prompt** 📋 Select karke copy karo

```
I'm building the n8n workflow "Invoice Inbox → AI Extraction → Accounting Sheet" (nodes: Invoice Email,
PDF to Text, Extract Invoice Data, OpenAI Model, Add Source, Accounting Sheet).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ **Workflow JSON**
6 nodes · ready to import
`adifyskills.com/workflows/day-17-invoice-ai-extractor.json`

🌐 **Lesson page**
Copy buttons, quiz aur video links
`adifyskills.com/day/17`

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Gmail (Google OAuth)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "OpenAI API key" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Google Sheets (Google OAuth)" connect karo.
Time par apne aap nahi chala?	"Active" toggle on hai? Settings mein timezone Asia/Kolkata check karo.
AI node par 401 / 429 error?	401 = API key galat. 429 = credit khatam ya bahut jaldi requests. OpenAI billing page check karo.
"Sheet not found" / column khaali?	Sheet ID aur tab ka naam (capital/small bhi) check karo. Pehli row mein headers hone chahiye.

⚠️ Yeh galtiyan sabse common hain

- ! Scanned PDF (image) ko text extraction se padhna — OCR/vision chahiye
- ! Numbers ko string mein save (₹ aur comma)
- ! Validation skip — AI galti bhi kar sakta hai

⭐ Pro tips — time bachane wali tricks

- ★ Schema mein har field ka description likho — accuracy badhti hai
- ★ Confidence low ho to human review queue
- ★ Voice notes ke liye pehle transcribe, phir agent

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Invoice inbox: email PDF → AI extraction (vendor, amount, GST, date) → accounting sheet.

📝 Homework

Business card photo → contact details extract → CRM entry workflow.

- ☐ Homework ho gaya

BEGINNER

Business card photo → contact JSON

☐

INTERMEDIATE

Voice note → todo list in Notion

☐

ADVANCED

n8n workflow ko MCP server bana ke Claude/agent se call

☐

🧩 Aaj ka challenge — pehle khud try karo

🎯 Agar extracted total khaali (null) aaye to sheet ki jagah aapko "manual check" email jaaye.

💡 Hint 1
Extraction ke baad ek check lagao.

💡 Hint 2
IF {{ $json.output.total }} is empty → Gmail, warna Sheet.

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Validation: taxable + GST = total?

```
{"output":{"taxable_amount":20000,"gst_amount":3600,"total":23600}}
```

Mera jawab: _____

2. "20,000" ko number banao

```
{"amount":"20,000"}
```

Mera jawab: _____

3. dd/MM/yyyy ko YYYY-MM-DD

```
{"date":"02/12/2026"}
```

Mera jawab: _____

4. GSTIN se state code

```
{"gstin":"07ABCDE1234F1Z5"}
```

Mera jawab: _____

5. Sender ka email

```
{"from":{"text":"ABC Traders <billing@abctraders.in>"}}
```

Mera jawab: _____

2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Text se fixed fields nikaalne ka node?

- (A) Summarize
- (B) Sort
- (C) Merge
- (D) Information Extractor

Q2. Audio ko text?

- (A) Transcription (Whisper)
- (B) Embeddings
- (C) Splitter
- (D) Crypto

Q3. Scanned image PDF ke liye?

- (A) XML
- (B) Vision/OCR
- (C) Simple text extract
- (D) Sort

Q4. AI output par validation kyun?

- (A) Speed
- (B) Zaroori nahi
- (C) AI galti kar sakta hai
- (D) Fun

📖 Aaj ke naye shabd

Trigger
Jo workflow ko START karta hai — jaise alarm, naya email, ya form submit.

Agent
AI jo khud decide karta hai kaunsa tool use karna hai — sirf baat nahi, kaam bhi karta hai.

MCP
Model Context Protocol — AI tools ko ek standard plug se jodne ka tareeka.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 18

Error Handling, Sub-Workflows & Reliability

"Production mein workflow ka fail hona = client ka gussa."

☐ **Day 17 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → D
Information Extractor

Q2 → A
Transcription (Whisper)

Q3 → B
Vision/OCR

Q4 → C
AI galti kar sakta hai

✅ Challenge ka solution

Extract Invoice Data → IF (total is empty) → true: Gmail "Invoice manual check karo" / false: Add Source → Sheet.

🧪 Expression sheet ke jawab

1. `{{ $json.output.taxable_amount + $json.output.gst_amount === $json.output.total }}` → **true**
2. `{{ Number($json.amount.replace(/,/g, "")) }}` → **20000**
3. `{{ DateTime.fromFormat($json.date, "dd/MM/yyyy").toFormat("yyyy-MM-dd") }}` → **2026-12-02**
4. `{{ $json.gstin.slice(0, 2) }}` → **07**
5. `{{ $json.from.text.match(/<(.+)>/)[1] }}` → **billing@abctraders.in**

📚 Official docs

- Information Extractor ↗
- OpenAI node ↗
- MCP nodes ↗
- Extract from File ↗

▶ Videos

- n8n invoice data extraction ai ↗
- n8n whatsapp voice note ai ↗
- n8n mcp server ↗

Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716 ↗

Day 17 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/17 ↗

+91 83838 91716
Call / WhatsApp — Adify Skills

DAY 18

Error Handling, Sub-Workflows & Reliability

"Production mein workflow ka fail hona = client ka gussa."

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

Demo aur production mein farak: production workflow fail hone par bhi graceful rehta hai aur aapko turant batata hai.

🎯 Aaj ke baad aap yeh kar paoge

01 Error Trigger & global error workflows
🌍 Station master ko har problem ki khabar.
⚙️ Error Trigger workflow → Settings mein har workflow ka Error Workflow set.

02 Retry on fail, continue on error, fallback paths
🌍 Ghanti nahi baji? Phir bajao.
⚙️ Node Settings: Retry on Fail (3, 5s), On Error: Continue (output).

03 Stop and Error node — custom failures
🌍 Teacher ne bola "galat hai, ruko".
⚙️ IF amount < 0 → Stop and Error "Invalid amount".

04 Sub-workflows: Execute Workflow & reusable modules
🌍 Lego ka ek block baar-baar use.
⚙️ Execute Workflow (sub-workflow) with inputs.

05 Idempotency & duplicate prevention
🌍 Attendance do baar nahi lagti.
⚙️ Sheet/DB mein order_id check → mila to skip.

06 Logging & alerting (Slack/Telegram)
🌍 CCTV + alarm.
⚙️ Slack/Telegram alert: workflow, node, error, execution URL.

⏱ Class ka plan (2 ghante)

10m	35m	45m	20m	10m

0:00-0:10 Recap
🪄 *Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.*

0:10-0:45 Concept: Reliability Engineering
🪄 *Cycle ki chain utar gayi to tum ro ke nahi baithte — chadhate ho, nahi chadhi to papa ko bulate ho.*

0:45-1:30 Live Build
Central error handler + alert + retry queue
🪄 *Aaj ki kahani yaad hai — 'Train ka safety system'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.*

1:30-1:50 Chaos Lab
Hum workflow todenge, aap bachaoge
🪄 *Practice match — jitna yahan girenge, utna asli match mein kam girenge.*

1:50-2:00 **Q&A + Homework**

🪄 Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01

Error workflow

Har workflow ki settings mein ek "Error workflow" set karo.

🪄 **Analogy:** Fire alarm

CONCEPT 02

Retry on fail

Node fail ho to X baar, Y second ke gap par retry.

🪄 **Analogy:** Phone na lage to dobara try

CONCEPT 03

Continue on fail

Error ko output mein bhejo aur alag handle karo.

🪄 **Analogy:** Plan B

CONCEPT 04

Sub-workflows

Common logic ek jagah — 10 workflows reuse.

🪄 **Analogy:** Lego blocks

🔑 Aaj ka main idea

Reliability = workflow fail ho to bhi system sambhal le: retry kare, alternate raasta le, duplicate na kare, aur turant batade. Production mein yeh sabse zaroori skill hai.

- API down → 3 baar retry → phir Telegram alert
- Duplicate order webhook → ek hi baar process
- Common "send WhatsApp" sub-workflow sab jagah use

📖 Ek kahani se samjho: Train ka safety system

1 🚆 **Train chal rahi hai** = Workflow run

2 ⚠️ **Signal fail ho gaya** = Node error

3 🔁 **Driver ne dobara try kiya** = Retry on fail

4 🛤️ **Doosri line par moda** = Fallback path

5 📟 **Station master ko alert** = Error Trigger → Telegram

🪄 Ek line mein: “Cycle ki chain utar gayi to tum ro ke nahi baithte — chadhate ho, nahi chadhi to papa ko bulate ho.”

Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 Error workflow

📖 **Kya hai:** Error workflow ek alag workflow hai jo tab chalta hai jab koi doosra workflow fail ho. Ek baar banao, sab workflows ki Settings mein laga do — fire alarm ki tarah.

⚙️ **Andar kaise:** Error workflow Error Trigger node se shuru hota hai. Jab kisi workflow (jiski Settings → Error Workflow mein yeh chuna hai) ka production execution fail hota hai, n8n Error Trigger ko ek item deta hai: workflow ka naam/ID, execution ka ID/URL, last node, aur error message. Manual test runs par error workflow nahi chalta — sirf Active/production executions par.

✅ **Kab use karein**
Har client project mein, pehle din se. Client ko pata chalne se pehle aapko pata chalna chahiye.

⛔ **Kab nahi**
Error workflow ke andar bhaari kaam (AI, 10 APIs) mat daalo — woh khud fail hua to alert bhi nahi aayega. Simple rakho: details + alert + log.

🧪 **Example:** Lead Engine ka HubSpot node 401 deta hai → Global Error Workflow → Telegram: "🚨 Lead Engine · Node: HubSpot · 401".

⚠️ **Common galti:** Error workflow bana diya par kisi workflow ki Settings mein select hi nahi kiya — fail hote rahe, alert kabhi nahi aaya. Har naye workflow ki checklist mein daalo.

🪄 **Error workflow = fire alarm. Settings → Error Workflow mein lagana mat bhoolo.**

02 Retry on fail

📖 **Kya hai:** Node ki Settings mein "Retry On Fail" on karne se node fail hone par apne aap dobara try karta hai — X baar, Y milliseconds ke gap par.

⚙️ **Andar kaise:** Bahut saari failures temporary hoti hain: network hiccup, API ka 429 (bahut requests) ya 503 (server busy). Retry se aisi 80% failures khud theek ho jaati hain. Max Tries (default 3, max 5) aur Wait Between Tries (default 1000 ms, max 5000) set hote hain. Retry ke baad bhi fail ho to node fail maana jaata hai aur error workflow chalta hai.

✅ **Kab use karein**
Har bahar wali API call: HTTP Request, Gmail, Sheets, Telegram, AI models.

⛔ **Kab nahi**
400/401/404 jaise permanent errors par retry bekaar hai (galat data/key se 3 baar bhi galat hi aayega). POST jo payment/order banata hai — retry se duplicate ho sakta hai, idempotency key lagao.

🧪 **Example:** Telegram Alert: Retry On Fail ON — alert khud fail na ho jaaye.

⚠️ **Common galti:** Retry ko "fix" samajhna — 401 error par 3 baar retry karke bhi credential expired hi rahega. Pehle error padho.

🪄 **Retry = phone na lage to dobara try. Temporary errors ke liye, permanent ke liye nahi.**

03 Continue on fail

📖 **Kya hai:** Node ki Settings → On Error se aap tay karte ho fail hone par kya ho: Stop Workflow (default), Continue (regular output), ya Continue (using error output) — ek alag "error" raasta.

⚙️ **Andar kaise:** "Continue (using error output)" chunne par node ke do outputs ban jaate hain: success aur error. Fail hue items error output par jaate hain jahan aap Plan B laga sakte ho (alert, fallback API, "Review" sheet). Baaki items normal chalte rehte hain — 100 mein se 1 fail ho to 99 nahi rukte.

✅ **Kab use karein**
Bulk kaam (100 emails, 500 rows) jahan ek ki galti se poora batch nahi rukna chahiye; fallback chahiye (AI model A fail → model B).

⛔ **Kab nahi**
Har node par continue laga dena — errors chupchaap nigal liye jaate hain aur kisi ko pata nahi chalta. Error output ko hamesha kahin jodo.

🧪 **Example:** Send Email (error output) → "Failed emails" sheet + Telegram summary. Day 19 mein Ping n8n: On Error = Continue — taaki down hone par bhi IF tak pahunche.

⚠️ **Common galti:** "Continue (regular output)" laga kar aage wale node mein error item ko normal data samajhna — khaali fields wali rows ban jaati hain.

🪄 **Continue on fail = Plan B. Error output ko kahin na kahin jodo.**

04 Sub-workflows

📖 **Kya hai:** Sub-workflow ek chhota workflow hai jise doosre workflows "Execute Workflow" node se call karte hain — jaise ek function. Common kaam ek jagah, sab jagah reuse.

⚙️ **Andar kaise:** Sub-workflow "When Executed by Another Workflow" trigger se shuru hota hai aur input fields define karta hai. Parent workflow Execute Workflow node se data bhejta hai aur jawab (last node ka output) wapas leta hai. "Wait for sub-workflow completion" off karke background mein bhi chala sakte ho. Ek fix = sab workflows mein fix.

✅ **Kab use karein**
Same logic 3+ jagah: phone clean karna, CRM mein lead upsert, WhatsApp bhejna, error alert. Bade workflow ko chhote hisson mein todna.

⛔ **Kab nahi**
2 node ka kaam sub-workflow mein daalna — debug karna mushkil ho jaata hai (do jagah executions dekhne padte hain).

🧪 **Example:** "Send WhatsApp" sub-workflow (phone, message) → Lead Engine, Payment, Booking — teeno use karte hain.

⚠️ **Common galti:** Sub-workflow ke input/output ka format badal dena bina parents check kiye — 5 workflows ek saath toot jaate hain. Input fields fix rakho.

🪄 **Sub-workflow = Lego block. Ek baar banao, har jagah lagao.**

🗺️ Aaj ka workflow: Global Error Workflow → Telegram + Log

Data left se right chalta hai. Har dabba ek n8n node hai.



📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Har client project mein add-on (error monitoring) — aam taur par **₹3,000 – ₹8,000 add-on**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1. ⚡ **Error Trigger**
   Kisi bhi workflow ka failure
2. ✏️ **Edit Fields (Set)**
   workflow name, node, error message, execution URL
3. ✈️ **Telegram**
   Alert: "❌ Lead Engine fail — HubSpot 401"
4. 📊 **Google Sheets**
   Error log
5. 🔀 **IF**
   Retryable error (429/5xx)?
6. 🧩 **Execute Workflow (Sub-workflow)**
   Retry queue workflow call

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- [ ] Connect: **Telegram bot token (BotFather se)**
- [ ] Connect: **Google Sheets (Google OAuth)**
- [ ] Is workflow ko save karo (Active karne ki zaroorat nahi)
- [ ] Har doosre workflow mein: Settings → Error Workflow → "Day 18 — Global Error Workflow" chuno
- [ ] "Errors" tab headers: workflow, node, error, url, time

✅ Test kaise karein

1. Ek test workflow banao jisme HTTP node galat URL par jaaye, uska Error Workflow set karo
2. Use Active karke fail karwao → Telegram alert aaya?

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

🚚 Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 🚨 On Any Error

"Day 11 — Lead Engine" ka CRM Sheet node fail hua — Error Trigger ko poori detail mili.


```
{
  "execution": {
    "id": "3481",
    "url": "https://n8n.adifyskills.com/workflow/aB12cD/executions/3481",
    "error": {
      "message": "The caller does not have permission",
      "name": "NodeApiError"
    },
    "lastNodeExecuted": "CRM Sheet",
    "mode": "trigger"
  },
  "workflow": {
    "id": "aB12cD",
    "name": "Day 11 — Lead Engine"
  }
}
```


2 🚨 Error Details

5 saaf fields — alert aur log dono ke liye.


```
{
  "workflow": "Day 11 — Lead Engine",
  "node": "CRM Sheet",
  "error": "The caller does not have permission",
  "url": "https://n8n.adifyskills.com/workflow/aB12cD/executions/3481",
  "time": "2026-12-08 10:14:52"
}
```


3 ✈️ Telegram Alert

Owner ke phone par alert.


```
{
  "ok": true,
  "result": {
    "message_id": 902,
    "text": "🚨 Workflow failed!\n\n📦 Day 11 — Lead Engine\n🧩 Node: CRM Sheet\n❌ The caller does not have permission\n…"
  }
}
```

4 🚨 Error Log

"Errors" tab mein row — mahine ke end mein dekh sakte ho kaunsa workflow sabse zyada fail hota hai.

```
{
  "workflow": "Day 11 — Lead Engine",
  "node": "CRM Sheet",
  "error": "The caller does not have permission",
  "time": "2026-12-08 10:14:52"
}
```

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

Error Trigger

Kisi bhi workflow ke fail hone par chalta hai.



📸 Asli n8n: Error Trigger

Setting	Kya karti hai	Aaj ki value	Kab badlein
Parameters	Koi setting nahi — bas lagao	–	—
Kab chalta hai	Jab kisi workflow ki Settings → Error Workflow mein yeh workflow chuna ho aur woh production mein fail ho	`production fails`	Manual test par nahi chalta
Output	execution { id, url, error, lastNodeExecuted, mode } + workflow { id, name }	–	Test ke liye "Fetch Test Event" se sample data
Is workflow ko Active?	Zaroorat nahi — bas save karo	`Inactive OK`	—

Edit Fields — error details

Gehre error object se 5 saaf fields.



📸 Asli n8n: Edit Fields — error details

Setting	Kya karti hai	Aaj ki value	Kab badlein
workflow	Kaunsa workflow	`{{ $json.workflow.name }}`	—
node	Kaunse node par fail	`{{ $json.execution.lastNodeExecuted }}`	—
error	Error message	`{{ $json.execution.error.message }}`	Lamba ho to .slice(0, 300)
url	Seedha us execution ka link	`{{ $json.execution.url }}`	Self-hosted par WEBHOOK_URL / N8N_EDITOR_BASE_URL sahi ho tabhi sahi link
time	Kab	`{{ $now.toFormat("yyyy-MM-dd HH:mm:ss") }}`	—

✈️ Telegram — with retry

Alert khud fail na ho, isliye retry on.



📸 Asli n8n: Telegram — with retry

Setting	Kya karti hai	Aaj ki value	Kab badlein
Text	Emoji + 5 lines	`🚨 Workflow failed! 📦 … 🧩 … ❌ … 🔗 …`	Link sabse zaroori — ek click mein execution
Settings → Retry On Fail	Fail ho to dobara	`On`	Alert ka fail hona sabse bura
Settings → Max Tries	Kitni baar	`3`	Max 5
Settings → Wait Between Tries (ms)	Kitna rukna	`1000`	Rate limit ho to 5000
Settings → On Error	Phir bhi fail ho to	`Stop Workflow`	Error Log branch alag hai, woh chalegi

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😫 Pehle (manual)

Client bole "kaam nahi hua" tab pata chalna — **120 min**

120 min

➜

⚡ Ab (n8n)

2 second mein alert + link — **1 min**

1 min

⏱ Downtime ghante se minute mein. Client ka bharosa bacha.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo — 📋 Select karke copy karo

```
❌ {{ $json.workflow.name }} failed at {{ $json.execution.error.node.name }}
{{ $json.execution.error.message }}
🔗 {{ $json.execution.url }}
```

📦 Sample data — input se output tak

📥 Input 📋 Select karke copy karo

```
{
  "execution": {
    "id": "2231",
    "url": "https://n8n.you.com/execution/2231",
    "error": {
      "message": "401 Unauthorized",
      "node": {
        "name": "HubSpot"
      }
    }
  },
  "workflow": {
    "name": "Lead Engine"
  }
}
```

📤 Output 📋 Select karke copy karo

```
{
  "alerted": true,
  "logged": true,
  "retry": false
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Build it with ChatGPT / Claude

📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Ek baar banao, sab workflows par lagao: koi bhi workflow fail ho to 2 second mein Telegram par
alert (workflow, node, error, execution link) aur error log sheet mein entry.

Flow: Error Trigger (Koi workflow fail) → Edit Fields (Details nikaalo) → Telegram (Alert) → Google
Sheets (Error log)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to
test it and the 3 most common errors beginners hit.
```

💬 Debug helper prompt

📋 Select karke copy karo

```
I'm building the n8n workflow "Global Error Workflow → Telegram + Log" (nodes: On Any Error, Error
Details, Telegram Alert, Error Log).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ **Workflow JSON**
4 nodes · ready to import
`adifyskills.com/workflows/day-18-global-error-alert.json`

🌐 **Lesson page**
Copy buttons, quiz aur video links
`adifyskills.com/day/18`

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Telegram bot token (BotFather se)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Google Sheets (Google OAuth)" connect karo.
Time par apne aap nahi chala?	"Active" toggle on hai? Settings mein timezone Asia/Kolkata check karo.
"Sheet not found" / column khaali?	Sheet ID aur tab ka naam (capital/small bhi) check karo. Pehli row mein headers hone chahiye.

⚠️ Yeh galtiyan sabse common hain

- ! Error workflow banaya par workflows ki settings mein set nahi kiya
- ! Har error par retry (401 retry karne se theek nahi hota)
- ! Alerts itne zyada ki koi dekhe hi nahi

⭐ Pro tips — time bachane wali tricks

- ★ Idempotency key (order ID) se duplicate side-effects roko
- ★ Sub-workflow inputs ko clearly define karo
- ★ Weekly error report — trends dekho

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Global error workflow: kisi bhi workflow fail par Telegram alert with error details + execution link.

📝 Homework

Apne purane 3 workflows mein proper error handling + sub-workflows add karo.

- [ ] Homework ho gaya

BEGINNER

Error workflow → Telegram

- [ ]

INTERMEDIATE

Retry on fail + fallback path

- [ ]

ADVANCED

Dead-letter queue in Postgres + replay

- [ ]

🧩 Aaj ka challenge — pehle khud try karo

🎯 Same workflow 10 minute mein 3 baar fail ho to alert mein "🔥 Repeated failure" likha aaye.

💡 Hint 1

Pichhle errors Error Log sheet mein hain — unhe padh sakte ho.

💡 Hint 2

Sheets read → Code mein last 10 min ke same workflow errors gino.

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

Adify DIGITAL MARKETING INSTITUTE +91 83838 91716

Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Fail hue workflow ka naam

```
{"workflow":{"name":"Day 11 — Lead Engine"}}
```

Mera jawab: _____

2. Error message

```
{"execution":{"error":{"message":"Request failed with status code 401"}}}
```

Mera jawab: _____

3. Rate limit (429) error hai?

```
{"execution":{"error":{"message":"Request failed with status code 429"}}}
```

Mera jawab: _____

4. Retry karne layak? (429 ya 5××)

```
{"execution":{"error":{"message":"Request failed with status code 503"}}}
```

Mera jawab: _____

5. Lamba error chhota karo (19 chars)

```
{"execution":{"error":{"message":"The caller does not have permission"}}}
```

Mera jawab: _____

2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Global failure handler ka trigger?

- (A) Manual
- (B) Form
- (C) Error Trigger
- (D) Webhook

Q2. Kaunsa error retry karne layak?

- (A) 401
- (B) 400 validation
- (C) 404
- (D) 429 / 503

Q3. Reusable logic ke liye?

- (A) Sub-workflow
- (B) Copy-paste
- (C) Sticky note
- (D) Pin

Q4. Custom failure throw karne ka node?

- (A) Sort
- (B) Stop and Error
- (C) NoOp
- (D) Merge

📖 Aaj ke naye shabd

Workflow
Steps ki ek chain jo apne aap chalti hai — jaise recipe ke steps.

Node
Workflow ka ek dabba/step. Har node ek kaam karta hai (email bhejna, data laana…).

Trigger
Jo workflow ko START karta hai — jaise alarm, naya email, ya form submit.

Execution
Workflow ka ek baar chalna. Har run ka record Executions tab mein dikhta hai.

Retry
Fail hone par apne aap dobara try karna.

Sub-Workflow
Ek workflow jo doosre workflow ke andar se chalaya jaata hai — reusable block.

Idempotency
Ek hi kaam do baar aaye to bhi result ek hi baar ho (duplicate se bachna).

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 19

Self-Hosting n8n: Docker, VPS & Domains

"Apna khud ka n8n server — unlimited workflows."

☐ **Day 18 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → C
Error Trigger

Q2 → D
429 / 503

Q3 → A
Sub-workflow

Q4 → B
Stop and Error

✅ Challenge ka solution

Error Details → Google Sheets (read Errors) → Code: count rows where workflow same and time > now-10min → Telegram text mein count >= 3 ho to 🔥 prefix.

🧪 Expression sheet ke jawab

1. `{{ $json.workflow.name }}` → **Day 11 — Lead Engine**
2. `{{ $json.execution.error.message }}` → **Request failed with status code 401**
3. `{{ $json.execution.error.message.includes("429") }}` → **true**
4. `{{ /429|5\d\d/.test($json.execution.error.message) }}` → **true**
5. `{{ $json.execution.error.message.slice(0, 19) }}` → **The caller does not**

📚 Official docs

- Error handling ↗
- Sub-workflows ↗
- Execute Workflow ↗
- Error Trigger ↗
- Workflow settings ↗

▶ Videos

- n8n error handling workflow ↗
- n8n sub workflows tutorial ↗

Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716

Day 18 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/18

+91 83838 91716
Call / WhatsApp — Adify Skills

DAY 19

Self-Hosting n8n: Docker, VPS & Domains

"Apna khud ka n8n server — unlimited workflows."

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

Self-hosting = unlimited executions, data apne paas, client ko kam cost. Har serious automator ko aana chahiye.

🎯 Aaj ke baad aap yeh kar paoge

01 Cloud vs self-hosted: cost & control
🌍 Kiraya vs EMI.
⚙️ Cloud: easy, limits. Self-host: sasta, full control, maintenance.

02 Docker & Docker Compose basics
🌍 Tiffin box — sab ek dabbe mein.
⚙️ docker-compose.yml: n8n + postgres services, volumes.

03 VPS setup (Hostinger VPS / any Ubuntu server)
🌍 Khaali plot.
⚙️ Ubuntu VPS → SSH → Docker install → firewall.

04 Custom domain + SSL (reverse proxy)
🌍 Ghar ka naam board + taala.
⚙️ DNS A record → Caddy/Nginx reverse proxy → Let's Encrypt SSL.

05 Environment variables & Postgres backend
🌍 Ghar ki settings ek list mein.
⚙️ N8N_HOST, WEBHOOK_URL, N8N_ENCRYPTION_KEY, DB_TYPE=postgresdb.

06 Updates, backups & restore
🌍 Ghar ki duplicate chaabi.
⚙️ pg_dump nightly + encryption key safe; docker compose pull && up -d.

⏱ Class ka plan (2 ghante)

10m	30m	55m	15m	10m

`0:00-0:10` **Recap**

🪄 Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.

`0:10-0:40` **Concept: Hosting Architecture**

🪄 Kiraye ke ghar mein maalik ke rules. Apne ghar mein tumhare rules — par safai bhi tumhe karni hai.

`0:40-1:35` **Live Setup**

Fresh VPS → Docker → n8n + Postgres → domain + SSL

🪄 Aaj ki kahani yaad hai — 'Kiraye ka flat vs apna ghar'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.

`1:35-1:50` **Checklist Review**

Security hardening

🪄 Practice match — jitna yahan girenge, utna asli match mein kam girenge.

1:50-2:00 **Q&A + Homework**

🪄 Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01

VPS

Cloud mein apna virtual computer (Ubuntu).

🪄 **Analogy:** Kiraye ka flat jahan aap kuch bhi rakh sakte ho

CONCEPT 02

Docker

App + uski saari dependencies ek "container" mein.

🪄 **Analogy:** Tiffin box — sab packed

CONCEPT 03

Reverse proxy + SSL

Domain → n8n, HTTPS ke saath (Caddy/Nginx).

🪄 **Analogy:** Building ka reception

CONCEPT 04

Encryption key

Credentials encrypt karne ki key — kho gayi to credentials gaye.

🪄 **Analogy:** Locker ki master key

🔑 Aaj ka main idea

Self-hosting = n8n ko apne server (VPS) par Docker se chalana. Domain + HTTPS lagao, Postgres database use karo, aur regular backup lo.

- Hostinger VPS par n8n + Postgres
- n8n.meracompany.com HTTPS ke saath
- Har raat database backup Drive par

📖 Ek kahani se samjho: Kiraye ka flat vs apna ghar

1 — 🏢 **Cloud = kiraye ka flat** = n8n Cloud

2 — 🏠 **Apna plot liya** = VPS server

3 — 📦 **Ready-made ghar ka dabba** = Docker container

4 — 🪧 **Ghar ka address board** = Domain + SSL

5 — 🗄️ **Tijori aur backup chaabi** = Postgres + backups

🪄 Ek line mein: “Kiraye ke ghar mein maalik ke rules. Apne ghar mein tumhare rules — par safai bhi tumhe karni hai.”

Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 VPS

📖 **Kya hai:** VPS (Virtual Private Server) cloud mein kiraye ka ek computer hai — usually Ubuntu Linux — jo 24×7 chalta hai. Ispar aap n8n install karke apna server chalate ho.

⚙️ **Andar kaise:** Aap provider (Hostinger, DigitalOcean, Hetzner, AWS Lightsail) se plan lete ho: CPU, RAM, disk. Ek public IP milta hai. SSH se terminal mein login karte ho (ssh root@IP). n8n ke liye shuru mein 2 vCPU + 4 GB RAM kaafi hai (₹500–900/month). Server ki updates, firewall aur backup aapki zimmedari.

✅ **Kab use karein**
Bahut executions, data apne server par rakhna, multiple clients ke workflows, ya n8n Cloud ka kharcha bachana.

⛔ **Kab nahi**
Agar aap/client server sambhalna nahi chahte aur executions kam hain — n8n Cloud zyada aasaan aur safe hai.

🧪 **Example:** Ubuntu 24.04 VPS → ssh root@203.0.113.10 → apt update && apt upgrade -y → Docker install.

⚠️ **Common galti:** Root password se login chalu chhod dena aur firewall na lagana — bots din mein hazaaron baar try karte hain. SSH key + ufw (22, 80, 443) lagao.

🪄 **VPS = kiraye ka flat. Aazaadi bhi, zimmedari bhi.**

02 Docker

📖 **Kya hai:** Docker app ko uski saari zaroori cheezon ke saath ek "container" mein pack karta hai — jaise tiffin box. Har server par same tarah chalta hai.

⚙️ **Andar kaise:** docker-compose.yml ek file hai jisme likhte ho kaunse containers chahiye (n8n, postgres, caddy), unke settings (.env se), aur data kahan save ho (volumes). docker compose up -d se sab chal jaate hain. Update: docker compose pull && docker compose up -d. Volumes ki wajah se container hatane par bhi data bacha rehta hai.

✅ **Kab use karein**
Har self-hosted n8n setup — official tareeka yahi hai. Update aur migration bahut aasaan.

⛔ **Kab nahi**
Volume ke bina n8n chalana — container restart hote hi saare workflows aur credentials gayab!

🧪 **Example:** services: n8n (image: n8nio/n8n), postgres (image: postgres:16), caddy (image: caddy:2) — teeno ek file mein.

⚠️ **Common galti:** "latest" tag par bina dekhe update kar dena — breaking change aaya to sab ruk gaya. Specific version pin karo, release notes padh kar update.

🪄 **Docker = tiffin box. Volume = data ka locker.**

03 Reverse proxy + SSL

📖 **Kya hai:** Reverse proxy (Caddy ya Nginx) domain (n8n.yourdomain.com) par aane wali requests ko andar n8n tak pahunchata hai, aur HTTPS (SSL certificate) sambhalta hai.

⚙️ **Andar kaise:** Step 1: DNS mein A record — n8n.yourdomain.com → VPS ka IP. Step 2: Caddyfile mein 2 line: domain { reverse_proxy n8n:5678 }. Caddy khud Let's Encrypt se free SSL certificate le leta hai aur renew karta hai. n8n ko batana padta hai uska public URL: N8N_HOST, N8N_PROTOCOL=https, WEBHOOK_URL=https://n8n.yourdomain.com/.

✅ **Kab use karein**
Har live setup. Webhooks, OAuth (Google login) aur Telegram trigger sab HTTPS maangte hain.

⛔ **Kab nahi**
n8n ka port 5678 seedha internet par khula mat chhodo — sab traffic proxy se aaye.

🧪 **Example:** Caddyfile: n8n.adifyskills.com { reverse_proxy n8n:5678 }

⚠️ **Common galti:** WEBHOOK_URL set na karna — webhook nodes mein localhost:5678 wale URL dikhte hain aur bahar se koi call nahi kar pata.

🪄 **Proxy = reception. DNS → Caddy → n8n, HTTPS free.**

04 Encryption key

📖 **Kya hai:** N8N_ENCRYPTION_KEY woh master key hai jisse n8n saare credentials (API keys, passwords, tokens) database mein encrypt karta hai.

⚙️ **Andar kaise:** Pehli baar chalne par n8n khud ek key bana leta hai (agar aapne nahi di). Credentials sirf usi key se khulte hain. Server migrate kiya, naya container banaya, ya database restore kiya — aur key alag hui — to saare credentials bekaar: "Credentials could not be decrypted".

✅ **Kab use karein**
Setup ke pehle din: .env mein khud lambi random key daalo aur password manager mein save karo.

⛔ **Kab nahi**
Key ko Git repo, screenshot ya WhatsApp par kabhi mat daalo — key + database = saare client credentials.

🧪 **Example:** .env: N8N_ENCRYPTION_KEY=8f3c…(32+ random characters) — openssl rand -hex 32 se banao.

⚠️ **Common galti:** Backup mein sirf database rakha, key nahi — restore karne par saare 40 credentials dobara banane pade.

🪄 **Encryption key = locker ki master chaabi. Database ke saath key bhi backup.**

🗺️ Aaj ka workflow: Self-Hosted n8n + Uptime Monitor

Data left se right chalta hai. Har dabba ek n8n node hai.





📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Clients jo apna n8n chahte hain (VPS setup + monitoring) — aam taur par **₹8,000 – ₹20,000 + maintenance**.
(Andaaza hai; client aur scope ke hisaab se badalta hai.)

🛠 Step-by-step build — n8n kholo aur saath chalo

1. 🖥️ **SSH**
   VPS mein login, apt update
2. 🖥️ **SSH**
   Docker install: curl -fsSL https://get.docker.com | sh
3. 📄 **Read/Write Files from Disk**
   docker-compose.yml: n8n + postgres
4. 🖥️ **SSH**
   DNS A record → VPS IP; Caddy reverse proxy
5. 🖥️ **SSH**
   docker compose up -d
6. ⚡ **Schedule Trigger**
   Nightly backup workflow

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- [ ] Connect: **Telegram bot token (BotFather se)**
- [ ] URL mein apna domain daalo
- [ ] Best practice: yeh monitor kisi DOOSRE n8n / server par chalao (same server down hua to alert kaun bhejega?)

✅ Test kaise karein

1. Galat URL daal ke test karo → alert aana chahiye

Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 🔧 Every 5 Minutes

Har 5 minute ek item.


```
{
  "timestamp": "2026-12-09T02:35:00.004+05:30",
  "Timezone": "Asia/Kolkata (UTC+05:30)"
}
```


2 ♾️ Ping n8n

Full response ON — body ke saath statusCode aur headers bhi. (Yahan server down hai: 502 Bad Gateway.)


```
{
  "statusCode": 502,
  "statusMessage": "Bad Gateway",
  "headers": {
    "server": "Caddy",
    "content-length": "0"
  },
  "body": ""
}
```


3 🔧 Down?

502 ≠ 200 → true → alert.


```
{
  "true (1 item)": "statusCode 502",
  "false (0)": "—"
}
```


4 🔧 Down Alert

Telegram par turant alert.


```
{
  "ok": true,
  "result": {
    "message_id": 951,
    "text": "🔴 n8n DOWN!\nStatus: 502\nTime: 02:35"
  }
}
```

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

Schedule Trigger — minutes

Har 5 minute monitor chalata hai.



📸 Asli n8n: Schedule Trigger — minutes

Setting	Kya karti hai	Aaj ki value	Kab badlein
Trigger Interval	Minutes	`Minutes`	—
Minutes Between Triggers	Kitne minute ke gap par	`5`	1 minute = 1440 executions/din — zaroorat se zyada
Executions ka dhyan	Har run ek execution	`288/din`	Settings → Save successful executions: off (DB halka)

HTTP Request — health check

n8n ka /healthz URL check karta hai.



📸 Asli n8n: HTTP Request — health check

Setting	Kya karti hai	Aaj ki value	Kab badlein
URL	Aapke n8n ka health endpoint	`https://n8n.yourdomain.com/healthz`	Jawab: {"status": "ok"}
Options → Timeout	Kitni der rukna	`10000 ms`	10 sec mein jawab nahi = problem
Options → Response → Include Response Headers and Status	statusCode bhi chahiye	`On (fullResponse)`	Iske bina status code nahi milta
Options → Response → Never Error	404/500 par bhi node fail na ho	`On`	Taaki IF status dekh sake
Settings → On Error	Network fail (server band) par bhi aage	`Continue (regular output)`	Warna server down par yahin ruk jaata

🔀 IF — status check

200 nahi to alert.



📸 Asli n8n: IF — status check

Setting	Kya karti hai	Aaj ki value	Kab badlein
Value	{{ $json.statusCode }}	`200 / 502 / undefined`	Server band ho to statusCode hota hi nahi
Operator	Number → is not equal to	`200`	undefined ≠ 200 → true → alert
false branch	Sab theek — kuch mat karo	`khaali`	Daily "all OK" report alag workflow se

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😫 Pehle (manual)

Cloud plan ₹2000+/mahina, limits

➜

⚡ Ab (n8n)

VPS ~₹500/mahina, unlimited workflows

⏱ Kharcha kam, control poora — lekin maintenance tumhari.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo — 📋 Select karke copy karo

```
services:
  n8n:
    image: docker.n8n.io/n8nio/n8n
    environment:
      - N8N_HOST=n8n.yourbrand.com
      - WEBHOOK_URL=https://n8n.yourbrand.com/
      - DB_TYPE=postgresdb
      - N8N_ENCRYPTION_KEY=${N8N_ENCRYPTION_KEY}
    volumes: [n8n_data:/home/node/.n8n]
```

📦 Sample data — input se output tak

📥 Input — 📋 Select karke copy karo

```
{
  "domain": "n8n.yourbrand.com",
  "vps": "2 vCPU / 4 GB RAM"
}
```

📤 Output — 📋 Select karke copy karo

```
{
  "url": "https://n8n.yourbrand.com",
  "ssl": "valid",
  "db": "postgres"
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Build it with ChatGPT / Claude

📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Aaj VPS par Docker Compose se n8n + Postgres + Caddy (auto HTTPS) chalate hain — ready files neeche hain. Saath mein ek chhota workflow jo har 5 minute aapke n8n ka /healthz check karta hai aur down hone par Telegram alert deta hai.

Flow: Schedule (Har 5 min) → HTTP (/healthz (never error)) → IF (Status 200 nahi?) → Telegram (Down alert)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 Debug helper prompt

📋 Select karke copy karo

```
I'm building the n8n workflow "Self-Hosted n8n + Uptime Monitor" (nodes: Every 5 Minutes, Ping n8n, Down?, Down Alert).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ Workflow JSON
4 nodes · ready to import
`adifyskills.com/workflows/day-19-uptime-monitor.json` ↗

🌐 Lesson page
Copy buttons, quiz aur video links
`adifyskills.com/day/19` ↗

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Telegram bot token (BotFather se)" connect karo.
Time par apne aap nahi chala?	"Active" toggle on hai? Settings mein timezone Asia/Kolkata check karo.

⚠️ Yeh galtiyan sabse common hain

! WEBHOOK_URL set na karna — webhooks localhost dikhate hain
! Encryption key backup na karna
! Volume mount bhool jaana — restart par sab data gayab

⭐ Pro tips — time bachane wali tricks

★ Hostinger VPS par n8n ka 1-click template bhi milta hai
★ Updates se pehle backup + release notes padho
★ Firewall: sirf 22, 80, 443 open

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

🏋️ Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Live: ek fresh Ubuntu VPS par n8n + Postgres Docker Compose ke saath, apne domain par HTTPS.

📝 Homework

Apna self-hosted instance setup karo aur ek workflow export/import karke migrate karo.

☐ Homework ho gaya

BEGINNER
Local Docker par n8n chalao ☐

INTERMEDIATE
VPS + domain + SSL ☐

ADVANCED
Automatic backups to S3/Drive ☐

🧩 Aaj ka challenge — pehle khud try karo

🎯 Monitor ko 2 baar lagataar fail hone par hi alert bhejne do (false alarm kam).

💡 Hint 1
Ek baar fail hone par thoda ruk ke dobara check karo.

💡 Hint 2
Down? true → Wait 1 minute → Ping dobara → IF phir bhi down → alert.

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Status code

```
{"statusCode":200}
```

Mera jawab: _____

2. Down hai?

```
{"statusCode":502}
```

Mera jawab: _____

3. Jawab hi nahi aaya to

Input ki zaroorat nahi

Mera jawab: _____

4. /healthz ka body

```
{"body":{"status":"ok"}}
```

Mera jawab: _____

5. Server header (kaun jawab de raha)

```
{"headers":{"server":"Caddy"}}
```

Mera jawab: _____

2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Webhooks ka public URL batane wala env?

- (A) NODE_ENV
- (B) WEBHOOK_URL
- (C) PORT
- (D) TZ

Q2. Credentials encrypt karne wali key?

- (A) SSH key
- (B) SSL cert
- (C) N8N_ENCRYPTION_KEY
- (D) API_KEY

Q3. Data restart ke baad bhi rahe — kya chahiye?

- (A) Cache
- (B) Cookie
- (C) Nothing
- (D) Docker volume

Q4. HTTPS ke liye?

- (A) Reverse proxy + SSL cert
- (B) Bada server
- (C) Postgres
- (D) Redis

📖 Aaj ke naye shabd

Workflow
Steps ki ek chain jo apne aap chalti hai — jaise recipe ke steps.

Trigger
Jo workflow ko START karta hai — jaise alarm, naya email, ya form submit.

Docker
Software ko ek ready dabbe (container) mein chalane ka tool — har jagah same chalta hai.

VPS
Kiraye ka online computer/server jo 24×7 chalta hai.

SSL
Website ka taala — https wala lock, data safe rehta hai.

Schedule
Fixed time par workflow chalana — roz, har ghante, har Monday.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 20

Scaling, Security & Workflow DevOps

"Ek client se 50 clients tak — bina tootey."

☐ **Day 19 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → B
WEBHOOK_URL

Q2 → C
N8N_ENCRYPTION_KEY

Q3 → D
Docker volume

Q4 → A
Reverse proxy + SSL cert

✅ Challenge ka solution

Down? (true) → Wait 1 min → HTTP Ping n8n (copy) → IF statusCode != 200 → Down Alert.

🧪 Expression sheet ke jawab

1. `{{ $json.statusCode }}` → **200**
2. `{{ $json.statusCode !== 200 }}` → **true**
3. `{{ $json.statusCode || "no response" }}` → **no response**
4. `{{ $json.body.status }}` → **ok**
5. `{{ $json.headers.server }}` → **Caddy**

📚 Official docs

- Hosting n8n ↗
- Docker install ↗
- Environment variables ↗
- Server setups ↗

▶ Videos

- n8n self host docker compose ↗
- n8n hostinger vps install ↗

Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716

Day 19 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/19

+91 83838 91716
Call / WhatsApp — Adify Skills

DAY 20

Scaling, Security & Workflow DevOps

"Ek client se 50 clients tak — bina tootey."

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

Ek client se 50 clients tak jaane ke liye scale, security aur version control chahiye — warna ek galti sab tod deti hai.

🎯 Aaj ke baad aap yeh kar paoge

01 Queue mode with Redis & workers
🌍 Order board + kai chef.
⚙️ EXECUTIONS_MODE=queue, Redis, n8n worker containers.

02 Performance: batching, memory, binary data mode
🌍 Ek baar mein 10 plate, 1000 nahi.
⚙️ Split in Batches, binary data mode = filesystem.

03 Security: credentials, RBAC, secrets, webhook auth
🌍 Ghar ki chaabi sabko nahi dete.
⚙️ Credentials store, user roles, webhook header/basic auth.

04 Version control: export JSON, Git, environments
🌍 Recipe book ki photocopy.
⚙️ n8n API → workflows export JSON → GitHub commit.

05 Testing workflows & staging vs production
🌍 Pehle ghar par try, phir party mein.
⚙️ Staging instance → test data → phir production.

06 Monitoring: execution logs, uptime, metrics
🌍 Dukaan ka CCTV.
⚙️ Execution logs, uptime ping, failed executions count alert.

⏱ Class ka plan (2 ghante)

10m	35m	45m	20m	10m

`0:00-0:10` **Recap**

🪄 Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.

`0:10-0:45` **Concept: Scale Architecture**

🪄 Ek chef 100 log ka khana nahi bana sakta. 5 chef aur ek order board chahiye.

`0:45-1:30` **Live Build**

Workflow backup to GitHub (auto, nightly)

🪄 Aaj ki kahani yaad hai — 'Restaurant ka bada kitchen'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.

1:30-1:50 **Quiz + Audit**
Module 6 quiz + security audit checklist
🪄 *Practice match — jitna yahan girenge, utna asli match mein kam girenge.*

1:50-2:00 **Q&A + Homework**
🪄 *Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?*

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01
Queue mode
Main instance + Redis + multiple workers — parallel executions.
🪄 **Analogy:** Restaurant: ek order-taker, kai chefs

CONCEPT 02
Binary data mode
Files memory ki jagah disk/S3 par — RAM bachti hai.
🪄 **Analogy:** Saamaan godown mein rakho, kamre mein nahi

CONCEPT 03
Source control
Workflows JSON ko Git mein — history + rollback.
🪄 **Analogy:** Google Docs version history

CONCEPT 04
Least privilege
Har credential ko sirf zaroori permission.
🪄 **Analogy:** Guest ko sirf drawing room ki chaabi

🔑 Aaj ka main idea
Scale = zyada load sambhalna (queue mode, workers, batching). Security = credentials, access aur webhooks ko surakshit rakhna. DevOps = workflows ka version, testing aur monitoring.

- Redis + 3 workers se 10× throughput
- Webhook par header auth
- Har raat workflows GitHub par backup

📖 Ek kahani se samjho: Restaurant ka bada kitchen

1 🧾 **Bahut saare orders aaye** = Executions queue

2 📋 **Order board par lage** = Redis queue

3 👨‍🍳 **5 chef saath kaam karein** = Workers

4 🔐 **Kitchen mein sirf staff** = RBAC + credentials

5 📸 **Har recipe ki copy** = Git version control

🪄 Ek line mein: “Ek chef 100 log ka khana nahi bana sakta. 5 chef aur ek order board chahiye.”

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 Queue mode

📖 **Kya hai:** Queue mode mein n8n ka ek "main" instance sirf triggers/webhooks sunta hai aur kaam ek queue (Redis) mein daal deta hai; kai "worker" instances us queue se kaam utha kar parallel mein chalate hain.

⚙️ **Andar kaise:** Normal (regular) mode mein ek hi process sab karta hai — bhaari executions aaye to UI aur webhooks dheemi. Queue mode: EXECUTIONS_MODE=queue + Redis + Postgres; workers ko badha kar zyada load sambhalo. Webhook ke liye alag webhook processors bhi laga sakte ho.

✅ **Kab use karein**
Hazaaron executions/ghanta, bhaari AI/file processing, ya bahut saare clients ek hi n8n par.

⛔ **Kab nahi**
Shuru mein (100–1000 executions/din) queue mode ki zaroorat nahi — complexity aur kharcha badhta hai. Pehle regular mode + achha VPS.

🧪 **Example:** 1 main + Redis + Postgres + 3 workers (docker compose scale n8n-worker=3).

⚠️ **Common galti:** Queue mode mein SQLite use karna — chalega hi nahi. Postgres zaroori.

🪄 **Queue = ek order-taker, kai chefs. Load badhe tab.**

02 Binary data mode

📖 **Kya hai:** Files (PDF, images, audio) ko n8n by default memory (RAM) mein rakhta hai. Binary data mode "filesystem" ya "s3" karne se files disk/S3 par jaati hain aur RAM bachti hai.

⚙️ **Andar kaise:** N8N_DEFAULT_BINARY_DATA_MODE=filesystem — har file disk par likhi jaati hai, execution data mein sirf uska reference. Queue mode mein workers alag machines par hon to S3 (ya shared storage) chahiye. Isse "JavaScript heap out of memory" jaise crashes bachte hain.

✅ **Kab use karein**
Jab workflows PDFs, images, audio, bade CSV handle karte hon — Day 16/17 jaise.

⛔ **Kab nahi**
Sirf JSON wale workflows mein farak nahi padta — default theek hai.

🧪 **Example:** .env: N8N_DEFAULT_BINARY_DATA_MODE=filesystem

⚠️ **Common galti:** RAM 2 GB, aur 50 PDFs ek saath memory mode mein — n8n crash, saare running executions fail.

🪄 **Saamaan godown (disk) mein, kamre (RAM) mein nahi.**

03 Source control

📖 **Kya hai:** Workflows ko JSON files ki tarah Git (GitHub) mein rakhna — har badlaav ki history, galti par purana version wapas, team mein review.

⚙️ **Andar kaise:** Do tareeke: (1) Aaj ka build — raat ko n8n API se saare workflows nikaal kar GitHub mein commit (har plan par chalta hai). (2) n8n ka built-in Source Control / Environments (Enterprise) — dev aur prod instances Git branch se sync. Credentials ka secret Git mein nahi jaata, sirf reference.

✅ **Kab use karein**
Client production workflows, team mein kaam, ya jab galti se delete/overwrite ka darr ho.

⛔ **Kab nahi**
Workflow JSON mein agar API keys hardcode ki hain (Code/URL mein) to woh Git mein leak ho jaayengi — pehle unhe credentials mein shift karo. Repo hamesha private.

🧪 **Example:** backups/2026-12-10/day-11-lead-engine-aB12cD.json — har raat ek naya folder.

⚠️ **Common galti:** Public repo mein backup — workflows mein client ke emails, sheet IDs, webhook paths sab duniya ko dikh gaye.

🪄 **Git = version history. Private repo, secrets sirf credentials mein.**

04 Least privilege

📖 **Kya hai:** Har credential, user aur API key ko utni hi permission do jitni kaam ke liye zaroori hai — usse zyada nahi.

⚙️ **Andar kaise:** GitHub token: sirf ek repo, sirf "Contents: read & write". Google: sirf Sheets scope, poora Drive nahi. Supabase: frontend par anon key, n8n par service key. n8n users: client ko sirf apne project ka access. n8n API key: alag key har integration ke liye, taaki ek leak ho to sirf woh revoke karo.

✅ **Kab use karein**
Har naya credential banate waqt — 1 minute ki soch, baad mein bada nuksaan bachata hai.

⛔ **Kab nahi**
"Sab permissions de do, baad mein dekhenge" — baad mein koi nahi dekhta.

🧪 **Example:** Backup workflow ka GitHub fine-grained token: Repository access = only n8n-backups · Contents = Read and write · baaki sab No access.

⚠️ **Common galti:** Apna personal GitHub token (saari repos, admin) n8n mein daal dena — n8n compromise = poora GitHub compromise.

🪄 **Guest ko sirf drawing room ki chaabi.**

🗺️ Aaj ka workflow: Nightly Workflow Backup → GitHub

Data left se right chalta hai. Har dabba ek n8n node hai.



📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Agencies with many workflows (backup + DevOps) — aam taur par **₹5,000 – ₹15,000 add-on**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1 ⚡ **Schedule Trigger**
Roz raat 2 baje

2 🌐 **n8n (API node)**
Get all workflows

3 🔁 **Loop Over Items (Split in Batches)**
Har workflow ek-ek karke

4 👨‍💻 **Code**
JSON pretty-print, file name = workflow-name.json

5 🐙 **GitHub**
Create/update file in backup repo

6 ✈️ **Telegram**
"✅ 37 workflows backed up"

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- [ ] Connect: **n8n API key (Settings → n8n API)**
- [ ] Connect: **GitHub (personal access token)**
- [ ] GitHub par private repo "n8n-backups" banao
- [ ] n8n Settings → n8n API → API key banao; credential mein Base URL = https://your-n8n-domain/api/v1
- [ ] GitHub token mein "Contents: read & write" permission do

✅ Test kaise karein

1. "Test workflow" → GitHub repo mein backups/<aaj ki date>/ folder check karo

Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 🔧 Every Night 2 AM

Raat 2 baje trigger.


```
{
  "timestamp": "2026-12-10T02:00:00.010+05:30"
}
```


2 🧩 Get All Workflows

Har workflow ek item — poori JSON (nodes, connections, settings).


```
{
  "id": "aB12cD",
  "name": "Day 11 — Lead Engine",
  "active": true,
  "nodes": [
    "(9 nodes)"
  ],
  "connections": {},
  "updatedAt": "2026-12-09T18:22:41.000Z",
  "…": "(+36 aur workflows)"
}
```


3 📄 Prepare Files

Har workflow ka path, content, message.


```
{
  "path": "backups/2026-12-10/day-11-lead-engine-aB12cD.json",
  "content": "{\n  \"id\": \"aB12cD\",\n  \"name\": \"Day 11 — Lead Engine\",\n  …",
  "message": "Backup Day 11 — Lead Engine (2026-12-10)",
  "…": "(+36 aur items)"
}
```


4 🐙 Commit to GitHub

Har file ka commit ho gaya.


```
{
  "content": {
    "name": "day-11-lead-engine-aB12cD.json",
    "path": "backups/2026-12-10/day-11-lead-engine-aB12cD.json",
    "sha": "3f9a1c…"
  },
  "commit": {
    "message": "Backup Day 11 — Lead Engine (2026-12-10)"
  }
}
```

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

n8n node (API)

Apne hi n8n se saare workflows ki JSON nikaalta hai.



📸 Asli n8n: n8n node (API)

Setting	Kya karti hai	Aaj ki value	Kab badlein
Credential	n8n API key + Base URL	`https://your-n8n-domain/api/v1`	Settings → n8n API → Create an API key
Resource / Operation	Workflow → Get Many	`getAll`	Credentials, executions, tags bhi la sakte ho
Return All	Saare workflows	`On`	Off par sirf 100
Filters	Active only, tags	—	Sirf "production" tag wale backup karne ho to

Code — file path + content

Har workflow ko ek file ka path, content aur commit message banata hai.



📸 Asli n8n: Code — file path + content

Setting	Kya karti hai	Aaj ki value	Kab badlein
day	Aaj ki date folder ke liye	`new Date().toISOString().slice(0, 10)`	2026-12-10
safe name	Naam se file-safe slug	`wf.name.replace(/[^a-z0-9]+/gi, "-").toLowerCase()`	Spaces, emoji, — sab hata kar -
path	backups/<date>/<slug>-<id>.json	—	ID jodne se same naam wale 2 workflows clash nahi karte
content	Pretty JSON	`JSON.stringify(wf, null, 2)`	Git diff padhne layak

GitHub — Create File

Har file ko repo mein commit karta hai.



📸 Asli n8n: GitHub — Create File

Setting	Kya karti hai	Aaj ki value	Kab badlein
Credential	Fine-grained token	`GitHub account`	Sirf n8n-backups repo, Contents read & write
Resource / Operation	File → Create	`create`	Same path dobara ho to Edit chahiye
Repository Owner / Name	Kahan	`YOUR_GITHUB_USERNAME / n8n-backups`	Repo PRIVATE
File Path / Content	Code node se	`{{ $json.path }} / {{ $json.content }}`	—
Commit Message	Har commit ka message	`Backup Day 11 — Lead Engine (2026-12-10)`	History mein dhoondhna aasaan
Settings → Retry On Fail	GitHub rate limit par	`On`	40+ workflows ho to Loop + Wait bhi socho

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😫 Pehle (manual)

Ek server, ek line mein sab — slow

➜

⚡ Ab (n8n)

Queue mode: workers parallel

⏱ 1000 webhooks/minute bhi bina atke.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo — 📋 Select karke copy karo

```
EXECUTIONS_MODE=queue
QUEUE_BULL_REDIS_HOST=redis
N8N_DEFAULT_BINARY_DATA_MODE=filesystem
```

📦 Sample data — input se output tak

📥 Input — 📋 Select karke copy karo

```
{
  "workflows": 37
}
```

📤 Output — 📋 Select karke copy karo

```
{
  "committed": 37,
  "repo": "yourbrand/n8n-backup"
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Build it with ChatGPT / Claude

📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Har raat 2 baje n8n API se saare workflows nikaalta hai aur har ek ko date-wise folder mein GitHub repo mein commit karta hai. Galti se delete ho jaaye to bhi version wapas.

Flow: Schedule (2:00 AM) → n8n API (Saare workflows) → Code (File path + JSON) → GitHub (Commit file)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 Debug helper prompt

📋 Select karke copy karo

```
I'm building the n8n workflow "Nightly Workflow Backup → GitHub" (nodes: Every Night 2 AM, Get All Workflows, Prepare Files, Commit to GitHub).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ Workflow JSON
4 nodes · ready to import
`adifyskills.com/workflows/day-20-nightly-github-backup.json`

🌐 Lesson page
Copy buttons, quiz aur video links
`adifyskills.com/day/20`

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "n8n API key (Settings → n8n API)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "GitHub (personal access token)" connect karo.
Time par apne aap nahi chala?	"Active" toggle on hai? Settings mein timezone Asia/Kolkata check karo.

⚠️ Yeh galtiyan sabse common hain

! Production mein direct edit — staging nahi
! API keys workflow JSON mein hardcoded (Git par leak)
! Execution data kabhi prune na karna — DB full

⭐ Pro tips — time bachane wali tricks

★ EXECUTIONS_DATA_PRUNE=true + max age set karo
★ Credentials kabhi export mat karo Git mein
★ Uptime monitoring (UptimeRobot) on /healthz

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

🏋️ Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Nightly workflow: saare workflows export karke GitHub repo mein commit karna.

📝 Homework

Apne instance ka security audit checklist ke hisaab se karo aur report submit karo.

☐ Homework ho gaya

BEGINNER
Workflow manually export/import ☐

INTERMEDIATE
Nightly GitHub backup ☐

ADVANCED
Staging → production promotion flow ☐

🧩 Aaj ka challenge — pehle khud try karo

🎯 Backup ke baad Telegram par "✅ 12 workflows backed up" message aaye.

💡 Hint 1
Commit ke baad saare items ko gino.

💡 Hint 2
Aggregate ya Code node: return [{json: {count: $input.all().length}}]

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

🧪 Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Workflow naam se file slug

```
{"name":"Day 11 — Lead Engine"}
```

Mera jawab: _____

2. File path banao

```
{"id":"aB12cD"}
```

Mera jawab: _____

3. Workflow mein kitne nodes?

```
{"nodes":[{},{},{}]}
```

Mera jawab: _____

4. Active ho to 🟢

```
{"active":true}
```

Mera jawab: _____

5. Pretty JSON kitni lines?

```
{"a":1}
```

Mera jawab: _____

🎯 2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Parallel executions ke liye mode?

- (A) Queue mode
- (B) Manual mode
- (C) Test mode
- (D) Pin mode

Q2. Queue mode ko kya chahiye?

- (A) SMTP
- (B) Redis
- (C) MongoDB
- (D) FTP

Q3. Workflows ki history ke liye?

- (A) Email
- (B) Pen drive
- (C) Git / source control
- (D) Screenshots

Q4. DB full hone se bachne ke liye?

- (A) Bada font
- (B) More nodes
- (C) Kuch nahi
- (D) Execution pruning

📖 Aaj ke naye shabd

Workflow
Steps ki ek chain jo apne aap chalti hai — jaise recipe ke steps.

Node
Workflow ka ek dabba/step. Har node ek kaam karta hai (email bhejna, data laana…).

Trigger
Jo workflow ko START karta hai — jaise alarm, naya email, ya form submit.

Webhook
Ek URL jis par koi doosra app data bhejta hai aur aapka workflow turant chal padta hai.

API
Do apps ke baat karne ka tareeka. Ek app sawaal bhejta hai, doosra jawab (data) deta hai.

JSON
Data likhne ka format: { "naam": "Ravi", "city": "Delhi" } — key aur value ke jode.

Credential
Kisi app ka login/API key jo n8n safe tareeke se yaad rakhta hai.

Execution
Workflow ka ek baar chalna. Har run ka record Executions tab mein dikhta hai.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 21

Project Sprint 1: AI Customer Support Desk

"24×7 support jo kabhi chhutti nahi leta."

☐ **Day 20 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → A
Queue mode

Q2 → B
Redis

Q3 → C
Git / source control

Q4 → D
Execution pruning

✅ Challenge ka solution

Commit to GitHub → Code: return [{json: {count: $input.all().length}}] → Telegram "✅ {{ $json.count }} workflows backed up".

🧪 Expression sheet ke jawab

1. `{{ $json.name.replace(/[^a-z0-9]+/gi, "-").toLowerCase() }}` → **day-11-lead-engine**
2. `{{ "backups/2026-12-10/" + $json.id + ".json" }}` → **backups/2026-12-10/aB12cD.json**
3. `{{ $json.nodes.length }}` → **3**
4. `{{ $json.active ? "🟢" : "⚪" }}` → 🟢
5. `{{ JSON.stringify($json, null, 2).split("\n").length }}` → **3**

📚 Official docs

- Queue mode ↗
- Security ↗
- Source control ↗
- n8n public API ↗

▶ Videos

- n8n queue mode workers redis ↗
- n8n backup workflows github ↗

Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716

Day 20 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/20

+91 83838 91716
Call / WhatsApp — Adify Skills

DAY 21

Project Sprint 1: AI Customer Support Desk

"24×7 support jo kabhi chhutti nahi leta."

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

Pehla full client-grade project. Yahan student "tutorial follower" se "solution builder" banta hai.

🎯 Aaj ke baad aap yeh kar paoge

01 Client requirement document (SRS) banana

🌍 Darzi pehle naap leta hai.
⚙️ SRS: problem, users, channels, success metric, out-of-scope.

02 Multi-channel inbox: WhatsApp + email + website chat

🌍 Ek darwaza, kai raaste.
⚙️ WhatsApp Trigger + Gmail Trigger + Chat Trigger → common format.

03 RAG knowledge base + AI agent

🌍 Rule book + samajhdaar didi.
⚙️ Vector store tool + AI Agent with system prompt.

04 Ticket creation & human escalation

🌍 Principal ka room.
⚙️ Confidence low / "human" keyword → ticket (Sheet/Freshdesk) + Slack.

05 CSAT feedback loop

🌍 Smiley feedback machine.
⚙️ Reply ke baad 1-5 rating → Sheet → weekly avg.

06 Handover documentation

🌍 Naye manager ke liye diary.
⚙️ Loom video + README: credentials, flows, kaise edit karein.

⏱ Class ka plan (2 ghante)

15m	75m	20m	10m

`0:00-0:15` **Brief & Architecture**

Client brief walkthrough

🪄 *Help desk didi ke paas rule book hai. Jo usme likha hai woh turant batati hai, baaki principal sir ko bhejti hai.*

`0:15-1:30` **Build Sprint**

Guided build in phases with checkpoints

🪄 *Marathon ek saath nahi daudte — har kilometer par paani peete hain. Har phase ek kilometer hai.*

`1:30-1:50` **Demo & Review**

3 students demo

🪄 *Science fair — model dikhao, batao kaise chalta hai, sawaalon ka jawab do.*

1:50–2:00 **Homework**

🪄 *Project ka agla page — ghar par likhna hai, kal sabko dikhana hai.*

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01

SRS

Software Requirement Spec — client kya chahta hai, likhit mein.

🪄 **Analogy:** Ghar banane se pehle naksha

CONCEPT 02

Multi-channel

WhatsApp, email, website — ek hi brain.

🪄 **Analogy:** Ek receptionist, teen phone lines

CONCEPT 03

Escalation

AI na sambhaal paaye to human ko ticket.

🪄 **Analogy:** Junior → senior

CONCEPT 04

CSAT

Customer satisfaction feedback loop.

🪄 **Analogy:** Restaurant ka feedback card

🔑 Aaj ka main idea

Real project = requirement samajhna, architecture banana, phir build. Support desk mein sab channels ek jagah aate hain, AI RAG se jawab deta hai, aur jo nahi aata woh insaan ko jaata hai.

- D2C brand ka WhatsApp support
- Coaching institute ka admission desk
- SaaS ka email support

📖 Ek kahani se samjho: School ka help desk

1 🙋 **Bachche har taraf se sawaal laaye** = WhatsApp + email + chat

2 📖 **Help desk didi ne rule book dekhi** = RAG knowledge base

3 💬 **Aasaan sawaal turant solve** = AI agent answer

4 🎫 **Mushkil wala principal ko** = Ticket + escalation

5 ⭐ **"Kaisa laga?" poocha** = CSAT feedback

🪄 Ek line mein: “Help desk didi ke paas rule book hai. Jo usme likha hai woh turant batati hai, baaki principal sir ko bhejti hai.”

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 SRS

📖 **Kya hai:** SRS (Software Requirement Spec) ek chhota likhit document hai jisme client ki zaroorat saaf likhi hoti hai: kya banega, kya nahi banega, kaise test hoga, aur "done" ka matlab kya hai.

⚙️ **Andar kaise:** Achhe SRS ke hisse: Problem (aaj kya dard hai), Goal (number mein — "80% FAQs AI se"), Scope (channels, features), Out of scope (kya nahi karenge), Inputs/Outputs (kaunse tools, kaunsa data), Rules (refund ₹5000 se upar = insaan), Acceptance tests (10 sample sawaal aur expected jawab), Timeline + price. Client ka sign-off ke baad hi build.

✅ **Kab use karein**
Har paid project se pehle — chahe ₹5,000 ka ho. 1 page bhi kaafi hai.

⛔ **Kab nahi**
SRS ko 30 page ka sarkari document mat banao — client padhega hi nahi. Bullet points, saaf bhasha.

🧪 **Example:** Support Desk SRS: Channels = website chat + support email · AI jawab sirf policy/KB se · Escalate: gussa, refund > ₹5000, legal · Ticket Sheet + Slack · Test: 20 asli purane emails.

⚠️ **Common galti:** Bina likhit scope ke kaam shuru — beech mein client "WhatsApp bhi, Instagram bhi" jodta jaata hai aur paisa wahi. SRS mein "Out of scope" likho.

🪄 **SRS = ghar ka naksha. Scope, out of scope, test — likhit mein.**

02 Multi-channel

📖 **Kya hai:** Customer alag-alag jagah se aate hain — website chat, email, WhatsApp. Multi-channel matlab sabke liye EK hi brain (AI agent + rules), har channel ke liye alag bot nahi.

⚙️ **Andar kaise:** Har channel ka trigger alag (Chat Trigger, Gmail Trigger, WhatsApp Trigger) aur data ka shape alag. Isliye pehle "Normalize" Edit Fields se sabko common format mein lao: channel, user, text. Fir ek hi agent. Jawab bhejte waqt channel dekh kar sahi node (Gmail reply / chat answer / WhatsApp).

✅ **Kab use karein**
Jab client ke customers 2+ channels se aate hon aur aap chahte ho ki jawab har jagah same quality ka ho.

⛔ **Kab nahi**
Har channel ka bilkul alag kaam ho (jaise email = invoices, chat = sales) — tab alag workflows saaf rehte hain.

🧪 **Example:** Normalize Chat: channel=chat, user=sessionId, text=chatInput · Normalize Email: channel=email, user=From, text=Subject + snippet.

⚠️ **Common galti:** Normalize kiye bina agent ko seedha data dena — prompt mein kabhi chatInput, kabhi snippet; ek channel kaam karta hai, doosra nahi.

🪄 **Ek receptionist, teen phone lines. Pehle normalize, fir ek agent.**

03 Escalation

📖 **Kya hai:** Escalation = jab AI na sambhaal paaye (gussa customer, bada refund, legal baat, ya pakka jawab nahi pata) to baat insaan tak pahunchana — ticket + team alert.

⚙️ **Andar kaise:** System prompt mein saaf protocol: "aise case mein sirf likho ESCALATE: <reason>". Fir IF node output.startsWith("ESCALATE") check karta hai → ticket (Sheet/ClickUp/Freshdesk) + Slack alert. Baaki jawab normal reply. Escalation rules client ke saath SRS mein tay karo.

✅ **Kab use karein**
Har customer-facing AI bot. Escalation ke bina AI galat promise kar sakta hai (refund, discount) — brand risk.

⛔ **Kab nahi**
Har chhoti baat par escalate (bahut strict rules) — team par load, AI ka fayda khatam. Shuru mein strict, data dekh kar dheela.

🧪 **Example:** Customer: "₹7,500 refund chahiye, product toota aaya" → Agent: "ESCALATE: refund ₹7,500 > ₹5,000 limit" → Ticket + #support alert.

⚠️ **Common galti:** Escalate karke customer ko kuch na batana — chupchaap ticket ban gaya, customer sochta hai ignore hua. Customer ko bhi likho "humari team 2 ghante mein contact karegi".

🪄 **Junior → senior. ESCALATE protocol + ticket + customer ko update.**

04 CSAT

📖 **Kya hai:** CSAT (Customer Satisfaction) — jawab ke baad customer se chhota feedback: 👍/👎 ya 1-5. Isse pata chalta hai bot asli mein madad kar raha hai ya nahi.

⚙️ **Andar kaise:** Reply ke baad ek follow-up: "Kya isse madad mili? 👍 / 👎" (WhatsApp buttons, email links jo webhook hit karein, chat mein do buttons). Response Sheet mein: ticket/session, rating, channel, date. Har hafte 👎 wale chats padho — wahi KB/prompt sudhaarne ka sabse achha data.

✅ **Kab use karein**
Bot live hone ke baad pehle din se. Client ko monthly report mein CSAT % dikhana = retainer renew.

⛔ **Kab nahi**
Har message par feedback maangna irritating hai — conversation khatam hone par ek baar.

🧪 **Example:** Monthly report: 412 conversations · 81% AI ne solve · CSAT 4.4/5 · 38 escalations (top reason: refunds).

⚠️ **Common galti:** CSAT collect karna par kabhi padhna nahi. Data tabhi kaam ka jab har hafte 10 bure chats dekh kar fix karo.

🪄 **CSAT = feedback card. 👎 wale chats = improvement ki list.**

🗺️ Aaj ka workflow: AI Customer Support Desk (Chat + Email → Agent → Ticket)

Data left se right chalta hai. Har dabba ek n8n node hai.



📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

D2C brands, coaching, SaaS (AI support desk) — aam taur par **₹50,000 – ₹1,50,000**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1 ⚡ **WhatsApp Trigger**
Customer message (+ Gmail Trigger for email)

2 ✏️ **Edit Fields (Set)**
Normalize: channel, user_id, text

3 🤖 **AI Agent**
RAG tool + order lookup tool + Postgres Chat Memory

4 🔀 **IF**
needs_human = true?

5 ✅ **ClickUp**
Ticket create + team notify

6 💬 **WhatsApp Business Cloud**
Reply + CSAT 👍/👎

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

🔑 Setup (import ke baad)

- [ ] Connect: **Gmail (Google OAuth)**
- [ ] Connect: **OpenAI API key**
- [ ] Connect: **Google Sheets (Google OAuth)**
- [ ] Connect: **Slack (OAuth / bot token)**
- [ ] Day 16 wala "Docs Search Tool" (vector store) copy karke is agent mein ai_tool ki tarah jodo
- [ ] "Tickets" tab headers: channel, user, text, reason, created
- [ ] Slack mein #support channel

✅ Test kaise karein

1. Chat mein normal sawaal → AI jawab
2. "Mujhe insaan se baat karni hai" → ticket + Slack
3. Support email bhejo → reply thread mein aaya?

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 📧 Support Email

Customer ka email aaya.


```
{
  "id": "18cb12a3b4c5d6e7",
  "From": "Neha Gupta <neha.g@gmail.com>",
  "Subject": "Refund for order #4521",
  "snippet": "Product toota hua aaya. ₹7,500 refund chahiye, bahut disappointing experience…"
}
```


2 📧 Normalize Email

Common format — ab agent ko fark nahi padta email hai ya chat.


```
{
  "channel": "email",
  "user": "Neha Gupta <neha.g@gmail.com>",
  "text": "Refund for order #4521\nProduct toota hua aaya. ₹7,500 refund chahiye…",
  "message_id": "18cb12a3b4c5d6e7"
}
```


3 🤖 Support Agent

Refund ₹5000 se upar → protocol ke hisaab se ESCALATE.


```
{
  "output": "ESCALATE: refund ₹7,500 > ₹5,000 limit, customer upset"
}
```


4 🔧 Escalate?

output "ESCALATE" se shuru → true.


```
{
  "true (1 item)": "ESCALATE: refund ₹7,500…",
  "false (0)": "—"
}
```


5 🔧 Ticket Fields

Ticket ke liye saaf fields — original text Normalize Email se.


```
{
  "channel": "email",
  "user": "Neha Gupta <neha.g@gmail.com>",
  "text": "Refund for order #4521\n…",
  "reason": "refund ₹7,500 > ₹5,000 limit, customer upset",
  "created": "2026-12-14 11:05"
}
```

6 🔧 Alert Team

#support mein alert — team ab customer ko call karegi.

```
{
  "ok": true,
  "channel": "C07SUPPORT1",
  "message": {
    "text": "🎫 New ticket (ESCALATE: refund ₹7,500 > ₹5,000 limit, customer upset)"
  }
}
```

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

Edit Fields — normalize

Email ko common format (channel, user, text) mein laata hai.



📸 Asli n8n: Edit Fields — normalize

Setting	Kya karti hai	Aaj ki value	Kab badlein
channel	Fixed value	`email`	Reply ke waqt channel se raasta tay
user	Memory ka session key bhi yahi	`{{ $json.From }}`	Chat mein sessionId
text	Agent ko jaane wala text	`{{ $json.Subject }}\n{{ $json.snippet }}`	Subject mein aksar order ID hota hai
message_id	Reply ke liye	`{{ $json.id }}`	Gmail Reply node ko chahiye

AI Agent — escalation protocol

KB se jawab, warna ESCALATE.



📸 Asli n8n: AI Agent — escalation protocol

Setting	Kya karti hai	Aaj ki value	Kab badlein
Prompt	Normalized text	`{{ $json.text }}`	Dono channels ke liye same
System Message → Policies	Refund 7 din, delivery 3–5 din, order ID maango	—	Client ki asli policies SRS se
System Message → Escalation	"sirf likho: ESCALATE: <reason>"	`gussa / refund > ₹5000 / legal / pakka nahi pata`	Exact format do — IF isi ko padhta hai
Memory	Session key = {{ $json.user }}	`10 messages`	Email thread aur chat dono ki history
Tools	Day 16 ka Docs Search Tool jodo	`company_docs`	KB ke bina sirf policies se jawab

🔀 IF — startsWith

Agent ne ESCALATE likha to ticket raasta.



📸 Asli n8n: IF — startsWith

Setting	Kya karti hai	Aaj ki value	Kab badlein
Value	{{ $json.output }}	`ESCALATE: refund ₹7,500 > ₹5,000 limit`	—
Operator	String → starts with	`ESCALATE`	Case-sensitive — prompt mein capital likhwao
true	Ticket Fields → Sheet → Slack	–	Customer ko bhi "team contact karegi" bhejo
false	Normal reply	`Email or Chat?`	—

🔀 IF — kaunsa channel

Jawab sahi channel par.



📸 Asli n8n: IF — kaunsa channel

Setting	Kya karti hai	Aaj ki value	Kab badlein
Value	Normalize Email node chala tha?	`{{ $("Normalize Email").isExecuted }}`	.isExecuted = is execution mein woh node chala ya nahi
Operator	Boolean → is true	`true → Reply Email`	false → Chat Answer
Chat Answer	Chat Trigger last node ka "output" dikhata hai	`output = {{ $json.output }}`	Field ka naam output hi rakho

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😫 Pehle (manual)

3 log, 3 inbox, har reply manually — **480 min**

480 min

⚡ Ab (n8n)

70% AI se, 30% team ko ticket — **120 min**

120 min

⏱ Support team ka ~75% time bacha, reply time ghanton se seconds.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo — 📋 Select karke copy karo

```
Escalate (needs_human=true) if: refund, legal, angry tone, or 2 failed answers.
```

📦 Sample data — input se output tak

📥 Input 📋 Select karke copy karo

```
{
  "channel": "whatsapp",
  "from": "+919811122233",
  "text": "Order #4521 kab aayega?"
}
```

📤 Output 📋 Select karke copy karo

```
{
  "reply": "Aapka order #4521 kal tak deliver ho
jayega 🚚",
  "needs_human": false,
  "csat": "asked"
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Support agent system prompt 📋 Select karke copy karo

```
Tum "YourBrand" ke support agent ho. Policies:
- Refund 7 din ke andar, unused product.
- Delivery 3-5 working days.
- Order status ke liye order ID maango.
Sirf in policies aur knowledge tool se jawab do. Agar customer gussa hai, refund ₹5000 se upar hai, legal
baat hai, ya tumhe pakka nahi pata — sirf likho: ESCALATE: <ek line reason>
```

💬 Client SRS template prompt 📋 Select karke copy karo

```
Act as an automation consultant. Client: {{business}}. Problem: {{problem}}.
Write a 1-page SRS with: goal, users, channels, current process (steps + time), proposed workflow
(trigger → steps → output), integrations & credentials needed, edge cases, success metrics, out of scope,
timeline. Keep it simple and in bullet points.
```

💬 Build it with ChatGPT / Claude 📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Website chat aur email dono ek jagah aate hain. AI agent knowledge base se jawab deta hai; jab
confident na ho ya customer "human" bole to ticket sheet mein banta hai aur team ko Slack alert jaata
hai.

Flow: Chat + Gmail (2 channels) → Edit Fields (Common format) → AI Agent (KB se jawab) → IF (ESCALATE?) →
Ticket + Slack / Reply (Insaan ya AI)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to
test it and the 3 most common errors beginners hit.
```

💬 **Debug helper prompt** 📋 Select karke copy karo

```
I'm building the n8n workflow "AI Customer Support Desk (Chat + Email → Agent → Ticket)" (nodes: Website
Chat, Support Email, Normalize Chat, Normalize Email, Support Agent, Agent Model, Agent Memory,
Escalate?, Ticket Fields, Create Ticket, Alert Team, Email or Chat?, Reply Email, Chat Answer).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ **Workflow JSON**
14 nodes · ready to import
`adifyskills.com/workflows/day-21-ai-support-desk.json`

🌐 **Lesson page**
Copy buttons, quiz aur video links
`adifyskills.com/day/21`

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Gmail (Google OAuth)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "OpenAI API key" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Google Sheets (Google OAuth)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Slack (OAuth / bot token)" connect karo.
Webhook/Form test par kuch nahi ho raha?	"Listen for test event" / Test URL use karo aur 2 minute ke andar request bhejo. Production URL sirf Active workflow par chalta hai.
Time par apne aap nahi chala?	"Active" toggle on hai? Settings mein timezone Asia/Kolkata check karo.
AI node par 401 / 429 error?	401 = API key galat. 429 = credit khatam ya bahut jaldi requests. OpenAI billing page check karo.
"Sheet not found" / column khaali?	Sheet ID aur tab ka naam (capital/small bhi) check karo. Pehli row mein headers hone chahiye.

⚠️ Yeh galtiyan sabse common hain

- ! Har channel ke liye alag agent (maintenance nightmare)
- ! Escalation rules vague
- ! Handover docs ke bina deliver

⭐ Pro tips — time bachane wali tricks

- ★ Ek normalized "message" format banao — sab channels usme convert
- ★ Har AI reply log karo — weekly review
- ★ 3 min Loom demo = portfolio gold

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

🏋️ Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Full AI support desk: WhatsApp + email → AI agent (RAG) → answer ya ticket + escalation.

📝 Homework

Project ko polish karo, Loom demo video (3 min) record karo.

- ☐ Homework ho gaya

BEGINNER
Sirf email channel ☐

INTERMEDIATE
WhatsApp + email ☐

ADVANCED
Website chat + analytics dashboard ☐

🧩 Aaj ka challenge — pehle khud try karo

🎯 Har ticket ke saath ek ticket number (TKT-1234) banao aur customer ko batao.

💡 Hint 1
Create Ticket se pehle ek Set node mein number banao.

💡 Hint 2
Expression: {{ 'TKT-' + $now.toFormat('MMddHHmm') }}

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Escalate karna hai?

```
{"output":"ESCALATE: refund above limit"}
```

Mera jawab: _____

2. Ticket ke liye sirf reason

```
{"output":"ESCALATE: refund above limit"}
```

Mera jawab: _____

3. Subject se order ID

```
{"Subject":"Refund for order #4521"}
```

Mera jawab: _____

4. Customer insaan maang raha hai?

```
{"text":"Mujhe kisi insaan se baat karni hai"}
```

Mera jawab: _____

5. Channel ka icon

```
{"channel":"email"}
```

Mera jawab: _____

2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Project shuru karne se pehle?

- (A) Logo
- (B) Invoice
- (C) Deploy
- (D) SRS / requirements

Q2. AI na sambhaal paaye to?

- (A) Human escalation
- (B) Ignore
- (C) Delete
- (D) Retry forever

Q3. Multi-user memory ke liye best?

- (A) Sheet cell
- (B) Postgres Chat Memory
- (C) No memory
- (D) Sticky note

Q4. Customer satisfaction metric?

- (A) SQL
- (B) API
- (C) CSAT
- (D) CPU

📖 Aaj ke naye shabd

Trigger
Jo workflow ko START karta hai — jaise alarm, naya email, ya form submit.

Agent
AI jo khud decide karta hai kaunsa tool use karna hai — sirf baat nahi, kaam bhi karta hai.

RAG
AI ko pehle aapke documents mein se sahi hissa dhoondh ke dena, phir jawab banwana — open-book exam.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 22

Project Sprint 2: AI Content & Marketing Engine

"Ek idea → 30 din ka content."

☐ **Day 21 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → D
SRS / requirements

Q2 → A
Human escalation

Q3 → B
Postgres Chat Memory

Q4 → C
CSAT

✅ Challenge ka solution

Escalate? true → Set ticket_no = {{ 'TKT-' + $now.toFormat('MMddHHmm') }} → Create Ticket → reply mein ticket_no bhejo.

🧪 Expression sheet ke jawab

1. `{{ $json.output.startsWith("ESCALATE") }}` → **true**
2. `{{ $json.output.replace("ESCALATE:", "").trim() }}` → **refund above limit**
3. `{{ $json.Subject.match(/#(\d+)/)[1] }}` → **4521**
4. `{{ /human|insaan|agent/i.test($json.text) }}` → **true**
5. `{{ $json.channel === "email" ? "📧" : "💬" }}` → 📧

📚 Official docs

- Support agent templates ↗
- WhatsApp node ↗
- Human in the loop ↗
- Postgres Chat Memory ↗

▶ Videos

- n8n ai customer support agent ↗
- n8n whatsapp ai agent rag ↗

Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716

Day 21 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/21

+91 83838 91716
Call / WhatsApp — Adify Skills

DAY 22

Project Sprint 2: AI Content & Marketing Engine

"Ek idea → 30 din ka content."

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

Content engine agencies ka favorite retainer hai — har mahine recurring income.

🎯 Aaj ke baad aap yeh kar paoge

01 Trend research automation (RSS, Reddit, YouTube)
🌍 Reporter har subah khabar laata hai.
⚙️ RSS + Reddit API + YouTube search → top 10 topics.

02 AI content generation with brand voice
🌍 Har akhbaar ki apni bhasha.
⚙️ System prompt mein brand voice + 3 sample posts.

03 Image generation & design templates
🌍 Photo ke bina khabar adhoori.
⚙️ Image generate ya Bannerbear/Canva template fill.

04 Approval workflow (Slack/Telegram buttons)
🌍 Editor ka haan/naa.
⚙️ Telegram inline buttons ✅/❌ → Wait for webhook.

05 Multi-platform scheduling
🌍 Subah 9 baje akhbaar.
⚙️ Schedule queue: LinkedIn, X, Instagram alag time par.

06 Performance analytics loop
🌍 Kaunsi khabar sabse zyada padhi gayi.
⚙️ Weekly: likes/clicks fetch → Sheet → top posts AI ko feedback.

⏱ Class ka plan (2 ghante)

15m	75m	20m	10m

`0:00-0:15` **Brief & Architecture**
🪄 Akhbaar roz chhapta hai kyunki har insaan ka kaam fix hai — reporter, writer, editor. Hamare workflow mein bhi har node ka kaam fix hai.

`0:15-1:30` **Build Sprint**
🪄 Marathon ek saath nahi daudte — har kilometer par paani peete hain. Har phase ek kilometer hai.

`1:30-1:50` **Demo & Review**
🪄 Science fair — model dikhao, batao kaise chalta hai, sawaalon ka jawab do.

`1:50-2:00` **Homework**
🪄 Project ka agla page — ghar par likhna hai, kal sabko dikhana hai.

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01

Research automation

Trends RSS/Reddit/YouTube se.

🪄 **Analogy:** Akhbaar padhne wala assistant

CONCEPT 02

Brand kit

Voice, do/don't, examples — prompt mein.

🪄 **Analogy:** Brand ki rulebook

CONCEPT 03

Human approval

Slack/Telegram buttons se.

🪄 **Analogy:** Editor ki sign-off

CONCEPT 04

Feedback loop

Performance data wapas AI ko.

🪄 **Analogy:** Report card se seekhna

🔑 Aaj ka main idea

Content engine ek loop hai: research → create → approve → publish → measure → seekho. Analytics se pata chalta hai kya chala, aur agla content usi hisaab se.

- Agency ke 5 clients ke liye daily LinkedIn posts
- YouTube trending topics se reel scripts
- Weekly newsletter auto

📖 Ek kahani se samjho: Akhbaar ka newsroom

1 📡 **Reporter khabar laaye**
= Trend research (RSS/Reddit)

2 ✍️ **Writer ne article likha**
= AI + brand voice

3 🖼️ **Designer ne photo banayi**
= Image generation

4 🧑‍💼 **Editor ne OK kiya**
= Approval buttons

5 🗞️ **Akhbaar chhapa aur bika**
= Publish + analytics

🪄 Ek line mein: “Akhbaar roz chhapta hai kyunki har insaan ka kaam fix hai — reporter, writer, editor. Hamare workflow mein bhi har node ka kaam fix hai.”

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 Research automation

📖 **Kya hai:** Content ke topics haath se dhoondhne ki jagah automation roz trends laata hai — RSS feeds, Reddit, YouTube, Google News, Hacker News se.

⚙️ **Andar kaise:** RSS Read node kisi bhi feed ke items deta hai (title, link, date). Limit/Filter se top N chuno, Remove Duplicates (past executions) se kal wale topics dobara mat lo. Zyada advanced: har item ka score (comments, upvotes) se sort, ya AI se "kaunsa topic humari audience ke liye relevant hai" filter.

✅ **Kab use karein**
Har content engine ka pehla step — creators, agencies, newsletter wale, LinkedIn personal brand.

⛔ **Kab nahi**
Sirf trend ke peeche bhaagna jab brand ka niche alag ho — clinic brand ke liye har tech trend relevant nahi. Niche feeds chuno.

🧪 **Example:** Hacker News frontpage RSS → Top 3. Clinic niche ke liye: Google News RSS search "dental clinic India".

⚠️ **Common galti:** Roz same top post dobara uthana kyunki feed mein 2 din tak rehta hai. Remove Duplicates node ya Sheet se "pehle use hua?" check.

🪄 **Akhbaar padhne wala assistant. Niche feed + dedupe.**

02 Brand kit

📖 **Kya hai:** Brand kit = AI ke liye brand ki rulebook: voice (friendly expert), do (chhote sentences, practical examples), don't (buzzwords, fake numbers), aur 1–2 achhe purane posts ka example.

⚙️ **Andar kaise:** Example post prompt mein dena sabse taakatwar tareeka hai — AI style, length aur structure copy kar leta hai. Brand kit ko ek Sheet cell / Edit Fields mein rakho aur saare content prompts mein expression se daalo — ek jagah badlo, sab jagah update.

✅ **Kab use karein**
Har client ke content workflow mein. Onboarding mein client se 5 favourite posts aur 5 "aisa kabhi nahi" maango.

⛔ **Kab nahi**
Doosre brand ke viral post ko "example" banakar copy karwana — plagiarism aur brand ki apni awaaz khatam.

🧪 **Example:** "Brand voice: friendly expert, short sentences, practical, no buzzwords, Indian audience. Example: 'Most businesses don't need AI. They need fewer copy-paste jobs…'"

⚠️ **Common galti:** Brand kit mein sirf adjectives ("professional, engaging") — AI ke liye bekaar. Asli example + do/don't list do.

🪄 **Brand kit = voice + do/don't + example post.**

03 Human approval

📖 **Kya hai:** AI ka draft publish hone se pehle aapke phone par aata hai — Approve / Decline button. Ek tap se faisla, workflow wahin se aage.

⚙️ **Andar kaise:** Telegram (ya Gmail/Slack) node ka "Send and Wait for Response" operation message bhejta hai aur execution ko WAIT par daal deta hai. Button dabate hi n8n ko webhook milta hai aur output mein data.approved = true/false. Approval type: Approve only, ya Approve + Decline (double). Limit Wait Time set kar sakte ho (jaise 24 ghante baad auto-expire).

✅ **Kab use karein**
Public posts, client ko bheje jaane wale emails, bade payments, bulk messages — jahan galti mehengi ho.

⛔ **Kab nahi**
Roz 50 approvals — insaan thak jaata hai aur bina padhe approve karne lagta hai. Bharosa banne par kam-risk wale cheezein auto.

🧪 **Example:** Telegram: "📝 Draft post: …" [✅ Approve] [❌ Decline] → Approve → LinkedIn par post.

⚠️ **Common galti:** Approval ke baad text $json.text se lena — Send and Wait ka output sirf data.approved deta hai, post text nahi! $("Write Post").item.json.text use karo.

🪄 **Send and Wait = editor ki sign-off. Text purane node se lo.**

04 Feedback loop

📖 **Kya hai:** Publish hue posts ka performance (likes, comments, clicks) wapas laakar AI ko batana kya kaam kiya — taaki agle posts behtar banein.

⚙️ **Andar kaise:** Log Post sheet mein har post ka topic + text save hota hai. Hafte mein ek baar platform API ya manual se performance column bharo. Fir prompt mein "pichhle hafte ke top 2 posts" examples ki tarah daalo. Dheere-dheere AI aapki audience ka style seekhta hai.

✅ **Kab use karein**
Content engine 2-3 hafte chal jaane ke baad — tab data hota hai.

⛔ **Kab nahi**
Ek post ke numbers se bada faisla mat lo — kam se kam 10-15 posts ka pattern dekho.

🧪 **Example:** Posts sheet: date | topic | post | status | likes | comments → har Monday top 2 posts prompt ke "examples" mein.

⚠️ **Common galti:** Sirf likes dekhna — comments aur profile visits/leads zyada important hain. Jo metric business laata hai wahi optimize karo.

🪄 **Report card se seekhna. Top posts → agle prompt ke examples.**

🗺️ Aaj ka workflow: AI Content Engine with Telegram Approval

Data left se right chalta hai. Har dabba ek n8n node hai.





📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Personal brands, agencies (content engine) — aam taur par **₹30,000 – ₹80,000 + retainer**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1 ⚡ **Schedule Trigger**
Har Monday 9 AM

2 ⚡ **RSS Feed Trigger**
Niche ke top 5 feeds (HTTP/RSS Read)

3 🤖 **AI Agent**
5 post ideas + drafts (brand kit prompt)

4 💼 **Slack**
Approval buttons

5 ⏳ **Wait**
Approval webhook

6 💼 **LinkedIn**
Schedule/publish + Sheets log

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- [ ] Connect: **OpenAI API key**
- [ ] Connect: **Telegram bot token (BotFather se)**
- [ ] Connect: **LinkedIn (OAuth)**
- [ ] Connect: **Google Sheets (Google OAuth)**
- [ ] RSS ko apni niche ke feed se badlo (Reddit: https://www.reddit.com/r/n8n/.rss)
- [ ] LinkedIn credential connect karke node mein apna profile chuno
- [ ] "Posts" tab headers: date, topic, post, status

✅ Test kaise karein

1. Test chalao → Telegram par 3 drafts, ek approve, ek decline karo
2. LinkedIn aur Posts sheet check karo

Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 🔧 Trend Feed

Hacker News frontpage ke ~30 items.


```
{
  "title": "Show HN: I automated my clinic's appointment reminders",
  "link": "https://news.ycombinator.com/item?id=4271…",
  "pubDate": "Mon, 14 Dec 2026 03:12:00 GMT",
  "…": "(+29 aur items)"
}
```


2 🔧 Top 3

3 topics bache — ab 3 posts banenge.


```
{
  "title": "Show HN: I automated my clinic's appointment reminders",
  "…": "(+2 aur items)"
}
```


3 🔧 Write Post

Brand voice mein post (har topic ka ek).


```
{
  "text": "Most clinics don't lose patients to competitors.\nThey lose them to a missed reminder.\n\n3 things this builder got right:\n• …\n\nWhat's the one reminder your business forgets? 👇\n\n#automation #n8n #smallbusiness"
}
```


4 🔧 Ask Approval

Aapne Telegram par ✅ Approve dabaya — execution wahin se chala.


```
{
  "data": {
    "approved": true
  }
}
```


5 🔧 Approved?

approved = true → publish.


```
{
  "true (1 item)": "approved",
  "false (0)": "—"
}
```

6 💼 Post to LinkedIn

LinkedIn par post live — urn = post ka ID.

```
{
  "urn": "urn:li:share:7273019384756128768"
}
```

7 🔧 Log Post

Posts sheet mein entry — feedback loop ke liye.

```
{
  "date": "2026-12-14",
  "topic": "Show HN: I automated my clinic's appointment reminders",
  "post": "Most clinics don't lose patients…",
  "status": "published"
}
```

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

Basic LLM Chain — brand voice

Har trend topic par brand ki awaaz mein post.



📸 Asli n8n: Basic LLM Chain — brand voice

Setting	Kya karti hai	Aaj ki value	Kab badlein
Prompt → Brand voice	Tone + audience	`friendly expert, short sentences, no buzzwords, Indian audience`	Brand kit Sheet se expression mein
Prompt → Example	Ek asli post ka namoona	`"Most businesses don't need AI…"`	Sabse zyada asar isi ka
Prompt → Structure	Hook + 3 insights + question + 3 hashtags, max 150 words	—	Numbers mein limit
Output	Plain text (parser nahi)	`$json.text`	Ek hi field chahiye to parser ki zaroorat nahi

Telegram — Send and Wait

Draft aapke phone par, Approve/Decline ke saath.



📸 Asli n8n: Telegram — Send and Wait

Setting	Kya karti hai	Aaj ki value	Kab badlein
Operation	Send and Wait for Response	`sendAndWait`	Gmail/Slack mein bhi same operation
Chat ID	Aapka chat	`YOUR_TELEGRAM_CHAT_ID`	@userinfobot se apna ID
Message	Draft text	`📝 Draft post:\n\n{{ $json.text }}`	—
Response Type → Approval Options	Approve only ya Approve + Decline	`double (dono buttons)`	Free text feedback ke liye "Free Text" type
Options → Limit Wait Time	Kitni der intezaar	—	24 ghante — warna execution hamesha wait mein

🔀 IF — approved?

Sirf approved post publish.



📸 Asli n8n: IF — approved?

Setting	Kya karti hai	Aaj ki value	Kab badlein
Value	Button ka jawab	`{{ $json.data.approved }}`	true = Approve, false = Decline
Operator	Boolean → is true	–	—
false branch	Decline	`khaali`	Idea: "Rewrite" ke liye AI ko feedback ke saath wapas

💼 LinkedIn — Create Post

Approved post LinkedIn par.



📸 Asli n8n: LinkedIn — Create Post

Setting	Kya karti hai	Aaj ki value	Kab badlein
Credential	LinkedIn OAuth2	`LinkedIn account`	Company page ke liye Community Management API access
Post As	Person ya Organization	`Person`	Client ke page ke liye Organization
Person	Aapka profile	`YOUR_LINKEDIN_PERSON_ID`	Credential connect karke list se chuno
Text	Write Post node se (approval node se nahi!)	`{{ $("Write Post").item.json.text }}`	Approval output mein text nahi hota

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😫 Pehle (manual)

Research, likhna, design, post — har din — **180 min**

180 min

➜

⚡ Ab (n8n)

Approve karna bas — **15 min**

15 min

⏱ Roz ~2.5 ghante bache, consistency 100%.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo — 📋 Select karke copy karo

```
BRAND VOICE: friendly, Hinglish, no jargon, 1 emoji max, end with a question.
```

📦 Sample data — input se output tak

📥 Input 📋 Select karke copy karo

```
{
  "niche": "fitness coaching",
  "feeds": 5
}
```

📤 Output 📋 Select karke copy karo

```
{
  "drafts": 5,
  "approved": 3,
  "published": 3
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Brand voice post prompt 📋 Select karke copy karo

```
Brand voice: friendly expert, short sentences, practical, no buzzwords, Indian audience.
Example post style:
"Most businesses don't need AI. They need fewer copy-paste jobs. Here's how one clinic saved 9 hours a week..."

Topic: {{title}}
Link: {{link}}

LinkedIn post likho: hook line, 3 short insights, automation/AI angle, 1 question for comments, max 150 words, 3 hashtags.
```

💬 Build it with ChatGPT / Claude 📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Roz subah trend feed se top 3 topics → AI brand voice mein LinkedIn post likhta hai → aapko Telegram par Approve / Decline button aata hai → approve karte hi LinkedIn par post aur log sheet mein entry.

Flow: Schedule (9:00 AM) → RSS + Limit (Top 3 trends) → LLM Chain (Brand-voice post) → Telegram (send & wait) (Approve?) → LinkedIn + Sheet (Publish + log)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 Debug helper prompt 📋 Select karke copy karo

```
I'm building the n8n workflow "AI Content Engine with Telegram Approval" (nodes: Every Day 9 AM, Trend Feed, Top 3, Write Post, Post Model, Ask Approval, Approved?, Post to LinkedIn, Log Post).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ **Workflow JSON**
9 nodes · ready to import
`adifyskills.com/workflows/day-22-ai-content-engine.json`

🌐 **Lesson page**
Copy buttons, quiz aur video links
`adifyskills.com/day/22`

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "OpenAI API key" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Telegram bot token (BotFather se)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "LinkedIn (OAuth)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Google Sheets (Google OAuth)" connect karo.
Time par apne aap nahi chala?	"Active" toggle on hai? Settings mein timezone Asia/Kolkata check karo.
AI node par 401 / 429 error?	401 = API key galat. 429 = credit khatam ya bahut jaldi requests. OpenAI billing page check karo.
"Sheet not found" / column khaali?	Sheet ID aur tab ka naam (capital/small bhi) check karo. Pehli row mein headers hone chahiye.

⚠️ Yeh galtiyan sabse common hain

- ! Generic AI content — brand voice examples nahi diye
- ! Approval timeout handle na karna
- ! Copyright images use karna

⭐ Pro tips — time bachane wali tricks

- ★ Best performing posts ko few-shot examples banao
- ★ Wait node mein timeout + reminder
- ★ Weekly analytics Sheet → AI insights email

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

🏋️ Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Content engine: research → AI drafts → human approval → auto-publish → weekly analytics.

📝 Homework

Engine ko apne/kisi brand ke liye 1 week chalao aur results share karo.

- [ ] Homework ho gaya

BEGINNER
RSS → AI summary → Telegram

INTERMEDIATE
Approval flow

ADVANCED
Analytics loop + best time to post

🧩 Aaj ka challenge — pehle khud try karo

🎯 Decline hone par AI se dusra version banwao (max 1 baar).

💡 Hint 1
Approved? ki false branch ko wapas likhne wale step se jodo.

💡 Hint 2
Loop se bachne ke liye ek counter field rakho (attempt = 2).

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

🧪 Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Post 150 words se chhota?

```
{"text":"Most businesses don't need AI. They need fewer copy-paste jobs."}
```

Mera jawab: _____

2. Approve hua?

```
{"data":{"approved":false}}
```

Mera jawab: _____

3. Post mein kitne hashtags?

```
{"text":"Great tips… #AI #n8n #automation"}
```

Mera jawab: _____

4. Sirf hook line (pehli line)

```
{"text":"Most businesses don't need AI.\nThey need fewer copy-paste jobs."}
```

Mera jawab: _____

5. Lamba title chhota karo

```
{"title":"Show HN: I automated my clinic"}
```

Mera jawab: _____

🎯 2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Brand voice ke liye best?

- (A) High temperature
- (B) Kuch nahi
- (C) Examples prompt mein
- (D) Bada model

Q2. Approval ke liye workflow kaise ruke?

- (A) Sort
- (B) Limit
- (C) IF
- (D) Wait (on webhook)

Q3. Recurring schedule?

- (A) Schedule Trigger
- (B) Manual
- (C) Form
- (D) Error Trigger

Q4. AI ko improve karne ke liye?

- (A) Nothing
- (B) Performance feedback loop
- (C) Delete posts
- (D) More emojis

📖 Aaj ke naye shabd

Workflow
Steps ki ek chain jo apne aap chalti hai — jaise recipe ke steps.

Trigger
Jo workflow ko START karta hai — jaise alarm, naya email, ya form submit.

Webhook
Ek URL jis par koi doosra app data bhejta hai aur aapka workflow turant chal padta hai.

Prompt
AI ko diya gaya instruction/sawaal.

Agent
AI jo khud decide karta hai kaunsa tool use karna hai — sirf baat nahi, kaam bhi karta hai.

Schedule
Fixed time par workflow chalana — roz, har ghante, har Monday.

Retainer
Har mahine fixed fees par client ka kaam/maintenance karna.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 23

Project Sprint 3: Finance & Operations Autopilot

"Back-office jo khud chalta hai."

☐ **Day 22 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → C
Examples prompt mein

Q2 → D
Wait (on webhook)

Q3 → A
Schedule Trigger

Q4 → B
Performance feedback loop

✅ Challenge ka solution

Approved? false → Set attempt=2 → Write Post (prompt mein "different angle, shorter") → Ask Approval. IF attempt=2 aur phir decline → stop.

🧪 Expression sheet ke jawab

1. `{{ $json.text.split(" ").length <= 150 }}` → **true**
2. `{{ $json.data.approved }}` → **false**
3. `{{ ($json.text.match(/#\w+/g) || []).length }}` → **3**
4. `{{ $json.text.split("\n")[0] }}` → **Most businesses don't need AI.**
5. `{{ $json.title.length > 60 ? $json.title.slice(0, 57) + "..." : $json.title }}` → **Show HN: I automated my clinic**

📚 Official docs

- Content templates ↗
- Slack node ↗
- Wait for approval ↗
- AI Agent ↗
- LinkedIn node ↗
- Content templates ↗

▶ Videos

- n8n ai content engine ↗
- n8n social media automation approval ↗

Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716

Day 22 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/22

+91 83838 91716
Call / WhatsApp — Adify Skills

DAY 23

Project Sprint 3: Finance & Operations Autopilot

"Back-office jo khud chalta hai."

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

Back-office (finance, HR, ops) mein sabse zyada repetitive kaam — aur sabse kam competition.

🎯 Aaj ke baad aap yeh kar paoge

01 Invoice intake & AI extraction
🌍 Daakiya bill laaya, padh ke diary mein.
⚙️ Gmail Trigger (has:attachment invoice) → AI extract → Sheet.

02 Approval chains & payment reminders
🌍 ₹10k tak bhaiya, upar papa.
⚙️ Switch amount → manager / CFO approval (Slack buttons).

03 Bank/payment reconciliation basics
🌍 Doodh wale ka hisaab milana.
⚙️ Bank statement rows vs invoices → match by amount+date → mismatch list.

04 HR onboarding automation
🌍 Naye bachche ka school mein pehla din.
⚙️ Form submit → Google account, Slack invite, welcome email, task list.

05 Management dashboards
🌍 Mahine ka report card.
⚙️ Schedule month-end → aggregate → chart → email PDF.

06 Client handover & maintenance SLA
🌍 Gaadi ki servicing contract.
⚙️ SLA: response time, monthly fee, kya cover hai, kya nahi.

⏱ Class ka plan (2 ghante)

15m	75m	20m	10m

0:00-0:15 Brief & Architecture
🪄 *Mummy ki diary mein har kharcha likha hota hai aur mahine ke end mein total. Robot yahi diary apne aap bharta hai.*

0:15-1:30 Build Sprint
🪄 *Marathon ek saath nahi daudte — har kilometer par paani peete hain. Har phase ek kilometer hai.*

1:30-1:50 Demo & Review
🪄 *Science fair — model dikhao, batao kaise chalta hai, sawaalon ka jawab do.*

1:50-2:00 Capstone brief
Capstone topics finalize
🪄 *Project ka agla page — ghar par likhna hai, kal sabko dikhana hai.*

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01

Approval chain

Amount ke hisaab se manager → finance → CEO.

🪄 **Analogy:** Leave application flow

CONCEPT 02

Reminders

Due date se pehle/baad automatic nudges.

🪄 **Analogy:** Kisi ka udhaar yaad dilana

CONCEPT 03

Reconciliation

Bank/payment entries ko invoices se match.

🪄 **Analogy:** Hisaab milana

CONCEPT 04

SLA & maintenance

Delivery ke baad support ka agreement.

🪄 **Analogy:** AMC (annual maintenance)

🔑 Aaj ka main idea

Finance/Ops autopilot = invoices, approvals, reminders, reconciliation aur reports ko jodna. Rule-based steps + AI extraction + human approval jahan paisa jaaye.

- Vendor invoice → manager approval → payment reminder
- Naye employee ka onboarding: email, Slack, docs
- Monthly P&L summary CEO ko

📖 Ek kahani se samjho: Ghar ka hisaab-kitaab robot

1 📨 **Bill aaye email mein** = Invoice intake

2 🔍 **Robot ne padha** = AI extraction

3 👨 **Papa ne approve kiya** = Approval chain

4 ⏰ **Due date se pehle yaad** = Payment reminders

5 📊 **Mahine ka report card** = P&L dashboard

🪄 Ek line mein: “Mummy ki diary mein har kharcha likha hota hai aur mahine ke end mein total. Robot yahi diary apne aap bharta hai.”

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 Approval chain

📖 **Kya hai:** Amount ke hisaab se approval ki seedhi: chhota kharcha auto-approve, bada manager approve kare, bahut bada CFO/owner. Jaise leave application ka flow.

⚙️ **Andar kaise:** IF (ek limit) ya Switch (kai limits: < 10k auto, 10k–1L manager, > 1L CFO) se raasta. Har approval Gmail/Slack "Send and Wait" se — approver ko email mein Approve/Reject button, execution wait karta hai. Approve/reject ke baad status (approved / rejected / auto-approved) Payables sheet mein, kaun aur kab ke saath.

✅ **Kab use karein**
Vendor invoices, employee reimbursements, purchase requests, discounts, refunds — jahan paisa jaata hai.

⛔ **Kab nahi**
Har ₹200 ke kharche par approval — log system ko bypass karne lagte hain. Auto-approve limit realistic rakho.

🧪 **Example:** ₹12,500 CloudHost invoice → > ₹10,000 → manager ko email "Approve invoice CH-8812 — ₹12500" → ✅ → Payables: approved.

⚠️ **Common galti:** Approval ka record na rakhna — audit mein "kisne approve kiya?" ka jawab nahi. Approver + time sheet mein likho.

🪄 **Amount → raasta → approver. Har faisla sheet mein.**

02 Reminders

📖 **Kya hai:** Due date se pehle aur baad apne aap yaad dilana — vendors ko payment, customers ko pending invoice, team ko kaam.

⚙️ **Andar kaise:** Roz subah Schedule → Sheet se rows jahan status = pending → Code/IF se due_date compare: 3 din baaki → friendly reminder, aaj → due today, overdue → firm reminder (aur 7 din baad owner ko escalate). Har reminder ki date sheet mein (last_reminded) taaki ek din mein do baar na jaaye.

✅ **Kab use karein**
Payables/receivables, subscription renewals, document expiry (GST filing, insurance), EMI.

⛔ **Kab nahi**
Roz reminder bhejna jab tak payment na aaye — customer irritate. 3 din pehle, due date, +3, +7 — bas.

🧪 **Example:** due_date 2026-12-15, aaj 12 Dec → "3 din mein due hai" email.

⚠️ **Common galti:** Date ko text ki tarah compare karna ("15/12/2026" > "02/01/2027" text mein TRUE!). Hamesha ISO (yyyy-MM-dd) ya Luxon DateTime se compare.

🪄 **Udhaar yaad dilana — pehle, din par, baad mein. ISO date se compare.**

03 Reconciliation

📖 **Kya hai:** Reconciliation = hisaab milana. Bank/Razorpay ki entries ko invoices/orders se match karna — kaunsa paid hai, kaunsa pending, kaunsi entry bina invoice ki.

⚙️ **Andar kaise:** Do lists: payments (amount, reference, date) aur invoices (invoice_no, amount, customer). Merge node (Combine → Matching Fields) common field se jodta hai — reference/invoice_no, ya amount + date. Match hue → "paid", sirf invoice mein → "pending", sirf payment mein → "unknown — check karo". Code node se fuzzy matching (amount ±1, date ±2 din).

✅ **Kab use karein**
Mahine ke end mein CA ke liye, ya roz agar orders zyada hain.

⛔ **Kab nahi**
Galat match par auto-action (jaise "paid" mark karke service chalu) — pehle 2-3 mahine human review.

🧪 **Example:** Razorpay settlement CSV + Payables sheet → Merge on invoice_no → 42 matched, 3 pending, 1 unknown.

⚠️ **Common galti:** Amount ko text vs number compare karna ("12500" ≠ 12500 strict mode mein). Dono taraf Number() karo.

🪄 **Hisaab milana = Merge on common field. Na mile to insaan dekhe.**

04 SLA & maintenance

📖 **Kya hai:** SLA (Service Level Agreement) — delivery ke baad aap kya support doge: response time, kitne changes free, uptime, monthly fee. Jaise AMC.

⚙️ **Andar kaise:** Typical: monthly maintenance ₹3,000-15,000 — error monitoring (Day 18), API/credential updates, chhote changes (2 ghante/mahina), monthly report. Response: critical 4 ghante, normal 24 ghante. Bade naye features = alag quote. Sab likhit mein, project ke saath.

✅ **Kab use karein**
Har project ke handover par. Automations ko maintenance chahiye — APIs badalti hain, tokens expire hote hain.

⛔ **Kab nahi**
"Lifetime free support" kabhi mat do — 6 mahine baad bhi raat 11 baje calls aayengi bina paise ke.

🧪 **Example:** Finance Autopilot: setup ₹35,000 + maintenance ₹5,000/month (monitoring, 2 hrs changes, monthly P&L check).

⚠️ **Common galti:** Maintenance ke bina deliver karna — 3 mahine baad Gmail token expire, workflow band, client sochta hai "automation kaam nahi karti".

🪄 **SLA = AMC. Response time + included hours + monthly fee — likhit.**

Aaj ka workflow: Finance Autopilot: Invoice Approval + Monthly P&L

Data left se right chalta hai. Har dabba ek n8n node hai.



📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

SMEs, startups (finance autopilot) — aam taur par **₹40,000 – ₹1,00,000**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1 ⚡ **Gmail Trigger**
Vendor invoice emails

2 ⚡ **Information Extractor**
Invoice fields

3 🔀 **Switch**
Amount < 10k auto, 10k–1L manager, > 1L CFO

4 💼 **Slack**
Approval request

5 ⚡ **Schedule Trigger**
Daily due-date reminders

6 📊 **Google Sheets**
Monthly P&L summary + email

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- [ ] Connect: **Gmail (Google OAuth)**
- [ ] Connect: **OpenAI API key**
- [ ] Connect: **Google Sheets (Google OAuth)**
- [ ] Sheet tabs: "Payables" (vendor, invoice_no, total, due_date, status) aur "Ledger" (date, type, category, amount)
- [ ] Manager / owner emails badlo

✅ Test kaise karein

1. ₹5,000 aur ₹25,000 ke do sample invoices email karo
2. Bade wale par approval email aana chahiye
3. P&L flow ko manually execute karke dekho

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 🔧 Vendor Invoice

Hosting vendor ka invoice email, PDF ke saath.

```
{
  "from": {
    "text": "CloudHost Billing <billing@cloudhost.in>"
  },
  "subject": "Invoice CH-8812",
  "[binary] attachment_0": {
    "fileName": "CH-8812.pdf",
    "mimeType": "application/pdf"
  }
}
```

2 📄 Extract

AI ne 4 fields nikaale.

```
{
  "output": {
    "vendor": "CloudHost Pvt Ltd",
    "invoice_no": "CH-8812",
    "due_date": "2026-12-15",
    "total": 12500
  }
}
```

3 🔧 Above 10k?

12500 > 10000 → manager approval.

```
{
  "true (1 item)": "CH-8812 · ₹12500",
  "false (0)": "—"
}
```

4 🔧 Manager Approval

Manager ne email mein ✅ Approve dabaya.

```
{
  "data": {
    "approved": true
  }
}
```

5 ✏️ Set Status

Extract se data + approval se status.

```
{
  "vendor": "CloudHost Pvt Ltd",
  "invoice_no": "CH-8812",
  "total": 12500,
  "due_date": "2026-12-15",
  "status": "approved"
}
```

6 🔧 Payables

Payables sheet mein row.

```
{
  "vendor": "CloudHost Pvt Ltd",
  "invoice_no": "CH-8812",
  "total": 12500,
  "due_date": "2026-12-15",
  "status": "approved"
}
```

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

IF — amount limit

₹10,000 se upar = manager approval.



Asli n8n: IF — amount limit

Setting	Kya karti hai	Aaj ki value	Kab badlein
Value	AI ne nikaala total	`{{ $json.output.total }}`	Number hona chahiye — extractor example mein number do
Operator	Number → is greater than	`10000`	Limit ko Sheet/config se lao — client khud badal sake
true → Manager Approval	Send and Wait	–	3+ levels ke liye Switch
false → Set Status	Seedha auto-approved	–	—

Gmail — Send and Wait

Manager ko email mein Approve/Reject buttons.



Asli n8n: Gmail — Send and Wait

Setting	Kya karti hai	Aaj ki value	Kab badlein
Operation	Send and Wait for Response	`sendAndWait`	—
To	Approver	`manager@yourcompany.com`	Amount ke hisaab se alag approver: expression
Subject	Saaf: kya aur kitna	`Approve invoice {{ … invoice_no }} – ₹{{ … total }}`	Subject mein amount = jaldi faisla
Approval Options	Approve + Disapprove	`double`	Output: data.approved
Options → Limit Wait Time	Kitne din tak	–	3 din baad reminder/escalate flow

✏️ Edit Fields — status

Teeno raaston (auto / approve / reject) ka ek status.



📸 Asli n8n: Edit Fields — status

Setting	Kya karti hai	Aaj ki value	Kab badlein
vendor, invoice_no, total, due_date	$("Extract") se — kyunki approval node ka output alag hai	`{{ $("Extract").item.json.output.vendor }}`	—
status	data hai? (approval se aaya) → approved/rejected, warna auto-approved	`{{ $json.data ? ($json.data.approved ? "approved" : "rejected") : "auto-approved" }}`	Ek expression, teen cases
total → Type	Number	`Number`	P&L mein jodna hai

👨‍💻 Code — monthly P&L

Ledger se pichhle mahine ka income, expense, profit, top expenses.



📸 Asli n8n: Code — monthly P&L

Setting	Kya karti hai	Aaj ki value	Kab badlein
key	Pichhla mahina "2026-11"	`m.setMonth(m.getMonth() - 1)`	Mahine ki 1 tareekh ko chalta hai
filter	Sirf us mahine ki rows	`String(r.date).startsWith(key)`	Date yyyy-MM-dd format mein honi chahiye
sum(type)	income / expense ka total	`reduce(… Number(r.amount))`	Number() — Sheet se text aa sakta hai
cats	Category-wise expense, top 5	`Object.entries(cats).sort(…).slice(0, 5)`	—
toLocaleString("en-IN")	₹4,50,000 format	–	Owner ko Indian format hi padhna aasaan

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😫 Pehle (manual)

Accountant ka roz ka data entry + follow-up — **240 min**

240 min

➜

⚡ Ab (n8n)

Exceptions check karna bas — **30 min**

30 min

⏱ Accountant ka ~85% time analysis par, entry par nahi.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo — 📋 Select karke copy karo

```
{{ $json.total < 10000 ? "auto" : $json.total <= 100000 ? "manager" : "cfo" }}
```

📦 Sample data — input se output tak

📥 Input — 📋 Select karke copy karo

```
{
  "vendor": "Cloud Hosting Co",
  "total": 45000,
  "due": "2026-12-10"
}
```

📤 Output — 📋 Select karke copy karo

```
{
  "route": "manager",
  "approved": true,
  "reminder": "2026-12-08"
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Build it with ChatGPT / Claude — 📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Do flows ek workflow mein: (1) vendor invoice → AI extraction → ₹10,000 se kam auto-approve, upar wala manager ko email par Approve/Reject → Payables sheet. (2) Har mahine ki 1 tareekh ko sheet se P&L summary email.

Flow: Gmail Trigger (Vendor invoice) → PDF + AI extract (Amount, vendor) → IF (₹10k se upar?) → Gmail send & wait (Manager approval) → Sheets + Monthly P&L (Payables + report)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 **Debug helper prompt** 📋 Select karke copy karo

```
I'm building the n8n workflow "Finance Autopilot: Invoice Approval + Monthly P&L" (nodes: Vendor Invoice, PDF Text, Extract, Extract Model, Above 10k?, Manager Approval, Set Status, Payables, 1st of Month, Read Ledger, P&L Summary, Email P&L).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ **Workflow JSON**
12 nodes · ready to import
`adifyskills.com/workflows/day-23-finance-ops-autopilot.json`

🌐 **Lesson page**
Copy buttons, quiz aur video links
`adifyskills.com/day/23`

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Gmail (Google OAuth)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "OpenAI API key" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Google Sheets (Google OAuth)" connect karo.
Time par apne aap nahi chala?	"Active" toggle on hai? Settings mein timezone Asia/Kolkata check karo.
AI node par 401 / 429 error?	401 = API key galat. 429 = credit khatam ya bahut jaldi requests. OpenAI billing page check karo.
"Sheet not found" / column khaali?	Sheet ID aur tab ka naam (capital/small bhi) check karo. Pehli row mein headers hone chahiye.

⚠️ Yeh galtiyan sabse common hain

- ! Approval history save na karna (audit trail)
- ! Timezone galat — reminder raat 3 baje
- ! Client handover mein credentials ownership clear na karna

⭐ Pro tips — time bachane wali tricks

- ★ Har approval ka who/when log
- ★ Client ke apne accounts par credentials — aapke nahi
- ★ Maintenance retainer proposal ready rakho

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

🏋 Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Ops autopilot: invoices → extraction → approval → reminders → monthly P&L summary.

📝 Homework

Capstone project proposal submit karo (problem, solution, architecture diagram).

- ☐ Homework ho gaya

BEGINNER
Due-date reminder ☐

INTERMEDIATE
Approval chain ☐

ADVANCED
Payment reconciliation with fuzzy matching ☐

🧩 Aaj ka challenge — pehle khud try karo

🎯 Due date se 3 din pehle vendor payment ka reminder finance team ko jaaye.

💡 Hint 1
Roz chalne wala ek alag flow chahiye jo Payables padhe.

💡 Hint 2
Schedule daily → Sheets read Payables → Filter due_date = aaj + 3 din → Gmail.

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Manager approval chahiye?

```
{"output":{"total":12500}}
```

Mera jawab: _____

2. Auto wale ka status

Input ki zaroorat nahi

Mera jawab: _____

3. 3-level approver

```
{"output":{"total":250000}}
```

Mera jawab: _____

4. Row pichhle mahine (Nov) ki hai?

```
{"date":"2026-11-18"}
```

Mera jawab: _____

5. Profit

```
{"income":450000,"expense":312500}
```

Mera jawab: _____

2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Amount ke hisaab se 3 raaste?

- (A) Limit
- (B) Switch
- (C) Merge
- (D) Sort

Q2. Daily reminders ka trigger?

- (A) Form
- (B) Chat
- (C) Schedule Trigger
- (D) Webhook

Q3. Audit ke liye kya save karein?

- (A) Kuch nahi
- (B) Sirf total
- (C) Emoji
- (D) Approval history

Q4. Delivery ke baad support agreement?

- (A) SLA / maintenance
- (B) SRS
- (C) API
- (D) SQL

📖 Aaj ke naye shabd

Trigger
Jo workflow ko START karta hai — jaise alarm, naya email, ya form submit.

Switch
Kai raaston mein se ek chunna — jaise traffic police kisi gaadi ko alag lane mein bhejta hai.

Schedule
Fixed time par workflow chalana — roz, har ghante, har Monday.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 24

Freelancing, Agency & Client Delivery

"Skill ko income mein badlo."

☐ **Day 23 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → B
Switch

Q2 → C
Schedule Trigger

Q3 → D
Approval history

Q4 → A
SLA / maintenance

✅ Challenge ka solution

Schedule (daily 10am) → Read Payables → Filter {{ $json.due_date }} equals {{ $now.plus({ days: 3 }).toFormat('yyyy-MM-dd') }} → Gmail reminder.

🧪 Expression sheet ke jawab

1. `{{ $json.output.total > 10000 }}` → **true**
2. `{{ $json.data ? ($json.data.approved ? "approved" : "rejected") : "auto-approved" }}` → **auto-approved**
3. `{{ $json.output.total > 100000 ? "CFO" : $json.output.total > 10000 ? "Manager" : "Auto" }}` → **CFO**
4. `{{ String($json.date).startsWith("2026-11") }}` → **true**
5. `{{ $json.income - $json.expense }}` → **137500**

📚 Official docs

- Finance templates ↗
- Extract from File ↗
- Schedule Trigger ↗
- Switch node ↗
- Information Extractor ↗

▶ Videos

- n8n invoice approval workflow ↗
- n8n finance automation ↗

Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716

Day 23 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/23

+91 83838 91716
Call / WhatsApp — Adify Skills

DAY 24

Freelancing, Agency & Client Delivery

"Skill ko income mein badlo."

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

Skill tab tak hobby hai jab tak usse paisa na aaye. Aaj student apna offer, gig aur outreach live karta hai.

🎯 Aaj ke baad aap yeh kar paoge

01 Niche selection & offer creation

🌍 Sab kuch bechne wali dukaan yaad nahi rehti, "best chai" yaad rehti hai.
⚙️ Niche: industry + problem, e.g. "clinics ke liye appointment automation".

02 Portfolio: case studies & demo videos

🌍 Dukaan par "1000+ happy customers" board.
⚙️ Case study: problem → workflow screenshot → result (hours/₹ saved) + 2 min Loom.

03 Upwork, Fiverr, LinkedIn & cold outreach

🌍 Mela mein awaaz lagana.
⚙️ LinkedIn post 3×/week, Upwork proposals, 20 cold DMs/day.

04 Pricing: per project, retainer, value-based

🌍 Chai ₹10, special ₹30, monthly pass.
⚙️ Project ₹15k–50k, retainer ₹10k/mahina, value = saved hours × rate.

05 Proposals, contracts & discovery calls

🌍 Shaadi se pehle rishta pakka.
⚙️ Discovery call → proposal (scope, timeline, price) → contract → 50% advance.

06 Selling n8n templates & productized services

🌍 Ek recipe kai baar bechna.
⚙️ n8n templates, Gumroad, productized "setup in 7 days" package.

⏱ Class ka plan (2 ghante)

10m	40m	40m	20m	10m

`0:00-0:10` **Recap**

🪄 Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.

`0:10-0:50` **Masterclass: Getting Clients**

🪄 Nimbu-paani bechne ke liye pehle batana padta hai tumhare paas nimbu-paani hai, kitne ka hai, aur kyun achha hai.

`0:50-1:30` **Workshop**

Apna offer + proposal + gig live banao

🪄 Marathon ek saath nahi daudte — har kilometer par paani peete hain. Har phase ek kilometer hai.

`1:30-1:50` **Mock Sales Call**

Pairs role-play

🪄 Nimbu-paani bechne wala pehle poochta hai — garmi lag rahi hai? Phir glass deta hai.

1:50-2:00 **Capstone check-in**

🪄 Project ka agla page — ghar par likhna hai, kal sabko dikhana hai.

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01

Niche + offer

"Main clinics ke liye AI receptionist banata hoon" > "Main automation karta hoon".

🪄 **Analogy:** Specialist doctor vs general

CONCEPT 02

Portfolio

Case study: problem → solution → result + Loom demo.

🪄 **Analogy:** Shop ka showroom

CONCEPT 03

Pricing

Setup fee + monthly retainer; value-based.

🪄 **Analogy:** Gym: joining fee + monthly

CONCEPT 04

Discovery call

Client ka pain samjho, solution baad mein.

🪄 **Analogy:** Doctor pehle symptoms poochta hai

🔑 Aaj ka main idea

Automation skill ko paise mein badalne ke liye: ek niche chuno, ek clear offer banao ("main X ke liye Y karta hoon, Z result"), proof dikhao, roz outreach karo, aur value ke hisaab se price lo.

- "Real estate agents ke liye lead follow-up automation"
- Fiverr gig: "WhatsApp order bot for D2C brands"
- Monthly retainer: maintenance + 2 naye workflows

📖 Ek kahani se samjho: Gully ki chai ki dukaan se brand tak

1 🎯 **Ek cheez mein best (chai)** = Niche

2 🖼️ **Board par photo + review** = Portfolio

3 📣 **Logon ko bulaya** = Outreach (LinkedIn/Upwork)

4 💰 **Sahi daam rakha** = Pricing

5 🤝 **Regular customer bane** = Retainer clients

🪄 Ek line mein: “Nimbu-paani bechne ke liye pehle batana padta hai tumhare paas nimbu-paani hai, kitne ka hai, aur kyun achha hai.”

Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 Niche + offer

📖 **Kya hai:** Niche = ek khaas tarah ke clients (clinics, coaching institutes, real estate). Offer = unki ek khaas problem ka pakka solution. "Main automation karta hoon" se zyada bikta hai "Main clinics ke liye AI receptionist banata hoon jo 24×7 appointments book kare".

⚙️ **Andar kaise:** Niche chunne se: marketing aasaan (pata hai kahan dhoondhna hai), case studies reuse, workflows template ban jaate hain (doosre client par 70% kaam ready), aur price zyada (specialist). Offer formula: [Kiske liye] + [kya result] + [kitne time mein] + [risk kam karne wala promise].

✅ **Kab use karein**
Course khatam hote hi. Pehle 2-3 projects kisi bhi niche mein theek, fir jahan maza aaya aur paisa mila wahan focus.

⛔ **Kab nahi**
Aisa niche jahan clients ke paas budget hi nahi ya automation ki zaroorat kam hai. Pehle 10 log se baat karke validate karo.

🧪 **Example:** "Dental clinics ke liye WhatsApp booking + reminder system, 7 din mein live, no-show 30% kam — warna 2nd month free."

⚠️ **Common galti:** Har kisi ko sab kuch bechna — portfolio bikhra hua, koi bharosa nahi karta ki aap expert ho.

🪄 **Specialist doctor > general. Kiske liye + result + time + guarantee.**

02 Portfolio

📖 **Kya hai:** Portfolio aapka showroom hai — 3-5 case studies jo dikhayein aapne kya banaya aur usse kya result aaya.

⚙️ **Andar kaise:** Har case study: Problem (client ka dard, number mein) → Solution (workflow screenshot + 3 line) → Result (hours bache, ₹ bache, leads badhe) → 2 minute ka Loom demo video. Asli client na ho to course ke builds (Day 11, 14, 21) ko apne niche ke hisaab se customise karke "demo project" ki tarah dikhao — honestly likho ki demo hai.

✅ **Kab use karein**
Abhi se — har din ka build portfolio ka raw material hai. Notion page / simple website / LinkedIn featured section.

⛔ **Kab nahi**
Fake client naam ya fake numbers — ek baar pakde gaye to reputation khatam.

🧪 **Example:** "Clinic AI Receptionist (demo): 24×7 WhatsApp booking → Google Calendar → reminders. Expected: 10 hrs/week staff time saved." + Loom link.

⚠️ **Common galti:** Portfolio mein sirf workflow screenshot — client ko nodes samajh nahi aate. Result aur demo video dikhao.

🪄 **Problem → solution → result + video. Imaandari se.**

03 Pricing

📖 **Kya hai:** Automation ki pricing do hisson mein: one-time setup fee + monthly retainer (maintenance/support). Value-based: client ka kitna time/paisa bachega, uska hissa.

⚙️ **Andar kaise:** ROI formula: hours saved/week × 4 × hourly cost. 12 ghante/hafta × 4 × ₹500 = ₹24,000/mahina bachat. Setup ₹30–40k = 2 mahine mein wasool — client ke liye easy "haan". Payment: 50% advance, 50% delivery par. Retainer ₹3k–15k/mahina (Day 23 ka SLA).

✅ **Kab use karein**
Har proposal mein ROI line daalo — price ki baat value ke baad.

⛔ **Kab nahi**
Ghante ke hisaab se (₹500/hr) charge karna — aap jitne tez/expert hote ho, utna kam kamaate ho. Project/value based rakho.

🧪 **Example:** Proposal: Setup ₹35,000 · Maintenance ₹5,000/month (optional) · ROI ₹24,000/month · Payback 1.5 mahine.

⚠️ **Common galti:** Pehle hi call mein price bol dena bina problem samjhe — ya bahut sasta (₹2,000) — client ko lagta hai kaam bhi sasta hoga.

🪄 **Joining fee + monthly. Pehle ROI, fir price. 50% advance.**

04 Discovery call

📖 **Kya hai:** Discovery call client ke saath pehli baat hai — 20–30 minute — jisme aap solution nahi bechte, uski problem gehraai se samajhte ho.

⚙️ **Andar kaise:** Sawaal: "Roz/hafte kaunsa kaam baar-baar hota hai?", "Usme kitna time lagta hai, kaun karta hai?", "Kaunse tools use karte ho?", "Agar yeh automatic ho jaaye to kya badlega?", "Budget aur timeline?". Call ke turant baad form bharo (aaj ka build) → AI proposal draft → aap review karke same din bhejo. Speed impress karti hai.

✅ **Kab use karein**
Har lead ke saath proposal se pehle. Free "automation audit" ke naam se offer karo.

⛔ **Kab nahi**
Discovery call mein free mein poora solution design karke de dena — client khud ya kisi sasté freelancer se banwa leta hai.

🧪 **Example:** Dr. Rao: "Reminders aur follow-ups haath se WhatsApp karte hain, 12 ghante/hafta" → budget ₹40k → form → proposal 10 minute mein.

⚠️ **Common galti:** Khud zyada bolna (n8n, nodes, AI) aur client ko kam sunna. 70% client bole, 30% aap.

🪄 **Doctor pehle symptoms poochta hai. Sawaal, suno, fir proposal.**

🗺️ Aaj ka workflow: AI Proposal Generator for Freelancers

Data left se right chalta hai. Har dabba ek n8n node hai.



📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Freelancers & agencies (proposal generator — khud bhi use karo!) — aam taur par **₹10,000 – ₹25,000**.
(Andaaza hai; client aur scope ke hisaab se badalta hai.)

🛠 Step-by-step build — n8n kholo aur saath chalo

1. ⚡ **n8n Form Trigger**
   Apna "Free automation audit" form
2. 🤖 **AI Agent**
   Lead ke business ke liye 3 automation ideas generate
3. 📁 **Google Docs**
   Mini proposal auto-create
4. 📧 **Gmail**
   Proposal + Calendly link bhejo
5. 📇 **HubSpot**
   Lead pipeline mein add

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- ☐ Connect: **OpenAI API key**
- ☐ Connect: **Gmail (Google OAuth)**
- ☐ Connect: **Google Sheets (Google OAuth)**
- ☐ "Deals" tab headers: client, email, budget, stage, date

✅ Test kaise karein

1. Form mein ek dummy client bharo
2. Gmail Drafts mein proposal padho — edit karke bhejo

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 ⚡ Discovery Form

Call ke turant baad bhara.


```
{
  "client_name": "Dr. Anjali Rao",
  "client_email": "anjali.rao@smileclinic.in",
  "business": "dental clinic, 2 branches",
  "problem": "Appointment reminders aur follow-ups receptionist haath se WhatsApp karti hai; no-shows zyada
hain",
  "hours_wasted_per_week": 12,
  "budget": 40000
}
```


2 🔧 Write Proposal

AI ne 7 hisson ka proposal likha — ROI ke saath.


```
{
  "text": "Hi Dr. Rao,\n\nUnderstanding: your team spends ~12 hours/week on manual WhatsApp reminders…
\n\nSolution:\n• New booking → WhatsApp confirmation\n• 24h + 2h reminders → …\n\nPrice: ₹35,000 setup +
₹5,000/month (optional)\nROI: ~₹24,000/month saved\nNext step: 50% advance to start."
}
```


3 📧 Gmail Draft

Draft ban gaya — aap padh kar Send karoge.


```
{
  "id": "r-59120034481233",
  "message": {
    "labelIds": [
      "DRAFT"
    ]
  }
}
```


4 🔧 Deals Sheet

Pipeline mein deal.


```
{
  "client": "Dr. Anjali Rao",
  "email": "anjali.rao@smileclinic.in",
  "budget": 40000,
  "stage": "proposal sent",
  "date": "2026-12-16"
}
```

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

n8n Form — discovery

Call ke baad 1 minute mein client details.



📸 Asli n8n: n8n Form — discovery

Setting	Kya karti hai	Aaj ki value	Kab badlein
Form Title	Form ka naam	`New proposal`	Sirf aapke use ke liye — link private rakho
problem	Field type Textarea	`textarea`	Client ke apne shabd likho — proposal mein wahi
hours_wasted_per_week, budget	Field type Number	`number`	ROI calculation ke liye number zaroori
business	Placeholder se hint	`e.g. dental clinic, 2 branches`	—

Basic LLM Chain — proposal

7 hisson wala proposal email.



📸 Asli n8n: Basic LLM Chain — proposal

Setting	Kya karti hai	Aaj ki value	Kab badlein
Prompt → Context	Client, business, problem, hours, budget	`{{ $json.client_name }} …`	—
Prompt → 7 sections	Understanding, solution bullets, deliverables, timeline, price, ROI, next step	—	Har proposal same structure = professional
Prompt → ROI rule	hours × ₹500/hour per month	`12 × 4 × 500 = ₹24,000`	Client ki industry ke hisaab se rate badlo
Prompt → Limits	max 250 words, no hype, within budget	—	Chhota proposal zyada padha jaata hai

🧠 OpenAI Model — quality

Proposal paisa laata hai — yahan behtar model.



📸 Asli n8n: OpenAI Model — quality

Setting	Kya karti hai	Aaj ki value	Kab badlein
Model	gpt-4o (mini nahi)	`gpt-4o`	Har proposal ka kharcha phir bhi kuch rupaye
Temperature	Thoda natural, par facts strict	`0.4-0.6`	—
Kab sasta model	Classification, extraction	`gpt-4o-mini`	Client-facing writing = better model

⚡ Google Sheets — manual mapping

Har proposal pipeline mein.



📸 Asli n8n: Google Sheets — manual mapping

Setting	Kya karti hai	Aaj ki value	Kab badlein
Mapping Column Mode	Map Each Column Manually	`defineBelow`	Data kai nodes se aa raha hai, isliye manual
client / email / budget	$("Discovery Form") se	`{{ $("Discovery Form").item.json.client_name }}`	Gmail Draft ka output alag hai
stage	Fixed	`proposal sent`	Baad mein: negotiation / won / lost
date	Aaj	`{{ $now.toFormat("yyyy-MM-dd") }}`	Follow-up reminder isi se (Day 23 idea)

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😫 Pehle (manual)

Bina offer ke random clients dhoondhna

➜

⚡ Ab (n8n)

Clear offer + case study + daily outreach

⏱ Clear niche wale freelancers ko jaldi aur zyada paisa milta hai.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo — 📋 Select karke copy karo

```
Hi {{name}}, aapki clinic ke Google reviews dekhe — 3 automations se no-shows ~30% kam ho sakte hain. 15 min call?
```

📦 Sample data — input se output tak

📥 Input 📋 Select karke copy karo

```
{
  "business": "Dental clinic, Pune",
  "pain": "Missed calls & no-shows"
}
```

📤 Output 📋 Select karke copy karo

```
{
  "ideas": [
    "AI call-back on missed calls",
    "WhatsApp reminders",
    "Review requests"
  ],
  "proposal": "doc link",
  "meeting": "invite sent"
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Proposal prompt (workflow ke andar) 📋 Select karke copy karo

```
You are a senior automation consultant writing a short, clear proposal email.
Client: {{client_name}} ({{business}})
Problem: {{problem}}
Hours wasted per week: {{hours}}
Budget: ₹{{budget}}

Write: 1) one-line understanding of the problem, 2) proposed n8n solution in 3-5 bullets (trigger → steps → result), 3) deliverables, 4) timeline (phases), 5) price: one-time setup + optional monthly maintenance, within budget, 6) ROI: hours saved × ₹500/hour per month, 7) next step: 50% advance to start. Simple English, max 250 words, no hype.
```

💬 Fiverr / Upwork gig prompt 📋 Select karke copy karo

```
Write a Fiverr gig for an n8n automation freelancer in India targeting {{niche}}.
Include: SEO title (max 80 chars), 3 packages (Basic/Standard/Premium) with deliverables, delivery days and INR + USD prices, a 150-word description with outcomes (hours saved), 5 FAQs, and 5 search tags.
```

💬 LinkedIn cold DM prompt 📋 Select karke copy karo

```
Write 3 short LinkedIn DMs (max 60 words each) to the owner of a {{business_type}}. Mention one specific repetitive task they likely do ({{task}}), offer a free 15-min automation audit, no links in first message, friendly and human.
```

💬 Build it with ChatGPT / Claude 📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Discovery call ke baad form bharo (client, business, problem, budget). AI ek professional proposal (scope, timeline, price, ROI) likhta hai, aapke Gmail mein draft ban jaata hai aur CRM sheet mein deal log ho jaati hai.

Flow: Form (Client details) → LLM Chain (Proposal likho) → Gmail (Draft (review karke bhejo)) → Google Sheets (Deals pipeline)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 **Debug helper prompt** 📋 Select karke copy karo

```
I'm building the n8n workflow "AI Proposal Generator for Freelancers" (nodes: Discovery Form, Write Proposal, Proposal Model, Gmail Draft, Deals Sheet).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ **Workflow JSON**
5 nodes · ready to import
`adifyskills.com/workflows/day-24-ai-proposal-generator.json`

🌐 **Lesson page**
Copy buttons, quiz aur video links
`adifyskills.com/day/24`

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "OpenAI API key" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Gmail (Google OAuth)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Google Sheets (Google OAuth)" connect karo.
Webhook/Form test par kuch nahi ho raha?	"Listen for test event" / Test URL use karo aur 2 minute ke andar request bhejo. Production URL sirf Active workflow par chalta hai.
AI node par 401 / 429 error?	401 = API key galat. 429 = credit khatam ya bahut jaldi requests. OpenAI billing page check karo.
"Sheet not found" / column khaali?	Sheet ID aur tab ka naam (capital/small bhi) check karo. Pehli row mein headers hone chahiye.

⚠️ Yeh galtiyan sabse common hain

- ! Sabke liye sab kuch offer karna
- ! Hourly pricing se shuru karke value under-sell
- ! Bina demo video ke outreach

⭐ Pro tips — time bachane wali tricks

- ★ Apni hi lead-gen automation banao — best case study
- ★ Upwork par niche keywords + Loom in proposal
- ★ Har client ko retainer offer karo

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

🏋️ Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Apna automation offer, Fiverr/Upwork gig aur LinkedIn profile live karna — class mein hi.

📝 Homework

10 personalized outreach messages bhejo + capstone final build.

- [ ] Homework ho gaya

BEGINNER
LinkedIn headline + about rewrite ☐

INTERMEDIATE
Fiverr/Upwork gig live ☐

ADVANCED
Apna lead-gen system for your agency ☐

🧩 Aaj ka challenge — pehle khud try karo

🎯 Proposal ke saath ek follow-up: 3 din baad jawab na aaye to reminder draft.

💡 Hint 1
Wait node + ek aur Gmail draft.

💡 Hint 2
Deals Sheet ke baad Wait 3 days → Gmail draft "Just checking in".

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

🧪 Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Mahine ki bachat (₹500/hr)

```
{"hours_wasted_per_week":12}
```

Mera jawab: _____

2. 50% advance

```
{"budget":40000}
```

Mera jawab: _____

3. Payback kitne mahine mein?

```
{"budget":40000,"hours_wasted_per_week":12}
```

Mera jawab: _____

4. Client ka surname

```
{"client_name":"Dr. Anjali Rao"}
```

Mera jawab: _____

5. Email subject

```
{"business":"dental clinic"}
```

Mera jawab: _____

🎯 2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Best offer kaisa?

- (A) Niche-specific
- (B) Sab kuch
- (C) Sabse sasta
- (D) Vague

Q2. Recurring income ka model?

- (A) Barter
- (B) Retainer
- (C) One-time only
- (D) Free

Q3. Discovery call ka focus?

- (A) Price
- (B) Discount
- (C) Client ka pain
- (D) Aapka tech stack

Q4. Portfolio mein sabse powerful?

- (A) Long resume
- (B) Logo
- (C) Certificates only
- (D) Demo video + result

📖 Aaj ke naye shabd

Trigger
Jo workflow ko START karta hai — jaise alarm, naya email, ya form submit.

Agent
AI jo khud decide karta hai kaunsa tool use karna hai — sirf baat nahi, kaam bhi karta hai.

Retainer
Har mahine fixed fees par client ka kaam/maintenance karna.

AdifySkills
DIGITAL MARKETING INSTITUTE
+91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 25

Capstone Demo Day & Graduation

"Aaj aap student nahi — Automation Expert ho."

☐ **Day 24 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → A
Niche-specific

Q2 → B
Retainer

Q3 → C
Client ka pain

Q4 → D
Demo video + result

✅ Challenge ka solution

Deals Sheet → Wait (3 days) → Gmail Draft: "Hi {{ client_name }}, proposal par koi sawaal ho to batayein — 15 min call?"

🧪 Expression sheet ke jawab

1. `{{ $json.hours_wasted_per_week * 4 * 500 }}` → **24000**
2. `{{ Math.round($json.budget * 0.5) }}` → **20000**
3. `{{ ($json.budget / ($json.hours_wasted_per_week * 4 * 500)).toFixed(1) }}` → **1.7**
4. `{{ $json.client_name.split(" ").slice(-1)[0] }}` → **Rao**
5. `{{ "Proposal: automation for " + $json.business }}` → **Proposal: automation for dental clinic**

📚 Official docs

- n8n Creator hub ↗
- n8n community ↗
- n8n Expert program ↗
- n8n Templates gallery ↗

▶ Videos

- how to get n8n automation clients ↗
- ai automation agency pricing ↗

Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716

Day 24 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/24

+91 83838 91716
Call / WhatsApp — Adify Skills

DAY 25

Capstone Demo Day & Graduation

"Aaj aap student nahi — Automation Expert ho."

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

Demo Day = confidence + portfolio + network. Student yahan se "Automation Expert" ban ke nikalta hai.

🎯 Aaj ke baad aap yeh kar paoge

01 Capstone presentations (5 min each)
🌍 Science fair presentation.
⚙️ Slide 1 problem, 2 architecture, 3 live run, 4 impact, 5 next steps.

02 Peer + mentor scoring
🌍 Judges ke marks.
⚙️ Rubric: kaam karta hai, error handling, clarity, business value.

03 Final assessment
🌍 Final exam.
⚙️ Quiz + ek naya mini-workflow 30 minute mein.

04 Certificate & badges
🌍 Medal aur certificate.
⚙️ Form submit → certificate PDF auto-generate → email (n8n se hi!).

05 Next 90-day roadmap
🌍 New year resolution list.
⚙️ 30 din: 2 clients outreach; 60: 1 retainer; 90: templates product.

06 Alumni network onboarding
🌍 School ke purane bachchon ka group.
⚙️ Alumni community, monthly build session, job/client leads.

⏱ Class ka plan (2 ghante)

90m | 15m | 15m

`0:00-1:30` **Demo Day**
Student capstone presentations
🪄 Science fair — model dikhao, batao kaise chalta hai, sawaalon ka jawab do.

`1:30-1:45` **Awards & Certificates**
Top 3 projects
🪄 Annual function — medal milta hai, aur agle saal ka plan bhi.

`1:45-2:00` **Graduation & Roadmap**
What next + alumni
🪄 Annual function — medal milta hai, aur agle saal ka plan bhi.

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01

Demo storytelling

Problem → before → live run → after → impact (time/₹).

🪄 **Analogy:** Movie trailer

CONCEPT 02

Architecture diagram

Ek slide jo poora system dikhaye.

🪄 **Analogy:** Naksha

CONCEPT 03

Peer review

Rubric ke hisaab se scoring.

🪄 **Analogy:** Judges panel

CONCEPT 04

90-day roadmap

Next steps: 3 clients / job / advanced AI.

🪄 **Analogy:** GPS route

🔑 Aaj ka main idea

Demo Day par 5 minute mein: problem kya tha, architecture kaisa hai, live run, aur business impact (time/₹ bacha). Yahi format clients ke saamne bhi kaam aata hai.

- Clinic appointment bot — 10 ghante/hafta bache
- D2C invoice autopilot — 0 manual entry
- AI support desk — 70% auto-resolve

📖 Ek kahani se samjho: Annual function ka stage

1 🎤 **Bachcha stage par aaya** = Capstone presentation

2 🖥️ **Live dikhaya** = Live demo run

3 🏆 **Judges ne marks diye** = Peer + mentor scoring

4 📜 **Certificate mila** = Graduation

5 🚀 **Agle saal ka plan** = 90-day roadmap

🪄 Ek line mein: “Science fair mein tum model dikhate ho aur batate ho kaise kaam karta hai. Aaj tumhara model ek automation hai.”

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 Demo storytelling

📖 **Kya hai:** Demo sirf workflow chalana nahi, ek kahani sunana hai: Problem → pehle kaise hota tha → live run → ab kaise hota hai → impact (time/₹).

⚙️ **Andar kaise:** 5 minute ka structure: 30 sec problem (asli insaan, asli dard), 30 sec "before" (kitne steps, kitna time), 2 min live run (trigger se result tak — screen par output dikhao), 1 min "after" + numbers (12 ghante/hafta bache), 1 min Q&A. Live demo fail ho sakta hai — backup recording (Loom) hamesha ready.

✅ **Kab use karein**
Demo Day, client pitch, LinkedIn video, interview.

⛔ **Kab nahi**
Har node ki settings explain karna — audience bore. Technical detail sirf poochne par.

🧪 **Example:** "Priya ki institute mein 200 students ko certificate banane mein 2 din lagte the. Dekhiye — form bhara… 5 second… email aa gaya. 2 din → 5 second."

⚠️ **Common galti:** Demo se pehle test na karna — credential expired, live mein error. Demo se 1 ghanta pehle poora run karo.

🪄 **Movie trailer: problem → before → live → after → impact.**

02 Architecture diagram

📖 **Kya hai:** Ek slide/picture jo poora system dikhaye — kaunse triggers, kaunse tools, data kahan jaata hai — bina n8n khole.

⚙️ **Andar kaise:** Left se right: Inputs (form, email, WhatsApp) → n8n (main workflow + sub-workflows + AI) → Outputs (Sheet, CRM, email, alerts). Neeche: error workflow, backups, monitoring. Excalidraw/Whimsical/n8n canvas ka saaf screenshot. Client aur interviewer dono ko 10 second mein samajh aana chahiye.

✅ **Kab use karein**
Har capstone, proposal aur handover document mein.

⛔ **Kab nahi**
Har node diagram mein — woh n8n canvas hi hai. Diagram = bada picture, 6–10 boxes.

🧪 **Example:** [Graduation Form] → [n8n: Build Certificate] → [Gmail] + [Alumni Sheet] · neeche [Error Workflow → Telegram].

⚠️ **Common galti:** Diagram mein error handling aur monitoring na dikhana — production-ready nahi lagta.

🪄 **Naksha: inputs → n8n → outputs + safety net.**

03 Peer review

📖 **Kya hai:** Doosre students aur mentors ek rubric (scorecard) se aapke capstone ko score karte hain — aur aap unka.

⚙️ **Andar kaise:** Rubric: Problem clarity (2), Working demo (3), Data handling/edge cases (2), Error handling (1), Documentation/diagram (1), Presentation (1) = 10. Review karte waqt: ek cheez achhi, ek sudhaarne layak, ek sawaal. Dusron ke workflow padhna = sabse tez seekhna.

✅ **Kab use karein**
Demo Day par, aur baad mein har project ke liye ek dost se review.

⛔ **Kab nahi**
Sirf "achha hai 👍" — kisi kaam ka nahi. Specific feedback do.

🧪 **Example:** "Achha: AI escalation saaf hai. Sudhaar: khaali email field par crash hoga. Sawaal: 100 students ek saath bharein to?"

⚠️ **Common galti:** Feedback ko personal le lena. Rubric kaam ko score karta hai, aapko nahi.

🪄 **Judges panel: rubric + ek achha, ek sudhaar, ek sawaal.**

04 90-day roadmap

📖 **Kya hai:** Course ke baad ke 90 din ka plan — teen raaste mein se ek chuno: freelancing (3 paying clients), job (automation/AI ops role), ya advanced AI specialization.

⚙️ **Andar kaise:** Freelance: hafte 1–2 niche + portfolio (3 demos), 3–8 roz 10 outreach (LinkedIn/WhatsApp), 9–12 pehle 2–3 clients deliver + case study. Job: portfolio + LinkedIn posts (Day 22 engine khud par!) + 5 applications/hafta. Har hafte ek naya workflow publish (n8n community/LinkedIn). Har hafte ka ek number track karo.

✅ **Kab use karein**
Aaj hi likho — Demo Day ke din. Mentor/batch ke saath share karo taaki accountability rahe.

⛔ **Kab nahi**
Teeno raaste ek saath — focus bikhar jaata hai. Ek chuno, 90 din baad review.

🧪 **Example:** Week 1: niche = coaching institutes · Week 2: 3 demos · Week 3–8: 300 outreach → 15 calls → 3 clients.

⚠️ **Common galti:** Course ke baad "thoda aur seekh loon" mein 3 mahine nikal dena. Seekhna client ke project par hota hai — shuru karo.

🪄 **GPS route: ek raasta, weekly number, 90 din.**

🗺️ Aaj ka workflow: Graduation Certificate Generator

Data left se right chalta hai. Har dabba ek n8n node hai.



📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Coaching institutes, event organisers (certificate automation) — aam taur par **₹8,000 – ₹20,000**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1. ⚡ **Manual Trigger**
   Capstone live run
2. 🤖 **AI Agent**
   Aapka capstone ka core logic
3. 📊 **Google Sheets**
   Results / metrics
4. 💼 **Slack**
   Demo notification to mentors

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- [ ] Connect: **Gmail (Google OAuth)**
- [ ] Connect: **Google Sheets (Google OAuth)**
- [ ] "Alumni" tab headers: name, email, capstone, certificate_id, date
- [ ] Code node mein course naam / colors apne brand ke hisaab se badlo

✅ Test kaise karein

1. Form ka Test URL kholo, apna naam daalo
2. Email mein certificate dekho

Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 ⚡ Graduation Form

Student ne form bhara.


```
{
  "name": "Priya Sharma",
  "email": "priya.sharma@gmail.com",
  "capstone_title": "AI Receptionist for Clinics",
  "linkedin_url": "https://linkedin.com/in/priyasharma",
  "submittedAt": "2026-12-20T18:30:00.000+05:30"
}
```


2 🔀 Build Certificate

Unique ID, Indian date aur HTML ready.


```
{
  "name": "Priya Sharma",
  "email": "priya.sharma@gmail.com",
  "capstone_title": "AI Receptionist for Clinics",
  "certificate_id": "N8N-2026-K7Q2ZP",
  "date": "20 December 2026",
  "html": "<div style=\"max-width:640px;margin:auto;padding:40px;border:8px double #ff6d5a;…\">…</div>"
}
```


3 📧 Email Certificate

Certificate email chala gaya 🎉


```
{
  "id": "18cd44e5f6a7b8c9",
  "labelIds": [
    "SENT"
  ]
}
```


4 🔧 Alumni Sheet

Alumni list mein entry.


```
{
  "name": "Priya Sharma",
  "email": "priya.sharma@gmail.com",
  "capstone": "AI Receptionist for Clinics",
  "certificate_id": "N8N-2026-K7Q2ZP",
  "date": "20 December 2026"
}
```

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

n8n Form — graduation

Student khud certificate claim kare.



📸 Asli n8n: n8n Form — graduation

Setting	Kya karti hai	Aaj ki value	Kab badlein
Form Title	Emoji ke saath	`🎓 Claim your certificate`	—
name / email / capstone_title	Required fields	`requiredField: true`	Naam certificate par jaayega — spelling check ka note do
linkedin_url	Optional	–	Alumni network ke liye
Production URL	Workflow Active karke link share	`…/form/…`	Demo Day par QR/link screen par

Code — certificate HTML

Unique ID + date + sundar HTML.



📸 Asli n8n: Code — certificate HTML

Setting	Kya karti hai	Aaj ki value	Kab badlein
id	N8N-<saal>-<6 random letters>	`Math.random().toString(36).slice(2, 8).toUpperCase()`	Verification ke liye Alumni sheet mein bhi
date	Indian format	`toLocaleDateString("en-IN", { day, month: "long", year })`	20 December 2026
html	Inline styles — email-safe	`border double, Georgia font, brand colors`	Colors apne brand ke (purple/green) kar sakte ho
return { …s, certificate_id, date, html }	Form data + naye fields	–	—

📧 Gmail — HTML certificate

Certificate seedha inbox mein.



📸 Asli n8n: Gmail — HTML certificate

Setting	Kya karti hai	Aaj ki value	Kab badlein
Email Type	HTML	`html`	—
Subject	Naam ke saath	`🎓 Congratulations {{ $json.name }} — your certificate`	Personal subject = zyada open
Message	Certificate HTML + share line	`{{ $json.html }} <p>LinkedIn par share karo…</p>`	Upgrade: Convert to File/PDF API se PDF attachment

📊 Google Sheets — alumni

Saare graduates ek list mein, certificate ID ke saath.



📸 Asli n8n: Google Sheets — alumni

Setting	Kya karti hai	Aaj ki value	Kab badlein
Mapping	Map Each Column Manually	`defineBelow`	—
Values	$("Build Certificate") se	`{{ $("Build Certificate").item.json.certificate_id }}`	Gmail output mein form data nahi hota
Columns	name, email, capstone, certificate_id, date	—	Verification page isi sheet se bana sakte ho

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😫 Pehle (manual)

Day 1: "automation kya hota hai?"

➜

⚡ Ab (n8n)

Day 25: client-ready capstone + offer

⏱ 25 din mein beginner se paid freelancer tak.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo 📋 Select karke copy karo

```
5-min demo: 1 min problem · 1 min architecture · 2 min live run · 1 min impact
```

📦 Sample data — input se output tak

📥 Input 📋 Select karke copy karo

```
{
  "capstone": "AI receptionist for clinics"
}
```

📤 Output 📋 Select karke copy karo

```
{
  "score": "92/100",
  "award": "Top Automator 🏆"
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Capstone pitch prompt

📋 Select karke copy karo

```
Help me write a 5-minute Demo Day script for my n8n capstone.
Project: {{title}}
Problem: {{problem}}
Workflow: {{trigger → steps → output}}
Result: {{hours/₹ saved}}
Structure: 30s hook, 1 min problem, 2 min live demo talking points, 1 min impact with numbers, 30s next steps. Simple English.
```

💬 90-day roadmap prompt

📋 Select karke copy karo

```
I just finished a 25-day n8n automation course. My skills: {{skills}}. My goal: {{freelance/job/own agency}}. Hours per week: {{hours}}.
Make a 90-day plan with weekly goals: portfolio projects, outreach numbers, learning topics, and income targets. Keep it realistic for India.
```

💬 Build it with ChatGPT / Claude

📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Graduation ka automation khud n8n se! Student form bharta hai (naam, email, capstone) → ek sundar HTML certificate banta hai → email par jaata hai → alumni sheet mein entry. Demo Day ke din live chalao.

Flow: Form (Student details) → Code (Certificate HTML + ID) → Gmail (Certificate email) → Google Sheets (Alumni list)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 **Debug helper prompt** 📋 Select karke copy karo

```
I'm building the n8n workflow "Graduation Certificate Generator" (nodes: Graduation Form, Build
Certificate, Email Certificate, Alumni Sheet).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ **Workflow JSON**
4 nodes · ready to import
`adifyskills.com/workflows/day-25-certificate-generator.json`

🌐 **Lesson page**
Copy buttons, quiz aur video links
`adifyskills.com/day/25`

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Gmail (Google OAuth)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Google Sheets (Google OAuth)" connect karo.
Webhook/Form test par kuch nahi ho raha?	"Listen for test event" / Test URL use karo aur 2 minute ke andar request bhejo. Production URL sirf Active workflow par chalta hai.
"Sheet not found" / column khaali?	Sheet ID aur tab ka naam (capital/small bhi) check karo. Pehli row mein headers hone chahiye.

⚠️ Yeh galtiyan sabse common hain

- ! Live demo bina backup recording
- ! Sirf tech dikhana, business impact nahi
- ! Time over karna

⭐ Pro tips — time bachane wali tricks

- ★ Backup Loom video hamesha ready
- ★ Numbers bolo: "30 hrs/week bachaye"
- ★ LinkedIn post same din — visibility

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

🏋️ Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Apna capstone live demo karo — problem, architecture, live run, business impact.

📝 Homework

Capstone ko portfolio + LinkedIn par publish karo. Welcome to the alumni club! 🎓

- [ ] Homework ho gaya

BEGINNER
Capstone ka LinkedIn post

INTERMEDIATE
Case study page

ADVANCED
Capstone ko n8n template ki tarah publish

🧩 Aaj ka challenge — pehle khud try karo

🎯 Certificate email ke saath LinkedIn share link bhi bhejo jo course page kholta ho.

💡 Hint 1
LinkedIn share URL ka format: https://www.linkedin.com/sharing/share-offsite/?url=...

💡 Hint 2
URL ko encode karna padta hai: encodeURIComponent()

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Certificate par naam CAPITAL

```
{"name":"Priya Sharma"}
```

Mera jawab: _____

2. Indian date format

Input ki zaroorat nahi

Mera jawab: _____

3. LinkedIn diya hai?

```
{"linkedin_url":""}
```

Mera jawab: _____

4. Certificate ID sahi format?

```
{"certificate_id":"N8N-2026-K7Q2ZP"}
```

Mera jawab: _____

5. Capstone title kitna lamba?

```
{"capstone_title":"AI Receptionist for Clinics"}
```

Mera jawab: _____

2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Demo ka sabse important part?

- (A) Font
- (B) Node colors
- (C) Long intro
- (D) Business impact

Q2. Live demo fail ho jaaye to?

- (A) Backup recording
- (B) Rona
- (C) Skip
- (D) Restart PC

Q3. Capstone rubric mein highest weight?

- (A) Length
- (B) Working live demo
- (C) Logo
- (D) Colors

Q4. Course ke baad?

- (A) Sab bhool jao
- (B) Sirf certificate
- (C) 90-day roadmap follow
- (D) Kuch nahi

📖 Aaj ke naye shabd

Trigger
Jo workflow ko START karta hai — jaise alarm, naya email, ya form submit.

Agent
AI jo khud decide karta hai kaunsa tool use karna hai — sirf baat nahi, kaam bhi karta hai.

AdifySkills
DIGITAL MARKETING INSTITUTE
+91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

🎓 Aakhri din!

Course complete

Agle page par aapka certificate hai — apna naam likho aur share karo.

☐ **Day 25 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → D
Business impact

Q2 → A
Backup recording

Q3 → B
Working live demo

Q4 → C
90-day roadmap follow

✅ Challenge ka solution

Build Certificate mein: const share = 'https://www.linkedin.com/sharing/share-offsite/?url=' + encodeURIComponent('https://yourdomain.com'); email mein button ki tarah lagao.

🧪 Expression sheet ke jawab

1. `{{ $json.name.toUpperCase() }}` → **PRIYA SHARMA**
2. `{{ new Date("2026-12-20").toLocaleDateString("en-IN", { day: "numeric", month: "long", year: "numeric" }) }}` → **20 December 2026**
3. `{{ $json.linkedin_url ? "✅" : "LinkedIn add karo" }}` → **LinkedIn add karo**
4. `{{ $json.certificate_id.startsWith("N8N-2026-") }}` → **true**
5. `{{ $json.capstone_title.length }}` → **27**

📚 Official docs

- n8n changelog ↗
- Workflow templates ↗
- n8n YouTube ↗
- Submit a template ↗
- Level Two course ↗

▶ Videos

- n8n workflow demo presentation ↗
- n8n advanced ai agents ↗

Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716

Day 25 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/25

+91 83838 91716
Call / WhatsApp — Adify Skills

AdifySkills

DIGITAL MARKETING INSTITUTE

N8N AUTOMATION MASTERY

Certificate of Completion

Yeh certify kiya jaata hai ki

ne **25 din** ka **n8n Automation Mastery** course poora kiya — workflows, APIs, AI agents aur real client projects ke saath.

Date

Mentor