AdifySkills

n8n Automation Mastery
+91 83838 91716

📘 CLASS NOTES

🧩 Module 2 · Core Nodes & Data Mastery

DAY 04 of 25

Expressions & Data Transformation

"{{ }} — n8n ki asli superpower."

⚡ AAJ HUM YEH BANAYENGE

Messy Lead List Cleaner

Gande data ko saaf karta hai: naam proper case mein, phone +91 format mein, aur galat emails alag. Saaf leads ek tab mein, galat wale "Review" tab mein.

Edit Fields | Date & Time | Expressions

Naam: _____ Class date: _____

2 ghante ki live class · 7:00 PM – 9:00 PM IST

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

Expressions se workflow "smart" banta hai — har item ke data ke hisaab se alag message, alag date, alag value.

🎯 Aaj ke baad aap yeh kar paoge

01 Expression editor & $json, $input, $node

🌍 Form ka "Naam" box — har form mein alag value.
⚙️ {{ $json.email }} → current item ka email.

02 Referencing previous nodes: $("Node").item

🌍 Pichhle page par wapas jaake dekhna kisne bheja tha.
⚙️ {{ $("Webhook").item.json.body.phone }}

03 String, number, array & date functions

🌍 Calculator: plus, minus, uppercase, ginti.
⚙️ {{ $json.price * 1.18 }}, {{ $json.tags.join(", ") }}, {{ $json.name.toUpperCase() }}

04 Luxon for dates ($now, $today, formats, timezones)

🌍 Calendar mein "aaj se 7 din baad" dekhna.
⚙️ {{ $now.plus({days: 7}).toFormat("dd LLL yyyy") }} → "08 Dec 2026"

05 Edit Fields (Set) node — mapping & renaming

🌍 Form ke columns ka naam badalna: "Mob No" → "phone".
⚙️ Edit Fields: phone = {{ $json["Mob No"] }}, source = "website"

06 Drag-and-drop mapping best practices

🌍 Puzzle piece ko sahi jagah drag karna.
⚙️ Input panel se field ko parameter box mein drag → expression khud ban jaata hai.

⏱ Class ka plan (2 ghante)

10m	35m	45m	20m	10m

0:00-0:10 Recap + Quiz results

🪄 Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.

0:10-0:45 Concept: Expressions

20 must-know expressions

🪄 Mad-libs game jaisa — sentence mein khaali jagah hai, har baar alag word bharo, alag sentence ban jaata hai.

0:45-1:30 Live Build

Lead data cleaner — name/phone/email normalize

🪄 Aaj ki kahani yaad hai — 'Shaadi ke card par naam bharna'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.

1:30-1:50 Expression Gym

10 rapid challenges

🪄 Practice match — jitna yahan girenge, utna asli match mein kam girenge.

1:50-2:00 Q&A + Homework

🪄 Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01

{{ }} Expression

Double curly braces ke andar JavaScript chalti hai.

🪄 **Analogy:** Mail-merge ke placeholders

CONCEPT 02

$json

Current item ka data. $json.email = is item ka email.

🪄 **Analogy:** "Yeh wala form"

CONCEPT 03

$("Node Name")

Kisi bhi pichhle node ka data access.

🪄 **Analogy:** Pichhle page par wapas dekhna

CONCEPT 04

Luxon ($now, $today)

Dates ke liye: $now.plus({days:3}).toFormat("dd LLL")

🪄 **Analogy:** Calendar calculator

🔑 Aaj ka main idea

Expression {{ }} ek "khaali jagah" hai jo har item ke data se bhar jaati hai. $json = current item, $("Node") = kisi pichhle node ka data, $now = abhi ka time. Isse ek hi workflow har customer ke liye alag message bana deta hai.

- Bank SMS: "Dear {{name}}, ₹{{amount}} debited"
- School report card: "{{student}} ne {{marks}} laaye"
- Birthday wish: "Happy birthday {{name}}, aaj aap {{age}} saal ke ho gaye!"

📖 Ek kahani se samjho: Shaadi ke card par naam bharna

1 💌 **Ek hi card design** = Template (message)

2 ✍️ **Har card par alag naam** = {{ $json.name }}

3 📅 **Date likhna** = {{ $now.toFormat() }}

4 🔠 **Naam ka spelling theek** = .toTitleCase()

5 📮 **100 card ready** = 100 personalised items

🪄 Ek line mein: “Mad-libs game jaisa — sentence mein khaali jagah hai, har baar alag word bharo, alag sentence ban jaata hai.”

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 {{ }} Expression

📖 **Kya hai:** Expression ek chhota sa formula hai jo n8n field ki value ko har item ke hisaab se badal deta hai. {{ aur }} ke beech jo likhte ho, woh JavaScript ki tarah chalta hai aur uska jawab us field mein chala jaata hai.

⚙️ **Andar kaise:** Har field ke upar "Fixed / Expression" ka switch hota hai. Expression mode mein n8n har item ke liye {{ }} ke andar ka code alag se chalata hai. 4 items aaye to formula 4 baar chalega aur 4 alag jawab banenge. Neeche "Result" mein live preview dikhta hai — wahi asli jawab hai jo node bhejega.

✅ **Kab use karein**
Jab value har baar badalni chahiye: customer ka naam, aaj ki date, total amount, kisi pichhle node ka data.

⛔ **Kab nahi**
Jo value kabhi nahi badalti (jaise apna email address ya sheet ka naam), usko Fixed hi rakho. Bina wajah expression lagane se padhna mushkil hota hai.

🧪 **Example:** Clean Fields mein phone field: {{ "+91" + $json.phone.replace(/\D/g, "").slice(-10) }} → "98765-43210" ban gaya "+919876543210".

⚠️ **Common galti:** Expression mode on kiye bina {{ $json.name }} likh dena. Tab n8n usko normal text samajhta hai aur email mein literally "{{ $json.name }}" chala jaata hai. Field ka border/label dekho — Expression mode mein woh alag rang ka hota hai.

🪄 **{{ }} = har item ke liye chalne wala formula. Result preview hamesha dekho.**

02 $json

📖 **Kya hai:** $json ka matlab hai "jo item abhi process ho raha hai, uska data". Pichhle node se jo fields aaye, woh sab $json.fieldName se milte hain.

⚙️ **Andar kaise:** Node jab 4 items par chalta hai, to pehli baar $json = pehla item, doosri baar = doosra item, aur aage aise hi. Isliye ek hi formula sabke liye sahi kaam karta hai. Nested data ke liye dot lagate jao: $json.customer.city. Field ke naam mein space ho to brackets: $json["First Name"].

✅ **Kab use karein**
Lagbhag har expression mein — 90% kaam sirf $json se ho jaata hai.

⛔ **Kab nahi**
Jab data seedha pichhle node ka nahi, kisi aur purane node ka chahiye — tab $("Node Name") use karo (agla concept).

🧪 **Example:** Input panel se "email" field ko drag karke Value box mein chhodo — n8n khud {{ $json.email }} likh deta hai.

⚠️ **Common galti:** Field khaali (null) ho aur uspar .toLowerCase() lagao to error aata hai: "Cannot read properties of undefined". Fix: {{ ($json.email ?? "").toLowerCase() }} ya optional chaining $json.email?.toLowerCase().

🪄 **$json = abhi wala item. Khaali field ke liye ?? "default".**

03 $("Node Name")

📖 **Kya hai:** Isse aap workflow ke kisi bhi pichhle node ka data utha sakte ho, sirf just-pehle wale ka nahi. Jaise purane page par wapas jaakar kuch dekh lena.

⚙️ **Andar kaise:** $("Sample Messy Leads").item.json.name likhne par n8n "paired item" ka use karta hai — woh yaad rakhta hai ki yeh item kis purane item se bana tha, aur usi ka data deta hai. .first() pehla item deta hai, .all() saare items, .item matching item.

✅ **Kab use karein**
Beech ke node ne data badal diya ya hata diya, aur aapko original value chahiye. Jaise IF ke baad Sheet mein clean naam ke saath original naam bhi save karna.

⛔ **Kab nahi**
Har jagah $("...") mat lagao. Jab pichhle node mein hi data hai to $json seedha aur tez hai.

🧪 **Example:** Practice: Save for Review se pehle ek Edit Fields lagao aur likho {{ $("Sample Messy Leads").item.json.email }} → asli galat email "neha@@gmail.com" save hogi, taaki team dekh sake kya galat tha.

⚠️ **Common galti:** Node ka naam badal diya ("Clean Fields" → "Cleaner") — purane expressions jo $("Clean Fields") use karte the, sab toot gaye. n8n naya naam khud update karta hai jab rename editor se karo, par copy-paste kiye workflows mein dhyan rakho.

🪄 **$("Naam").item.json = kisi bhi purane node ka matching data.**

04 Luxon ($now, $today)

📖 **Kya hai:** Dates ke liye n8n mein Luxon library built-in hai. $now = abhi ka date-time, $today = aaj raat 12 baje. Inpar plus, minus aur format ke functions lagte hain.

⚙️ **Andar kaise:** $now ek DateTime object hai, text nahi. .plus({ days: 3 }) 3 din aage le jaata hai, .minus({ hours: 2 }) peeche. .toFormat("dd LLL yyyy") usse text banata hai: dd = din, LLL = mahine ka chhota naam, yyyy = saal, HH:mm = 24-ghante ka time. Text date ko DateTime banana ho to DateTime.fromISO("2026-12-01") ya "2026-12-01".toDateTime().

✅ **Kab use karein**
Follow-up dates, "kal ki report", invoice date, due date, "pichhle 7 din ka data", subject line mein aaj ki date.

⛔ **Kab nahi**
Server/workflow ka timezone galat ho to har date galat aayegi. Pehle Settings → Timezone = Asia/Kolkata check karo.

🧪 **Example:** {{ $now.plus({ days: 3 }).toFormat("dd LLL yyyy") }} → "04 Dec 2026" (agar aaj 01 Dec hai).


⚠️ **Common galti:** mm (minute) aur MM (month) mix kar dena. "dd-mm-yyyy" likha to month ki jagah minute aayega! Month ke liye hamesha MM ya LLL.

🪄 **$now = abhi. plus/minus = date hilao. toFormat = sundar text. MM = month, mm = minute.**

🗺️ Aaj ka workflow: Messy Lead List Cleaner

Data left se right chalta hai. Har dabba ek n8n node hai.





📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Agencies, telecallers (lead list cleaning) — aam taur par **₹3,000 – ₹10,000 per project**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1 ⚡ **Manual Trigger**
Test

2 👨‍💻 **Code**
Sample messy leads (5 items) generate

3 ✏️ **Edit Fields (Set)**
name → toLowerCase().toTitleCase(), phone → +91 format, email → lowercase trim

4 🔀 **IF**
Email valid hai? {{ $json.email.isEmail() }}

5 📊 **Google Sheets**
Valid → "Clean Leads", invalid → "Review" sheet

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- ☐ Connect: **Google Sheets (Google OAuth)**
- ☐ Sheet mein 2 tabs banao: "Clean Leads" aur "Review" (headers: name, phone, email, email_valid)

✅ Test kaise karein

1. "Test workflow" dabao
2. "Clean Fields" ka output dekho — before/after compare karo
3. IF ke true/false dono branches mein kitne items gaye?

🚚 Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 ⚡ Run Manually

"Execute workflow" dabane par 1 khaali item nikla — bas shuru karne ka signal.

```
{}
```

2 🔧 Sample Messy Leads

4 gande leads aaye (4 items). Spaces, ulta case, phone mein dash/space, galat emails.

```
{
  "name": "  rahul SHARMA ",
  "phone": "98765-43210",
  "email": "Rahul@Gmail.com ",
  "…": "(+3 aur items)"
}
```

3 🔧 Clean Fields

Har item par expressions chale. Include Other Fields OFF hai, isliye sirf yeh 4 fields bache. Type Boolean hone se email_valid asli true/false hai.

```
{
  "name": "Rahul Sharma",
  "phone": "+919876543210",
  "email": "rahul@gmail.com",
  "email_valid": true,
  "…": "(+3 aur items)"
}
```

4 📧 Email Valid?

IF ne 4 items ko baanta: true branch mein 2 (Rahul, Amit), false branch mein 2 (priya.verma@yahoo — .com missing; neha@@gmail.com — do @).

```
{
  "true (2 items)": [
    "rahul@gmail.com",
    "amit.k@outlook.com"
  ],
  "false (2 items)": [
    "priya.verma@yahoo",
    "neha@@gmail.com"
  ]
}
```

5 🔧 Save Clean Leads

Sheet ke "Clean Leads" tab mein 2 nayi rows judi. Wahi data wapas output mein aata hai.

```
{
  "name": "Rahul Sharma",
  "phone": "+919876543210",
  "email": "rahul@gmail.com",
  "email_valid": true,
  "…": "(+1 aur item)"
}
```


AdifySkills
DIGITAL MARKETING INSTITUTE
+91 83838 91716

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

Edit Fields (Set) — expressions

Aaj ka main node: har field ko expression se saaf kiya.




📸 Asli n8n: Edit Fields (Set) — expressions

Setting	Kya karti hai	Aaj ki value	Kab badlein
Mode	Manual Mapping	`Manual Mapping`	Har field alag row mein — padhna aasaan
name → Value	Spaces hatao, sab small, fir har shabd ka pehla letter capital	`{{ $json.name.trim().toLowerCase().toTitleCase() }}`	Sirf toTitleCase() "SHARMA" ko nahi badalta — pehle toLowerCase() zaroori
phone → Value	Sirf digits rakho, last 10 lo, aage +91	`{{ "+91" + $json.phone.replace(/\D/g, "").slice(-10) }}`	\D = jo digit nahi hai; /g = saare
email → Value	Spaces hatao + small letters	`{{ $json.email.trim().toLowerCase() }}`	Duplicate check ke liye email hamesha lowercase
email_valid → Type	Boolean (true/false), String nahi	`Boolean`	Type String rakha to IF mein "true" text aayega, true nahi
Include Other Input Fields	Purane fields saath bhejo?	`Off`	Off = sirf yeh 4 saaf fields aage jaayenge

IF

Ek sawaal poochta hai aur items ko 2 raaston mein baant deta hai: true / false.




📸 Asli n8n: IF

Setting	Kya karti hai	Aaj ki value	Kab badlein
Conditions → Value 1	Kya check karna hai	`{{ $json.email_valid }}`	Drag karke daalo
Conditions → Operator	Kis type ka check: String, Number, Date, Boolean, Array…	`Boolean → is true`	Number ke liye "is greater than" etc.
Add condition + AND/OR	Ek se zyada shart	`ek hi`	AND = sab sach; OR = koi ek sach
Convert types where required	Text "10" ko number 10 maan lo	`On (loose)`	Strict rakha to type mismatch par error aayega
Outputs	true (upar) aur false (neeche) — dono ko alag node se jodo	`true → Clean, false → Review`	False branch khaali chhodi to galat items chupchaap gum

👨‍💻 Code — test data

Asli Sheet ke bina practice ke liye nakli (sample) data banata hai.




📸 Asli n8n: Code — test data

Setting	Kya karti hai	Aaj ki value	Kab badlein
Mode	Run Once for All Items	`Run Once for All Items`	Ek baar chalke saari list deta hai
return [...].map(j => ({json: j}))	Har object ko {json: ...} mein lapeto — n8n ka item format	`4 items`	Format galat = "Code doesn't return items properly"
Baad mein replace	Asli project mein is node ki jagah Google Sheets → Get Rows	–	Baaki workflow same rahega

📊 Google Sheets — Append

Har item ko Sheet ki nayi row bana deta hai.



📸 Asli n8n: Google Sheets — Append

Setting	Kya karti hai	Aaj ki value	Kab badlein
Credential	Google account (OAuth2)	`Google Sheets account`	Ek baar connect, har workflow mein reuse
Resource / Operation	Sheet Within Document → Append Row	`Append Row`	Purani row badalni ho to Update / Append or Update
Document	Kaunsi Google Sheet: list, URL ya ID	`By ID`	URL paste karna sabse aasaan
Sheet	Kaunsa tab	`Clean Leads`	Tab ka naam exact same (space bhi)
Mapping Column Mode	Map Automatically = field naam = column naam	`Map Automatically`	Naam alag hon to "Map Each Column Manually"

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😫 Pehle (manual)

Har lead ka naam/phone manually theek karna	30 min
Invalid emails dhoondhna	15 min
	45 min

➜

⚡ Ab (n8n)

Expressions se sab auto-clean	
Invalid alag sheet mein	
	0 min

⏱ 100 leads par 45 min → 0, aur data hamesha clean.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo 📋 Select karke copy karo

```
{{ "+91" + $json.phone.replace(/\D/g, "").slice(-10) }}
```

📦 Sample data — input se output tak

📥 Input 📋 Select karke copy karo

```
{
  "name": "  rAHUL sharma ",
  "phone": "98765-43210",
  "email": " Rahul@GMAIL.com "
}
```

📤 Output 📋 Select karke copy karo

```
{
  "name": "Rahul Sharma",
  "phone": "+919876543210",
  "email": "rahul@gmail.com",
  "valid": true
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Build it with ChatGPT / Claude 📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Gande data ko saaf karta hai: naam proper case mein, phone +91 format mein, aur galat emails alag. Saaf leads ek tab mein, galat wale "Review" tab mein.

Flow: Manual Trigger (Test run) → Code (Sample messy leads) → Edit Fields (Expressions se clean) → IF (Email valid?) → Google Sheets (Clean / Review)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 Debug helper prompt 📋 Select karke copy karo

```
I'm building the n8n workflow "Messy Lead List Cleaner" (nodes: Run Manually, Sample Messy Leads, Clean Fields, Email Valid?, Save Clean Leads, Save for Review).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

Workflow JSON
6 nodes · ready to import
`adifyskills.com/workflows/day-04-messy-lead-cleaner.json`

Lesson page
Copy buttons, quiz aur video links
`adifyskills.com/day/4`

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Google Sheets (Google OAuth)" connect karo.
"Sheet not found" / column khaali?	Sheet ID aur tab ka naam (capital/small bhi) check karo. Pehli row mein headers hone chahiye.

⚠️ Yeh galtiyan sabse common hain

- ! Expression mode (fx) on karna bhool jaana — text literally chala jaata hai
- ! Node ka naam badalne par $("Old Name") toot jaana
- ! Null field par .toLowerCase() → error (use ?. ya default)

⭐ Pro tips — time bachane wali tricks

- ★ Drag-and-drop mapping se expressions automatic bante hain
- ★ Expression editor mein live preview hamesha dekho
- ★ $json.field ?? "default" se null-safe raho

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

🏋️ Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Messy lead list ko clean karna: proper case names, +91 phone format, invalid emails flag.

📝 Homework

Expressions cheat sheet se 15 expressions practise karke apni notebook workflow banao.

- ☐ Homework ho gaya

BEGINNER

Greeting: "Good morning, {{name}}"

INTERMEDIATE

Age calculate from DOB

ADVANCED

Indian festival ke hisaab se dynamic subject line

🧩 Aaj ka challenge — pehle khud try karo

🎯 Email ka domain (gmail.com, yahoo.com) alag column mein nikaalo.

💡 **Hint 1**

n8n mein strings ke liye ready-made functions hain — email ke liye bhi.

💡 **Hint 2**

Expression: {{ $json.email.extractDomain() }} try karo.

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

🧪 Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Naam ko proper case mein (spaces bhi hatao)

```
{"name":"  rAHUL sharma "}
```

Mera jawab: _____

2. Phone ko +91 format mein

```
{"phone":"98765-43210"}
```

Mera jawab: _____

3. 3 din baad ki date (aaj 01 Dec 2026)

Input ki zaroorat nahi

Mera jawab: _____

4. City khaali ho to "Unknown"

```
{"name":"Asha"}
```

Mera jawab: _____

5. Pichhle node ka original naam

```
{"note":"Sample Messy Leads ka data"}
```

Mera jawab: _____

🎯 2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Current item ka data kaise access karte hain?

- (A) $item
- (B) $json
- (C) $data
- (D) $this

Q2. 3 din baad ki date?

- (A) date+3
- (B) $now + 3
- (C) $now.plus({days: 3})
- (D) $today(3)

Q3. Expression kis syntax mein likhte hain?

- (A) <% %>
- (B) (( ))
- (C) [[ ]]
- (D) {{ }}

Q4. Kisi pichhle node "Webhook" ka data?

- (A) $("Webhook").item.json
- (B) $prev
- (C) $webhook
- (D) $node.Webhook

📖 Aaj ke naye shabd

Workflow
Steps ki ek chain jo apne aap chalti hai — jaise recipe ke steps.

Node
Workflow ka ek dabba/step. Har node ek kaam karta hai (email bhejna, data laana…).

Trigger
Jo workflow ko START karta hai — jaise alarm, naya email, ya form submit.

JSON
Data likhne ka format: { "naam": "Ravi", "city": "Delhi" } — key aur value ke jode.

Expression
{{ }} ke andar likha chhota code jo data ko jagah par bhar deta hai, jaise {{ $json.name }}.

Item
Data ki ek row/record. n8n mein data items ki list ki tarah flow karta hai.

Merge
Do raaston ka data wapas ek jagah jodna.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 5

Logic & Flow Control: IF, Switch, Merge, Loop

"Workflows jo khud decision lete hain."

☐ **Day 4 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → B
$json

Q2 → C
$now.plus({days: 3})
Luxon syntax.

Q3 → D
{{ }}

Q4 → A
$("Webhook").item.json

✅ Challenge ka solution

Clean Fields mein naya field: domain = {{ $json.email.trim().toLowerCase().extractDomain() }}

🧪 Expression sheet ke jawab

1. `{{ $json.name.trim().toLowerCase().toTitleCase() }}` → **Rahul Sharma**
2. `{{ "+91" + $json.phone.replace(/\D/g, "").slice(-10) }}` → **+919876543210**
3. `{{ $now.plus({ days: 3 }).toFormat("dd LLL yyyy") }}` → **04 Dec 2026**
4. `{{ $json.city ?? "Unknown" }}` → **Unknown**
5. `{{ $("Sample Messy Leads").item.json.name }}` → **rahul SHARMA**

📚 Official docs

- Expressions ↗
- Built-in methods ↗
- Luxon dates ↗
- Edit Fields (Set) ↗

▶ Videos

- n8n expressions tutorial ↗
- n8n luxon date expressions ↗

Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716

Day 4 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/4

+91 83838 91716
Call / WhatsApp — Adify Skills