AdifySkills

n8n Automation Mastery
+91 83838 91716

MENTOR COPY

Module 3 · APIs, Webhooks & Integrations

DAY 07 of 25

HTTP Request & REST APIs Mastery

"Agar API hai, toh n8n se connect ho sakta hai."

⚡ AAJ HUM YEH BANAYENGE

Morning Briefing Bot (Weather + News + Currency)

Har subah 7 baje teen free APIs se data laata hai — Delhi ka mausam, top 3 news, USD→INR rate — aur ek saaf Telegram message bhejta hai. Koi API key nahi chahiye.

HTTP Request | cURL import | Postman

Naam: _____ Class date: _____

2 ghante ki live class · 7:00 PM – 9:00 PM IST

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

HTTP Request node n8n ka "master key" hai. Jis app ka ready node nahi, uski API se bhi connect ho jaate hain.

🎯 Aaj ke baad aap yeh kar paoge

01 REST basics: GET, POST, PUT, DELETE

🌍 Library: kitaab lena (GET), nayi kitaab dena (POST), update (PUT), wapas karna (DELETE).
⚙️ GET /users, POST /leads, PUT /leads/12, DELETE /leads/12

02 Headers, query params, body (JSON/form)

🌍 Courier: lifafe par pata (URL), stamp (header), andar chitthi (body).
⚙️ Header: Authorization: Bearer KEY · Query: ?city=Pune · Body: { "name": "Aman" }

03 Reading API docs like a pro

🌍 Naye phone ka manual — pehle "Getting started", phir features.
⚙️ Docs mein dhoondho: Base URL, Authentication, Endpoints, Example request.

04 cURL import in HTTP Request node

🌍 Recipe ka photo bhej do, cook khud bana dega.
⚙️ Docs se cURL copy → HTTP node → "Import cURL" → sab fields bhar gayi.

05 Pagination & rate-limit handling

🌍 Kitaab ke 10 pages — ek-ek palatna; ek din mein limit.
⚙️ Pagination: page=1,2,3… · 429 aaye to Wait + retry.

06 Response parsing & error codes

🌍 Doctor ki report: normal (200), "mila nahi" (404), "pass nahi hai" (401).
⚙️ 200 OK · 400 bad input · 401 auth · 404 not found · 429 rate limit · 500 server

⏱ Class ka plan (2 ghante)

10m	35m	45m	20m	10m

`0:00-0:10` **Recap**

🪄 *Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.*

👩‍🏫 2 students se homework screen share karwao. Galti wala homework bhi dikhao — sabse zyada seekh wahin se aati hai.

`0:10-0:45` **Concept: APIs**

Restaurant waiter analogy + live Postman demo

🪄 *Restaurant mein tum kitchen mein nahi jaate — waiter jaata hai. API waiter hai, n8n customer hai.*

👩‍🏫 Pehle real-life example se shuru karo, phir n8n screen dikhao. Har concept ke baad 1 student se apne shabdon mein dobara bulwao.

`0:45-1:30` **Live Build**

Weather + news morning briefing bot

🪄 *Aaj ki kahani yaad hai — 'Restaurant ka waiter = API'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.*

👩‍🏫 Har 10 minute par poocho "sabka green tick aaya?". Jaan-boojh ke ek galti live hone do aur use debug karke dikhao.

1:30-1:50 **API Hunt**

Students pick a public API & integrate

🪄 Practice match — jitna yahan girenge, utna asli match mein kam girenge.

👩‍🏫 Pehle 5 minute akele try karne do, phir hint do. Jo solve kare use screen share karwao.

1:50-2:00 **Q&A + Homework**

🪄 Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?

👩‍🏫 Chat se top 3 doubts live solve karo. Homework ka pehla step class mein hi karwa do, taaki koi blank na baithe.

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01

API

Do software ke beech baat karne ka tareeka.

🪄 **Analogy:** Restaurant ka waiter — aap order dete ho, kitchen se khana laata hai

CONCEPT 02

HTTP methods

GET (lao), POST (banao), PUT/PATCH (update), DELETE (hatao).

🪄 **Analogy:** CRUD = Create Read Update Delete

CONCEPT 03

Headers & Auth

Request ke saath extra info — API key, content type.

🪄 **Analogy:** Building entry pass

CONCEPT 04

Pagination

API data pages mein deti hai — sab pages laane padte hain.

🪄 **Analogy:** Kitaab ke page palatna

🔑 Aaj ka main idea

API do software ke beech baat karne ka tareeka hai. Aap request bhejte ho (method + URL + headers + body), server response deta hai (JSON + status code). HTTP Request node se n8n kisi bhi API se baat kar sakta hai.

- Zomato app restaurant ki API se menu laata hai
- Weather app mausam ki API se temperature
- UPI app bank ki API se payment

📖 Ek kahani se samjho: Restaurant ka waiter = API

1 🧑 **Aap order dete ho** = HTTP Request (GET/POST)

2 👨‍🍳 **Waiter kitchen jaata hai** = API server

3 📜 **Menu card padha** = API docs

4 🍛 **Khana aaya** = JSON response

5 🤦 **"Aaj khatam" bola** = Error code (404/429)

🪄 Ek line mein: “Restaurant mein tum kitchen mein nahi jaate — waiter jaata hai. API waiter hai, n8n customer hai.”

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 API

📖 **Kya hai:** API ek darwaza hai jisse ek software doosre software se data maang sakta hai ya bhej sakta hai. Aap URL par request bhejte ho, aur woh JSON mein jawab deta hai.

⚙️ **Andar kaise:** Har request ke 4 hisse hote hain: URL (kahan), Method (kya karna), Headers (extra info jaise API key) aur Body (bhejne wala data). Jawab mein ek status code aata hai — 200 matlab sab theek, 400 tumhari galti, 401 login/API key galat, 404 cheez nahi mili, 429 bahut zyada requests, 500 unke server ki galti — aur saath mein data.

✅ **Kab use karein**
Jab kisi app ka ready-made n8n node nahi hai, ya node mein woh feature nahi jo aapko chahiye. Lagbhag har modern app (Razorpay, Shiprocket, Interakt, Zoho) ki API hoti hai.

⛔ **Kab nahi**
Jis app ka official n8n node hai aur woh aapka kaam kar deta hai, wahan pehle node use karo — auth aur pagination woh khud sambhalta hai.

🧪 **Example:** Open-Meteo: GET https://api.open-meteo.com/v1/forecast?latitude=28.61&longitude=77.21&current=temperature_2m → {current: {temperature_2m: 14.2}}

⚠️ **Common galti:** Status code padhe bina "API kaam nahi kar rahi" kehna. Error message mein code dekho: 401 = key ka masla, 429 = dheere chalao, 500 = unka server — baad mein retry.

🪄 **API = waiter. Request bhejo, JSON jawab lo. Status code pehle padho.**

02 HTTP methods

📖 **Kya hai:** Method batata hai ki aap API ke saath kya karna chahte ho. GET = data padho, POST = naya banao, PUT/PATCH = badlo, DELETE = hatao.

⚙️ **Andar kaise:** GET mein body nahi hoti — filters URL ke ? ke baad query parameters mein jaate hain (?city=Delhi&limit=10). POST/PUT/PATCH mein data body mein JSON ki tarah jaata hai. PUT poori cheez replace karta hai, PATCH sirf diye hue fields badalta hai. API docs har endpoint ka method batate hain.

✅ **Kab use karein**
GET: weather, rates, list of orders. POST: lead create, message bhejna, payment link banana. PATCH: order status update. DELETE: purana record hatana.

⛔ **Kab nahi**
Testing ke waqt asli production API par DELETE/POST mat chalao — pehle test/sandbox account ya ek dummy record par.

🧪 **Example:** Aaj teeno HTTP calls GET hain: Weather, Currency (open.er-api.com/v6/latest/USD). Kal (Day 8) hum khud POST receive karenge.

⚠️ **Common galti:** GET request mein body bhejna ya POST ke data ko query parameters mein daal dena — API 400 Bad Request deti hai. Docs mein dekho data kahan jaata hai.

🪄 **GET lao, POST banao, PATCH badlo, DELETE hatao.**

03 Headers & Auth

📖 **Kya hai:** Headers request ke saath jaane wali extra jaankari hain — jaise "main JSON bhej raha hoon" ya "yeh rahi meri API key". Zyaadatar paid APIs bina key ke jawab nahi deti.

⚙️ **Andar kaise:** Auth ke common tareeke: API key header mein (x-api-key: ...), Bearer token (Authorization: Bearer ...), Basic Auth (username:password), query param mein key (?apikey=...), aur OAuth2 (Google jaise). n8n mein inhe "Credentials" mein save karte hain — key ek baar daalo, workflow JSON mein dikhti nahi, aur share karne par leak nahi hoti.

✅ **Kab use karein**
Har us API ke saath jo key ya token maangti hai. Docs ka "Authentication" section pehle padho.

⛔ **Kab nahi**
Key ko URL ya Code node mein seedha mat likho. Workflow export/share karte hi key sabke paas pahunch jaati hai.

🧪 **Example:** HTTP Request → Authentication: Generic Credential Type → Header Auth → Name: Authorization, Value: Bearer sk_live_xxx.

⚠️ **Common galti:** "Bearer" aur token ke beech space bhool jaana, ya galat header naam (X-API-KEY vs x-api-key kuch APIs mein farak padta hai) — 401 Unauthorized.

🪄 **Key = entry pass. Hamesha Credentials mein rakho, URL mein kabhi nahi.**

04 Pagination

📖 **Kya hai:** Bahut saara data ho to API ek baar mein sab nahi deti — 50 ya 100 records ka ek "page" deti hai. Baaki ke liye agla page maangna padta hai.

⚙️ **Andar kaise:** Teen common tareeke: page number (?page=2), offset (?offset=100&limit=100), aur cursor/next link (jawab mein next_cursor ya next URL). HTTP Request node ke Options → Pagination mein yeh rule set karte ho — n8n khud page-by-page tab tak maangta hai jab tak data khatam na ho, aur sab items jod deta hai.

✅ **Kab use karein**
Saare orders, saare contacts, poori product list — jab bhi "total" 100 se zyada ho sakta hai.

⛔ **Kab nahi**
Sirf latest 10 chahiye to pagination mat lagao — limit=10 kaafi hai. Bina wajah 50 pages kheenchna API limit khatam kar dega.


🧪 **Example:** Pagination Mode: Update a Parameter in Each Request → Query: page = {{ $pageCount + 1 }}; Complete When: Response Is Empty.


⚠️ **Common galti:** Sirf pehla page laakar sochna ki "saare 100 customers aa gaye", jabki asli mein 2,340 the. Hamesha docs mein "total" ya "has_more" field dekho.

🪄 **API = kitaab ke pages. Pagination option se n8n khud palatta hai.**

🗺️ Aaj ka workflow: Morning Briefing Bot (Weather + News + Currency)

Data left se right chalta hai. Har dabba ek n8n node hai.





📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Founders, traders (morning briefing bot) — aam taur par **₹3,000 – ₹8,000 + ₹500/mahina**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1. ⚡ **Schedule Trigger**
   Roz 7 AM
2. 🌐 **HTTP Request**
   Weather API (Open-Meteo, bina key) — city ke coordinates
3. 🌐 **HTTP Request**
   News API — top headlines
4. 🔗 **Merge**
   Weather + news combine
5. 👨‍💻 **Code**
   Sundar formatted message banao
6. ✈️ **Telegram**
   Morning briefing bhejo

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- ☐ Connect: **Telegram bot token (BotFather se)**
- ☐ Apne shehar ke liye Weather URL mein latitude/longitude badlo

✅ Test kaise karein

1. "Test workflow" → Telegram check karo
2. Har HTTP node ka raw JSON dekho — data kahan se aa raha hai

AdifySkills
DIGITAL MARKETING INSTITUTE
+91 83838 91716

Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 🔧 Every Day 7 AM

Schedule ne 7 baje fire kiya — 1 item with time info.


```
{
  "timestamp": "2026-12-01T07:00:00.012+05:30",
  "Readable date": "December 1st 2026, 7:00:00 am",
  "Day of week": "Tuesday",
  "Timezone": "Asia/Kolkata (UTC+05:30)"
}
```


2 🔧 Weather

Open-Meteo ka JSON. Kaam ka data "current" ke andar hai.


```
{
  "latitude": 28.625,
  "longitude": 77.25,
  "timezone": "Asia/Kolkata",
  "current": {
    "time": "2026-12-01T07:00",
    "temperature_2m": 14.2,
    "relative_humidity_2m": 78,
    "wind_speed_10m": 5.4
  }
}
```


3 🔧 Currency

Weather ka 1 item aaya tha, isliye yeh 1 baar chala. Saari currencies "rates" mein.


```
{
  "result": "success",
  "base_code": "USD",
  "time_last_update_utc": "Tue, 01 Dec 2026 00:02:31 +0000",
  "rates": {
    "USD": 1,
    "INR": 84.6214,
    "EUR": 0.9431,
    "…": "160+ aur"
  }
}
```


4 🔧 Top News

Feed ke saare articles — har article ek item (yahan 34).


```
{
  "title": "RBI keeps repo rate unchanged at 6.5% - The Hindu",
  "link": "https://news.google.com/rss/articles/…",
  "pubDate": "Tue, 01 Dec 2026 01:30:00 GMT",
  "…": "(+33 aur items)"
}
```

5 🔧 Top 3

34 mein se pehle 3 bache.


```
{
  "title": "RBI keeps repo rate unchanged at 6.5% - The Hindu",
  "…": "(+2 aur items)"
}
```


6 🔧 Build Message

3 nodes ka data ek text mein jud gaya.


```
{
  "text": "☀️ Good morning!\n\n🌡 Delhi: 14.2°C, humidity 78%, wind 5.4 km/h\n💱 1 USD = ₹84.62\n\n📰 Top news:\n1. RBI keeps repo rate…\n2. …\n3. …"
}
```


7 🔧 Send Briefing

Telegram ne message bhej diya.


```
{
  "ok": true,
  "result": {
    "message_id": 731,
    "chat": {
      "id": 123456789,
      "type": "private"
    },
    "date": 1764552601
  }
}
```



Adify DIGITAL MARKETING INSTITUTE +91 83838 91716

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

HTTP Request — public API

Bina API key ke Open-Meteo se mausam laata hai.




📸 Asli n8n: HTTP Request — public API

Setting	Kya karti hai	Aaj ki value	Kab badlein
Method	GET	`GET`	Sirf data padhna hai
URL	Query parameters seedhe URL mein	`…/forecast?latitude=28.61&longitude=77.21&current=…`	Lambe URLs ke liye "Send Query Parameters" mein ek-ek field
Authentication	None	`None`	Open-Meteo free hai; doosri APIs mein Header Auth
Import cURL (upar button)	Docs se curl copy karke paste — saari settings khud bhar jaati hain	—	Naya API try karne ka sabse tez tareeka
Settings → Retry On Fail	Fail ho to dobara try	`On (3 tries, 1000 ms)`	Free APIs kabhi-kabhi slow hoti hain
Options → Pagination	Kai pages laane ke liye	`Off`	Saare orders/contacts laane ho to On

RSS Read

Kisi bhi website ka RSS feed padh kar har article ko ek item bana deta hai.




📸 Asli n8n: RSS Read

Setting	Kya karti hai	Aaj ki value	Kab badlein
URL	Feed ka address	`news.google.com/rss?hl=en-IN&gl=IN&ceid=IN:en`	Topic ke liye: news.google.com/rss/search?q=AI
Output	Har article = 1 item: title, link, pubDate, content	`30+ items`	Blog, YouTube channel, job portals — sabke feeds hote hain
Options → Ignore SSL Issues	Purani websites ke certificate errors ignore	`Off`	Sirf trusted feeds ke liye on karo

Limit

Itne hi items aage jaane do — baaki chhod do.




📸 Asli n8n: Limit

Setting	Kya karti hai	Aaj ki value	Kab badlein
Max Items	Kitne items rakhne hain	`3`	Top 5 ke liye 5
Keep	First Items ya Last Items	`First Items`	Sabse naye neeche hon to Last

👨‍💻 Code — teen sources jodna

Teen alag nodes ka data ek message mein.



📸 Asli n8n: Code — teen sources jodna

Setting	Kya karti hai	Aaj ki value	Kab badlein
$("Weather").first().json.current	Pichhle-pichhle node ka data naam se	`temperature_2m: 14.2`	Merge node ke bina data jodne ka tareeka
$("Currency").first().json.rates.INR	Currency node ka INR rate	`84.62`	.toFixed(2) se 2 decimal
$input.all().map(…).join("\n")	Top 3 news ko numbered list	`1. … 2. … 3. …`	join("\n") = har item nayi line
return [{ json: { text } }]	1 item = 1 message	`1 item`	Kai items lautaoge to kai messages jaayenge

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😫 Pehle (manual)

Weather app kholna	2 min
News app kholna	5 min
Family group par likhna	5 min
	12 min

⚡ Ab (n8n)

7 AM briefing Telegram par auto

0 min

⏱ Roz 12 min bache, family ko daily update.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo — 📋 Select karke copy karo

```
curl "https://api.open-meteo.com/v1/forecast?latitude=28.61&longitude=77.21&current=temperature_2m"
```

📦 Sample data — input se output tak

📥 Input — 📋 Select karke copy karo

```
{
  "current": {
    "temperature_2m": 24.3,
    "wind_speed_10m": 8
  }
}
```

📤 Output — 📋 Select karke copy karo

```
{
  "message": "☀️ Good morning! Delhi: 24°C\n📰 Top 3 news…"
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Build it with ChatGPT / Claude

📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Har subah 7 baje teen free APIs se data laata hai — Delhi ka mausam, top 3 news, USD→INR rate — aur ek saaf Telegram message bhejta hai. Koi API key nahi chahiye.

Flow: Schedule (7:00 AM) → HTTP (Open-Meteo weather) → HTTP (USD → INR) → RSS Read (Google News India) → Code (Message banao) → Telegram (Bhejo)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 Debug helper prompt

📋 Select karke copy karo

```
I'm building the n8n workflow "Morning Briefing Bot (Weather + News + Currency)" (nodes: Every Day 7 AM, Weather, Currency, Top News, Top 3, Build Message, Send Briefing).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ Workflow JSON
7 nodes · ready to import
`adifyskills.com/workflows/day-07-morning-briefing-telegram.json`

🌐 Lesson page
Copy buttons, quiz aur video links
`adifyskills.com/day/7`

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Telegram bot token (BotFather se)" connect karo.
Time par apne aap nahi chala?	"Active" toggle on hai? Settings mein timezone Asia/Kolkata check karo.

⚠️ Yeh galtiyan sabse common hain

! API key ko URL mein hardcode karna (credential use karo)
! 429 Too Many Requests ko ignore karna
! Response "file" hai aur JSON expect karna

⭐ Pro tips — time bachane wali tricks

★ API docs se cURL copy karo → HTTP node mein "Import cURL"
★ Settings → Retry on fail + wait 5s
★ Pagination option se automatic next pages

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

🏋️ Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Morning briefing: weather + top news + currency rate → ek formatted Telegram message.

📝 Homework

Koi bhi 2 public APIs integrate karo with pagination.

☐ Homework ho gaya

BEGINNER
Random joke API se joke laao
☐

INTERMEDIATE
Paginated API ke saare pages laao
☐

ADVANCED
Retry + exponential backoff Code se
☐

🧩 Aaj ka challenge — pehle khud try karo

🎯 Briefing mein Delhi ki jagah apne shehar ka mausam dikhao aur ek "☔ Chhata le jao" line jodo agar baarish ho.

💡 Hint 1
Open-Meteo URL mein latitude/longitude badalte hain; Google par "<city> latitude longitude" search karo.

💡 Hint 2
URL mein &current= ke saath precipitation bhi maango, phir Code mein check karo > 0.

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Temperature nikaalo

```
{"current":{"temperature_2m":14.2}}
```

Mera jawab: _____

2. Round karke °C lagao

```
{"current":{"temperature_2m":14.2}}
```

Mera jawab: _____

3. INR rate 2 decimal tak

```
{"rates":{"INR":84.6214}}
```

Mera jawab: _____

4. News title se source hatao

```
{"title":"RBI keeps repo rate unchanged - The Hindu"}
```

Mera jawab: _____

5. Doosre node (Weather) ka wind speed

```
{"note":"Weather node: current.wind_speed_10m = 5.4"}
```

Mera jawab: _____

2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Data sirf padhne ke liye method?

- (A) PUT
- (B) POST
- (C) GET
- (D) DELETE

Q2. 429 error ka matlab?

- (A) Server down
- (B) Unauthorized
- (C) Not found
- (D) Rate limit exceeded

Q3. API docs se fastest setup?

- (A) Import cURL
- (B) Screenshot
- (C) Code node
- (D) Manually type

Q4. 401 error?

- (A) Auth problem
- (B) Success
- (C) Redirect
- (D) Timeout

📖 Aaj ke naye shabd

Node
Workflow ka ek dabba/step. Har node ek kaam karta hai (email bhejna, data laana…).

Trigger
Jo workflow ko START karta hai — jaise alarm, naya email, ya form submit.

API
Do apps ke baat karne ka tareeka. Ek app sawaal bhejta hai, doosra jawab (data) deta hai.

JSON
Data likhne ka format: { "naam": "Ravi", "city": "Delhi" } — key aur value ke jode.

Merge
Do raaston ka data wapas ek jagah jodna.

HTTP Request
Node jo kisi bhi API ko call kar sakta hai — n8n ka universal connector.

Schedule
Fixed time par workflow chalana — roz, har ghante, har Monday.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

👨‍🏫 Mentor notes — class kaise lein

Yeh page sirf aapki copy mein hai. Students ki PDF mein nahi jaata.

- [ ] Waiter analogy + browser mein API URL kholke JSON dikhao
- [ ] Students apni pasand ki public API chunein (public-apis list)
- [ ] Status codes ka cheat sheet board par

🗣️ Har block ke liye mentor tip

10m — Recap

2 students se homework screen share karwao. Galti wala homework bhi dikhao — sabse zyada seekh wahin se aati hai.

Class se poochho: Kal wale workflow mein sabse mushkil step kaunsa laga? · Homework mein kahan error aaya aur kaise theek kiya? · Kal ka ek node naam batao aur woh kya karta hai?

35m — Concept: APIs

Pehle real-life example se shuru karo, phir n8n screen dikhao. Har concept ke baad 1 student se apne shabdon mein dobara bulwao.

Class se poochho: Data laane ka method kaunsa? · 429 ka matlab? · API docs se fast setup kaise?

45m — Live Build

Har 10 minute par poocho "sabka green tick aaya?". Jaan-boojh ke ek galti live hone do aur use debug karke dikhao.

Class se poochho: Is node ka output agle node mein kaise ja raha hai? · Agar yeh node fail ho to kya hoga? · Isko apne kaam/business mein kahan use kar sakte ho?

20m — API Hunt

Pehle 5 minute akele try karne do, phir hint do. Jo solve kare use screen share karwao.

Class se poochho: Data sirf padhne ke liye method? · 429 error ka matlab? · API docs se fastest setup?

10m — Q&A + Homework

Chat se top 3 doubts live solve karo. Homework ka pehla step class mein hi karwa do, taaki koi blank na baithe.

Class se poochho: Aaj ka sabse useful node kaunsa laga? · Homework mein pehla step kya hoga? · Aaj ki class 1 line mein summarize karo.

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 8

Authentication, Credentials & Webhooks

"Real-time apps banane ka secret: webhooks."

☐ **Day 7 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → C
GET

Q2 → D
Rate limit exceeded

Q3 → A
Import cURL

Q4 → A
Auth problem

✅ Challenge ka solution

URL: ...&current=temperature_2m,precipitation... Code: const rain = w.precipitation > 0 ? "\n☔ Chhata le jao!" : ""; text mein jod do.

🧪 Expression sheet ke jawab

1. `{{ $json.current.temperature_2m }}` → **14.2**
2. `{{ Math.round($json.current.temperature_2m) }}°C` → **14°C**
3. `{{ $json.rates.INR.toFixed(2) }}` → **84.62**
4. `{{ $json.title.split(" - ")[0] }}` → **RBI keeps repo rate unchanged**
5. `{{ $("Weather").first().json.current.wind_speed_10m }}` → **5.4**

📚 Official docs

- HTTP Request node ↗
- Pagination ↗
- Public APIs list ↗
- Rate limits ↗

▶ Videos

- n8n http request node tutorial ↗
- n8n api pagination ↗

Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716 ↗

Day 7 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/7 ↗

+91 83838 91716
Call / WhatsApp — Adify Skills